

WILLIAMSBRIDGE GARDENS
EAST 211TH – EAST 212TH STREET
BRONX, NEW YORK
NYSDEC BCP ID: C203113

REMEDIAL INVESTIGATION WORK PLAN

SUBMITTED TO:



New York State Department of Environmental Conservation
Region 2
47-40 21st Street
Long Island City, New York 11101

PREPARED FOR:

B&B Urban LLC
419 Park Avenue South, 7th Floor
New York, New York 10019

PREPARED BY:



P.W. Grosser Consulting, Inc.
630 Johnson Avenue, Suite 7
Bohemia, New York 11716
Phone: 631-589-6353
Fax: 631-589-8705

James Rhodes, PG, COO
Thomas Melia, PG, Sr. Project Manager

jimr@pwgrosser.com
thomasm@pwgrosser.com

PWGC Project Number: BBU1801

JANUARY 2019



P.W. GROSSER CONSULTING, INC.
PROJECT No. BBU1801
New York State Department of Environmental Conservation
Brownfield Site No. C203113

**REMEDIAL INVESTIGATION
WORK PLAN**

Williamsbridge Gardens
East 211th – East 212th Street
Bronx, New York

SUBMITTED:
January 2019

PREPARED FOR:

New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233

ON BEHALF OF:

B&B Urban LLC
419 Park Avenue South, 7th Floor
New York, New York 10019

PREPARED BY:

P.W. Grosser Consulting, Inc.
630 Johnson Avenue, Suite 7
Bohemia, New York 11716



**REMEDIAL INVESTIGATION WORK PLAN
WILLIAMSBRIDGE GARDENS
NYSDEC BCP ID: C203113**

| TABLE OF CONTENTS | PAGE |
|---|-------------|
| 1.0 INTRODUCTION | 1 |
| 2.0 SITE DESCRIPTION AND HISTORY | 2 |
| 2.1 Site Description | 2 |
| 2.2 Site History | 2 |
| 2.3 Regional Geology/Hydrogeology | 3 |
| 2.4 Site Geology/Hydrogeology | 3 |
| 2.5 Site Features..... | 4 |
| 2.6 Current and Future Site Use..... | 4 |
| 2.7 Previous Environmental Reports | 4 |
| 2.7.1 Phase I ESA (August 2017) | 4 |
| 2.7.2 Phase II ESA (January 2018)..... | 4 |
| 3.0 STANDARDS, CRITERIA, AND GUIDANCE (SCGS) | 9 |
| 4.0 OBJECTIVES, SCOPE AND RATIONALE | 10 |
| 4.1 Additional Characterization of On-Site Soils | 10 |
| 4.2 Characterization of On-Site Groundwater | 11 |
| 4.2.1 Monitoring Well Construction..... | 12 |
| 4.2.2 Vertical Delineation | 12 |
| 4.2.3 Monitoring Well Development..... | 13 |
| 4.2.4 Monitoring Well Sampling..... | 13 |
| 4.3 Determination of Site Specific Groundwater Flow Direction | 14 |
| 4.4 On-site and Off-site Qualitative Human Health Exposure Evaluation | 14 |
| 4.5 Emerging Contaminant Sampling..... | 14 |
| 5.0 QUALITY ASSURANCE PROJECT PLAN | 15 |
| 5.1 Project Organization | 15 |
| 5.2 Laboratory Analysis..... | 16 |
| 5.2.1 Soil Samples..... | 17 |
| 5.2.2 Groundwater Samples..... | 17 |
| 5.3 Field/Laboratory Data Control Requirements | 17 |
| 5.4 Special Sampling Considerations for PFAS Sampling | 18 |
| 5.5 Sample Identification | 19 |
| 5.6 Chain-of-Custody, Sample Packaging and Shipment | 20 |
| 5.7 Data Usability and Validation..... | 20 |
| 5.7.1 Data Usability and Validation Requirements | 20 |
| 5.7.2 Data Usability and Validation Methods..... | 21 |
| 5.8 Field Equipment Calibration..... | 21 |
| 5.9 Equipment Decontamination..... | 21 |
| 5.9.1 General Procedures..... | 21 |



**REMEDIAL INVESTIGATION WORK PLAN
WILLIAMSBRIDGE GARDENS
NYSDEC BCP ID: C203113**

| TABLE OF CONTENTS | PAGE |
|--|-------------|
| 5.9.2 Drilling Equipment | 22 |
| 5.9.3 Sampling Equipment..... | 22 |
| 5.9.4 Meters and Probes | 22 |
| 5.10 Management of Investigation Derived Waste | 22 |
| 5.11 Field Documentation..... | 23 |
| 6.0 REMEDIAL INVESTIGATION REPORT PREPARATION | 24 |
| 7.0 HEALTH AND SAFETY | 25 |
| 8.0 COMMUNITY AIR MONITORING PLAN..... | 26 |
| 9.0 PROJECT SCHEDULE..... | 27 |
| 10.0 REFERENCES | 28 |

FIGURES

| | |
|----------|------------------------------------|
| Figure 1 | Vicinity Map |
| Figure 2 | Site Plan |
| Figure 3 | Soil Sample Results |
| Figure 4 | Vapor Sample Results |
| Figure 5 | Proposed Monitoring Well Locations |

TABLES

| | |
|---------|--|
| Table 1 | Soil Sample Analytical Results – Volatile Organic Compounds |
| Table 2 | Soil Sample Analytical Results – Semi-Volatile Organic Compounds |
| Table 3 | Soil Sample Analytical Results – Metals |
| Table 4 | Soil Sample Analytical Results – Pesticides & PCBs |
| Table 5 | Air Sample Analytical Results – Volatile Organic Compounds |
| Table 6 | Project Schedule |

APPENDICES

| | |
|------------|-------------------------------|
| Appendix A | Geophysical Survey Report |
| Appendix B | Laboratory Analytical Reports |
| Appendix C | Data Usability Summary Report |
| Appendix D | Health and Safety Plan |
| Appendix E | Community Air Monitoring Plan |



CERTIFICATION

I, Thomas Melia, PG, certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Remedial Investigation Work Plan was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

I certify that all information and statements in this certification are true. I understand that a false statement made herein is punishable as Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

A handwritten signature in black ink, appearing to read "Th Melia".

1-28-2019

Signature

Date

It is a violation of Article 145 of New York State Education Law for any person to alter this document in any way without the express written verification of adoption by any New York State licensed engineer in accordance with Section 7209(2), Article 145, New York State Education Law.



1.0 INTRODUCTION

P.W. Grosser Consulting, Inc. (PWGC) has prepared the following Remedial Investigation Work Plan (RIWP) to outline procedures and a scope of work intended to delineate impacted areas of concern at the Site identified as Williamsbridge Gardens located at 718 to 728 East 212th Street, Bronx, New York.

The Applicants, B&B Urban LLC and 211 Residential Associates LLC, have been accepted into the New York State Department of Environmental Conservation's (NYSDEC) Brownfield Cleanup Program (BCP) as a volunteer as set forth in a Brownfield Cleanup Agreement (BCA), dated August 3, 2018 (Site No. C203113). As such, the proposed Remedial Investigation (RI) is intended to delineate potential areas of concern within the property boundary and evaluate whether off-site adjacent properties may be impacted.



2.0 SITE DESCRIPTION AND HISTORY

2.1 Site Description

The Site is located at 718 East 212th Street in the Williamsbridge section of the Bronx, New York and is identified as Block 4657 and Lots 0042, 0067, 0069, 0071, and 0072 on the New York City Tax Map. The Site is approximately 35,000-square feet and is bounded by East 212th Street to the north, East 211th Street to the south, residential and commercial properties and Holland Avenue to the east, and commercial properties and White Plains Road to the west. Currently, the Site is vacant with the exception of one small (approx. 600 sq. ft.) storage building; the Site is unoccupied but was most recently used for storage of carnival equipment and rides.

A Vicinity Map is included as **Figure 1**. A Site Plan is included as **Figure 2**.

2.2 Site History

Lot 0042 (East 211th Street) has been vacant since at least 1897. Lots 0067, 0069, and 0071 were first developed in approximately 1918 as residential apartment buildings. The buildings on Lots 0067 and 0069 remained in place until approximately 1978, when they were demolished. The building on Lot 0071 was demolished at some point between 1950 and 1976. Lot 0072 was first developed in approximately 1918 with an auto repair shop. Between 1918 and 1935 it was redeveloped as a contractor storage garage/warehouse and residential dwelling. These buildings were demolished in approximately 2004. Lots 0042, 0067, 0069, and 0071 have been used for carnival ride/equipment storage and maintenance from approximately 1981 to the present. Lot 0072 has been vacant from approximately 2004 to the present.

Past site uses include residential (approx. 1918 to 1978), auto repair (approx. 1918) and contractor storage building (approx. 1935 to 2004).

Based on review of historical Sanborn Fire Insurance Maps, aerial photos, topographic maps, and city directories performed as part of PWGC's August 2017 Phase I ESA for the site, it appears the subject property was first developed in approximately 1908 with several residential apartment buildings. The site appears to have been used for residential purposes from that time through approximately 1978, at which point the existing structures were demolished; the site has been vacant since then and used for storage of carnival rides and equipment. No USTs were identified on Sanborn maps of the site.



2.3 Regional Geology/Hydrogeology

The geologic setting of New York City is well documented. Manhattan Island and the Bronx are underlain by tightly folded, metamorphic rocks. Erosion of these formations has resulted in the formation of northeast trending hills which are prominent in the northern sections of Manhattan. The bedrock beneath most of Manhattan and the Bronx is the Manhattan schist. The Inwood limestone does underlie two small areas in the northern half of the Manhattan island and a narrow belt of limestone is also present on the southeastern portion of the island near the East River. The Fordham gneiss also outcrops in a few locations on the northern half of the island. In most areas of Manhattan and the Bronx, bedrock is overlain by thin deposits of Pleistocene age glacial outwash deposits (sand and gravel).

2.4 Site Geology/Hydrogeology

Based on a January 2018 Phase II Environmental Site Assessment (ESA) performed by PWGC at the site, soils at the site consist primarily of silty and clayey sand with some gravel that extended from grade to the bedrock surface which was encountered at depths ranging from approximately 5 to 12 feet below grade.

Groundwater was not encountered in unconsolidated sediment above bedrock during the January 2018 Phase II ESA. Based on topography, if groundwater is present above bedrock, it likely flows in a westward direction toward the Bronx River. Groundwater flow within bedrock would be dependent on the orientation of fractures within the bedrock beneath the site.

A RI performed at an adjacent New York City Voluntary Cleanup Program (VCP) site (3560-3572 White Plains Road) in January 2014 did not encounter groundwater in unconsolidated sediment above bedrock. Bedrock was reportedly present at approximately 10 feet below grade at this site. The RI Report for this site cites a previous geotechnical investigation that encountered groundwater at approximately 14 to 16 feet below grade within bedrock.



2.5 Site Features

The project site elevation is approximately 100 feet above mean sea level and is generally level. The site is vacant with the exception of a small storage building. The property is unpaved.

2.6 Current and Future Site Use

The site is currently vacant with the exception of the 600 sf storage building. Development plans for the site consist of the demolition of the existing small structure, and construction of two new eight-story residential buildings with partial basements and a landscaped interior courtyard for residents. Combined, the buildings will be 171,000 square feet and contain 173 apartments (28 studio, 56 one-bedroom, 57 two-bedroom and 31 three-bedroom, plus one super's unit). The new buildings will be used for affordable housing, including at least 80% at rents below federal low-income housing tax credit rents, and with 30% formerly homeless families. The current zoning designation is R7A residential. The proposed use is consistent with existing zoning for the property. The goal of the cleanup at the site is to achieve Track 1 status; however it is understood that the project may achieve Track 2 or Track 4.

2.7 Previous Environmental Reports

2.7.1 Phase I ESA (August 2017)

PWGC prepared a Phase I Environmental Site Assessment (ESA) in August 2017. The Phase I ESA identified the following Recognized Environmental Conditions (RECs) associated with the subject property:

- The site has been assigned an E-Designation for Hazardous Materials by the New York City Department of Planning.
- Chemical drums and containers were stored throughout the property. Staining and evidence of spillage was noted in the vicinity of where these containers were stored.
- Potential vapor encroachment related to offsite sources.

2.7.2 Phase II ESA (January 2018)

Based on the findings of the August 2017 Phase I ESA, PWGC performed a Phase II ESA for the site in January 2018 under the oversight of the NYCOER E-Designation program. The Phase II ESA is summarized below; data generated as part of the Phase II ESA will be incorporated into the RI Report for the site.



Geophysical Survey

A geophysical survey to identify potential underground storage tanks and/or other subsurface anomalies that may warrant additional investigation. Due to the presence of equipment, trailers, and vehicles stored on-site, the geophysical survey was limited to approximately half of the subject property. Geophysical services were provided by Delta Geophysics of Catasauqua, Pennsylvania (Delta) under the oversight of PWGC. A split-box electromagnetic metal detection instrument and ground penetrating radar (GPR) were used to perform the geophysical survey. The geophysical survey did not identify subsurface anomalies within the accessible portions of the property.

A copy of the Geophysical Survey Report is included as **Appendix A**.

Soil Borings and Sampling

A total of 12 soil borings were installed throughout the site to evaluate subsurface soil quality. At each boring location, soils were collected continuously from grade to bedrock (depths ranging from approximately 5 to 12 feet below grade). Soil borings were installed using a Geoprobe® direct-push drill rig outfitted with a five-foot macro-core sampler and disposable acetate liners. Non-dedicated sampling equipment was decontaminated with a laboratory grade detergent and clean water rinse. Groundwater was not encountered during drilling activities at the site.

Collected soils were field screened for the presence of volatile organic compounds (VOCs) with a photo-ionization detector (PID). At each boring location two soils samples were collected: one from the 0 to 2-foot interval and one from the two-foot interval immediately above the bedrock surface. Samples were analyzed for VOCs, semi-volatile organic compounds (SVOCs), metals, pesticides and PCBs. Quality control samples including blind duplicates, matrix spike/matrix spike duplicates (MS/MSD) and filed blanks were collected as well.

VOCs were not detected at concentrations exceeding Restricted Residential SCOs ("RRSCO") in soil samples collected from the site. With the exception of acetone in the 0 to 2 foot samples collected from soil borings SB004 and SB005, VOCs were not detected at concentrations exceeding Unrestricted Use SCOs (UUSCOs) in samples collected from the site.



SVOCs were detected at concentrations exceeding RRSCOs in shallow samples (0 to 2 feet) collected from soil borings SB003, SB005, SB006, SB007, and SB010, and the deep sample (7 to 9 feet) collected from soil boring SB004. The compounds detected at these locations included benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, and indeno(1,2,3-cd)pyrene. At several of the boring locations listed above, chrysene was detected at a concentration exceeding its UUSCO, but below its RRSCO; no additional SVOCs were detected above their respective UUSCOs in soil samples collected from the site. With the exception of location SB004, SVOCs in excess of RRSCOs were limited to the 0 to 2 foot interval in samples collected from the site.

Metals were detected at concentrations exceeding their respective UUSCOs and RRSCOs at multiple boring locations throughout the site as follows:

- Arsenic – SB007 (0 to 2 feet) exceeded RRSCO.
- Barium – SB010 (0 to 2 feet) and SB011 (0 to 2 feet) exceeded RRSCO.
- Beryllium – no RRSCO exceedances. SB010 (0 to 2 feet) exceeded UUSCO.
- Cadmium - SB007 (0 to 2 feet), SB010 (0 to 2 feet) and SB011 (0 to 2 feet) exceeded RRSCO.
- Chromium - SB010 (0 to 2 feet), and SB011 (0 to 2 feet) exceeded RRSCO. SB001 (8 to 10 feet), SB007 (0 to 2 feet), and SB008 (10 to 12 feet), and SB012 (6 to 8 feet) exceeded UUSCO.
- Copper - SB010 (0 to 2 feet) and SB011 (0 to 2 feet) exceeded RRSCO. SB006 (0 to 2 feet), SB007 (0 to 2 feet), SB009 (0 to 2 feet), SB009 (7 to 9 feet), and SB012 (6 to 8 feet) exceeded UUSCO.
- Lead – SB006 (0 to 2 feet), SB009 (0 to 2 feet), SB010 (0 to 2 feet), SB011 (0 to 2 feet) exceeded RRSCO. SB003 (0 to 2 feet, 7 to 9 feet), SB004 (0 to 2 feet, 7 to 9 feet), SB007 (0 to 2 feet), SB008 (0 to 2 feet), and SB012 (0 to 2 feet) exceeded UUSCO.
- Mercury – SB004 (7 to 9 feet) and SB009 (0 to 2 feet) exceed RRSCO. SB006 (0 to 2 feet) and SB012 (0 to 2 feet) exceed UUSCO.
- Nickel - SB010 (0 to 2 feet) and SB011 (0 to 2 feet) exceeded RRSCO. SB007 (0 to 2 feet), SB009 (7 to 9 feet), and SB012 (6 to 8 feet) exceeded UUSCO.
- Selenium - no RRSCO exceedances. SB010 (0 to 2 feet) exceeded UUSCO.
- Silver - no RRSCO exceedances. SB009 (0 to 2 feet) exceeded UUSCO.



- Zinc – no RRSCO exceedances. SB004 (7 to 9 feet), SB005 (0 to 2 feet), SB006 (0 to 2 feet), SB007 (0 to 2 feet), SB008 (0 to 2 feet), SB009 (0 to 2 feet), SB010 (0 to 2 feet), SB011 (0 to 2 feet), SB012 (0 to 2 feet).

With the exception of mercury at location SB004, metals in excess of RRSCOs were limited to the 0 to 2 foot interval in samples collected from the site.

Pesticides were not detected at concentrations exceeding their respective RRSCOs in samples collected from the site. Pesticides (4-4'-DDD, 4,4'-DDE, 4,4'-DDT, and/or dieldrin) were detected at concentrations exceeding their respective UUSCOs in samples collected from the 0 to 2-foot interval at locations SB004, SB005, SB006, SB007, SB008, SB009, SB010 and SB011, and the 7 to 9 foot interval at locations SB003 and SB004.

PCBs were not detected at concentrations exceeding their respective RRSCOs in samples collected from the site. PCBs were detected at concentrations exceeding their respective UUSCOs in the samples collected from the 0 to 2-foot interval at locations SB007 and SB008.

Soil sample results are summarized in **Table 1** through **Table 4**, and **Figure 3**. Laboratory analytical reports are included as **Appendix B**. A Data Usability Summary Report (DUSR) is included as **Appendix C**.

Soil Vapor Sampling

Eight soil vapor probes were installed, and eight soil vapor samples were collected. Vapor points were installed approximately one to two feet above bedrock at each location. Temporary soil vapor points were installed utilizing a Geoprobe® direct-push drill rig. At each location, a six-inch stainless-steel screen was installed at the base of the sampling point with polyethylene tubing to grade. Coarse sand was placed surrounding the screen and six inches above. The remainder of the soil vapor point annulus was sealed with bentonite grout to the surface.

Soil vapor samples were collected approximately 24 hours after sampling points were installed. A tracer gas (helium) was utilized to test the seal around the soil vapor points. Once the integrity of the seal was confirmed at each location, three volumes of air were extracted from each point prior to sample collection with a flow rate of less than 0.2 liters/minute. Soil vapor samples were collected using batch certified 6-liter SUMMA vacuum



canisters fitted with two-hour flow control regulators with a flow rate of less than 0.2 liters/minute. Methodologies used for soil vapor assessment conform to the NYSDOH Final Guidance on Soil Vapor Intrusion, October 2006.

PCE was detected in four of eight soil vapor samples with a maximum concentration of 39.3 ug/m³. Based on the CVOC concentrations detected in soil vapor at the site, it does not appear that a vapor encroachment condition requiring further monitoring or mitigation is present at the subject property.

Soil vapor sample results are summarized in **Table 5** and **Figure 4**. Laboratory analytical reports are included as **Appendix B**. A Data Usability Summary Report (DUSR) is included as **Appendix C**.



3.0 STANDARDS, CRITERIA, AND GUIDANCE (SCGS)

Based on previous investigations at the site, the primary chemicals of potential concern (COPC) to be encountered at the site are SVOCs and metals related to the current/historical usage of the site for equipment storage, as well as the likely presence of historic urban fill material.

Applicable regulations at NYSDEC 6 NYCRR Part 375 provide soil cleanup objectives (SCOs) for Unrestricted Use, or restricted use based on the intended usage of the property. Restricted use SCOs include: Residential, Restricted Residential (single family houses not permitted), Commercial, or Industrial. The goal of the cleanup at the site is to achieve Track 1 status, therefore soil sample results will be compared to the Unrestricted Use SCOs. As the future intended use of the site is multi-family residential, soil sample results will also be compared to the Restricted Residential SCOs to evaluate a Track 2 cleanup in the event that Track 1 standards cannot be achieved.

Groundwater sample results will be compared to the NYSDEC Class GA Ambient Water Quality Standards (AWQS) as specified in the Technical Operation and Guidance Series (TOGS 1.1.1) Ambient Water Quality Standards and Guidance Values.

Soil vapor, indoor air and outdoor Air results will be compared to the USEPA Vapor Intrusion Screening Levels (VISL) for Soil Vapor.



4.0 OBJECTIVES, SCOPE AND RATIONALE

The primary objectives of the additional work detailed in this plan will be to collect the information and field data necessary to address data gaps pertaining to on-site issues. The Scope of Work includes the following tasks:

1. Additional characterization of onsite soils
2. Characterization of on-site groundwater
3. Confirmation of site specific groundwater flow direction
4. On-site and off-site qualitative human health exposure evaluation

4.1 Additional Characterization of On-Site Soils

Soil sampling will be performed in accordance with the Division of Environmental Remediation (DER) Draft DER-10 Technical Guidance for Site Investigation and Remediation, May 2012.

To further characterize subsurface conditions, soil borings will be installed throughout the property. A minimum of twelve borings will be installed. Boring locations will correspond to the sample locations from the January 2018 Phase II ESA (see **Figure 3**).

Soil borings will be installed utilizing a Geoprobe® direct-push drill rig outfitted with a macro-core sampler and dedicated acetate liners. Soils will be collected continuously from ground surface to 20 feet below grade, the top of the water table, or until bedrock is encountered, whichever is shallower. Soils will be field screened for the presence of VOCs using a PID.

Samples will be collected from two-foot intervals between the depths characterized as part of the January 2018 Phase II ESA. In the event that borings installed during this RI extend beyond the depth at which refusal occurred during the January 2018 Phase II ESA, additional samples will be collected at two-foot intervals until bedrock is encountered.

A minimum of one soil sample from the intermediate depth intervals at each boring location will be submitted for laboratory analysis. Should deep samples be collected, a minimum of one soil sample from the deep interval(s) will be submitted for laboratory analysis as well. Samples will be submitted for analysis from the two-foot interval(s) exhibiting the most evidence of impact (e.g. PID response, staining, odor); in the event that no



evidence of impact is identified, sample intervals will be selected from multiple depths across the site to allow for the characterization of multiple depth intervals. Anticipated sample intervals will be as follows:

| Boring Locations | Intermediate Interval (ft bgs) | Deep Interval (ft bgs) |
|------------------|--------------------------------|------------------------|
| SB001 | 2 to 8 | >10 |
| SB002 | 2 to 7 | >9 |
| SB003 | 2 to 7 | >9 |
| SB004 | 2 to 7 | >9 |
| SB005 | 2 to 3 | >5 |
| SB006 | 2 to 7 | >9 |
| SB007 | 2 to 7 | >9 |
| SB008 | 2 to 10 | >12 |
| SB009 | 2 to 7 | >9 |
| SB010 | 2 to 7 | >9 |
| SB011 | 2 to 5 | >7 |
| SB012 | 2 to 6 | >8 |

Soil samples will be analyzed for:

- VOCs by USEPA Method 8260
- SVOCs by USEPA Method 8270
- Pesticides/PCBs by USEPA Method 8081/8082
- Metals by USEPA Method 6010/7471

Soil samples collected for VOCs will be discrete samples (non-composite and non-homogenous) to minimize VOC loss. The additional soil intervals will be held pending the results of the first two intervals to determine if additional intervals will be analyzed.

4.2 Characterization of On-Site Groundwater

Groundwater sampling will be performed in accordance with the Division of Environmental Remediation (DER) Draft DER-10 Technical Guidance for Site Investigation and Remediation, May 2012.



To characterize groundwater quality beneath the site a minimum of three permanent monitoring wells will be installed. Proposed monitoring well locations are illustrated in **Figure 5**.

4.2.1 Monitoring Well Construction

Due to the presence of shallow bedrock with unconsolidated sediment above, dual cased monitoring wells will be installed. A rotary drill rig using hollow-stem auger drilling methods will be used to install a four-inch outer casing to the bedrock surface; the outer casing will be grouted in place. Borings will be cored through bedrock to approximately 30 feet below grade. If groundwater is encountered in the bedrock borings, monitoring wells will be installed through the outer casing and constructed of two-inch diameter, schedule 40 PVC casing and screen with 0.010-inch slot. The wells will be constructed with a 10-foot screen section and riser to grade unless precluded by hydrogeologic conditions. The well annulus will be filled with #2 morie sand (or equivalent), to two feet above the well screen. The screen will be set with seven (7) feet into and three (3) feet above the water table at the time of installation. A two-foot fine sand layer will be installed above the screen followed by a two-foot bentonite seal. Above the bentonite layer, the annulus around the well will be filled with a cement/bentonite grout. A concrete surface pad (2 feet by 2 feet by 6-inch) will be installed. The wells will be finished with flush mount curb boxes and/or steel stickup casings. Monitoring well construction logs will be prepared for each monitoring well.

In the event that groundwater is not encountered at 30 feet below grade, PWGC will assume that bedrock is not significantly fractured, and groundwater is not present. Should this occur, monitoring wells will not be installed and groundwater samples will not be collected.

4.2.2 Vertical Delineation

In the event that groundwater is present beneath the site, and chlorinated VOC (CVOC) impact to groundwater and/or a potential source area of CVOC impact in soil is identified, PWGC will attempt to vertically delineate such impact. Vertical delineation will consist of the installation of one cluster well located on the downgradient side of Lot 72 (see Section 4.3). The cluster well will be installed using the same methodology as the monitoring wells described in Section 4.2.1. Cluster wells will be constructed of one-inch diameter schedule 40 PVC with five-foot screen sections screen with 0.010-inch slot set at 10-foot intervals. The annulus around each screen section will be filled with #2 morie sand (or equivalent), to one foot above the well screen. A two-foot bentonite seal will be



installed between each screen section. The wells will be finished with flush mount curb boxes and/or steel stickup casings. Monitoring well construction logs will be prepared for each monitoring well.

4.2.3 Monitoring Well Development

Following installation, monitoring wells will be developed by over-pumping to restore the hydraulic properties of the aquifer. Well development will continue until the turbidity of the groundwater is less than or equal to 50 Nephelometric Turbidity Units (NTUs), or when pH, temperature, and conductivity measurements stabilize. Stabilization is considered achieved when three consecutive readings of these field parameters are within five percent of each other over a period of 15 minutes. Monitoring well development water will be containerized for off-site disposal. New monitoring wells along with existing wells will be surveyed relative to an arbitrary on-site datum.

4.2.4 Monitoring Well Sampling

Groundwater samples will be collected in compliance with the United States Environmental Protection Agency (USEPA) Low-flow Groundwater Purging and Sampling Procedure (USEPA, 1998). A submersible pump (low flow rate of a maximum of 200 ml/min) and/or peristaltic pump will be used to purge the well prior to sampling. During purging field measurements will be collected using portable field instruments at three to five-minute intervals. Turbidity, pH, temperature, and conductivity measurements will be collected. Groundwater samples will be collected after readings stabilize. Stabilization is considered achieved when three consecutive readings within five percent of each other are recorded. If turbidity cannot be reduced to 50 NTUs, but other parameters stabilize, samples will be collected. If, due to low recharge rates the well is being essentially dewatered during purging, the well will be sampled as soon as the water level has recovered sufficiently to collect the volume needed for all anticipated samples. Monitoring well purging data will be recorded in a well sampling log.

Groundwater samples will be analyzed for:

- VOCs by USEPA Method 8260
- SVOCs by USEPA Method 8270
- Pesticides/PCBs by USEPA Method 8081/8082
- Metals by USEPA Method 6010/7471 (filtered and unfiltered)



4.3 Determination of Site-Specific Groundwater Flow Direction

All monitoring wells top of casings and top of manways will be surveyed to a relative datum for the purposes of determining site-specific groundwater flow direction, if appropriate and not fracture flow. This information will be utilized on groundwater contour maps generated for the Remedial Investigation Report.

4.4 On-site and Off-site Qualitative Human Health Exposure Evaluation

A Qualitative Human Health Exposure Assessment will be completed for the site, characterizing the exposure setting, identifying exposure pathways, and evaluating contaminant fate and transport. The Qualitative Human Health Exposure Assessment will follow DER-10, appendix 3B and Section 3.3 (b) 8.

4.5 Emerging Contaminant Sampling

In accordance with NYSDEC requirements, groundwater samples collected during this RI will be analyzed for 1,4-dioxane and perfluoroalkyl and polyfluoroalkyl substances (PFAS). The compounds are collectively referred to as “emerging contaminants”.

Based on the historical usage of the site (see Section 2.2), there is no reason to believe that 1,4-dioxane or PFAS are or were stored/used at the site in significant quantities.

During groundwater sampling described in Section 4.2, samples for emerging contaminants will be collected in accordance with the following NYSDEC guidance documents:

- Groundwater Sampling for Emerging Contaminants (July 2018)
- Collection of Groundwater Samples for Per- and Polyfluoroalkyl Substances (PFAS) from Monitoring Wells Sample Protocol (August 9, 2018)

Soil and groundwater samples will be analyzed for PFAS by USEPA Method 537 (modified) with a target analyte list as specified in the NYSDEC guidance documents specified above, and for 1,4-dioxane by USEPA Method 8270 (SIM Mode).

Quality assurance/quality control (QA/QC) procedures for emerging contaminant sampling are included in Section 5.0.



5.0 QUALITY ASSURANCE PROJECT PLAN

This Quality Assurance Project Plan (QAPP) presents the objectives, functional activities, methods, and QA/QC requirements associated with sample collection and laboratory analysis for characterization activities. The QAPP follows requirements detailed in DER-10, Section 2.

5.1 Project Organization

The investigative efforts defined in this RIWP will be implemented by PWGC on behalf of B&B Urban LLC. The following identifies the responsibilities of various organizations supporting the RI:

- The NYSDEC Project Manager (Mandy Yau) will be responsible for reviewing and approving this work plan, coordinating approval of requested modifications, and providing guidance on regulatory requirements.
- The PWGC Program Manager (James Rhodes and/or Paul Boyce) will provide technical expertise for review of the project plans, reports and ongoing field activities. The Program Manager will act as the project's Quality Assurance Manager.
- PWGC Project Manager (Thomas Melia) will be responsible for the day-to-day project management, task leadership, and project engineering support and for the planning and implementation of RI activities. The Project Manager is responsible for ensuring that the requirements of this RI work plan are implemented. The project manager will also act as the Site Health and Safety Manager (HSM).
- PWGC Field Team Leader (Janelle Cooley or designee) will be responsible for sample collection, oversight of subcontractor personnel, and coordination of daily field activities. The Field Team Leader will act as the Site Health and Safety Officer ensuring implementation of the Site Health and Safety Plan.
- A NYSDOH Environmental Laboratory Accreditation Program (ELAP) certified laboratory (to be determined) will be contracted to perform required analyses and reporting, including Analytical Services Protocol (ASP) Category B Deliverables, which will allow for data validation.
- Subcontractors will perform surveying, drilling, and/or sampling at the direction of the Field Team Leader in accordance with this work plan.



5.2 Laboratory Analysis

Requirements for sample analysis are described below. All samples will be submitted to a NYSDOH ELAP certified laboratory (to be determined) for analysis. Analytical methods, preservation, container requirements, and holding times are summarized below:

ANALYTICAL METHODS (SOIL)

| Analyte/ Analyte Group | Matrix | Method/ SOP | Container(s) (number, size & type per sample) | Preservation | Preparation Holding Time | Analytical Holding Time |
|---------------------------|--------|--------------------|--|--|-----------------------------|----------------------------|
| Metals | Soil | EPA 6010C | 1 x 2 oz, glass | Metals ex | 6 months | 6 months |
| VOCs | Soil | EPA 8260C | 3 x 40 ml VOA, glass vial | 1 x Methanol 2 x DI H ₂ O Cool ≤ 6 °C | 48 hours | 14 Days |
| SVOCs | Soil | EPA 8270D | 1 x 8 oz, glass | Cool ≤ 6 °C | 14 days | 40 days |
| PCBs | Soil | EPA 8082A | 1 x 8 oz, glass | Cool ≤ 6 °C | 14 days | 40 Days |
| Cyanide | Soil | EPA 9010C/9012B | 1 x 250 ml, plastic | Cool ≤ 6 °C | 14 days | 4 days |
| Pesticides | Soil | EPA 8081B | 1 x 8 oz, glass | Cool ≤ 6 °C | 14 days | 14 days |



**ANALYTICAL METHODS
(GROUNDWATER)**

| Analyte/ Analyte Group | Matrix | Method/ SOP | Container(s) (number, size & type per sample) | Preservation | Preparation Holding Time | Analytical Holding Time |
|---------------------------|--------|-----------------------|--|-----------------------|-----------------------------|----------------------------|
| Metals | Water | EPA 6020A | 1 x 500 ml plastic | HNO ₃ | 6 months | 6 months |
| VOCs | Water | EPA 8260C | 3 x 40 ml VOA, glass vial | HCl Cool ≤ 6 °C | 48 hours | 14 Days |
| SVOCs | Water | EPA 8270D | 2 x 1000 ml, amber glass | Cool ≤ 6 °C | 7 days | 40 days |
| PCBs | Water | EPA 8082A | 1 x 1000 ml, amber glass | Cool ≤ 6 °C | 7 days | 40 Days |
| Cyanide | Water | EPA 9010C/9012B | 1 x 250 ml, plastic | NaOH | 14 days | 14 days |
| Pesticides | Water | EPA 8081B | 1 x 500 ml, amber glass | Cool ≤ 6 °C | 7 days | 7 days |
| PFAS | Water | EPA 537 (modified) | 3 x 250 ml HDPE, unlined cap | Trizma Cool < 6 °C | 14 days | 28 days |
| 1,4-Dioxane | Water | EPA 8270D SIM Mode | 2 x 1000 ml, amber glass | Cool ≤ 6 °C | 7 days | 40 days |

5.2.1 Soil Samples

Soil samples will be collected as described in Section 4.1. Analysis will conform to NYSDEC Analytical Services Protocol (ASP) Category B data deliverables in accordance with NYSDEC DER-10, Appendix 2B, 1.0 (b), including calibration standards, surrogate recoveries, and chromatograms.

5.2.2 Groundwater Samples

Groundwater samples will be collected as described in Section 4.2. Analysis will conform to NYSDEC Analytical Services Protocol (ASP) Category B data deliverables in accordance with NYSDEC DER-10, Appendix 2B, 1.0 (b), including calibration standards, surrogate recoveries, and chromatograms.

5.3 Field/Laboratory Data Control Requirements

Quality Control (QC) procedures will be followed in the field and at the laboratory to facilitate that reliable data are obtained. When performing field sampling, care shall be taken to prevent the cross-contamination of



sampling equipment, sample bottles, and other equipment that could compromise sample integrity. QC samples will include the following:

- Blind Duplicates – one per 20 environmental samples for each matrix sampled.
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) - one per 20 environmental samples for each matrix sampled.
- Equipment Blank – one per day for each matrix sampled.
- Field Blank – one per day when PFAS samples are collected.
- Trip Blank – one per day.

QA/QC Sample analysis will conform to NYSDEC ASP Category B data deliverables in accordance with NYSDEC DER-10, Appendix 2B, 1.0 (b), including calibration standards, surrogate recoveries, and chromatograms.

5.4 Special Sampling Considerations for PFAS Sampling

There are several potential sources of PFAS that could contribute to the cross-contamination of environmental samples collected during the RI. Weatherproof clothing, pens, logbooks, cosmetics, personal hygiene products, insect repellents, and sampling equipment could contain PFAS that could lead to false positive sampling results.

To ensure that the analytical results obtained during the RI are representative of the actual site conditions several measures should be taken:

- Collection of appropriate field QA/QC samples (blanks, duplicates, equipment rinseate samples, etc.) as detailed in Section 5.3.
- Analysis by the analytical laboratory using established laboratory QA/QC procedures and methods as detailed in Section 5.3.
- During decon, non-dedicated equipment to be used for PFAS sampling will be rinsed with PFAS free water supplied by the laboratory. Equipment will be allowed to fully air dry before use.
- New high-density polyethylene (HDPE) tubing shall be used at each sample location.
- New nitrile gloves shall be worn between each sample interval.
- Only clean cotton or synthetic clothes shall be worn – preferably washed more than six times, and without the use of fabric softeners. No waterproof or insecticide treated clothing, boots or rain jackets



made or treated with Teflon products shall be used at the collection site. This includes all Gore-Tex® and Tyvek® products.

- Do not apply moisturizers or hand creams to hands or face on the day of sampling. No sunblock or insect repellants. Do not bring packaged food to the work site or use aluminum foil.
- Field notes shall be taken using a computer tablet or by using ink pens on non-water proof plain paper attached to a metal clipboard. Do not use Sharpies or markers. Transcribe field notes to Chain-of-Custody forms and official field books when back in the office after the collection process.
- For groundwater samples use only laboratory supplied 250 ml polypropylene sample bottles. Sample bottles should be pre-preserved by the laboratory, if dictated by the analysis method.
- Print labels before going into the field and apply to the sample containers.
- Use only laboratory supplied PFAS-free water for trip, field and equipment blanks.
- Place each sample container in a separate polypropylene zip-lock bag.
- For the shipping coolers, use only regular crushed ice packaged in polypropylene zip-lock plastic bags.
- Use only laboratory supplied shipping coolers that were used to ship sample containers for this project. Tape the cooler shut before shipping samples to the laboratory.

5.5 Sample Identification

Each sample will be identified with a set of information relating individual sample characteristics. Required information consists of Sample Designation, Depth, Date, Time, and Matrix. Examples of sample IDs are shown below.

- SB001(0-2') (soil sample, boring 001 from 0 to 2 feet)
- GW001(6-8') (groundwater sample, soil boring 001 from 6 to 8 feet)
- MW004 (groundwater sample, permanent monitoring well 004)
- CW001 (10-15') (groundwater sample, cluster well 001, 10 to 15 foot interval)
- SV001 (permanent soil vapor point 001)
- SS001 (temporary sub-slab vapor point 001)
- IA001 (indoor air sample 001)
- AA001 (ambient air quality sample 001)



Sample frequency, locations, depths, and nomenclature may change subject to field decisions and professional judgment.

5.6 Chain-of-Custody, Sample Packaging and Shipment

Each day that samples are collected, a chain-of-custody/request for analysis form will be completed and submitted to the laboratory with samples to be analyzed. A copy of the chain-of-custody will be retained by the Project Manager. The chain-of-custody will include the project name, sampler's signature, sample IDs, date and time of sample collection, and analysis requested.

Samples will be packaged and shipped in a manner that maintains sample preservation requirements during transport (i.e., ice to keep samples cool until receipt at the laboratory), ensures that sample holding times can be achieved by the laboratory, and prevents samples from being tampered with.

If a commercial carrier ships samples, a bill of lading (waybill) will be used as documentation of sample custody. Receipts for bills of lading and other documentation of shipment shall be maintained as part of the permanent custody documentation. Commercial carriers are not required to sign the chain-of-custody as long as it is enclosed in the shipping container and evidence tape (custody seal) remains in place on the shipping container.

5.7 Data Usability and Validation

The main purpose of the data is for use in defining the extent of contamination at the site, to aid in evaluation of potential human health and ecological exposure assessments, and to support remedial action decisions. Based upon this, data usability and validation will be performed as described below. Complete data packages will be archived in the project files, and if deemed necessary additional validation can be performed using procedures in the following sections.

Data collected as part of the January 2018 Phase II ESA has been validated in accordance with Sections 5.6.1 and 5.6.2 (see **Appendix C**).

5.7.1 Data Usability and Validation Requirements

Data usability and validation are performed on analytical data sets, primarily to confirm that sampling and chain-of-custody documentation are complete, sample IDs can be tied to specific sampling locations, samples were



analyzed within the required holding times, and analyses are reported in conformance with NYSDEC ASP, Category B data deliverable requirements as applicable to the method utilized.

5.7.2 Data Usability and Validation Methods

A designee of the PWGC Project Manager will complete a data usability evaluation for the data collected during the RI and a data usability summary report (DUSR) will be prepared. The DUSR will be prepared in accordance with NYSDEC DER-10, Appendix 2B.

Independent third-party data validation will be performed on 5% of the sample data, or on one sample from each sample delivery group (SDG), whichever is greater. Data validation will be performed by a qualified subcontractor independent of the project.

5.8 Field Equipment Calibration

Equipment will be inspected and approved by the Field Team Leader before being used. Equipment will be calibrated to factory specifications, if required. Monitoring equipment will be calibrated following manufacturers recommended schedules. Daily field response checks and calibrations will be performed as necessary (i.e. PID calibrations) following manufacturers standard operating procedures. Equipment calibrations will be documented in a designated field logbook.

5.9 Equipment Decontamination

In order to minimize the potential for cross-contamination, non-dedicated drilling and sampling equipment shall be properly decontaminated prior to and between sampling/drilling locations.

5.9.1 General Procedures

Drilling equipment will be decontaminated in a designated area. Sampling equipment and probes will be decontaminated in an area covered with plastic sheeting near the sampling location. Waste material generated during decontamination activities will be containerized, stored and disposed of in accordance with the procedures detailed in Section 5.9. Decontamination of sampling equipment shall be kept to a minimum, and wherever possible, dedicated sampling equipment shall be used. Personnel directly involved in equipment decontamination shall wear appropriate personal protective equipment (PPE).



5.9.2 *Drilling Equipment*

Drilling equipment shall be decontaminated prior to performance of the first boring/excavation and between all subsequent borings/excavations. This shall include hand tools, casing, augers, drill rods, temporary well material and other related tools and equipment. Water used during drilling and/or steam cleaning operations shall be from a potable source.

5.9.3 *Sampling Equipment*

Sampling equipment (i.e., trowels, knives, split-spoons, bowls, hand augers, etc...) will be decontaminated prior to each use as follows:

- Laboratory-grade glassware detergent and tap water scrub to remove visual contamination
- Generous tap water rinse
- Distilled water rinse

5.9.4 *Meters and Probes*

All meters and probes that are used in the field (other than those used solely for air monitoring purposes, e.g., PID meters) will be decontaminated between uses as follows:

- Laboratory-grade detergent and tap water solution wash
- Tap water rinse
- Distilled water rinse (triple rinse)

5.10 Management of Investigation Derived Waste

Waste materials generated from the field operations may consist of soil and rock cuttings, purge water, and miscellaneous solid materials such as personal protective equipment (PPE) and supplies. Investigative derived waste (IDW) generated during field operations will be disposed of in accordance with applicable regulations.

Soil and rock cuttings generated from soil boring and well installation activities will be stored in 55-gallon drums. Drums will be labeled to indicate the source of the material and will be stored in a designated area on-site. Soil and/or rock cores and cuttings will be field screened using a PID, while performing drilling operations. Drummed material will be disposed of at an off-site disposal facility. Following receipt of the analytical results, recommendations for disposition of the drummed material will be provided to the NYSDEC.



Development and purge water generated during the field activities will be stored in a portable holding tank and/or 55-gallon drums. Drums will be labeled to indicate the source of the fluid and will be stored in a designated area on-site. Drummed groundwater will be sampled to determine if discharge to the surface of the site is appropriate or off-site disposal is required. Following receipt of the groundwater sampling results, recommendations for disposition of the water will be provided to NYSDEC.

5.11 Field Documentation

Documentation will take place on either appropriate forms or in a dedicated site logbook. Permanent black or blue ink will be used to record information in the logbook. Errors in field documentation will be lined through, initialed, dated, and corrected. Forms will be kept by the PWGC Field Team Leader during the field activities. Field activities will be documented in the field logbook. The logbook will contain waterproof pages that are consecutively numbered and be permanently bound with a hard cover. Upon completion of daily activities, unused portions of pages will be lined-through and initialed.

The primary purpose of the field logbook is to document the daily field activities and to provide descriptions of each activity. All entries in the field logbook will be recorded and dated by person making the entry.



6.0 REMEDIAL INVESTIGATION REPORT PREPARATION

The Remedial Investigation Report (RIR) will incorporate the methods and findings of the investigation activities performed as outlined in this work plan. The report will identify specific contamination concentrations throughout each media (e.g. soil, groundwater, etc.), delineate the extent of contamination in soil and groundwater, evaluate potential exposure pathways, and provide conclusions and recommendations for additional investigation and/or remedial action. Electronic copies of the Investigation Report will be submitted to the NYSDEC along with hard copies. Analytical results of the investigation will be submitted in the electronic data delivery (EDD) format through the Department's environmental information management system (EIMS).



7.0 HEALTH AND SAFETY

Field operations will be performed in accordance with the health and safety requirements to be provided in the site specific Health and Safety Plan (HASP). The HASP is included as **Appendix D**. The HASP outlines the requirements for training, medical surveillance, daily tailgate meetings, emergency response, and accident and injury reporting.

Activity hazard analyses (AHAs) have been completed for identified work activities planned for the investigation.

The PWGC Field Team Leader will be responsible for implementing the HASP, completing the daily tailgate safety meetings and performing necessary Industrial Hygiene (IH) monitoring as specified in the HASP.



8.0 COMMUNITY AIR MONITORING PLAN

A site specific Community Air Monitoring Plan (CAMP) will be prepared to provide measures for protection for on-site workers and the downwind community from potential airborne contaminants as a direct result of the Remedial Investigation. The CAMP is included as **Appendix E**.

The Community Air Monitoring Plan will be implemented and executed in accordance with 29 CFR 1910.120(h), the New York State Department of Health's (NYSDOH) Generic Community Air Monitoring Plan, and the New York State Department of Environmental Conservation (NYSDEC) TAGM #4031.



9.0 PROJECT SCHEDULE

The preliminary schedule for the major project milestones is presented in **Table 1**. The field work is anticipated to be performed in December 2018, following approval of this RIWP by NYSDEC. A draft RI Report should be submitted to the NYSDEC by January 2019.



10.0 REFERENCES

NYSDEC, Division of Environmental Restoration, 6 NYCRR Part 375 Subpart 6, Remedial Program Soil Cleanup Objectives

NYSDEC, Division of Environmental Remediation, May 2012, Draft DER-10, Technical Guidance for Site Investigation and Remediation.

NYSDEC, Division of Hazardous Waste Remediation, January 24, 1994, Memorandum # 4046, Technical and Administrative Guidance Memorandum #4046, Determination of Soil Cleanup Objectives and Cleanup Levels

NYSDEC, Division of Water, June 1998, Addendum April 2000, Technical and Operational Guidance Series 1:1:1, Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations




FIGURES

CLIENT DRIVEN SOLUTIONS


PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



SITE LOCATION


East 211th Street
Bronx, NY





| | |
|--------------|-----------|
| Project: | BBU1801 |
| Date: | 1/17/2019 |
| Designed by: | TM |
| Drawn by: | PH |
| Approved by: | TM |
| Figure No: | 1 |



P.W. Grosser Consulting, Inc.
 630 Johnson Ave., Suite 7
 Bohemia, NY 11716
 Ph: 631-589-6353 • Fax: 631-589-8705
 pwgc.info@pwgros.com



| | |
|---|---------------|
|  | Site Boundary |
|  | Adjacent Lots |



P.W. Grosser Consulting, Inc.
 630 Johnson Ave., Suite 7
 Bohemia, NY 11716
 Ph: 631-589-6353 • Fax: 631-589-8705
 pwgc.info@pwgros.com

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DRAWING AND RELATED DOCUMENTS IS A VIOLATION OF SEC. 7209 OF THE N.Y.S. EDUCATION LAW

DRAWING PREPARED FOR:

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| REVISION | DATE | INITIAL | COMMENTS |
|----------|------|---------|----------|
| | | | |
| | | | |
| | | | |
| | | | |

DRAWING INFORMATION:

| | | | |
|----------|-----------|--------------|----|
| Project: | BBU1801 | Designed by: | TM |
| Date: | 2/16/2018 | Drawn by: | TS |
| Scale: | AS SHOWN | Approved by: | TM |

SITE PLAN

EAST 211th Street
Bronx, NY

FIGURE NO: 2




WHITE PLAINS ROAD







EAST 212TH STREET

HOLLAND AVENUE

EAST 211TH STREET

Estimated Groundwater
Flow Direction



-  Proposed Cluster Well
-  Proposed Monitoring Well
-  Adjacent Lots
-  Proposed Cellar Footprint
-  Proposed Building Footprint
-  Site Boundary



P. W. Grosser Consulting, Inc.

630 Johnson Ave., Suite 7
Bohemia, NY 11716
Ph: 631-589-6353 • Fax: 631-589-8705
pwgc.info@pwgros.com

UNAUTHORIZED ALTERATION OR ADDITION TO THIS
DRAWING AND RELATED DOCUMENTS IS A VIOLATION
OF SEC. 7209 OF THE N.Y.S. EDUCATION LAW

DRAWING PREPARED FOR:

| REVISION | DATE | INITIAL | COMMENTS |
|----------|------|---------|----------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

DRAWING INFORMATION:

| | | | |
|----------|-----------|--------------|----|
| Project: | BBU1702 | Designed by: | TM |
| Date: | 1/17/2019 | Drawn by: | TS |
| Scale: | AS SHOWN | Approved by: | TM |

PROPOSED MONITORING WELL LOCATIONS

EAST 211th Street
Bronx, NY

FIGURE NO:
5



TABLES

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



APPENDIX A

GEOPHYSICAL SURVEY REPORT

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



GEOPHYSICAL INVESTIGATION REPORT

SITE LOCATION

**718 East 212th Street
Bronx, New York 10467**

PREPARED FOR:

P.W. Grosser Consulting, Inc.

**630 Johnson Avenue, Suite 7
Bohemia, New York 11716**

PREPARED BY:

Dylan Morgenweck
Delta Geophysics Inc.
738 Front Street
Catasauqua, PA18032

December 11, 2017

Delta Geophysics, Inc. (Delta) is pleased to provide the results of the geophysical survey conducted at 718 East 212th Street Bronx, New York 10467.

1.0 INTRODUCTION

On December 11, 2017 Delta Geophysics personnel performed a limited geophysical investigation at 718 East 212th Street Bronx, New York 10467. The area of interest included all accessible portions of two lots. During the time of the survey, subsurface conditions were unknown; surface conditions consisted of soil, stone, and grass.

2.0 SCOPE OF WORK

The objective of this survey was to investigate the subsurface for anomalies consistent with underground storage tanks (UST) and/or former excavations. A secondary objective was to locate and mark all underground utilities within the survey area.

3.0 METHODOLOGY

Selection of survey equipment is dependent upon site conditions and project objectives. For this project the technician utilized the following equipment to survey the area of concern:

- Geophysical Survey Systems Inc. SIR-3000 cart-mounted Ground Penetrating Radar (GPR) unit with a 400 Mhz antenna.
- Radiodetection RD7000 precision utility locator.
- Fisher M-Scope TW-6 pipe and cable locator.

Ground penetrating radar (commonly called GPR) is a geophysical method that has been developed over the past thirty years for shallow, high-resolution, subsurface investigations of the earth. GPR uses high frequency pulsed electromagnetic waves (generally 10 MHz to 1,000 MHz) to acquire subsurface information. Energy is propagated downward into the ground and is reflected back to the surface from boundaries at which there are electrical property contrasts. GPR is a method that is commonly used for environmental, engineering, archeological, and other shallow investigations.

The GSSI SIR-3000 GPR can accept a wide variety of antennas which provide various depths of penetration and levels of resolution. The 400 MHz antenna can achieve depths of penetration up to about 20 feet, but this depth may be greatly reduced due to site-specific conditions. Signal penetration decreases with increased soil conductivity. Conductive materials attenuate or absorb the GPR signal. As depth increases the return signal becomes weaker. Penetration is the greatest in unsaturated sands and fine gravels. Clayey, highly saline or saturated soils, areas covered by steel reinforced concrete, foundry slag, of other highly conductive materials significantly reduces GPR depth of penetration.

The 400MHz antenna was configured to transmit to a depth of approximately 10 feet below the subsurface, but actual signal penetration was limited to approximately 1-3 feet below ground surface (bgs). The limiting factor was signal attenuation from near surface soils.

The RD7000 precision utility locator uses radio emission to trace the location of metal bearing utilities. This radio emission can be active or passive. Active tracing requires the attachment of a radio transmitter to the utility, passive tracing uses radio emissions that are present on the utility. Underground electrical utilities typically emit radio signals that this device can detect.

The TW-6 is designed to find pipes, cables and other metallic objects such as underground storage tanks. One surveyor can carry both the transmitter and receiver together, making it ideally suited for exploration type searches of ferrous metal masses. Metal detectors of this type operate by generating a magnetic field at the transmitter which causes metallic objects in the subsurface to generate a secondary magnetic field. The induced secondary field is detected by the receiver, which generates an audible tone equal to the strength of the secondary field.

4.0 SURVEY FINDINGS

All accessible areas within the designated survey areas were examined during this survey. The areas were surveyed with the TW-6 and GPR for potential anomalous features, and then surveyed with the RD7000 for potential subsurface utilities. Delta personnel did not locate any anomalies during the survey.

Site map (121117) is included outlining the survey areas and inaccessible areas.

5.0 SURVEY LIMITATIONS

GPR depth of penetration was limited to approximately 1-2 feet bgs. The limiting factor was due to conductive soils. The TW-6 was not able to be utilized within close proximity to metallic fences, storage containers, trailers, and buildings on site. Access throughout large portions of the site was limited by parked trailers, trucks, garbage, storage containers, and ice. The site was snow and ice covered at the time of survey, limiting surface accessibility and GPR depth of penetration.

6.0 WARRANTIES AND DISCLAIMER


As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity to any anomalies indicated in this report. In addition, the absence of detected signatures does not preclude the possibility that targets may exist. To the extent the client desires more definitive conclusions than are warranted by the currently available facts; it is specifically Delta's intent that the conclusions stated herein will be intended as guidance.

This report is based upon the application of scientific principles and professional judgment to certain facts with resultant subjective interpretations. Professional judgments expressed herein are based on the facts currently available within the limit or scope of work, budget and schedule. Delta represents that the services were performed in a manner consistent with currently accepted professional practices employed by geophysical/geological consultants under similar circumstances. No other representations to Client, express or implied, and no warranty or guarantee is included or intended in this agreement, or in any report, document, or otherwise.


This report was prepared pursuant to the contract Delta has with the Client. That contractual relationship included an exchange of information about the property that was unique and between Delta and its client and serves as the basis upon which this report was prepared. Because of the importance of the understandings between Delta and its client, reliance or any use of this report by anyone other than the Client, for whom it was prepared, is prohibited and therefore not foreseeable to Delta.

Reliance or use by any such third party without explicit authorization in the report does not make said third party a third party beneficiary to Delta's contract with the Client. Any such unauthorized reliance on or use of this report, including any of its information or conclusions, will be at the third party's risk.

For the same reasons, no warranties or representations, expressed or implied in this report, are made to any such third party.



NOTES:
 This site plan was produced from data positioned by differential GPS measurements collected in the field. Due to the errors normally present in DGPS data, this document is not intended or represented to be of survey precision. Caution should be used in all field measurements based on this site plan.
 As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity of any anomalies indicated in this document. The absence of detected signatures does not preclude the possibility that targets exist. The geophysical data and results presented in this site plan are based upon the application of scientific principles and professional judgements to certain facts with resultant subjective interpretations. Professional judgements expressed herein are based on the facts currently available within the limits of the existing data, scope of work, budget, and schedule.
 Reliance or use by any such third party without explicit authorization in the document does not make said third party a third party beneficiary to Delta's contract with the client. Any such unauthorized reliance on or use of this document, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this document, are made to any such third party.



LEGEND

- MANHOLE COVER
- ⊕ UTILITY POLE
- ☀ LIGHT POLE
- - - - - ELECTRIC
- - - - - GAS
- - - - - TELECOMMUNICATION
- - - - - STORM SEWER
- - - - - SANITARY SEWER
- - - - - WATER
- - - - - UNKNOWN UTILITY
- x - x - x - FENCE
- v - v - v - VENT LINE
- - - - - PRODUCT LINE
- +++++ RAILROAD TRACKS

| | |
|----------|----------|
| DATE | 12/11/17 |
| SCALE | 1" = 30' |
| DWG NO. | 121117 |
| SHT NO. | 1 OF 1 |
| PROJECT. | |

GEOPHYSICAL INVESTIGATION
718 EAST 212TH STREET BRONX, NEW YORK 10467
 FOR
P.W. GROSSER CONSULTING, INC.

DELTA Geophysics Inc.
 738 Front Street, Catasauqua, PA 18032
 Phone: (610) 231-73012



APPENDIX B

LABORATORY ANALYTICAL REPORTS

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L1745804 |
| Client: | P. W. Grosser 630 Johnson Avenue Suite 7 Bohemia, NY 11716 |
| ATTN: | Thomas Melia |
| Phone: | (631) 589-6353 |
| Project Name: | BBU1702 |
| Project Number: | BBU1702 |
| Report Date: | 12/21/17 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|-----------------|-----------------|--------|-----------------------------|----------------------|--------------|
| L1745804-01 | SB001 (0-2) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 09:00 | 12/12/17 |
| L1745804-02 | SB001 (8-10) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 09:15 | 12/12/17 |
| L1745804-03 | SB002 (0-2) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 09:40 | 12/12/17 |
| L1745804-04 | SB002 (7-9) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 09:50 | 12/12/17 |
| L1745804-05 | SB003 (0-2) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 12:15 | 12/12/17 |
| L1745804-06 | SB003 (7-9) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 12:25 | 12/12/17 |
| L1745804-07 | SB004 (0-2) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 12:40 | 12/12/17 |
| L1745804-08 | SB004 (7-9) | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 12:50 | 12/12/17 |
| L1745804-09 | FIELD BLANK 001 | WATER | 718 E. 212TH ST., BRONX, NY | 12/11/17 10:30 | 12/12/17 |
| L1745804-10 | DUP001 | SOIL | 718 E. 212TH ST., BRONX, NY | 12/11/17 00:00 | 12/12/17 |
| L1745804-11 | TRIP BLANK | WATER | 718 E. 212TH ST., BRONX, NY | 12/11/17 00:00 | 12/12/17 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

The WG1075119-5 Method Blank, associated with L1745804-04, -08, and -10, has a concentration above the reporting limit for bromomethane. Since the sample was non-detect to the RL for this target analyte, no further actions were taken. The results of the original analysis are reported.

Semivolatile Organics

The WG1073744-2/-3 LCS/LCSD recoveries, associated with L1745804-01 through -08 and -10, are below the acceptance criteria for benzoic acid (0%/0%); however, it has been identified as a "difficult" analyte. The results of the associated samples are reported.

The WG1073744-4/-5 MS/MSD recoveries, performed on L1745804-04, are below the acceptance criteria for benzoic acid (0%/0%) due to the concentration of this compound falling below the reported detection limit.

Total Metals

L1745804-01 through -08 and -10: The sample has elevated detection limits for all elements, with the exception of mercury, due to the dilution required by matrix interferences encountered during analysis.

L1745804-09: The Field Blank has a concentration above the reporting limit for calcium. The result was confirmed.

The WG1074609-3/-4 MS/MSD recoveries for aluminum (413%/1300%), iron (894%/3820%), magnesium (MSD 158%), and manganese (67%/220%), performed on L1745804-04, do not apply because the sample concentrations are greater than four times the spike amounts added.

The WG1074609-3/-4 MS/MSD recoveries, performed on L1745804-04, are outside the acceptance criteria for cadmium (60%/55%), calcium (MSD 161%), and potassium (MSD 134%). A post digestion spike was performed and yielded unacceptable recoveries for cadmium (65%) and potassium (74%). This has been attributed to sample matrix.

Project Name: BBU1702
Project Number: BBU1702


Lab Number: L1745804
Report Date: 12/21/17

Case Narrative (continued)

The WG1074717-3/-4 MS/MSD recoveries, performed on L1745804-04, are outside the acceptance criteria for mercury (142%/142%). A post digestion spike was performed and yielded an unacceptable recovery of 122%. This has been attributed to sample matrix.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 12/21/17

ORGANICS

VOLATILES

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:00
 Analyst: PK
 Percent Solids: 94%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.9 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.7 | 0.31 | 1 |
| Chloroform | ND | | ug/kg | 1.7 | 0.42 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.39 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.0 | 0.26 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.20 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.7 | 0.36 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.40 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.7 | 0.47 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.28 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.40 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.35 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.26 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.24 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.7 | 0.37 | 1 |
| Bromoform | ND | | ug/kg | 4.6 | 0.27 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Toluene | ND | | ug/kg | 1.7 | 0.22 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.19 | 1 |
| Chloromethane | ND | | ug/kg | 5.7 | 0.50 | 1 |
| Bromomethane | ND | | ug/kg | 2.3 | 0.38 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.3 | 0.36 | 1 |
| Chloroethane | ND | | ug/kg | 2.3 | 0.36 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.42 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.7 | 0.27 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.7 | 0.21 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01

Date Collected: 12/11/17 09:00

Client ID: SB001 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.7 | 0.25 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.7 | 0.21 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.3 | 0.17 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.3 | 0.40 | 1 |
| o-Xylene | ND | | ug/kg | 2.3 | 0.38 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.3 | 0.38 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.39 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.27 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.27 | 1 |
| Styrene | ND | | ug/kg | 2.3 | 0.46 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.57 | 1 |
| Acetone | ND | | ug/kg | 11 | 2.6 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.78 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.17 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.28 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.20 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.76 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.7 | 0.41 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.7 | 0.51 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.6 | 0.23 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.7 | 0.21 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.36 | 1 |
| Bromobenzene | ND | | ug/kg | 5.7 | 0.25 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.26 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.7 | 0.28 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.7 | 0.25 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.7 | 0.21 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.7 | 0.45 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.7 | 0.40 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| Naphthalene | ND | | ug/kg | 5.7 | 0.16 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.58 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.7 | 0.28 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.7 | 0.24 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.7 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01

Date Collected: 12/11/17 09:00

Client ID: SB001 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.27 | J | ug/kg | 5.7 | 0.21 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 46 | 16. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.6 | 4.6 | 1 |
| p-Ethyltoluene | 0.27 | J | ug/kg | 4.6 | 0.27 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.6 | 0.18 | 1 |
| Ethyl ether | ND | | ug/kg | 5.7 | 0.30 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.7 | 0.45 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 104 | | 70-130 |
| Toluene-d8 | 92 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 105 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:26
 Analyst: PK
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.7 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.28 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.39 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.36 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.7 | 0.24 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.33 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.32 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.36 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.2 | 0.44 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.26 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.37 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.32 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.24 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.22 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.2 | 0.34 | 1 |
| Bromoform | ND | | ug/kg | 4.2 | 0.25 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.31 | 1 |
| Benzene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.20 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.2 | 0.46 | 1 |
| Bromomethane | ND | | ug/kg | 2.1 | 0.35 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.1 | 0.33 | 1 |
| Chloroethane | ND | | ug/kg | 2.1 | 0.33 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.39 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.25 | 1 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.32 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.19 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.1 | 0.16 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.1 | 0.37 | 1 |
| o-Xylene | ND | | ug/kg | 2.1 | 0.35 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.1 | 0.35 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.36 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.25 | 1 |
| Dibromomethane | ND | | ug/kg | 10 | 0.25 | 1 |
| Styrene | ND | | ug/kg | 2.1 | 0.42 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.52 | 1 |
| Acetone | ND | | ug/kg | 10 | 2.4 | 1 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.72 | 1 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.16 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.26 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 | 1 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.70 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.2 | 0.37 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.2 | 0.47 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.2 | 0.21 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.2 | 0.19 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.33 | 1 |
| Bromobenzene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.24 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.2 | 0.26 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.2 | 0.19 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.2 | 0.42 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.2 | 0.36 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.21 | 1 |
| Naphthalene | ND | | ug/kg | 5.2 | 0.14 | 1 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.54 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.2 | 0.26 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.2 | 0.22 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.2 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.2 | 0.20 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 42 | 15. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.2 | 4.2 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.2 | 0.24 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.2 | 0.16 | 1 |
| Ethyl ether | ND | | ug/kg | 5.2 | 0.27 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.2 | 0.41 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 91 | | 70-130 |
| 4-Bromofluorobenzene | 99 | | 70-130 |
| Dibromofluoromethane | 105 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:53
 Analyst: PK
 Percent Solids: 85%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.7 | 0.30 | 1 |
| Chloroform | ND | | ug/kg | 1.7 | 0.41 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.38 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.9 | 0.25 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.20 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.7 | 0.35 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.39 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.6 | 0.46 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.27 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.39 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.26 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.6 | 0.37 | 1 |
| Bromoform | ND | | ug/kg | 4.5 | 0.26 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.33 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Toluene | ND | | ug/kg | 1.7 | 0.22 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.19 | 1 |
| Chloromethane | ND | | ug/kg | 5.6 | 0.49 | 1 |
| Bromomethane | ND | | ug/kg | 2.2 | 0.38 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.2 | 0.35 | 1 |
| Chloroethane | ND | | ug/kg | 2.2 | 0.35 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.42 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.7 | 0.27 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.20 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.20 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.2 | 0.17 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.2 | 0.39 | 1 |
| o-Xylene | ND | | ug/kg | 2.2 | 0.38 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.2 | 0.38 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.38 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.27 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.27 | 1 |
| Styrene | ND | | ug/kg | 2.2 | 0.45 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.56 | 1 |
| Acetone | ND | | ug/kg | 11 | 2.6 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.77 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.17 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.27 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.20 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.74 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.6 | 0.40 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.6 | 0.50 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.5 | 0.22 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.6 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.36 | 1 |
| Bromobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.6 | 0.28 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.6 | 0.25 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.6 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.6 | 0.44 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.6 | 0.39 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Naphthalene | ND | | ug/kg | 5.6 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.57 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.6 | 0.28 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.6 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.6 | 0.21 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 45 | 16. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.5 | 4.5 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.5 | 0.26 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.5 | 0.17 | 1 |
| Ethyl ether | ND | | ug/kg | 5.6 | 0.29 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.6 | 0.44 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 95 | | 70-130 |
| 4-Bromofluorobenzene | 105 | | 70-130 |
| Dibromofluoromethane | 106 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 16:17
 Analyst: MKS
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.7 | 0.30 | 1 |
| Chloroform | ND | | ug/kg | 1.7 | 0.42 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.39 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.9 | 0.26 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.20 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.7 | 0.35 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.39 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.6 | 0.47 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.28 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.39 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.26 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.6 | 0.37 | 1 |
| Bromoform | ND | | ug/kg | 4.5 | 0.26 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.33 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Toluene | ND | | ug/kg | 1.7 | 0.22 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.19 | 1 |
| Chloromethane | ND | | ug/kg | 5.6 | 0.49 | 1 |
| Bromomethane | ND | | ug/kg | 2.2 | 0.38 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.2 | 0.35 | 1 |
| Chloroethane | ND | | ug/kg | 2.2 | 0.35 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.42 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.7 | 0.27 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.34 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.20 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.6 | 0.20 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.2 | 0.17 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.2 | 0.39 | 1 |
| o-Xylene | ND | | ug/kg | 2.2 | 0.38 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.2 | 0.38 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.38 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.27 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.27 | 1 |
| Styrene | ND | | ug/kg | 2.2 | 0.45 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.56 | 1 |
| Acetone | ND | | ug/kg | 11 | 2.6 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.77 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.17 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.27 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.20 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.75 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.6 | 0.40 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.6 | 0.50 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.5 | 0.22 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.6 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.36 | 1 |
| Bromobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.26 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.6 | 0.28 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.6 | 0.25 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.6 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.6 | 0.44 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.6 | 0.39 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| Naphthalene | ND | | ug/kg | 5.6 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.58 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.6 | 0.28 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.6 | 0.24 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.6 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.6 | 0.21 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 45 | 16. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.5 | 4.5 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.5 | 0.26 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.5 | 0.18 | 1 |
| Ethyl ether | ND | | ug/kg | 5.6 | 0.29 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.6 | 0.44 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 98 | | 70-130 |
| Toluene-d8 | 99 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 97 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 16:19
 Analyst: PK
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 17 | 2.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.6 | 0.46 | 1 |
| Chloroform | ND | | ug/kg | 2.6 | 0.64 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.7 | 0.59 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 6.0 | 0.39 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.7 | 0.30 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.6 | 0.54 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.7 | 0.52 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.7 | 0.60 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 8.6 | 0.72 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.7 | 0.42 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.7 | 0.60 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.7 | 0.53 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.7 | 0.36 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.7 | 0.40 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.7 | 0.36 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 8.6 | 0.56 | 1 |
| Bromoform | ND | | ug/kg | 6.9 | 0.41 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.7 | 0.51 | 1 |
| Benzene | ND | | ug/kg | 1.7 | 0.33 | 1 |
| Toluene | 0.46 | J | ug/kg | 2.6 | 0.34 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.7 | 0.29 | 1 |
| Chloromethane | ND | | ug/kg | 8.6 | 0.75 | 1 |
| Bromomethane | ND | | ug/kg | 3.4 | 0.58 | 1 |
| Vinyl chloride | ND | | ug/kg | 3.4 | 0.54 | 1 |
| Chloroethane | ND | | ug/kg | 3.4 | 0.54 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.7 | 0.64 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.6 | 0.41 | 1 |
| Trichloroethene | ND | | ug/kg | 1.7 | 0.52 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 8.6 | 0.31 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 8.6 | 0.37 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 8.6 | 0.31 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 3.4 | 0.26 | 1 |
| p/m-Xylene | ND | | ug/kg | 3.4 | 0.60 | 1 |
| o-Xylene | ND | | ug/kg | 3.4 | 0.58 | 1 |
| Xylenes, Total | ND | | ug/kg | 3.4 | 0.58 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.7 | 0.59 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.7 | 0.41 | 1 |
| Dibromomethane | ND | | ug/kg | 17 | 0.41 | 1 |
| Styrene | ND | | ug/kg | 3.4 | 0.69 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 17 | 0.86 | 1 |
| Acetone | ND | | ug/kg | 17 | 3.9 | 1 |
| Carbon disulfide | ND | | ug/kg | 17 | 1.9 | 1 |
| 2-Butanone | ND | | ug/kg | 17 | 1.2 | 1 |
| Vinyl acetate | ND | | ug/kg | 17 | 0.26 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 17 | 0.42 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 17 | 0.30 | 1 |
| 2-Hexanone | ND | | ug/kg | 17 | 1.1 | 1 |
| Bromochloromethane | ND | | ug/kg | 8.6 | 0.61 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 8.6 | 0.77 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 6.9 | 0.34 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 8.6 | 0.31 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.7 | 0.55 | 1 |
| Bromobenzene | ND | | ug/kg | 8.6 | 0.38 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.7 | 0.39 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.7 | 0.37 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 8.6 | 0.42 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 8.6 | 0.38 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 8.6 | 0.31 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 8.6 | 0.68 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 8.6 | 0.60 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.7 | 0.33 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.7 | 0.35 | 1 |
| Naphthalene | 0.35 | J | ug/kg | 8.6 | 0.24 | 1 |
| Acrylonitrile | ND | | ug/kg | 17 | 0.88 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.7 | 0.37 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 8.6 | 0.43 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 8.6 | 0.37 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 8.6 | 0.28 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 8.6 | 0.32 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 69 | 25. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 6.9 | 6.9 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 6.9 | 0.40 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 6.9 | 0.27 | 1 |
| Ethyl ether | ND | | ug/kg | 8.6 | 0.45 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 8.6 | 0.67 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 97 | | 70-130 |
| 4-Bromofluorobenzene | 112 | | 70-130 |
| Dibromofluoromethane | 106 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 16:45
 Analyst: PK
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 14 | 2.2 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.0 | 0.37 | 1 |
| Chloroform | ND | | ug/kg | 2.0 | 0.50 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.4 | 0.47 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.8 | 0.31 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.4 | 0.24 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.0 | 0.43 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.4 | 0.41 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.4 | 0.48 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.8 | 0.57 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.4 | 0.34 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.4 | 0.48 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.4 | 0.42 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.28 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.32 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.4 | 0.28 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.8 | 0.45 | 1 |
| Bromoform | ND | | ug/kg | 5.5 | 0.32 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.41 | 1 |
| Benzene | ND | | ug/kg | 1.4 | 0.26 | 1 |
| Toluene | 0.28 | J | ug/kg | 2.0 | 0.27 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.4 | 0.23 | 1 |
| Chloromethane | ND | | ug/kg | 6.8 | 0.60 | 1 |
| Bromomethane | ND | | ug/kg | 2.7 | 0.46 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.7 | 0.43 | 1 |
| Chloroethane | ND | | ug/kg | 2.7 | 0.43 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.4 | 0.51 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.0 | 0.33 | 1 |
| Trichloroethene | ND | | ug/kg | 1.4 | 0.41 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.8 | 0.25 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.8 | 0.30 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.8 | 0.25 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.7 | 0.21 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.7 | 0.48 | 1 |
| o-Xylene | ND | | ug/kg | 2.7 | 0.46 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.7 | 0.46 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.47 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.4 | 0.33 | 1 |
| Dibromomethane | ND | | ug/kg | 14 | 0.33 | 1 |
| Styrene | ND | | ug/kg | 2.7 | 0.55 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 14 | 0.68 | 1 |
| Acetone | 7.5 | J | ug/kg | 14 | 3.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 14 | 1.5 | 1 |
| 2-Butanone | ND | | ug/kg | 14 | 0.94 | 1 |
| Vinyl acetate | ND | | ug/kg | 14 | 0.21 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 14 | 0.33 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 14 | 0.24 | 1 |
| 2-Hexanone | ND | | ug/kg | 14 | 0.91 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.8 | 0.49 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.8 | 0.61 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.5 | 0.27 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.8 | 0.25 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.43 | 1 |
| Bromobenzene | ND | | ug/kg | 6.8 | 0.30 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.4 | 0.31 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.4 | 0.30 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.8 | 0.34 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.8 | 0.30 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.8 | 0.25 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.8 | 0.54 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.8 | 0.48 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.4 | 0.26 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.4 | 0.28 | 1 |
| Naphthalene | 0.37 | J | ug/kg | 6.8 | 0.19 | 1 |
| Acrylonitrile | ND | | ug/kg | 14 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.4 | 0.29 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.8 | 0.34 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.8 | 0.29 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 6.8 | 0.22 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.32 | J | ug/kg | 6.8 | 0.25 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 55 | 20. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.5 | 5.5 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 5.5 | 0.32 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.5 | 0.21 | 1 |
| Ethyl ether | ND | | ug/kg | 6.8 | 0.35 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.8 | 0.54 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 96 | | 70-130 |
| 4-Bromofluorobenzene | 113 | | 70-130 |
| Dibromofluoromethane | 107 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 17:11
 Analyst: PK
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 12 | 2.0 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.8 | 0.32 | 1 |
| Chloroform | ND | | ug/kg | 1.8 | 0.44 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.2 | 0.42 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.2 | 0.27 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.2 | 0.21 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.8 | 0.38 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.2 | 0.36 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.2 | 0.42 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.0 | 0.50 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.2 | 0.30 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.2 | 0.42 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.2 | 0.37 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.25 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.28 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.2 | 0.25 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.0 | 0.40 | 1 |
| Bromoform | ND | | ug/kg | 4.8 | 0.28 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.36 | 1 |
| Benzene | ND | | ug/kg | 1.2 | 0.23 | 1 |
| Toluene | ND | | ug/kg | 1.8 | 0.23 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.2 | 0.20 | 1 |
| Chloromethane | ND | | ug/kg | 6.0 | 0.52 | 1 |
| Bromomethane | ND | | ug/kg | 2.4 | 0.41 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.4 | 0.38 | 1 |
| Chloroethane | ND | | ug/kg | 2.4 | 0.38 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.2 | 0.45 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.8 | 0.29 | 1 |
| Trichloroethene | ND | | ug/kg | 1.2 | 0.36 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.0 | 0.22 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.0 | 0.26 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.0 | 0.22 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.4 | 0.18 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.4 | 0.42 | 1 |
| o-Xylene | ND | | ug/kg | 2.4 | 0.41 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.4 | 0.41 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.2 | 0.41 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.2 | 0.29 | 1 |
| Dibromomethane | ND | | ug/kg | 12 | 0.29 | 1 |
| Styrene | ND | | ug/kg | 2.4 | 0.48 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 12 | 0.60 | 1 |
| Acetone | 58 | | ug/kg | 12 | 2.8 | 1 |
| Carbon disulfide | ND | | ug/kg | 12 | 1.3 | 1 |
| 2-Butanone | ND | | ug/kg | 12 | 0.83 | 1 |
| Vinyl acetate | ND | | ug/kg | 12 | 0.18 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 12 | 0.29 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 12 | 0.21 | 1 |
| 2-Hexanone | ND | | ug/kg | 12 | 0.80 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.0 | 0.43 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.0 | 0.54 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.8 | 0.24 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.0 | 0.22 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.38 | 1 |
| Bromobenzene | ND | | ug/kg | 6.0 | 0.26 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.2 | 0.27 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.2 | 0.26 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.0 | 0.30 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.0 | 0.27 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.0 | 0.22 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.0 | 0.48 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.0 | 0.42 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.2 | 0.23 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.2 | 0.24 | 1 |
| Naphthalene | 0.18 | J | ug/kg | 6.0 | 0.17 | 1 |
| Acrylonitrile | ND | | ug/kg | 12 | 0.62 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.2 | 0.26 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.0 | 0.30 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.0 | 0.26 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 6.0 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 6.0 | 0.22 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 48 | 17. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.8 | 4.8 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.8 | 0.28 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.8 | 0.19 | 1 |
| Ethyl ether | ND | | ug/kg | 6.0 | 0.31 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.0 | 0.47 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 109 | | 70-130 |
| Toluene-d8 | 94 | | 70-130 |
| 4-Bromofluorobenzene | 106 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:25
 Analyst: MKS
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 15 | 2.4 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.2 | 0.40 | 1 |
| Chloroform | ND | | ug/kg | 2.2 | 0.55 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.5 | 0.51 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 5.2 | 0.34 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.5 | 0.26 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.2 | 0.46 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.5 | 0.45 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.5 | 0.52 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 7.4 | 0.62 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.5 | 0.36 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.5 | 0.52 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.5 | 0.46 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.5 | 0.31 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.5 | 0.34 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.5 | 0.31 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 7.4 | 0.49 | 1 |
| Bromoform | ND | | ug/kg | 5.9 | 0.35 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.5 | 0.44 | 1 |
| Benzene | ND | | ug/kg | 1.5 | 0.29 | 1 |
| Toluene | 0.93 | J | ug/kg | 2.2 | 0.29 | 1 |
| Ethylbenzene | 0.27 | J | ug/kg | 1.5 | 0.25 | 1 |
| Chloromethane | ND | | ug/kg | 7.4 | 0.65 | 1 |
| Bromomethane | ND | | ug/kg | 3.0 | 0.50 | 1 |
| Vinyl chloride | ND | | ug/kg | 3.0 | 0.47 | 1 |
| Chloroethane | ND | | ug/kg | 3.0 | 0.47 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.5 | 0.55 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.2 | 0.36 | 1 |
| Trichloroethene | ND | | ug/kg | 1.5 | 0.45 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 7.4 | 0.27 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 7.4 | 0.32 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 7.4 | 0.27 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 3.0 | 0.23 | 1 |
| p/m-Xylene | 0.72 | J | ug/kg | 3.0 | 0.52 | 1 |
| o-Xylene | ND | | ug/kg | 3.0 | 0.50 | 1 |
| Xylenes, Total | 0.72 | J | ug/kg | 3.0 | 0.50 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.51 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.5 | 0.36 | 1 |
| Dibromomethane | ND | | ug/kg | 15 | 0.36 | 1 |
| Styrene | ND | | ug/kg | 3.0 | 0.60 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 15 | 0.74 | 1 |
| Acetone | 6.7 | J | ug/kg | 15 | 3.4 | 1 |
| Carbon disulfide | ND | | ug/kg | 15 | 1.6 | 1 |
| 2-Butanone | ND | | ug/kg | 15 | 1.0 | 1 |
| Vinyl acetate | ND | | ug/kg | 15 | 0.23 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 15 | 0.36 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 15 | 0.26 | 1 |
| 2-Hexanone | ND | | ug/kg | 15 | 0.99 | 1 |
| Bromochloromethane | ND | | ug/kg | 7.4 | 0.53 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 7.4 | 0.67 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.9 | 0.30 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 7.4 | 0.27 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.5 | 0.47 | 1 |
| Bromobenzene | ND | | ug/kg | 7.4 | 0.32 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.5 | 0.34 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.5 | 0.32 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 7.4 | 0.37 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 7.4 | 0.33 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 7.4 | 0.27 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 7.4 | 0.59 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 7.4 | 0.52 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.5 | 0.29 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.5 | 0.30 | 1 |
| Naphthalene | 0.55 | J | ug/kg | 7.4 | 0.20 | 1 |
| Acrylonitrile | ND | | ug/kg | 15 | 0.76 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.5 | 0.32 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 7.4 | 0.37 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 7.4 | 0.32 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 7.4 | 0.24 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.39 | J | ug/kg | 7.4 | 0.28 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 59 | 21. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.9 | 5.9 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 5.9 | 0.35 | 1 |
| 1,2,4,5-Tetramethylbenzene | 0.44 | J | ug/kg | 5.9 | 0.23 | 1 |
| Ethyl ether | ND | | ug/kg | 7.4 | 0.39 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 7.4 | 0.58 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 93 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 107 | | 70-130 |
| Dibromofluoromethane | 96 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:43
 Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Volatile Organics by GC/MS - Westborough Lab

| | | | | | | |
|-----------------------------|----|--|------|-----|------|---|
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 | 1 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 112 | | 70-130 |
| Toluene-d8 | 92 | | 70-130 |
| 4-Bromofluorobenzene | 88 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10
 Client ID: DUP001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 15:51
 Analyst: MKS
 Percent Solids: 90%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.7 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.28 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.39 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.36 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.7 | 0.24 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.33 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.32 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.36 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.2 | 0.44 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.26 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.37 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.32 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.24 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.22 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.2 | 0.34 | 1 |
| Bromoform | ND | | ug/kg | 4.2 | 0.25 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.31 | 1 |
| Benzene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.20 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.2 | 0.46 | 1 |
| Bromomethane | ND | | ug/kg | 2.1 | 0.35 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.1 | 0.33 | 1 |
| Chloroethane | ND | | ug/kg | 2.1 | 0.33 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.39 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.25 | 1 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.32 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10

Date Collected: 12/11/17 00:00

Client ID: DUP001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.2 | 0.19 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.1 | 0.16 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.1 | 0.37 | 1 |
| o-Xylene | ND | | ug/kg | 2.1 | 0.35 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.1 | 0.35 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.36 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.25 | 1 |
| Dibromomethane | ND | | ug/kg | 10 | 0.25 | 1 |
| Styrene | ND | | ug/kg | 2.1 | 0.42 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.52 | 1 |
| Acetone | 6.4 | J | ug/kg | 10 | 2.4 | 1 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.72 | 1 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.16 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.26 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 | 1 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.70 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.2 | 0.37 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.2 | 0.47 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.2 | 0.21 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.2 | 0.19 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.33 | 1 |
| Bromobenzene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.24 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.2 | 0.26 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.2 | 0.23 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.2 | 0.19 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.2 | 0.41 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.2 | 0.36 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.21 | 1 |
| Naphthalene | ND | | ug/kg | 5.2 | 0.14 | 1 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.54 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.2 | 0.26 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.2 | 0.22 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.2 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10

Date Collected: 12/11/17 00:00

Client ID: DUP001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.2 | 0.19 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 42 | 15. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.2 | 4.2 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.2 | 0.24 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.2 | 0.16 | 1 |
| Ethyl ether | ND | | ug/kg | 5.2 | 0.27 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.2 | 0.41 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 96 | | 70-130 |
| Toluene-d8 | 100 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 95 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-11
 Client ID: TRIP BLANK
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 12/20/17 16:12
 Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-11
 Client ID: TRIP BLANK
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-11

Date Collected: 12/11/17 00:00

Client ID: TRIP BLANK

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Volatile Organics by GC/MS - Westborough Lab

| | | | | | | |
|-----------------------------|----|--|------|-----|------|---|
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 | 1 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 112 | | 70-130 |
| Toluene-d8 | 91 | | 70-130 |
| 4-Bromofluorobenzene | 89 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/20/17 08:26
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-07 Batch: WG1074862-5 | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.6 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 |
| Chloroform | ND | | ug/kg | 1.5 | 0.37 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.5 | 0.23 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.31 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.30 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 |
| Trichlorofluoromethane | ND | | ug/kg | 5.0 | 0.42 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.35 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.0 | 0.33 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 |
| Benzene | ND | | ug/kg | 1.0 | 0.19 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.17 |
| Chloromethane | ND | | ug/kg | 5.0 | 0.44 |
| Bromomethane | 0.38 | J | ug/kg | 2.0 | 0.34 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.37 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.30 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/20/17 08:26
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-07 Batch: WG1074862-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.15 |
| p/m-Xylene | ND | | ug/kg | 2.0 | 0.35 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 |
| Xylenes, Total | ND | | ug/kg | 2.0 | 0.34 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 |
| Styrene | ND | | ug/kg | 2.0 | 0.40 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.50 |
| Acetone | ND | | ug/kg | 10 | 2.3 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.69 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.15 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.24 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.67 |
| Bromochloromethane | ND | | ug/kg | 5.0 | 0.36 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.0 | 0.45 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.0 | 0.18 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 |
| Bromobenzene | ND | | ug/kg | 5.0 | 0.22 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| tert-Butylbenzene | ND | | ug/kg | 5.0 | 0.25 |
| o-Chlorotoluene | ND | | ug/kg | 5.0 | 0.22 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/20/17 08:26
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-07 Batch: WG1074862-5 | | | | | |
| p-Chlorotoluene | ND | | ug/kg | 5.0 | 0.18 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.0 | 0.40 |
| Hexachlorobutadiene | ND | | ug/kg | 5.0 | 0.35 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.19 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 |
| Naphthalene | ND | | ug/kg | 5.0 | 0.14 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.51 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.25 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.16 |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.19 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 14. |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 |
| p-Ethyltoluene | ND | | ug/kg | 4.0 | 0.23 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 |
| Ethyl ether | ND | | ug/kg | 5.0 | 0.26 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.0 | 0.39 |

Tentatively Identified Compounds

| | | | |
|-------------------------------|------|----|-------|
| Total TIC Compounds | 2.18 | J | ug/kg |
| Cyclotrisiloxane, Hexamethyl- | 2.18 | NJ | ug/kg |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/20/17 08:26
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|----|-----|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-07 Batch: WG1074862-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|------------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 95 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 102 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260C
 Analytical Date: 12/20/17 09:06
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 09,11 Batch: WG1074916-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/20/17 09:06
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 09,11 Batch: WG1074916-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/20/17 09:06
Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 09,11 Batch: WG1074916-5 | | | | | |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Hexachlorobutadiene | 0.82 | J | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 109 | | 70-130 |
| Toluene-d8 | 93 | | 70-130 |
| 4-Bromofluorobenzene | 88 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/20/17 08:31
Analyst: JC

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04,08,10 Batch: WG1075119-5 | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.6 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 |
| Chloroform | ND | | ug/kg | 1.5 | 0.37 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.5 | 0.23 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.31 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.30 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 |
| Trichlorofluoromethane | ND | | ug/kg | 5.0 | 0.42 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.35 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.0 | 0.33 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 |
| Benzene | ND | | ug/kg | 1.0 | 0.19 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.17 |
| Chloromethane | ND | | ug/kg | 5.0 | 0.44 |
| Bromomethane | 2.7 | | ug/kg | 2.0 | 0.34 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.37 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.30 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/20/17 08:31
 Analyst: JC

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04,08,10 Batch: WG1075119-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.15 |
| p/m-Xylene | ND | | ug/kg | 2.0 | 0.35 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 |
| Xylenes, Total | ND | | ug/kg | 2.0 | 0.34 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 |
| Styrene | ND | | ug/kg | 2.0 | 0.40 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.50 |
| Acetone | ND | | ug/kg | 10 | 2.3 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.69 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.15 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.24 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.67 |
| Bromochloromethane | ND | | ug/kg | 5.0 | 0.36 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.0 | 0.45 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.0 | 0.18 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 |
| Bromobenzene | ND | | ug/kg | 5.0 | 0.22 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| tert-Butylbenzene | ND | | ug/kg | 5.0 | 0.25 |
| o-Chlorotoluene | ND | | ug/kg | 5.0 | 0.22 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/20/17 08:31
 Analyst: JC

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04,08,10 Batch: WG1075119-5 | | | | | |
| p-Chlorotoluene | ND | | ug/kg | 5.0 | 0.18 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.0 | 0.40 |
| Hexachlorobutadiene | ND | | ug/kg | 5.0 | 0.35 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.19 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 |
| Naphthalene | ND | | ug/kg | 5.0 | 0.14 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.51 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.25 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.16 |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.19 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 14. |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 |
| p-Ethyltoluene | ND | | ug/kg | 4.0 | 0.23 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 |
| Ethyl ether | ND | | ug/kg | 5.0 | 0.26 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.0 | 0.39 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 99 | | 70-130 |
| Toluene-d8 | 101 | | 70-130 |
| 4-Bromofluorobenzene | 99 | | 70-130 |
| Dibromofluoromethane | 97 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-07 Batch: WG1074862-3 WG1074862-4 | | | | | | | | |
| Methylene chloride | 87 | | 83 | | 70-130 | 5 | | 30 |
| 1,1-Dichloroethane | 118 | | 113 | | 70-130 | 4 | | 30 |
| Chloroform | 104 | | 101 | | 70-130 | 3 | | 30 |
| Carbon tetrachloride | 109 | | 106 | | 70-130 | 3 | | 30 |
| 1,2-Dichloropropane | 117 | | 115 | | 70-130 | 2 | | 30 |
| Dibromochloromethane | 91 | | 90 | | 70-130 | 1 | | 30 |
| 1,1,2-Trichloroethane | 91 | | 88 | | 70-130 | 3 | | 30 |
| Tetrachloroethene | 92 | | 90 | | 70-130 | 2 | | 30 |
| Chlorobenzene | 89 | | 87 | | 70-130 | 2 | | 30 |
| Trichlorofluoromethane | 102 | | 97 | | 70-139 | 5 | | 30 |
| 1,2-Dichloroethane | 116 | | 112 | | 70-130 | 4 | | 30 |
| 1,1,1-Trichloroethane | 108 | | 104 | | 70-130 | 4 | | 30 |
| Bromodichloromethane | 104 | | 101 | | 70-130 | 3 | | 30 |
| trans-1,3-Dichloropropene | 97 | | 96 | | 70-130 | 1 | | 30 |
| cis-1,3-Dichloropropene | 111 | | 109 | | 70-130 | 2 | | 30 |
| 1,1-Dichloropropene | 108 | | 104 | | 70-130 | 4 | | 30 |
| Bromoform | 88 | | 86 | | 70-130 | 2 | | 30 |
| 1,1,2,2-Tetrachloroethane | 80 | | 80 | | 70-130 | 0 | | 30 |
| Benzene | 101 | | 98 | | 70-130 | 3 | | 30 |
| Toluene | 85 | | 83 | | 70-130 | 2 | | 30 |
| Ethylbenzene | 88 | | 86 | | 70-130 | 2 | | 30 |
| Chloromethane | 116 | | 110 | | 52-130 | 5 | | 30 |
| Bromomethane | 112 | | 107 | | 57-147 | 5 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | Qual | RPD Limits |
|---|-----------|------|-----------|------|------------------|-----|------|------------|
| | %Recovery | Qual | %Recovery | Qual | | | | |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-07 Batch: WG1074862-3 WG1074862-4 | | | | | | | | |
| Vinyl chloride | 101 | | 95 | | 67-130 | 6 | | 30 |
| Chloroethane | 108 | | 102 | | 50-151 | 6 | | 30 |
| 1,1-Dichloroethene | 103 | | 100 | | 65-135 | 3 | | 30 |
| trans-1,2-Dichloroethene | 104 | | 100 | | 70-130 | 4 | | 30 |
| Trichloroethene | 105 | | 102 | | 70-130 | 3 | | 30 |
| 1,2-Dichlorobenzene | 82 | | 80 | | 70-130 | 2 | | 30 |
| 1,3-Dichlorobenzene | 82 | | 81 | | 70-130 | 1 | | 30 |
| 1,4-Dichlorobenzene | 81 | | 81 | | 70-130 | 0 | | 30 |
| Methyl tert butyl ether | 111 | | 108 | | 66-130 | 3 | | 30 |
| p/m-Xylene | 90 | | 88 | | 70-130 | 2 | | 30 |
| o-Xylene | 92 | | 90 | | 70-130 | 2 | | 30 |
| cis-1,2-Dichloroethene | 104 | | 101 | | 70-130 | 3 | | 30 |
| Dibromomethane | 103 | | 100 | | 70-130 | 3 | | 30 |
| Styrene | 88 | | 86 | | 70-130 | 2 | | 30 |
| Dichlorodifluoromethane | 90 | | 85 | | 30-146 | 6 | | 30 |
| Acetone | 123 | | 120 | | 54-140 | 2 | | 30 |
| Carbon disulfide | 101 | | 96 | | 59-130 | 5 | | 30 |
| 2-Butanone | 106 | | 114 | | 70-130 | 7 | | 30 |
| Vinyl acetate | 119 | | 116 | | 70-130 | 3 | | 30 |
| 4-Methyl-2-pentanone | 99 | | 94 | | 70-130 | 5 | | 30 |
| 1,2,3-Trichloropropane | 83 | | 83 | | 68-130 | 0 | | 30 |
| 2-Hexanone | 95 | | 94 | | 70-130 | 1 | | 30 |
| Bromochloromethane | 112 | | 106 | | 70-130 | 6 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS | | LCSD | | %Recovery | | RPD | RPD | |
|---|-----------|------|-----------|------|-----------|------|-----|--------|----|
| | %Recovery | Qual | %Recovery | Qual | Limits | Qual | | Limits | |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-07 Batch: WG1074862-3 WG1074862-4 | | | | | | | | | |
| 2,2-Dichloropropane | 116 | | 111 | | 70-130 | | 4 | | 30 |
| 1,2-Dibromoethane | 89 | | 88 | | 70-130 | | 1 | | 30 |
| 1,3-Dichloropropane | 91 | | 90 | | 69-130 | | 1 | | 30 |
| 1,1,1,2-Tetrachloroethane | 92 | | 91 | | 70-130 | | 1 | | 30 |
| Bromobenzene | 82 | | 81 | | 70-130 | | 1 | | 30 |
| n-Butylbenzene | 83 | | 80 | | 70-130 | | 4 | | 30 |
| sec-Butylbenzene | 83 | | 81 | | 70-130 | | 2 | | 30 |
| tert-Butylbenzene | 82 | | 80 | | 70-130 | | 2 | | 30 |
| o-Chlorotoluene | 66 | Q | 85 | | 70-130 | | 25 | | 30 |
| p-Chlorotoluene | 84 | | 81 | | 70-130 | | 4 | | 30 |
| 1,2-Dibromo-3-chloropropane | 79 | | 78 | | 68-130 | | 1 | | 30 |
| Hexachlorobutadiene | 87 | | 84 | | 67-130 | | 4 | | 30 |
| Isopropylbenzene | 83 | | 81 | | 70-130 | | 2 | | 30 |
| p-Isopropyltoluene | 83 | | 81 | | 70-130 | | 2 | | 30 |
| Naphthalene | 84 | | 85 | | 70-130 | | 1 | | 30 |
| Acrylonitrile | 136 | Q | 129 | | 70-130 | | 5 | | 30 |
| n-Propylbenzene | 81 | | 80 | | 70-130 | | 1 | | 30 |
| 1,2,3-Trichlorobenzene | 87 | | 86 | | 70-130 | | 1 | | 30 |
| 1,2,4-Trichlorobenzene | 87 | | 86 | | 70-130 | | 1 | | 30 |
| 1,3,5-Trimethylbenzene | 83 | | 81 | | 70-130 | | 2 | | 30 |
| 1,2,4-Trimethylbenzene | 83 | | 82 | | 70-130 | | 1 | | 30 |
| 1,4-Dioxane | 105 | | 103 | | 65-136 | | 2 | | 30 |
| p-Diethylbenzene | 83 | | 82 | | 70-130 | | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|---------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-07 Batch: WG1074862-3 WG1074862-4 | | | | | | | | |
| p-Ethyltoluene | 83 | | 81 | | 70-130 | 2 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 82 | | 81 | | 70-130 | 1 | | 30 |
| Ethyl ether | 110 | | 105 | | 67-130 | 5 | | 30 |
| trans-1,4-Dichloro-2-butene | 99 | | 97 | | 70-130 | 2 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|------------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 106 | | 104 | | 70-130 |
| Toluene-d8 | 96 | | 96 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 103 | | 70-130 |
| Dibromofluoromethane | 107 | | 106 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 09,11 Batch: WG1074916-3 WG1074916-4 | | | | | | | | |
| Methylene chloride | 100 | | 87 | | 70-130 | 14 | | 20 |
| 1,1-Dichloroethane | 100 | | 89 | | 70-130 | 12 | | 20 |
| Chloroform | 110 | | 98 | | 70-130 | 12 | | 20 |
| Carbon tetrachloride | 120 | | 98 | | 63-132 | 20 | | 20 |
| 1,2-Dichloropropane | 110 | | 90 | | 70-130 | 20 | | 20 |
| Dibromochloromethane | 110 | | 90 | | 63-130 | 20 | | 20 |
| 1,1,2-Trichloroethane | 100 | | 91 | | 70-130 | 9 | | 20 |
| Tetrachloroethene | 110 | | 92 | | 70-130 | 18 | | 20 |
| Chlorobenzene | 110 | | 91 | | 75-130 | 19 | | 20 |
| Trichlorofluoromethane | 100 | | 92 | | 62-150 | 8 | | 20 |
| 1,2-Dichloroethane | 120 | | 100 | | 70-130 | 18 | | 20 |
| 1,1,1-Trichloroethane | 120 | | 99 | | 67-130 | 19 | | 20 |
| Bromodichloromethane | 110 | | 97 | | 67-130 | 13 | | 20 |
| trans-1,3-Dichloropropene | 97 | | 78 | | 70-130 | 22 | Q | 20 |
| cis-1,3-Dichloropropene | 110 | | 89 | | 70-130 | 21 | Q | 20 |
| 1,1-Dichloropropene | 110 | | 90 | | 70-130 | 20 | | 20 |
| Bromoform | 110 | | 87 | | 54-136 | 23 | Q | 20 |
| 1,1,2,2-Tetrachloroethane | 100 | | 86 | | 67-130 | 15 | | 20 |
| Benzene | 110 | | 90 | | 70-130 | 20 | | 20 |
| Toluene | 100 | | 86 | | 70-130 | 15 | | 20 |
| Ethylbenzene | 110 | | 91 | | 70-130 | 19 | | 20 |
| Chloromethane | 66 | | 57 | Q | 64-130 | 15 | | 20 |
| Bromomethane | 96 | | 84 | | 39-139 | 13 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 09,11 Batch: WG1074916-3 WG1074916-4 | | | | | | | | |
| Vinyl chloride | 75 | | 65 | | 55-140 | 14 | | 20 |
| Chloroethane | 110 | | 92 | | 55-138 | 18 | | 20 |
| 1,1-Dichloroethene | 100 | | 87 | | 61-145 | 14 | | 20 |
| trans-1,2-Dichloroethene | 100 | | 88 | | 70-130 | 13 | | 20 |
| Trichloroethene | 120 | | 96 | | 70-130 | 22 | Q | 20 |
| 1,2-Dichlorobenzene | 110 | | 93 | | 70-130 | 17 | | 20 |
| 1,3-Dichlorobenzene | 110 | | 91 | | 70-130 | 19 | | 20 |
| 1,4-Dichlorobenzene | 110 | | 92 | | 70-130 | 18 | | 20 |
| Methyl tert butyl ether | 110 | | 91 | | 63-130 | 19 | | 20 |
| p/m-Xylene | 115 | | 95 | | 70-130 | 19 | | 20 |
| o-Xylene | 120 | | 95 | | 70-130 | 23 | Q | 20 |
| cis-1,2-Dichloroethene | 100 | | 94 | | 70-130 | 6 | | 20 |
| Dibromomethane | 120 | | 100 | | 70-130 | 18 | | 20 |
| 1,2,3-Trichloropropane | 100 | | 86 | | 64-130 | 15 | | 20 |
| Acrylonitrile | 97 | | 84 | | 70-130 | 14 | | 20 |
| Styrene | 115 | | 95 | | 70-130 | 19 | | 20 |
| Dichlorodifluoromethane | 88 | | 77 | | 36-147 | 13 | | 20 |
| Acetone | 84 | | 71 | | 58-148 | 17 | | 20 |
| Carbon disulfide | 92 | | 79 | | 51-130 | 15 | | 20 |
| 2-Butanone | 83 | | 74 | | 63-138 | 11 | | 20 |
| Vinyl acetate | 82 | | 67 | Q | 70-130 | 20 | | 20 |
| 4-Methyl-2-pentanone | 98 | | 82 | | 59-130 | 18 | | 20 |
| 2-Hexanone | 87 | | 71 | | 57-130 | 20 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 09,11 Batch: WG1074916-3 WG1074916-4 | | | | | | | | |
| Bromochloromethane | 120 | | 110 | | 70-130 | 9 | | 20 |
| 2,2-Dichloropropane | 110 | | 91 | | 63-133 | 19 | | 20 |
| 1,2-Dibromoethane | 110 | | 95 | | 70-130 | 15 | | 20 |
| 1,3-Dichloropropane | 100 | | 89 | | 70-130 | 12 | | 20 |
| 1,1,1,2-Tetrachloroethane | 110 | | 93 | | 64-130 | 17 | | 20 |
| Bromobenzene | 110 | | 94 | | 70-130 | 16 | | 20 |
| n-Butylbenzene | 100 | | 86 | | 53-136 | 15 | | 20 |
| sec-Butylbenzene | 100 | | 85 | | 70-130 | 16 | | 20 |
| tert-Butylbenzene | 110 | | 87 | | 70-130 | 23 | Q | 20 |
| o-Chlorotoluene | 100 | | 86 | | 70-130 | 15 | | 20 |
| p-Chlorotoluene | 100 | | 85 | | 70-130 | 16 | | 20 |
| 1,2-Dibromo-3-chloropropane | 100 | | 88 | | 41-144 | 13 | | 20 |
| Hexachlorobutadiene | 120 | | 100 | | 63-130 | 18 | | 20 |
| Isopropylbenzene | 110 | | 86 | | 70-130 | 24 | Q | 20 |
| p-Isopropyltoluene | 110 | | 89 | | 70-130 | 21 | Q | 20 |
| Naphthalene | 100 | | 100 | | 70-130 | 0 | | 20 |
| n-Propylbenzene | 100 | | 84 | | 69-130 | 17 | | 20 |
| 1,2,3-Trichlorobenzene | 110 | | 100 | | 70-130 | 10 | | 20 |
| 1,2,4-Trichlorobenzene | 110 | | 96 | | 70-130 | 14 | | 20 |
| 1,3,5-Trimethylbenzene | 110 | | 88 | | 64-130 | 22 | Q | 20 |
| 1,2,4-Trimethylbenzene | 110 | | 88 | | 70-130 | 22 | Q | 20 |
| 1,4-Dioxane | 88 | | 96 | | 56-162 | 9 | | 20 |
| p-Diethylbenzene | 110 | | 88 | | 70-130 | 22 | Q | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 09,11 Batch: WG1074916-3 WG1074916-4 | | | | | | | | |
| p-Ethyltoluene | 110 | | 88 | | 70-130 | 22 | Q | 20 |
| 1,2,4,5-Tetramethylbenzene | 110 | | 88 | | 70-130 | 22 | Q | 20 |
| Ethyl ether | 98 | | 88 | | 59-134 | 11 | | 20 |
| trans-1,4-Dichloro-2-butene | 72 | | 52 | Q | 70-130 | 32 | Q | 20 |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria |
|-----------------------|------------------|------|-------------------|------|------------------------|
| 1,2-Dichloroethane-d4 | 109 | | 115 | | 70-130 |
| Toluene-d8 | 92 | | 91 | | 70-130 |
| 4-Bromofluorobenzene | 90 | | 90 | | 70-130 |
| Dibromofluoromethane | 104 | | 104 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 Batch: WG1075119-3 WG1075119-4 | | | | | | | | |
| Methylene chloride | 96 | | 94 | | 70-130 | 2 | | 30 |
| 1,1-Dichloroethane | 99 | | 99 | | 70-130 | 0 | | 30 |
| Chloroform | 99 | | 98 | | 70-130 | 1 | | 30 |
| Carbon tetrachloride | 99 | | 102 | | 70-130 | 3 | | 30 |
| 1,2-Dichloropropane | 99 | | 99 | | 70-130 | 0 | | 30 |
| Dibromochloromethane | 92 | | 96 | | 70-130 | 4 | | 30 |
| 1,1,2-Trichloroethane | 98 | | 99 | | 70-130 | 1 | | 30 |
| Tetrachloroethene | 101 | | 99 | | 70-130 | 2 | | 30 |
| Chlorobenzene | 97 | | 96 | | 70-130 | 1 | | 30 |
| Trichlorofluoromethane | 106 | | 105 | | 70-139 | 1 | | 30 |
| 1,2-Dichloroethane | 98 | | 98 | | 70-130 | 0 | | 30 |
| 1,1,1-Trichloroethane | 101 | | 101 | | 70-130 | 0 | | 30 |
| Bromodichloromethane | 95 | | 97 | | 70-130 | 2 | | 30 |
| trans-1,3-Dichloropropene | 98 | | 98 | | 70-130 | 0 | | 30 |
| cis-1,3-Dichloropropene | 96 | | 97 | | 70-130 | 1 | | 30 |
| 1,1-Dichloropropene | 102 | | 101 | | 70-130 | 1 | | 30 |
| Bromoform | 90 | | 95 | | 70-130 | 5 | | 30 |
| 1,1,1,2-Tetrachloroethane | 101 | | 101 | | 70-130 | 0 | | 30 |
| Benzene | 99 | | 98 | | 70-130 | 1 | | 30 |
| Toluene | 99 | | 98 | | 70-130 | 1 | | 30 |
| Ethylbenzene | 99 | | 98 | | 70-130 | 1 | | 30 |
| Chloromethane | 103 | | 101 | | 52-130 | 2 | | 30 |
| Bromomethane | 106 | | 106 | | 57-147 | 0 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 Batch: WG1075119-3 WG1075119-4 | | | | | | | | |
| Vinyl chloride | 102 | | 101 | | 67-130 | 1 | | 30 |
| Chloroethane | 102 | | 100 | | 50-151 | 2 | | 30 |
| 1,1-Dichloroethene | 102 | | 101 | | 65-135 | 1 | | 30 |
| trans-1,2-Dichloroethene | 100 | | 99 | | 70-130 | 1 | | 30 |
| Trichloroethene | 99 | | 99 | | 70-130 | 0 | | 30 |
| 1,2-Dichlorobenzene | 98 | | 97 | | 70-130 | 1 | | 30 |
| 1,3-Dichlorobenzene | 98 | | 96 | | 70-130 | 2 | | 30 |
| 1,4-Dichlorobenzene | 97 | | 97 | | 70-130 | 0 | | 30 |
| Methyl tert butyl ether | 99 | | 99 | | 66-130 | 0 | | 30 |
| p/m-Xylene | 99 | | 98 | | 70-130 | 1 | | 30 |
| o-Xylene | 98 | | 97 | | 70-130 | 1 | | 30 |
| cis-1,2-Dichloroethene | 98 | | 97 | | 70-130 | 1 | | 30 |
| Dibromomethane | 98 | | 99 | | 70-130 | 1 | | 30 |
| Styrene | 98 | | 97 | | 70-130 | 1 | | 30 |
| Dichlorodifluoromethane | 108 | | 108 | | 30-146 | 0 | | 30 |
| Acetone | 102 | | 102 | | 54-140 | 0 | | 30 |
| Carbon disulfide | 100 | | 98 | | 59-130 | 2 | | 30 |
| 2-Butanone | 110 | | 107 | | 70-130 | 3 | | 30 |
| Vinyl acetate | 100 | | 103 | | 70-130 | 3 | | 30 |
| 4-Methyl-2-pentanone | 98 | | 97 | | 70-130 | 1 | | 30 |
| 1,2,3-Trichloropropane | 101 | | 99 | | 68-130 | 2 | | 30 |
| 2-Hexanone | 99 | | 97 | | 70-130 | 2 | | 30 |
| Bromochloromethane | 100 | | 100 | | 70-130 | 0 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS | | LCSD | | %Recovery | | RPD | |
|--|-----------|------|-----------|------|-----------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | Limits | RPD | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 Batch: WG1075119-3 WG1075119-4 | | | | | | | | |
| 2,2-Dichloropropane | 102 | | 101 | | 70-130 | 1 | | 30 |
| 1,2-Dibromoethane | 99 | | 99 | | 70-130 | 0 | | 30 |
| 1,3-Dichloropropane | 99 | | 100 | | 69-130 | 1 | | 30 |
| 1,1,1,2-Tetrachloroethane | 95 | | 97 | | 70-130 | 2 | | 30 |
| Bromobenzene | 98 | | 97 | | 70-130 | 1 | | 30 |
| n-Butylbenzene | 102 | | 101 | | 70-130 | 1 | | 30 |
| sec-Butylbenzene | 103 | | 102 | | 70-130 | 1 | | 30 |
| tert-Butylbenzene | 102 | | 100 | | 70-130 | 2 | | 30 |
| o-Chlorotoluene | 100 | | 98 | | 70-130 | 2 | | 30 |
| p-Chlorotoluene | 99 | | 99 | | 70-130 | 0 | | 30 |
| 1,2-Dibromo-3-chloropropane | 94 | | 96 | | 68-130 | 2 | | 30 |
| Hexachlorobutadiene | 100 | | 98 | | 67-130 | 2 | | 30 |
| Isopropylbenzene | 102 | | 100 | | 70-130 | 2 | | 30 |
| p-Isopropyltoluene | 102 | | 100 | | 70-130 | 2 | | 30 |
| Naphthalene | 95 | | 95 | | 70-130 | 0 | | 30 |
| Acrylonitrile | 100 | | 98 | | 70-130 | 2 | | 30 |
| n-Propylbenzene | 101 | | 100 | | 70-130 | 1 | | 30 |
| 1,2,3-Trichlorobenzene | 95 | | 96 | | 70-130 | 1 | | 30 |
| 1,2,4-Trichlorobenzene | 97 | | 97 | | 70-130 | 0 | | 30 |
| 1,3,5-Trimethylbenzene | 101 | | 100 | | 70-130 | 1 | | 30 |
| 1,2,4-Trimethylbenzene | 100 | | 99 | | 70-130 | 1 | | 30 |
| 1,4-Dioxane | 108 | | 103 | | 65-136 | 5 | | 30 |
| p-Diethylbenzene | 100 | | 100 | | 70-130 | 0 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|--|-----------|------|-----------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 Batch: WG1075119-3 WG1075119-4 | | | | | | | | |
| p-Ethyltoluene | 100 | | 100 | | 70-130 | 0 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 98 | | 98 | | 70-130 | 0 | | 30 |
| Ethyl ether | 99 | | 98 | | 67-130 | 1 | | 30 |
| trans-1,4-Dichloro-2-butene | 104 | | 104 | | 70-130 | 0 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|---------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 98 | | 100 | | 70-130 |
| Toluene-d8 | 101 | | 100 | | 70-130 |
| 4-Bromofluorobenzene | 101 | | 101 | | 70-130 |
| Dibromofluoromethane | 100 | | 100 | | 70-130 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 QC Batch ID: WG1075119-6 WG1075119-7 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| Methylene chloride | ND | 112 | 85 | 76 | | 85 | 79 | | 70-130 | 0 | | 30 |
| 1,1-Dichloroethane | ND | 112 | 95 | 85 | | 92 | 86 | | 70-130 | 3 | | 30 |
| Chloroform | ND | 112 | 90 | 80 | | 87 | 80 | | 70-130 | 3 | | 30 |
| Carbon tetrachloride | ND | 112 | 100 | 93 | | 97 | 90 | | 70-130 | 7 | | 30 |
| 1,2-Dichloropropane | ND | 112 | 89 | 80 | | 87 | 81 | | 70-130 | 2 | | 30 |
| Dibromochloromethane | ND | 112 | 85 | 75 | | 84 | 78 | | 70-130 | 0 | | 30 |
| 1,1,2-Trichloroethane | ND | 112 | 82 | 73 | | 82 | 76 | | 70-130 | 1 | | 30 |
| Tetrachloroethene | ND | 112 | 86 | 76 | | 72 | 67 | Q | 70-130 | 17 | | 30 |
| Chlorobenzene | ND | 112 | 78 | 69 | Q | 69 | 64 | Q | 70-130 | 13 | | 30 |
| Trichlorofluoromethane | ND | 112 | 110 | 98 | | 100 | 94 | | 70-139 | 8 | | 30 |
| 1,2-Dichloroethane | ND | 112 | 83 | 74 | | 84 | 78 | | 70-130 | 1 | | 30 |
| 1,1,1-Trichloroethane | ND | 112 | 100 | 90 | | 95 | 88 | | 70-130 | 6 | | 30 |
| Bromodichloromethane | ND | 112 | 88 | 78 | | 86 | 80 | | 70-130 | 2 | | 30 |
| trans-1,3-Dichloropropene | ND | 112 | 82 | 73 | | 80 | 74 | | 70-130 | 3 | | 30 |
| cis-1,3-Dichloropropene | ND | 112 | 84 | 75 | | 81 | 75 | | 70-130 | 4 | | 30 |
| 1,1-Dichloropropene | ND | 112 | 99 | 88 | | 90 | 83 | | 70-130 | 9 | | 30 |
| Bromoform | ND | 112 | 85 | 76 | | 86 | 79 | | 70-130 | 1 | | 30 |
| 1,1,2,2-Tetrachloroethane | ND | 112 | 78 | 69 | Q | 81 | 75 | | 70-130 | 4 | | 30 |
| Benzene | ND | 112 | 91 | 81 | | 87 | 80 | | 70-130 | 6 | | 30 |
| Toluene | ND | 112 | 86 | 76 | | 77 | 71 | | 70-130 | 11 | | 30 |
| Ethylbenzene | ND | 112 | 80 | 71 | | 67 | 62 | Q | 70-130 | 17 | | 30 |
| Chloromethane | ND | 112 | 100 | 89 | | 100 | 94 | | 52-130 | 2 | | 30 |
| Bromomethane | ND | 112 | 93 | 83 | | 95 | 88 | | 57-147 | 1 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|--|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 QC Batch ID: WG1075119-6 WG1075119-7 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| Vinyl chloride | ND | 112 | 110 | 96 | | 110 | 99 | | 67-130 | 1 | | 30 |
| Chloroethane | ND | 112 | 100 | 89 | | 34 | 31 | Q | 50-151 | 99 | Q | 30 |
| 1,1-Dichloroethene | ND | 112 | 110 | 94 | | 100 | 94 | | 65-135 | 4 | | 30 |
| trans-1,2-Dichloroethene | ND | 112 | 97 | 87 | | 92 | 85 | | 70-130 | 6 | | 30 |
| Trichloroethene | ND | 112 | 91 | 81 | | 83 | 77 | | 70-130 | 9 | | 30 |
| 1,2-Dichlorobenzene | ND | 112 | 68 | 61 | Q | 61 | 56 | Q | 70-130 | 12 | | 30 |
| 1,3-Dichlorobenzene | ND | 112 | 66 | 59 | Q | 56 | 52 | Q | 70-130 | 17 | | 30 |
| 1,4-Dichlorobenzene | ND | 112 | 64 | 57 | Q | 54 | 50 | Q | 70-130 | 17 | | 30 |
| Methyl tert butyl ether | ND | 112 | 83 | 74 | | 87 | 81 | | 66-130 | 4 | | 30 |
| p/m-Xylene | ND | 224 | 160 | 69 | Q | 130 | 60 | Q | 70-130 | 18 | | 30 |
| o-Xylene | ND | 224 | 160 | 70 | | 140 | 62 | Q | 70-130 | 14 | | 30 |
| cis-1,2-Dichloroethene | ND | 112 | 91 | 81 | | 88 | 82 | | 70-130 | 3 | | 30 |
| Dibromomethane | ND | 112 | 82 | 73 | | 83 | 77 | | 70-130 | 1 | | 30 |
| Styrene | ND | 224 | 150 | 68 | Q | 130 | 62 | Q | 70-130 | 13 | | 30 |
| Dichlorodifluoromethane | ND | 112 | 120 | 102 | | 110 | 102 | | 30-146 | 4 | | 30 |
| Acetone | ND | 112 | 81 | 72 | | 92 | 85 | | 54-140 | 13 | | 30 |
| Carbon disulfide | ND | 112 | 99 | 88 | | 92 | 85 | | 59-130 | 8 | | 30 |
| 2-Butanone | ND | 112 | 78 | 70 | | 90 | 83 | | 70-130 | 14 | | 30 |
| Vinyl acetate | ND | 112 | 52 | 46 | Q | 31 | 28 | Q | 70-130 | 51 | Q | 30 |
| 4-Methyl-2-pentanone | ND | 112 | 78 | 69 | Q | 83 | 77 | | 70-130 | 6 | | 30 |
| 1,2,3-Trichloropropane | ND | 112 | 76 | 68 | | 78 | 72 | | 68-130 | 2 | | 30 |
| 2-Hexanone | ND | 112 | 76 | 68 | Q | 82 | 76 | | 70-130 | 7 | | 30 |
| Bromochloromethane | ND | 112 | 88 | 78 | | 87 | 80 | | 70-130 | 1 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|--|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 QC Batch ID: WG1075119-6 WG1075119-7 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| 2,2-Dichloropropane | ND | 112 | 100 | 89 | | 94 | 87 | | 70-130 | 6 | | 30 |
| 1,2-Dibromoethane | ND | 112 | 80 | 71 | | 80 | 74 | | 70-130 | 1 | | 30 |
| 1,3-Dichloropropane | ND | 112 | 81 | 72 | | 81 | 75 | | 69-130 | 1 | | 30 |
| 1,1,1,2-Tetrachloroethane | ND | 112 | 87 | 77 | | 81 | 75 | | 70-130 | 7 | | 30 |
| Bromobenzene | ND | 112 | 74 | 66 | Q | 66 | 61 | Q | 70-130 | 12 | | 30 |
| n-Butylbenzene | ND | 112 | 61 | 54 | Q | 45 | 42 | Q | 70-130 | 30 | | 30 |
| sec-Butylbenzene | ND | 112 | 72 | 64 | Q | 55 | 51 | Q | 70-130 | 26 | | 30 |
| tert-Butylbenzene | ND | 112 | 76 | 67 | Q | 60 | 56 | Q | 70-130 | 23 | | 30 |
| o-Chlorotoluene | ND | 112 | 72 | 64 | Q | 59 | 54 | Q | 70-130 | 20 | | 30 |
| p-Chlorotoluene | ND | 112 | 68 | 61 | Q | 56 | 52 | Q | 70-130 | 19 | | 30 |
| 1,2-Dibromo-3-chloropropane | ND | 112 | 78 | 69 | | 82 | 76 | | 68-130 | 5 | | 30 |
| Hexachlorobutadiene | ND | 112 | 56 | 50 | Q | 40 | 37 | Q | 67-130 | 33 | Q | 30 |
| Isopropylbenzene | ND | 112 | 78 | 70 | | 64 | 59 | Q | 70-130 | 21 | | 30 |
| p-Isopropyltoluene | ND | 112 | 67 | 59 | Q | 51 | 47 | Q | 70-130 | 26 | | 30 |
| Naphthalene | ND | 112 | 68 | 60 | Q | 67 | 62 | Q | 70-130 | 1 | | 30 |
| Acrylonitrile | ND | 112 | 78 | 69 | Q | 83 | 77 | | 70-130 | 6 | | 30 |
| n-Propylbenzene | ND | 112 | 72 | 64 | Q | 56 | 52 | Q | 70-130 | 24 | | 30 |
| 1,2,3-Trichlorobenzene | ND | 112 | 61 | 55 | Q | 55 | 51 | Q | 70-130 | 11 | | 30 |
| 1,2,4-Trichlorobenzene | ND | 112 | 58 | 51 | Q | 50 | 47 | Q | 70-130 | 14 | | 30 |
| 1,3,5-Trimethylbenzene | ND | 112 | 72 | 64 | Q | 58 | 54 | Q | 70-130 | 21 | | 30 |
| 1,2,4-Trimethylbenzene | ND | 112 | 70 | 62 | Q | 57 | 52 | Q | 70-130 | 20 | | 30 |
| 1,4-Dioxane | ND | 5610 | 5500 | 98 | | 5600 | 104 | | 65-136 | 2 | | 30 |
| p-Diethylbenzene | ND | 112 | 61 | 54 | Q | 46 | 43 | Q | 70-130 | 27 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04,08,10 QC Batch ID: WG1075119-6 WG1075119-7 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| p-Ethyltoluene | ND | 112 | 69 | 62 | Q | 55 | 50 | Q | 70-130 | 24 | | 30 |
| 1,2,4,5-Tetramethylbenzene | ND | 112 | 63 | 56 | Q | 51 | 48 | Q | 70-130 | 20 | | 30 |
| Ethyl ether | ND | 112 | 85 | 76 | | 88 | 81 | | 67-130 | 3 | | 30 |
| trans-1,4-Dichloro-2-butene | ND | 112 | 79 | 70 | | 82 | 76 | | 70-130 | 4 | | 30 |

| Surrogate | MS % Recovery | Qualifier | MSD % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|----------------------|------------------|-----------------------|------------------|----------------------------|
| 1,2-Dichloroethane-d4 | 99 | | 98 | | 70-130 |
| 4-Bromofluorobenzene | 101 | | 102 | | 70-130 |
| Dibromofluoromethane | 99 | | 98 | | 70-130 |
| Toluene-d8 | 99 | | 98 | | 70-130 |

SEMIVOLATILES

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 16:50
 Analyst: EK
 Percent Solids: 94%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 140 | 18. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 20. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 24. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 30. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 47. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 35. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 30. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 20. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 19. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 27. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 210 | 30. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 190 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 26. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 510 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 140 | 29. | 1 |
| Isophorone | ND | | ug/kg | 160 | 23. | 1 |
| Naphthalene | ND | | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 26. | 1 |
| NDPA/DPA | ND | | ug/kg | 140 | 20. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 27. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 61. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 45. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 34. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 60. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 16. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 37. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01

Date Collected: 12/11/17 09:00

Client ID: SB001 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 140 | 43. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 28. | 1 |
| Chrysene | ND | | ug/kg | 110 | 18. | 1 |
| Acenaphthylene | ND | | ug/kg | 140 | 27. | 1 |
| Anthracene | ND | | ug/kg | 110 | 35. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 140 | 21. | 1 |
| Fluorene | ND | | ug/kg | 180 | 17. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 140 | 25. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 400 | 41. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 32. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 73. | 1 |
| Dibenzofuran | ND | | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 210 | 21. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 18. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 22. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 34. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 26. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 21. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 28. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 58. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 380 | 67. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 250 | 72. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 850 | 83. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 460 | 85. | 1 |
| Pentachlorophenol | ND | | ug/kg | 140 | 39. | 1 |
| Phenol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 28. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 260 | 28. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 34. | 1 |
| Benzoic Acid | ND | | ug/kg | 580 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 54. | 1 |
| Carbazole | ND | | ug/kg | 180 | 17. | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-01

Date Collected: 12/11/17 09:00

Client ID: SB001 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 77 | | 25-120 |
| Phenol-d6 | 77 | | 10-120 |
| Nitrobenzene-d5 | 70 | | 23-120 |
| 2-Fluorobiphenyl | 79 | | 30-120 |
| 2,4,6-Tribromophenol | 81 | | 10-136 |
| 4-Terphenyl-d14 | 62 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 17:15
 Analyst: EK
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 31. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 910 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 91. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-02

Date Collected: 12/11/17 09:15

Client ID: SB001 (8-10)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 88 | | 25-120 |
| Phenol-d6 | 86 | | 10-120 |
| Nitrobenzene-d5 | 83 | | 23-120 |
| 2-Fluorobiphenyl | 92 | | 30-120 |
| 2,4,6-Tribromophenol | 93 | | 10-136 |
| 4-Terphenyl-d14 | 91 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 18:32
 Analyst: EK
 Percent Solids: 85%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 160 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 200 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 120 | 22. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 200 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 200 | 35. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 200 | 34. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 200 | 34. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 200 | 52. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 200 | 39. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 200 | 34. | 1 |
| Fluoranthene | 550 | | ug/kg | 120 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 200 | 21. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 200 | 30. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 240 | 34. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 210 | 20. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 200 | 29. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 560 | 180 | 1 |
| Hexachloroethane | ND | | ug/kg | 160 | 32. | 1 |
| Isophorone | ND | | ug/kg | 180 | 25. | 1 |
| Naphthalene | ND | | ug/kg | 200 | 24. | 1 |
| Nitrobenzene | ND | | ug/kg | 180 | 29. | 1 |
| NDPA/DPA | ND | | ug/kg | 160 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 200 | 30. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 200 | 68. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 200 | 49. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 200 | 37. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 200 | 67. | 1 |
| Diethyl phthalate | ND | | ug/kg | 200 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 200 | 41. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 340 | | ug/kg | 120 | 22. | 1 |
| Benzo(a)pyrene | 310 | | ug/kg | 160 | 48. | 1 |
| Benzo(b)fluoranthene | 400 | | ug/kg | 120 | 33. | 1 |
| Benzo(k)fluoranthene | 160 | | ug/kg | 120 | 31. | 1 |
| Chrysene | 320 | | ug/kg | 120 | 20. | 1 |
| Acenaphthylene | 190 | | ug/kg | 160 | 30. | 1 |
| Anthracene | 110 | J | ug/kg | 120 | 38. | 1 |
| Benzo(ghi)perylene | 210 | | ug/kg | 160 | 23. | 1 |
| Fluorene | 19 | J | ug/kg | 200 | 19. | 1 |
| Phenanthrene | 260 | | ug/kg | 120 | 24. | 1 |
| Dibenzo(a,h)anthracene | 53 | J | ug/kg | 120 | 23. | 1 |
| Indeno(1,2,3-cd)pyrene | 210 | | ug/kg | 160 | 27. | 1 |
| Pyrene | 460 | | ug/kg | 120 | 20. | 1 |
| Biphenyl | ND | | ug/kg | 450 | 46. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 200 | 36. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 200 | 38. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 200 | 37. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 200 | 81. | 1 |
| Dibenzofuran | ND | | ug/kg | 200 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 240 | 24. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 200 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 200 | 24. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 120 | 37. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 200 | 29. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 200 | 23. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 180 | 32. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 200 | 65. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 420 | 74. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 270 | 80. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 940 | 92. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 510 | 94. | 1 |
| Pentachlorophenol | ND | | ug/kg | 160 | 43. | 1 |
| Phenol | ND | | ug/kg | 200 | 30. | 1 |
| 2-Methylphenol | ND | | ug/kg | 200 | 30. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 280 | 31. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 200 | 38. | 1 |
| Benzoic Acid | ND | | ug/kg | 640 | 200 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 200 | 60. | 1 |
| Carbazole | 19 | J | ug/kg | 200 | 19. | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-03

Date Collected: 12/11/17 09:40

Client ID: SB002 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 71 | | 25-120 |
| Phenol-d6 | 72 | | 10-120 |
| Nitrobenzene-d5 | 67 | | 23-120 |
| 2-Fluorobiphenyl | 71 | | 30-120 |
| 2,4,6-Tribromophenol | 82 | | 10-136 |
| 4-Terphenyl-d14 | 61 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 17:41
 Analyst: EK
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 49. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 530 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 64. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 63. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 45. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 43. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 77. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 61. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 890 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 89. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 600 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04

Date Collected: 12/11/17 09:50

Client ID: SB002 (7-9)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 76 | | 25-120 |
| Phenol-d6 | 77 | | 10-120 |
| Nitrobenzene-d5 | 73 | | 23-120 |
| 2-Fluorobiphenyl | 82 | | 30-120 |
| 2,4,6-Tribromophenol | 81 | | 10-136 |
| 4-Terphenyl-d14 | 70 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 19:23
 Analyst: EK
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 40 | J | ug/kg | 160 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 120 | 22. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 180 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 35. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 52. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 39. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 33. | 1 |
| Fluoranthene | 2800 | | ug/kg | 120 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 21. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 30. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 33. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 210 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 560 | 180 | 1 |
| Hexachloroethane | ND | | ug/kg | 160 | 31. | 1 |
| Isophorone | ND | | ug/kg | 180 | 25. | 1 |
| Naphthalene | 200 | | ug/kg | 190 | 24. | 1 |
| Nitrobenzene | ND | | ug/kg | 180 | 29. | 1 |
| NDPA/DPA | ND | | ug/kg | 160 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 30. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 67. | 1 |
| Butyl benzyl phthalate | 56 | J | ug/kg | 190 | 49. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 37. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 66. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 41. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 1400 | | ug/kg | 120 | 22. | 1 |
| Benzo(a)pyrene | 1200 | | ug/kg | 160 | 47. | 1 |
| Benzo(b)fluoranthene | 1600 | | ug/kg | 120 | 33. | 1 |
| Benzo(k)fluoranthene | 670 | | ug/kg | 120 | 31. | 1 |
| Chrysene | 1300 | | ug/kg | 120 | 20. | 1 |
| Acenaphthylene | 880 | | ug/kg | 160 | 30. | 1 |
| Anthracene | 540 | | ug/kg | 120 | 38. | 1 |
| Benzo(ghi)perylene | 730 | | ug/kg | 160 | 23. | 1 |
| Fluorene | 140 | J | ug/kg | 190 | 19. | 1 |
| Phenanthrene | 1500 | | ug/kg | 120 | 24. | 1 |
| Dibenzo(a,h)anthracene | 220 | | ug/kg | 120 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 820 | | ug/kg | 160 | 27. | 1 |
| Pyrene | 2200 | | ug/kg | 120 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 440 | 45. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 37. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 37. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 80. | 1 |
| Dibenzofuran | 120 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 98 | J | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 24. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 120 | 37. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 29. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 23. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 180 | 31. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 64. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 420 | 73. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 270 | 79. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 930 | 91. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 500 | 93. | 1 |
| Pentachlorophenol | ND | | ug/kg | 160 | 43. | 1 |
| Phenol | ND | | ug/kg | 190 | 29. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 30. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 280 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 37. | 1 |
| Benzoic Acid | ND | | ug/kg | 630 | 200 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 60. | 1 |
| Carbazole | 210 | | ug/kg | 190 | 19. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05

Date Collected: 12/11/17 12:15

Client ID: SB003 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 76 | | 25-120 |
| Phenol-d6 | 78 | | 10-120 |
| Nitrobenzene-d5 | 80 | | 23-120 |
| 2-Fluorobiphenyl | 72 | | 30-120 |
| 2,4,6-Tribromophenol | 82 | | 10-136 |
| 4-Terphenyl-d14 | 62 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 19:48
 Analyst: EK
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 200 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 31. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | 83 | J | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 120 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 160 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 240 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 79 | J | ug/kg | 110 | 30. | 1 |
| Chrysene | 150 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 77 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 62 | J | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 120 | J | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 110 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 35 | J | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 130 | J | ug/kg | 150 | 26. | 1 |
| Pyrene | 210 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 910 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 91. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 48 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06

Date Collected: 12/11/17 12:25

Client ID: SB003 (7-9)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 21 | Q | 25-120 |
| Phenol-d6 | 54 | | 10-120 |
| Nitrobenzene-d5 | 74 | | 23-120 |
| 2-Fluorobiphenyl | 72 | | 30-120 |
| 2,4,6-Tribromophenol | 14 | | 10-136 |
| 4-Terphenyl-d14 | 64 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 18:57
 Analyst: EK
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 230 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 100 | J | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 100 | J | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 140 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 47 | J | ug/kg | 110 | 30. | 1 |
| Chrysene | 110 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 56 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 69 | J | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 110 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 71 | J | ug/kg | 150 | 26. | 1 |
| Pyrene | 180 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | 21 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-07

Date Collected: 12/11/17 12:40

Client ID: SB004 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 48 | | 25-120 |
| Phenol-d6 | 75 | | 10-120 |
| Nitrobenzene-d5 | 76 | | 23-120 |
| 2-Fluorobiphenyl | 72 | | 30-120 |
| 2,4,6-Tribromophenol | 39 | | 10-136 |
| 4-Terphenyl-d14 | 63 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 20:14
 Analyst: EK
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 43 | J | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 3000 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | 140 | J | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | 70 | J | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 1200 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 930 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 1300 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 430 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 1100 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 680 | | ug/kg | 150 | 29. | 1 |
| Anthracene | 510 | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 510 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 270 | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 1900 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 170 | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 600 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 2200 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | 110 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 65 | J | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | 63 | J | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 140 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-08

Date Collected: 12/11/17 12:50

Client ID: SB004 (7-9)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 64 | | 25-120 |
| Phenol-d6 | 77 | | 10-120 |
| Nitrobenzene-d5 | 77 | | 23-120 |
| 2-Fluorobiphenyl | 70 | | 30-120 |
| 2,4,6-Tribromophenol | 57 | | 10-136 |
| 4-Terphenyl-d14 | 62 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 11:26

Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 12/18/17 15:08
 Analyst: EK

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/l | 2.0 | 0.59 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.66 | 1 |
| Hexachlorobenzene | ND | | ug/l | 2.0 | 0.58 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.67 | 1 |
| 2-Chloronaphthalene | ND | | ug/l | 2.0 | 0.64 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.73 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.69 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.71 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.4 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 0.84 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 1.1 | 1 |
| Fluoranthene | ND | | ug/l | 2.0 | 0.57 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.62 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.73 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.70 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.63 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.0 | 0.72 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 7.8 | 1 |
| Hexachloroethane | ND | | ug/l | 2.0 | 0.68 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 0.60 | 1 |
| Naphthalene | ND | | ug/l | 2.0 | 0.68 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.75 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.64 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.70 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 0.91 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.69 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.1 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.63 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 0.65 | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Benzo(a)pyrene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Benzo(b)fluoranthene | ND | | ug/l | 2.0 | 0.64 | 1 |
| Benzo(k)fluoranthene | ND | | ug/l | 2.0 | 0.60 | 1 |
| Chrysene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Acenaphthylene | ND | | ug/l | 2.0 | 0.66 | 1 |
| Anthracene | ND | | ug/l | 2.0 | 0.64 | 1 |
| Benzo(ghi)perylene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Fluorene | ND | | ug/l | 2.0 | 0.62 | 1 |
| Phenanthrene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 2.0 | 0.55 | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 2.0 | 0.71 | 1 |
| Pyrene | ND | | ug/l | 2.0 | 0.57 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.76 | 1 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 0.63 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 1.2 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 1.3 | 1 |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.66 | 1 |
| 2-Methylnaphthalene | ND | | ug/l | 2.0 | 0.72 | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.67 | 1 |
| Acetophenone | ND | | ug/l | 5.0 | 0.85 | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/l | 5.0 | 0.68 | 1 |
| p-Chloro-m-cresol | ND | | ug/l | 2.0 | 0.62 | 1 |
| 2-Chlorophenol | ND | | ug/l | 2.0 | 0.63 | 1 |
| 2,4-Dichlorophenol | ND | | ug/l | 5.0 | 0.77 | 1 |
| 2,4-Dimethylphenol | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2-Nitrophenol | ND | | ug/l | 10 | 1.5 | 1 |
| 4-Nitrophenol | ND | | ug/l | 10 | 1.8 | 1 |
| 2,4-Dinitrophenol | ND | | ug/l | 20 | 5.5 | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/l | 10 | 2.1 | 1 |
| Pentachlorophenol | ND | | ug/l | 10 | 3.4 | 1 |
| Phenol | ND | | ug/l | 5.0 | 1.9 | 1 |
| 2-Methylphenol | ND | | ug/l | 5.0 | 1.0 | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/l | 5.0 | 0.72 | 1 |
| Benzoic Acid | ND | | ug/l | 50 | 13. | 1 |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.72 | 1 |
| Carbazole | ND | | ug/l | 2.0 | 0.63 | 1 |

Project Name: BBU1702**Lab Number:** L1745804**Project Number:** BBU1702**Report Date:** 12/21/17**SAMPLE RESULTS**

Lab ID: L1745804-09

Date Collected: 12/11/17 10:30

Client ID: FIELD BLANK 001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 50 | | 21-120 |
| Phenol-d6 | 35 | | 10-120 |
| Nitrobenzene-d5 | 78 | | 23-120 |
| 2-Fluorobiphenyl | 91 | | 15-120 |
| 2,4,6-Tribromophenol | 90 | | 10-120 |
| 4-Terphenyl-d14 | 101 | | 41-149 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10
 Client ID: DUP001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 21:28

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/19/17 18:06
 Analyst: EK
 Percent Solids: 90%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 49. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 36. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 31. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 31. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 520 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 160 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 27. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 63. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 46. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 62. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 38. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10

Date Collected: 12/11/17 00:00

Client ID: DUP001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 45. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 29. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 28. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 180 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 25. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 42. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 35. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 76. | 1 |
| Dibenzofuran | ND | | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 29. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 60. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 69. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 75. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 880 | 85. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 88. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 40. | 1 |
| Phenol | ND | | ug/kg | 180 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 28. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 260 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 35. | 1 |
| Benzoic Acid | ND | | ug/kg | 590 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 56. | 1 |
| Carbazole | ND | | ug/kg | 180 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10

Date Collected: 12/11/17 00:00

Client ID: DUP001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 81 | | 25-120 |
| Phenol-d6 | 77 | | 10-120 |
| Nitrobenzene-d5 | 73 | | 23-120 |
| 2-Fluorobiphenyl | 81 | | 30-120 |
| 2,4,6-Tribromophenol | 81 | | 10-136 |
| 4-Terphenyl-d14 | 81 | | 18-120 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
 Analytical Date: 12/18/17 13:51
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 11:26

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG1073669-1 | | | | | |
| Acenaphthene | ND | | ug/l | 2.0 | 0.59 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.66 |
| Hexachlorobenzene | ND | | ug/l | 2.0 | 0.58 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.67 |
| 2-Chloronaphthalene | ND | | ug/l | 2.0 | 0.64 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.73 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.69 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.71 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.4 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 0.84 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 1.1 |
| Fluoranthene | ND | | ug/l | 2.0 | 0.57 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.62 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.73 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.70 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.63 |
| Hexachlorobutadiene | ND | | ug/l | 2.0 | 0.72 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 7.8 |
| Hexachloroethane | ND | | ug/l | 2.0 | 0.68 |
| Isophorone | ND | | ug/l | 5.0 | 0.60 |
| Naphthalene | ND | | ug/l | 2.0 | 0.68 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.75 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.64 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.70 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 0.91 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.3 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.69 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.63 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
 Analytical Date: 12/18/17 13:51
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 11:26

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG1073669-1 | | | | | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 0.65 |
| Benzo(a)anthracene | ND | | ug/l | 2.0 | 0.61 |
| Benzo(a)pyrene | ND | | ug/l | 2.0 | 0.54 |
| Benzo(b)fluoranthene | ND | | ug/l | 2.0 | 0.64 |
| Benzo(k)fluoranthene | ND | | ug/l | 2.0 | 0.60 |
| Chrysene | ND | | ug/l | 2.0 | 0.54 |
| Acenaphthylene | ND | | ug/l | 2.0 | 0.66 |
| Anthracene | ND | | ug/l | 2.0 | 0.64 |
| Benzo(ghi)perylene | ND | | ug/l | 2.0 | 0.61 |
| Fluorene | ND | | ug/l | 2.0 | 0.62 |
| Phenanthrene | ND | | ug/l | 2.0 | 0.61 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 2.0 | 0.55 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 2.0 | 0.71 |
| Pyrene | ND | | ug/l | 2.0 | 0.57 |
| Biphenyl | ND | | ug/l | 2.0 | 0.76 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 0.63 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 1.1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 1.2 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 1.3 |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.66 |
| 2-Methylnaphthalene | ND | | ug/l | 2.0 | 0.72 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.67 |
| Acetophenone | ND | | ug/l | 5.0 | 0.85 |
| 2,4,6-Trichlorophenol | ND | | ug/l | 5.0 | 0.68 |
| p-Chloro-m-cresol | ND | | ug/l | 2.0 | 0.62 |
| 2-Chlorophenol | ND | | ug/l | 2.0 | 0.63 |
| 2,4-Dichlorophenol | ND | | ug/l | 5.0 | 0.77 |
| 2,4-Dimethylphenol | ND | | ug/l | 5.0 | 1.6 |
| 2-Nitrophenol | ND | | ug/l | 10 | 1.5 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
 Analytical Date: 12/18/17 13:51
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 11:26

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG1073669-1 | | | | | |
| 4-Nitrophenol | ND | | ug/l | 10 | 1.8 |
| 2,4-Dinitrophenol | ND | | ug/l | 20 | 5.5 |
| 4,6-Dinitro-o-cresol | ND | | ug/l | 10 | 2.1 |
| Pentachlorophenol | ND | | ug/l | 10 | 3.4 |
| Phenol | ND | | ug/l | 5.0 | 1.9 |
| 2-Methylphenol | ND | | ug/l | 5.0 | 1.0 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/l | 3.0 | 1.1 |
| 2,4,5-Trichlorophenol | ND | | ug/l | 5.0 | 0.72 |
| Benzoic Acid | ND | | ug/l | 50 | 13. |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.72 |
| Carbazole | ND | | ug/l | 2.0 | 0.63 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|----------------------|-----------|-----------|------------------------|
| 2-Fluorophenol | 37 | | 21-120 |
| Phenol-d6 | 26 | | 10-120 |
| Nitrobenzene-d5 | 59 | | 23-120 |
| 2-Fluorobiphenyl | 76 | | 15-120 |
| 2,4,6-Tribromophenol | 85 | | 10-120 |
| 4-Terphenyl-d14 | 94 | | 41-149 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/18/17 13:19
Analyst: MW

Extraction Method: EPA 3546
Extraction Date: 12/18/17 01:48

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08,10 Batch: WG1073744-1 | | | | | |
| Acenaphthene | ND | | ug/kg | 130 | 17. |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 160 | 18. |
| Hexachlorobenzene | ND | | ug/kg | 98 | 18. |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 150 | 22. |
| 2-Chloronaphthalene | ND | | ug/kg | 160 | 16. |
| 1,2-Dichlorobenzene | ND | | ug/kg | 160 | 29. |
| 1,3-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 1,4-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 160 | 43. |
| 2,4-Dinitrotoluene | ND | | ug/kg | 160 | 32. |
| 2,6-Dinitrotoluene | ND | | ug/kg | 160 | 28. |
| Fluoranthene | ND | | ug/kg | 98 | 19. |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 160 | 17. |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 160 | 25. |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 200 | 28. |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 180 | 16. |
| Hexachlorobutadiene | ND | | ug/kg | 160 | 24. |
| Hexachlorocyclopentadiene | ND | | ug/kg | 460 | 150 |
| Hexachloroethane | ND | | ug/kg | 130 | 26. |
| Isophorone | ND | | ug/kg | 150 | 21. |
| Naphthalene | ND | | ug/kg | 160 | 20. |
| Nitrobenzene | ND | | ug/kg | 150 | 24. |
| NDPA/DPA | ND | | ug/kg | 130 | 18. |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 160 | 25. |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 160 | 56. |
| Butyl benzyl phthalate | ND | | ug/kg | 160 | 41. |
| Di-n-butylphthalate | ND | | ug/kg | 160 | 31. |
| Di-n-octylphthalate | ND | | ug/kg | 160 | 55. |
| Diethyl phthalate | ND | | ug/kg | 160 | 15. |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/18/17 13:19
Analyst: MW

Extraction Method: EPA 3546
Extraction Date: 12/18/17 01:48

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08,10 Batch: WG1073744-1 | | | | | |
| Dimethyl phthalate | ND | | ug/kg | 160 | 34. |
| Benzo(a)anthracene | ND | | ug/kg | 98 | 18. |
| Benzo(a)pyrene | ND | | ug/kg | 130 | 40. |
| Benzo(b)fluoranthene | ND | | ug/kg | 98 | 27. |
| Benzo(k)fluoranthene | ND | | ug/kg | 98 | 26. |
| Chrysene | ND | | ug/kg | 98 | 17. |
| Acenaphthylene | ND | | ug/kg | 130 | 25. |
| Anthracene | ND | | ug/kg | 98 | 32. |
| Benzo(ghi)perylene | ND | | ug/kg | 130 | 19. |
| Fluorene | ND | | ug/kg | 160 | 16. |
| Phenanthrene | ND | | ug/kg | 98 | 20. |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 98 | 19. |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 130 | 23. |
| Pyrene | ND | | ug/kg | 98 | 16. |
| Biphenyl | ND | | ug/kg | 370 | 38. |
| 4-Chloroaniline | ND | | ug/kg | 160 | 30. |
| 2-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 3-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 4-Nitroaniline | ND | | ug/kg | 160 | 67. |
| Dibenzofuran | ND | | ug/kg | 160 | 15. |
| 2-Methylnaphthalene | ND | | ug/kg | 200 | 20. |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 160 | 17. |
| Acetophenone | ND | | ug/kg | 160 | 20. |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 98 | 31. |
| p-Chloro-m-cresol | ND | | ug/kg | 160 | 24. |
| 2-Chlorophenol | ND | | ug/kg | 160 | 19. |
| 2,4-Dichlorophenol | ND | | ug/kg | 150 | 26. |
| 2,4-Dimethylphenol | ND | | ug/kg | 160 | 54. |
| 2-Nitrophenol | ND | | ug/kg | 350 | 61. |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
 Analytical Date: 12/18/17 13:19
 Analyst: MW

Extraction Method: EPA 3546
 Extraction Date: 12/18/17 01:48

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08,10 Batch: WG1073744-1 | | | | | |
| 4-Nitrophenol | ND | | ug/kg | 230 | 66. |
| 2,4-Dinitrophenol | ND | | ug/kg | 780 | 76. |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 420 | 78. |
| Pentachlorophenol | ND | | ug/kg | 130 | 36. |
| Phenol | ND | | ug/kg | 160 | 24. |
| 2-Methylphenol | ND | | ug/kg | 160 | 25. |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 230 | 25. |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 160 | 31. |
| Benzoic Acid | ND | | ug/kg | 530 | 160 |
| Benzyl Alcohol | ND | | ug/kg | 160 | 50. |
| Carbazole | ND | | ug/kg | 160 | 16. |

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/kg

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|----------------------|-----------|-----------|------------------------|
| 2-Fluorophenol | 82 | | 25-120 |
| Phenol-d6 | 82 | | 10-120 |
| Nitrobenzene-d5 | 80 | | 23-120 |
| 2-Fluorobiphenyl | 99 | | 30-120 |
| 2,4,6-Tribromophenol | 114 | | 10-136 |
| 4-Terphenyl-d14 | 102 | | 18-120 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG1073669-2 WG1073669-3 | | | | | | | | |
| Acenaphthene | 82 | | 83 | | 37-111 | 1 | | 30 |
| 1,2,4-Trichlorobenzene | 76 | | 80 | | 39-98 | 5 | | 30 |
| Hexachlorobenzene | 91 | | 90 | | 40-140 | 1 | | 30 |
| Bis(2-chloroethyl)ether | 77 | | 80 | | 40-140 | 4 | | 30 |
| 2-Chloronaphthalene | 85 | | 88 | | 40-140 | 3 | | 30 |
| 1,2-Dichlorobenzene | 70 | | 74 | | 40-140 | 6 | | 30 |
| 1,3-Dichlorobenzene | 70 | | 73 | | 40-140 | 4 | | 30 |
| 1,4-Dichlorobenzene | 70 | | 73 | | 36-97 | 4 | | 30 |
| 3,3'-Dichlorobenzidine | 50 | | 59 | | 40-140 | 17 | | 30 |
| 2,4-Dinitrotoluene | 94 | | 94 | | 48-143 | 0 | | 30 |
| 2,6-Dinitrotoluene | 99 | | 96 | | 40-140 | 3 | | 30 |
| Fluoranthene | 94 | | 92 | | 40-140 | 2 | | 30 |
| 4-Chlorophenyl phenyl ether | 88 | | 88 | | 40-140 | 0 | | 30 |
| 4-Bromophenyl phenyl ether | 91 | | 92 | | 40-140 | 1 | | 30 |
| Bis(2-chloroisopropyl)ether | 86 | | 89 | | 40-140 | 3 | | 30 |
| Bis(2-chloroethoxy)methane | 81 | | 85 | | 40-140 | 5 | | 30 |
| Hexachlorobutadiene | 74 | | 75 | | 40-140 | 1 | | 30 |
| Hexachlorocyclopentadiene | 82 | | 86 | | 40-140 | 5 | | 30 |
| Hexachloroethane | 65 | | 67 | | 40-140 | 3 | | 30 |
| Isophorone | 83 | | 86 | | 40-140 | 4 | | 30 |
| Naphthalene | 77 | | 78 | | 40-140 | 1 | | 30 |
| Nitrobenzene | 76 | | 80 | | 40-140 | 5 | | 30 |
| NDPA/DPA | 90 | | 89 | | 40-140 | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG1073669-2 WG1073669-3 | | | | | | | | |
| n-Nitrosodi-n-propylamine | 80 | | 82 | | 29-132 | 2 | | 30 |
| Bis(2-ethylhexyl)phthalate | 85 | | 84 | | 40-140 | 1 | | 30 |
| Butyl benzyl phthalate | 93 | | 91 | | 40-140 | 2 | | 30 |
| Di-n-butylphthalate | 88 | | 86 | | 40-140 | 2 | | 30 |
| Di-n-octylphthalate | 86 | | 85 | | 40-140 | 1 | | 30 |
| Diethyl phthalate | 89 | | 89 | | 40-140 | 0 | | 30 |
| Dimethyl phthalate | 96 | | 94 | | 40-140 | 2 | | 30 |
| Benzo(a)anthracene | 86 | | 85 | | 40-140 | 1 | | 30 |
| Benzo(a)pyrene | 89 | | 88 | | 40-140 | 1 | | 30 |
| Benzo(b)fluoranthene | 87 | | 88 | | 40-140 | 1 | | 30 |
| Benzo(k)fluoranthene | 91 | | 87 | | 40-140 | 4 | | 30 |
| Chrysene | 87 | | 87 | | 40-140 | 0 | | 30 |
| Acenaphthylene | 89 | | 90 | | 45-123 | 1 | | 30 |
| Anthracene | 88 | | 88 | | 40-140 | 0 | | 30 |
| Benzo(ghi)perylene | 88 | | 87 | | 40-140 | 1 | | 30 |
| Fluorene | 88 | | 87 | | 40-140 | 1 | | 30 |
| Phenanthrene | 86 | | 86 | | 40-140 | 0 | | 30 |
| Dibenzo(a,h)anthracene | 88 | | 87 | | 40-140 | 1 | | 30 |
| Indeno(1,2,3-cd)pyrene | 90 | | 85 | | 40-140 | 6 | | 30 |
| Pyrene | 92 | | 91 | | 26-127 | 1 | | 30 |
| Biphenyl | 91 | | 93 | | 40-140 | 2 | | 30 |
| 4-Chloroaniline | 32 | Q | 42 | | 40-140 | 27 | | 30 |
| 2-Nitroaniline | 94 | | 96 | | 52-143 | 2 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG1073669-2 WG1073669-3 | | | | | | | | |
| 3-Nitroaniline | 53 | | 61 | | 25-145 | 14 | | 30 |
| 4-Nitroaniline | 93 | | 90 | | 51-143 | 3 | | 30 |
| Dibenzofuran | 84 | | 85 | | 40-140 | 1 | | 30 |
| 2-Methylnaphthalene | 82 | | 84 | | 40-140 | 2 | | 30 |
| 1,2,4,5-Tetrachlorobenzene | 88 | | 90 | | 2-134 | 2 | | 30 |
| Acetophenone | 83 | | 85 | | 39-129 | 2 | | 30 |
| 2,4,6-Trichlorophenol | 99 | | 99 | | 30-130 | 0 | | 30 |
| p-Chloro-m-cresol | 90 | | 91 | | 23-97 | 1 | | 30 |
| 2-Chlorophenol | 76 | | 79 | | 27-123 | 4 | | 30 |
| 2,4-Dichlorophenol | 88 | | 92 | | 30-130 | 4 | | 30 |
| 2,4-Dimethylphenol | 85 | | 86 | | 30-130 | 1 | | 30 |
| 2-Nitrophenol | 84 | | 88 | | 30-130 | 5 | | 30 |
| 4-Nitrophenol | 67 | | 65 | | 10-80 | 3 | | 30 |
| 2,4-Dinitrophenol | 68 | | 70 | | 20-130 | 3 | | 30 |
| 4,6-Dinitro-o-cresol | 91 | | 90 | | 20-164 | 1 | | 30 |
| Pentachlorophenol | 107 | Q | 106 | Q | 9-103 | 1 | | 30 |
| Phenol | 39 | | 42 | | 12-110 | 7 | | 30 |
| 2-Methylphenol | 72 | | 75 | | 30-130 | 4 | | 30 |
| 3-Methylphenol/4-Methylphenol | 70 | | 72 | | 30-130 | 3 | | 30 |
| 2,4,5-Trichlorophenol | 102 | | 102 | | 30-130 | 0 | | 30 |
| Benzoic Acid | 48 | | 48 | | 10-164 | 0 | | 30 |
| Benzyl Alcohol | 73 | | 75 | | 26-116 | 3 | | 30 |
| Carbazole | 90 | | 89 | | 55-144 | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG1073669-2 WG1073669-3

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria |
|----------------------|------------------|------|-------------------|------|------------------------|
| 2-Fluorophenol | 57 | | 56 | | 21-120 |
| Phenol-d6 | 40 | | 41 | | 10-120 |
| Nitrobenzene-d5 | 81 | | 82 | | 23-120 |
| 2-Fluorobiphenyl | 93 | | 94 | | 15-120 |
| 2,4,6-Tribromophenol | 104 | | 101 | | 10-120 |
| 4-Terphenyl-d14 | 99 | | 96 | | 41-149 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1073744-2 WG1073744-3 | | | | | | | | |
| Acenaphthene | 82 | | 88 | | 31-137 | 7 | | 50 |
| 1,2,4-Trichlorobenzene | 86 | | 93 | | 38-107 | 8 | | 50 |
| Hexachlorobenzene | 103 | | 112 | | 40-140 | 8 | | 50 |
| Bis(2-chloroethyl)ether | 71 | | 76 | | 40-140 | 7 | | 50 |
| 2-Chloronaphthalene | 91 | | 99 | | 40-140 | 8 | | 50 |
| 1,2-Dichlorobenzene | 79 | | 82 | | 40-140 | 4 | | 50 |
| 1,3-Dichlorobenzene | 77 | | 82 | | 40-140 | 6 | | 50 |
| 1,4-Dichlorobenzene | 77 | | 84 | | 28-104 | 9 | | 50 |
| 3,3'-Dichlorobenzidine | 60 | | 71 | | 40-140 | 17 | | 50 |
| 2,4-Dinitrotoluene | 93 | | 100 | | 40-132 | 7 | | 50 |
| 2,6-Dinitrotoluene | 100 | | 108 | | 40-140 | 8 | | 50 |
| Fluoranthene | 93 | | 99 | | 40-140 | 6 | | 50 |
| 4-Chlorophenyl phenyl ether | 90 | | 101 | | 40-140 | 12 | | 50 |
| 4-Bromophenyl phenyl ether | 99 | | 105 | | 40-140 | 6 | | 50 |
| Bis(2-chloroisopropyl)ether | 57 | | 62 | | 40-140 | 8 | | 50 |
| Bis(2-chloroethoxy)methane | 72 | | 79 | | 40-117 | 9 | | 50 |
| Hexachlorobutadiene | 97 | | 101 | | 40-140 | 4 | | 50 |
| Hexachlorocyclopentadiene | 104 | | 113 | | 40-140 | 8 | | 50 |
| Hexachloroethane | 74 | | 80 | | 40-140 | 8 | | 50 |
| Isophorone | 76 | | 84 | | 40-140 | 10 | | 50 |
| Naphthalene | 81 | | 87 | | 40-140 | 7 | | 50 |
| Nitrobenzene | 77 | | 82 | | 40-140 | 6 | | 50 |
| NDPA/DPA | 91 | | 96 | | 36-157 | 5 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1073744-2 WG1073744-3 | | | | | | | | |
| n-Nitrosodi-n-propylamine | 78 | | 84 | | 32-121 | 7 | | 50 |
| Bis(2-ethylhexyl)phthalate | 86 | | 93 | | 40-140 | 8 | | 50 |
| Butyl benzyl phthalate | 93 | | 102 | | 40-140 | 9 | | 50 |
| Di-n-butylphthalate | 90 | | 97 | | 40-140 | 7 | | 50 |
| Di-n-octylphthalate | 89 | | 96 | | 40-140 | 8 | | 50 |
| Diethyl phthalate | 89 | | 96 | | 40-140 | 8 | | 50 |
| Dimethyl phthalate | 99 | | 107 | | 40-140 | 8 | | 50 |
| Benzo(a)anthracene | 86 | | 94 | | 40-140 | 9 | | 50 |
| Benzo(a)pyrene | 97 | | 103 | | 40-140 | 6 | | 50 |
| Benzo(b)fluoranthene | 97 | | 104 | | 40-140 | 7 | | 50 |
| Benzo(k)fluoranthene | 90 | | 97 | | 40-140 | 7 | | 50 |
| Chrysene | 83 | | 89 | | 40-140 | 7 | | 50 |
| Acenaphthylene | 94 | | 100 | | 40-140 | 6 | | 50 |
| Anthracene | 86 | | 92 | | 40-140 | 7 | | 50 |
| Benzo(ghi)perylene | 95 | | 101 | | 40-140 | 6 | | 50 |
| Fluorene | 89 | | 95 | | 40-140 | 7 | | 50 |
| Phenanthrene | 82 | | 88 | | 40-140 | 7 | | 50 |
| Dibenzo(a,h)anthracene | 94 | | 101 | | 40-140 | 7 | | 50 |
| Indeno(1,2,3-cd)pyrene | 96 | | 103 | | 40-140 | 7 | | 50 |
| Pyrene | 90 | | 96 | | 35-142 | 6 | | 50 |
| Biphenyl | 97 | | 103 | | 54-104 | 6 | | 50 |
| 4-Chloroaniline | 44 | | 51 | | 40-140 | 15 | | 50 |
| 2-Nitroaniline | 96 | | 105 | | 47-134 | 9 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1073744-2 WG1073744-3 | | | | | | | | |
| 3-Nitroaniline | 63 | | 73 | | 26-129 | 15 | | 50 |
| 4-Nitroaniline | 80 | | 87 | | 41-125 | 8 | | 50 |
| Dibenzofuran | 84 | | 93 | | 40-140 | 10 | | 50 |
| 2-Methylnaphthalene | 86 | | 93 | | 40-140 | 8 | | 50 |
| 1,2,4,5-Tetrachlorobenzene | 99 | | 107 | | 40-117 | 8 | | 50 |
| Acetophenone | 86 | | 91 | | 14-144 | 6 | | 50 |
| 2,4,6-Trichlorophenol | 103 | | 117 | | 30-130 | 13 | | 50 |
| p-Chloro-m-cresol | 98 | | 105 | Q | 26-103 | 7 | | 50 |
| 2-Chlorophenol | 81 | | 88 | | 25-102 | 8 | | 50 |
| 2,4-Dichlorophenol | 94 | | 100 | | 30-130 | 6 | | 50 |
| 2,4-Dimethylphenol | 92 | | 100 | | 30-130 | 8 | | 50 |
| 2-Nitrophenol | 83 | | 93 | | 30-130 | 11 | | 50 |
| 4-Nitrophenol | 102 | | 106 | | 11-114 | 4 | | 50 |
| 2,4-Dinitrophenol | 21 | | 13 | | 4-130 | 47 | | 50 |
| 4,6-Dinitro-o-cresol | 82 | | 80 | | 10-130 | 2 | | 50 |
| Pentachlorophenol | 82 | | 87 | | 17-109 | 6 | | 50 |
| Phenol | 79 | | 83 | | 26-90 | 5 | | 50 |
| 2-Methylphenol | 81 | | 89 | | 30-130. | 9 | | 50 |
| 3-Methylphenol/4-Methylphenol | 81 | | 90 | | 30-130 | 11 | | 50 |
| 2,4,5-Trichlorophenol | 106 | | 112 | | 30-130 | 6 | | 50 |
| Benzoic Acid | 0 | Q | 0 | Q | 10-110 | NC | | 50 |
| Benzyl Alcohol | 88 | | 94 | | 40-140 | 7 | | 50 |
| Carbazole | 85 | | 91 | | 54-128 | 7 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>%Recovery</i> Limits | <i>RPD</i> | <i>Qual</i> | <i>RPD</i> Limits |
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1073744-2 WG1073744-3

| <i>Surrogate</i> | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>Acceptance</i> Criteria |
|----------------------|-------------------------|-------------|--------------------------|-------------|-------------------------------|
| 2-Fluorophenol | 77 | | 83 | | 25-120 |
| Phenol-d6 | 77 | | 82 | | 10-120 |
| Nitrobenzene-d5 | 75 | | 76 | | 23-120 |
| 2-Fluorobiphenyl | 87 | | 92 | | 30-120 |
| 2,4,6-Tribromophenol | 101 | | 110 | | 10-136 |
| 4-Terphenyl-d14 | 88 | | 94 | | 18-120 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> |
|---|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1073744-4 WG1073744-5 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| Acenaphthene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 31-137 | 9 | | 50 |
| 1,2,4-Trichlorobenzene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 38-107 | 0 | | 50 |
| Hexachlorobenzene | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 40-140 | 8 | | 50 |
| Bis(2-chloroethyl)ether | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 40-140 | 0 | | 50 |
| 2-Chloronaphthalene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| 1,2-Dichlorobenzene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 40-140 | 0 | | 50 |
| 1,3-Dichlorobenzene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 40-140 | 0 | | 50 |
| 1,4-Dichlorobenzene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 28-104 | 0 | | 50 |
| 3,3'-Dichlorobenzidine | ND | 1490 | 890 | 60 | | 940 | 63 | | 40-140 | 5 | | 50 |
| 2,4-Dinitrotoluene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-132 | 9 | | 50 |
| 2,6-Dinitrotoluene | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Fluoranthene | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 40-140 | 8 | | 50 |
| 4-Chlorophenyl phenyl ether | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| 4-Bromophenyl phenyl ether | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Bis(2-chloroisopropyl)ether | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Bis(2-chloroethoxy)methane | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-117 | 9 | | 50 |
| Hexachlorobutadiene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 40-140 | 0 | | 50 |
| Hexachlorocyclopentadiene | ND | 1490 | 670 | 45 | | 750 | 50 | | 40-140 | 11 | | 50 |
| Hexachloroethane | ND | 1490 | 900 | 60 | | 930 | 63 | | 40-140 | 3 | | 50 |
| Isophorone | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Naphthalene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Nitrobenzene | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 40-140 | 0 | | 50 |
| NDPA/DPA | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 36-157 | 9 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> |
|---|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1073744-4 WG1073744-5 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| n-Nitrosodi-n-propylamine | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 32-121 | 0 | | 50 |
| Bis(2-ethylhexyl)phthalate | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Butyl benzyl phthalate | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 40-140 | 8 | | 50 |
| Di-n-butylphthalate | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Di-n-octylphthalate | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Diethyl phthalate | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Dimethyl phthalate | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Benzo(a)anthracene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Benzo(a)pyrene | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Benzo(b)fluoranthene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Benzo(k)fluoranthene | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Chrysene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Acenaphthylene | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 40-140 | 8 | | 50 |
| Anthracene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Benzo(ghi)perylene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Fluorene | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Phenanthrene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Dibenzo(a,h)anthracene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Indeno(1,2,3-cd)pyrene | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 40-140 | 0 | | 50 |
| Pyrene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 35-142 | 9 | | 50 |
| Biphenyl | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 54-104 | 8 | | 50 |
| 4-Chloroaniline | ND | 1490 | 780 | 52 | | 850 | 57 | | 40-140 | 9 | | 50 |
| 2-Nitroaniline | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 47-134 | 8 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1073744-4 WG1073744-5 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | |
| 3-Nitroaniline | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 26-129 | 0 | | 50 |
| 4-Nitroaniline | ND | 1490 | 1300 | 87 | | 1300 | 87 | | 41-125 | 0 | | 50 |
| Dibenzofuran | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| 2-Methylnaphthalene | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| 1,2,4,5-Tetrachlorobenzene | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 40-117 | 8 | | 50 |
| Acetophenone | ND | 1490 | 1200 | 81 | | 1200 | 81 | | 14-144 | 0 | | 50 |
| 2,4,6-Trichlorophenol | ND | 1490 | 1200 | 81 | | 1300 | 87 | | 30-130 | 8 | | 50 |
| p-Chloro-m-cresol | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 26-103 | 9 | | 50 |
| 2-Chlorophenol | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 25-102 | 0 | | 50 |
| 2,4-Dichlorophenol | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 30-130 | 9 | | 50 |
| 2,4-Dimethylphenol | ND | 1490 | 990 | 66 | | 1100 | 74 | | 30-130 | 11 | | 50 |
| 2-Nitrophenol | ND | 1490 | 1000 | 67 | | 1100 | 74 | | 30-130 | 10 | | 50 |
| 4-Nitrophenol | ND | 1490 | 1300 | 87 | | 1400 | 94 | | 11-114 | 7 | | 50 |
| 2,4-Dinitrophenol | ND | 1490 | 210J | 14 | | 240J | 16 | | 4-130 | 13 | | 50 |
| 4,6-Dinitro-o-cresol | ND | 1490 | 390J | 26 | | 430J | 29 | | 10-130 | 10 | | 50 |
| Pentachlorophenol | ND | 1490 | 1500 | 100 | | 1600 | 110 | Q | 17-109 | 6 | | 50 |
| Phenol | ND | 1490 | 1100 | 74 | | 1100 | 74 | | 26-90 | 0 | | 50 |
| 2-Methylphenol | ND | 1490 | 1000 | 67 | | 1100 | 74 | | 30-130 | 10 | | 50 |
| 3-Methylphenol/4-Methylphenol | ND | 1490 | 1000 | 67 | | 1100 | 74 | | 30-130 | 10 | | 50 |
| 2,4,5-Trichlorophenol | ND | 1490 | 1300 | 87 | | 1400 | 94 | | 30-130 | 7 | | 50 |
| Benzoic Acid | ND | 1490 | ND | 0 | Q | ND | 0 | Q | 10-110 | NC | | 50 |
| Benzyl Alcohol | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 40-140 | 9 | | 50 |
| Carbazole | ND | 1490 | 1100 | 74 | | 1200 | 81 | | 54-128 | 9 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1073744-4 WG1073744-5 QC Sample: L1745804-04
Client ID: SB002 (7-9)

| Surrogate | MS | | MSD | | Acceptance Criteria |
|----------------------|-------------------|------------------|-------------------|------------------|--------------------------------|
| | % Recovery | Qualifier | % Recovery | Qualifier | |
| 2,4,6-Tribromophenol | 80 | | 85 | | 10-136 |
| 2-Fluorobiphenyl | 76 | | 84 | | 30-120 |
| 2-Fluorophenol | 74 | | 75 | | 25-120 |
| 4-Terphenyl-d14 | 74 | | 77 | | 18-120 |
| Nitrobenzene-d5 | 74 | | 73 | | 23-120 |
| Phenol-d6 | 75 | | 76 | | 10-120 |

PCBS

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 03:37
 Analyst: WR
 Percent Solids: 94%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.4 | 4.02 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.4 | 5.39 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.4 | 3.48 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.4 | 4.33 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.4 | 3.97 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.4 | 2.89 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.4 | 3.70 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.4 | 2.91 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.4 | 2.51 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.4 | 2.51 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 54 | | 30-150 | A |
| Decachlorobiphenyl | 59 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 58 | | 30-150 | B |
| Decachlorobiphenyl | 58 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 03:51
 Analyst: WR
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 37.5 | 4.25 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 37.5 | 5.70 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 37.5 | 3.69 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 37.5 | 4.58 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 37.5 | 4.20 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 37.5 | 3.06 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 37.5 | 3.91 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 37.5 | 3.08 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 37.5 | 2.65 | 1 | A |
| PCBs, Total | ND | | ug/kg | 37.5 | 2.65 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 64 | | 30-150 | A |
| Decachlorobiphenyl | 67 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 30-150 | B |
| Decachlorobiphenyl | 65 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 04:05
 Analyst: WR
 Percent Solids: 85%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 37.5 | 4.25 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 37.5 | 5.70 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 37.5 | 3.69 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 37.5 | 4.59 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 37.5 | 4.20 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 37.5 | 3.06 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 37.5 | 3.91 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 37.5 | 3.08 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 37.5 | 2.65 | 1 | A |
| PCBs, Total | ND | | ug/kg | 37.5 | 2.65 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 57 | | 30-150 | A |
| Decachlorobiphenyl | 50 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 61 | | 30-150 | B |
| Decachlorobiphenyl | 61 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 02:56
 Analyst: WR
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.7 | 4.17 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.7 | 5.59 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.7 | 3.62 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.7 | 4.50 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.7 | 4.12 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.7 | 3.00 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.7 | 3.84 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.7 | 3.02 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.7 | 2.60 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.7 | 2.60 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 67 | | 30-150 | A |
| Decachlorobiphenyl | 59 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 71 | | 30-150 | B |
| Decachlorobiphenyl | 64 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 04:19
 Analyst: WR
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 37.8 | 4.29 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 37.8 | 5.76 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 37.8 | 3.72 | 1 | A |
| Aroclor 1242 | 50.8 | | ug/kg | 37.8 | 4.63 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 37.8 | 4.25 | 1 | A |
| Aroclor 1254 | 13.1 | J | ug/kg | 37.8 | 3.09 | 1 | B |
| Aroclor 1260 | ND | | ug/kg | 37.8 | 3.95 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 37.8 | 3.11 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 37.8 | 2.68 | 1 | A |
| PCBs, Total | 63.9 | J | ug/kg | 37.8 | 2.68 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 71 | | 30-150 | A |
| Decachlorobiphenyl | 72 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 66 | | 30-150 | B |
| Decachlorobiphenyl | 88 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 04:33
 Analyst: WR
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 74.7 | 8.47 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 74.7 | 11.4 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 74.7 | 7.35 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 74.7 | 9.14 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 74.7 | 8.38 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 74.7 | 6.09 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 74.7 | 7.79 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 74.7 | 6.14 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 74.7 | 5.28 | 1 | A |
| PCBs, Total | ND | | ug/kg | 74.7 | 5.28 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 61 | | 30-150 | A |
| Decachlorobiphenyl | 54 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 65 | | 30-150 | B |
| Decachlorobiphenyl | 69 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 04:47
 Analyst: WR
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.4 | 4.12 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.4 | 5.54 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.4 | 3.58 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.4 | 4.45 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.4 | 4.08 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.4 | 2.97 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.4 | 3.80 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.4 | 2.99 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.4 | 2.57 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.4 | 2.57 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 61 | | 30-150 | A |
| Decachlorobiphenyl | 44 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 60 | | 30-150 | B |
| Decachlorobiphenyl | 59 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 05:01
 Analyst: WR
 Percent Solids: 86%

Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 38.0 | 4.30 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 38.0 | 5.78 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 38.0 | 3.74 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 38.0 | 4.65 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 38.0 | 4.26 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 38.0 | 3.10 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 38.0 | 3.96 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 38.0 | 3.12 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 38.0 | 2.69 | 1 | A |
| PCBs, Total | ND | | ug/kg | 38.0 | 2.69 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 69 | | 30-150 | A |
| Decachlorobiphenyl | 98 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 67 | | 30-150 | B |
| Decachlorobiphenyl | 129 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 13:42
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/17/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/17/17

Matrix: Water
 Analytical Method: 1,8082A
 Analytical Date: 12/18/17 03:51
 Analyst: WR

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|-------|-------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/l | 0.083 | 0.020 | 1 | A |
| Aroclor 1221 | ND | | ug/l | 0.083 | 0.032 | 1 | A |
| Aroclor 1232 | ND | | ug/l | 0.083 | 0.027 | 1 | A |
| Aroclor 1242 | ND | | ug/l | 0.083 | 0.030 | 1 | A |
| Aroclor 1248 | ND | | ug/l | 0.083 | 0.023 | 1 | A |
| Aroclor 1254 | ND | | ug/l | 0.083 | 0.035 | 1 | A |
| Aroclor 1260 | ND | | ug/l | 0.083 | 0.020 | 1 | A |
| Aroclor 1262 | ND | | ug/l | 0.083 | 0.017 | 1 | A |
| Aroclor 1268 | ND | | ug/l | 0.083 | 0.027 | 1 | A |
| PCBs, Total | ND | | ug/l | 0.083 | 0.017 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 73 | | 30-150 | A |
| Decachlorobiphenyl | 78 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 30-150 | B |
| Decachlorobiphenyl | 79 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10
 Client ID: DUP001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/20/17 05:15
 Analyst: WR
 Percent Solids: 90%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.4 | 4.13 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.4 | 5.54 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.4 | 3.58 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.4 | 4.46 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.4 | 4.09 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.4 | 2.97 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.4 | 3.80 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.4 | 2.99 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.4 | 2.58 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.4 | 2.58 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 59 | | 30-150 | A |
| Decachlorobiphenyl | 39 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 61 | | 30-150 | B |
| Decachlorobiphenyl | 52 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
 Analytical Date: 12/18/17 03:14
 Analyst: WR

Extraction Method: EPA 3510C
 Extraction Date: 12/17/17 13:42
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/17/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/17/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|-------|-------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 09 Batch: WG1073695-1 | | | | | | |
| Aroclor 1016 | ND | | ug/l | 0.083 | 0.020 | A |
| Aroclor 1221 | ND | | ug/l | 0.083 | 0.032 | A |
| Aroclor 1232 | ND | | ug/l | 0.083 | 0.027 | A |
| Aroclor 1242 | ND | | ug/l | 0.083 | 0.030 | A |
| Aroclor 1248 | ND | | ug/l | 0.083 | 0.023 | A |
| Aroclor 1254 | ND | | ug/l | 0.083 | 0.035 | A |
| Aroclor 1260 | ND | | ug/l | 0.083 | 0.020 | A |
| Aroclor 1262 | ND | | ug/l | 0.083 | 0.017 | A |
| Aroclor 1268 | ND | | ug/l | 0.083 | 0.027 | A |
| PCBs, Total | ND | | ug/l | 0.083 | 0.017 | A |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|-----------|-----------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 72 | | 30-150 | A |
| Decachlorobiphenyl | 89 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 67 | | 30-150 | B |
| Decachlorobiphenyl | 73 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082A
 Analytical Date: 12/20/17 05:28
 Analyst: WR

Extraction Method: EPA 3546
 Extraction Date: 12/18/17 23:43
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/19/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/19/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|------|------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-08,10 Batch: WG1074155-1 | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 33.1 | 3.75 | A |
| Aroclor 1221 | ND | | ug/kg | 33.1 | 5.04 | A |
| Aroclor 1232 | ND | | ug/kg | 33.1 | 3.26 | A |
| Aroclor 1242 | ND | | ug/kg | 33.1 | 4.05 | A |
| Aroclor 1248 | ND | | ug/kg | 33.1 | 3.72 | A |
| Aroclor 1254 | ND | | ug/kg | 33.1 | 2.70 | A |
| Aroclor 1260 | ND | | ug/kg | 33.1 | 3.46 | A |
| Aroclor 1262 | ND | | ug/kg | 33.1 | 2.72 | A |
| Aroclor 1268 | ND | | ug/kg | 33.1 | 2.34 | A |
| PCBs, Total | ND | | ug/kg | 33.1 | 2.34 | A |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|-----------|-----------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 68 | | 30-150 | A |
| Decachlorobiphenyl | 55 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 73 | | 30-150 | B |
| Decachlorobiphenyl | 62 | | 30-150 | B |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 09 Batch: WG1073695-2 WG1073695-3 | | | | | | | | | |
| Aroclor 1016 | 76 | | 75 | | 40-140 | 1 | | 50 | A |
| Aroclor 1260 | 90 | | 86 | | 40-140 | 4 | | 50 | A |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 86 | | 77 | | 30-150 | A |
| Decachlorobiphenyl | 102 | | 98 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 72 | | 30-150 | B |
| Decachlorobiphenyl | 84 | | 79 | | 30-150 | B |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1074155-2 WG1074155-3 | | | | | | | | | |
| Aroclor 1016 | 66 | | 70 | | 40-140 | 6 | | 50 | A |
| Aroclor 1260 | 61 | | 67 | | 40-140 | 9 | | 50 | A |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 67 | | 70 | | 30-150 | A |
| Decachlorobiphenyl | 58 | | 62 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 71 | | 74 | | 30-150 | B |
| Decachlorobiphenyl | 64 | | 68 | | 30-150 | B |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|---------------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074155-4 WG1074155-5 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | | |
| Aroclor 1016 | ND | 232 | 144 | 62 | | 156 | 69 | | 40-140 | 8 | | 50 | A |
| Aroclor 1260 | ND | 232 | 134 | 58 | | 159 | 70 | | 40-140 | 17 | | 50 | A |

| Surrogate | MS | | MSD | | Acceptance Criteria | Column |
|------------------------------|-------------------|------------------|-------------------|------------------|----------------------------|---------------|
| | % Recovery | Qualifier | % Recovery | Qualifier | | |
| 2,4,5,6-Tetrachloro-m-xylene | 64 | | 69 | | 30-150 | A |
| Decachlorobiphenyl | 56 | | 69 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 68 | | 74 | | 30-150 | B |
| Decachlorobiphenyl | 64 | | 69 | | 30-150 | B |

PESTICIDES

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 07:58
 Analyst: JW
 Percent Solids: 94%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | 0.372 | J | ug/kg | 1.62 | 0.318 | 1 | B |
| Lindane | ND | | ug/kg | 0.677 | 0.303 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.677 | 0.192 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.62 | 0.616 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.813 | 0.364 | 1 | A |
| Aldrin | ND | | ug/kg | 1.62 | 0.572 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.05 | 0.914 | 1 | A |
| Endrin | ND | | ug/kg | 0.677 | 0.278 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.03 | 0.711 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.62 | 0.418 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.02 | 0.508 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.62 | 0.376 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.62 | 0.580 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.05 | 1.31 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.62 | 0.384 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.62 | 0.543 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.677 | 0.322 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.05 | 0.948 | 1 | A |
| Toxaphene | ND | | ug/kg | 30.5 | 8.53 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.03 | 0.566 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.03 | 0.536 | 1 | A |
| Chlordane | ND | | ug/kg | 13.2 | 5.38 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 85 | | 30-150 | B |
| Decachlorobiphenyl | 107 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 30-150 | A |
| Decachlorobiphenyl | 96 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 08:11
 Analyst: JW
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.81 | 0.355 | 1 | A |
| Lindane | ND | | ug/kg | 0.756 | 0.338 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.756 | 0.215 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.81 | 0.688 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.907 | 0.406 | 1 | A |
| Aldrin | ND | | ug/kg | 1.81 | 0.638 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.40 | 1.02 | 1 | A |
| Endrin | ND | | ug/kg | 0.756 | 0.310 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.27 | 0.794 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.81 | 0.467 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.13 | 0.567 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.81 | 0.419 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.81 | 0.647 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.40 | 1.46 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.81 | 0.428 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.81 | 0.606 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.756 | 0.360 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.40 | 1.06 | 1 | A |
| Toxaphene | ND | | ug/kg | 34.0 | 9.52 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.27 | 0.632 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.27 | 0.598 | 1 | A |
| Chlordane | ND | | ug/kg | 14.7 | 6.01 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | B |
| Decachlorobiphenyl | 118 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 101 | | 30-150 | A |
| Decachlorobiphenyl | 94 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 08:36
 Analyst: JW
 Percent Solids: 85%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.88 | 0.368 | 1 | A |
| Lindane | ND | | ug/kg | 0.782 | 0.350 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.782 | 0.222 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.88 | 0.712 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.939 | 0.421 | 1 | A |
| Aldrin | ND | | ug/kg | 1.88 | 0.661 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.52 | 1.06 | 1 | A |
| Endrin | ND | | ug/kg | 0.782 | 0.321 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.35 | 0.821 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.88 | 0.483 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.17 | 0.587 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.88 | 0.434 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.88 | 0.670 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.52 | 1.51 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.88 | 0.443 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.88 | 0.627 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.782 | 0.372 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.52 | 1.10 | 1 | A |
| Toxaphene | ND | | ug/kg | 35.2 | 9.86 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.35 | 0.654 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.35 | 0.619 | 1 | A |
| Chlordane | ND | | ug/kg | 15.2 | 6.22 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | B |
| Decachlorobiphenyl | 100 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 87 | | 30-150 | A |
| Decachlorobiphenyl | 88 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 07:46
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | 0.986 | J | ug/kg | 1.74 | 0.342 | 1 | B |
| Lindane | ND | | ug/kg | 0.727 | 0.325 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.727 | 0.206 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.74 | 0.662 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.873 | 0.391 | 1 | A |
| Aldrin | ND | | ug/kg | 1.74 | 0.615 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.27 | 0.982 | 1 | A |
| Endrin | ND | | ug/kg | 0.727 | 0.298 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.18 | 0.764 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.74 | 0.450 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.09 | 0.546 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.74 | 0.404 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.74 | 0.623 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.27 | 1.40 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.74 | 0.412 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.74 | 0.583 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.727 | 0.346 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.27 | 1.02 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.7 | 9.16 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.18 | 0.608 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.18 | 0.576 | 1 | A |
| Chlordane | ND | | ug/kg | 14.2 | 5.78 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 86 | | 30-150 | B |
| Decachlorobiphenyl | 105 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 86 | | 30-150 | A |
| Decachlorobiphenyl | 79 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 14:14
 Analyst: KEG
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.84 | 0.361 | 1 | A |
| Lindane | ND | | ug/kg | 0.767 | 0.343 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.767 | 0.218 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.84 | 0.698 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.921 | 0.413 | 1 | A |
| Aldrin | ND | | ug/kg | 1.84 | 0.648 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.45 | 1.04 | 1 | A |
| Endrin | 0.818 | PI | ug/kg | 0.767 | 0.315 | 1 | B |
| Endrin aldehyde | ND | | ug/kg | 2.30 | 0.806 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.84 | 0.474 | 1 | A |
| Dieldrin | ND | PI | ug/kg | 1.15 | 0.576 | 1 | A |
| 4,4'-DDE | 1.24 | J | ug/kg | 1.84 | 0.426 | 1 | B |
| 4,4'-DDD | ND | | ug/kg | 1.84 | 0.657 | 1 | B |
| 4,4'-DDT | ND | PI | ug/kg | 3.45 | 1.48 | 1 | B |
| Endosulfan I | ND | | ug/kg | 1.84 | 0.435 | 1 | A |
| Endosulfan II | 0.672 | JPI | ug/kg | 1.84 | 0.615 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.767 | 0.365 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.45 | 1.07 | 1 | A |
| Toxaphene | ND | | ug/kg | 34.5 | 9.67 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.30 | 0.642 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.30 | 0.608 | 1 | A |
| Chlordane | ND | | ug/kg | 15.0 | 6.10 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 67 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | A |
| Decachlorobiphenyl | 105 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 09:01
 Analyst: JW
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 2.68 | 0.525 | 1 | A |
| Lindane | ND | | ug/kg | 1.12 | 0.499 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 1.12 | 0.317 | 1 | A |
| Beta-BHC | ND | | ug/kg | 2.68 | 1.02 | 1 | A |
| Heptachlor | ND | | ug/kg | 1.34 | 0.601 | 1 | A |
| Aldrin | ND | | ug/kg | 2.68 | 0.944 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 5.02 | 1.51 | 1 | B |
| Endrin | ND | | ug/kg | 1.12 | 0.458 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 3.35 | 1.17 | 1 | A |
| Endrin ketone | ND | | ug/kg | 2.68 | 0.690 | 1 | A |
| Dieldrin | 3.42 | | ug/kg | 1.67 | 0.837 | 1 | B |
| 4,4'-DDE | 2.15 | J | ug/kg | 2.68 | 0.620 | 1 | A |
| 4,4'-DDD | 1.40 | J | ug/kg | 2.68 | 0.956 | 1 | B |
| 4,4'-DDT | 6.06 | P | ug/kg | 5.02 | 2.16 | 1 | A |
| Endosulfan I | ND | | ug/kg | 2.68 | 0.633 | 1 | A |
| Endosulfan II | ND | | ug/kg | 2.68 | 0.896 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 1.12 | 0.532 | 1 | A |
| Methoxychlor | ND | | ug/kg | 5.02 | 1.56 | 1 | A |
| Toxaphene | ND | | ug/kg | 50.2 | 14.1 | 1 | A |
| cis-Chlordane | 7.30 | P | ug/kg | 3.35 | 0.934 | 1 | A |
| trans-Chlordane | 3.32 | JPI | ug/kg | 3.35 | 0.884 | 1 | B |
| Chlordane | 45.0 | | ug/kg | 21.8 | 8.88 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 94 | | 30-150 | B |
| Decachlorobiphenyl | 111 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 100 | | 30-150 | A |
| Decachlorobiphenyl | 101 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 09:13
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | 0.542 | J | ug/kg | 1.79 | 0.351 | 1 | B |
| Lindane | ND | | ug/kg | 0.746 | 0.333 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.746 | 0.212 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.79 | 0.679 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.895 | 0.401 | 1 | A |
| Aldrin | ND | | ug/kg | 1.79 | 0.630 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.36 | 1.01 | 1 | A |
| Endrin | ND | | ug/kg | 0.746 | 0.306 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.24 | 0.783 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.79 | 0.461 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.12 | 0.560 | 1 | A |
| 4,4'-DDE | 1.79 | | ug/kg | 1.79 | 0.414 | 1 | B |
| 4,4'-DDD | 0.665 | J | ug/kg | 1.79 | 0.639 | 1 | A |
| 4,4'-DDT | 5.64 | | ug/kg | 3.36 | 1.44 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.79 | 0.423 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.79 | 0.598 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.746 | 0.355 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.36 | 1.04 | 1 | A |
| Toxaphene | ND | | ug/kg | 33.6 | 9.40 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.24 | 0.624 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.24 | 0.591 | 1 | A |
| Chlordane | ND | | ug/kg | 14.5 | 5.93 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | B |
| Decachlorobiphenyl | 102 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 107 | | 30-150 | A |
| Decachlorobiphenyl | 95 | | 30-150 | A |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 09:26
 Analyst: JW
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | 1.08 | J | ug/kg | 1.83 | 0.359 | 1 | B |
| Lindane | ND | | ug/kg | 0.763 | 0.341 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.763 | 0.217 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.83 | 0.695 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.916 | 0.411 | 1 | A |
| Aldrin | ND | | ug/kg | 1.83 | 0.645 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.44 | 1.03 | 1 | A |
| Endrin | ND | | ug/kg | 0.763 | 0.313 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.29 | 0.802 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.83 | 0.472 | 1 | A |
| Dieldrin | 2.69 | | ug/kg | 1.14 | 0.572 | 1 | B |
| 4,4'-DDE | 1.74 | J | ug/kg | 1.83 | 0.424 | 1 | B |
| 4,4'-DDD | 1.81 | J | ug/kg | 1.83 | 0.653 | 1 | B |
| 4,4'-DDT | 4.08 | | ug/kg | 3.44 | 1.47 | 1 | B |
| Endosulfan I | ND | | ug/kg | 1.83 | 0.433 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.83 | 0.612 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.763 | 0.363 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.44 | 1.07 | 1 | A |
| Toxaphene | ND | | ug/kg | 34.4 | 9.62 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.29 | 0.638 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.29 | 0.604 | 1 | A |
| Chlordane | ND | | ug/kg | 14.9 | 6.07 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 96 | | 30-150 | B |
| Decachlorobiphenyl | 181 | Q | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 114 | | 30-150 | A |
| Decachlorobiphenyl | 124 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/16/17 20:12

Matrix: Water
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 07:09
 Analyst: JW

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/l | 0.020 | 0.005 | 1 | A |
| Lindane | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Alpha-BHC | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Beta-BHC | ND | | ug/l | 0.020 | 0.006 | 1 | A |
| Heptachlor | ND | | ug/l | 0.020 | 0.003 | 1 | A |
| Aldrin | ND | | ug/l | 0.020 | 0.002 | 1 | A |
| Heptachlor epoxide | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Endrin | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| Endrin aldehyde | ND | | ug/l | 0.040 | 0.008 | 1 | A |
| Endrin ketone | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Dieldrin | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| 4,4'-DDE | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| 4,4'-DDD | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| 4,4'-DDT | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| Endosulfan I | ND | | ug/l | 0.020 | 0.003 | 1 | A |
| Endosulfan II | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Endosulfan sulfate | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Methoxychlor | ND | | ug/l | 0.200 | 0.007 | 1 | A |
| Toxaphene | ND | | ug/l | 0.200 | 0.063 | 1 | A |
| cis-Chlordane | ND | | ug/l | 0.020 | 0.007 | 1 | A |
| trans-Chlordane | ND | | ug/l | 0.020 | 0.006 | 1 | A |
| Chlordane | ND | | ug/l | 0.200 | 0.046 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 79 | | 30-150 | A |
| Decachlorobiphenyl | 84 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 78 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10
 Client ID: DUP001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 14:26
 Analyst: KEG
 Percent Solids: 90%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.74 | 0.340 | 1 | A |
| Lindane | ND | | ug/kg | 0.723 | 0.323 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.723 | 0.205 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.74 | 0.658 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.868 | 0.389 | 1 | A |
| Aldrin | ND | | ug/kg | 1.74 | 0.611 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.25 | 0.976 | 1 | A |
| Endrin | ND | | ug/kg | 0.723 | 0.296 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.17 | 0.759 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.74 | 0.447 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.08 | 0.542 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.74 | 0.401 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.74 | 0.619 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.25 | 1.40 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.74 | 0.410 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.74 | 0.580 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.723 | 0.344 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.25 | 1.01 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.5 | 9.11 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.17 | 0.604 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.17 | 0.573 | 1 | A |
| Chlordane | ND | | ug/kg | 14.1 | 5.75 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 102 | | 30-150 | B |
| Decachlorobiphenyl | 92 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 109 | | 30-150 | A |
| Decachlorobiphenyl | 98 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081B
 Analytical Date: 12/20/17 06:32
 Analyst: JW

Extraction Method: EPA 3510C
 Extraction Date: 12/16/17 20:12

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|-------|-------|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 09 Batch: WG1073595-1 | | | | | | |
| Delta-BHC | ND | | ug/l | 0.020 | 0.005 | A |
| Lindane | ND | | ug/l | 0.020 | 0.004 | A |
| Alpha-BHC | ND | | ug/l | 0.020 | 0.004 | A |
| Beta-BHC | ND | | ug/l | 0.020 | 0.006 | A |
| Heptachlor | ND | | ug/l | 0.020 | 0.003 | A |
| Aldrin | ND | | ug/l | 0.020 | 0.002 | A |
| Heptachlor epoxide | ND | | ug/l | 0.020 | 0.004 | A |
| Endrin | ND | | ug/l | 0.040 | 0.004 | A |
| Endrin aldehyde | ND | | ug/l | 0.040 | 0.008 | A |
| Endrin ketone | ND | | ug/l | 0.040 | 0.005 | A |
| Dieldrin | ND | | ug/l | 0.040 | 0.004 | A |
| 4,4'-DDE | ND | | ug/l | 0.040 | 0.004 | A |
| 4,4'-DDD | ND | | ug/l | 0.040 | 0.005 | A |
| 4,4'-DDT | ND | | ug/l | 0.040 | 0.004 | A |
| Endosulfan I | ND | | ug/l | 0.020 | 0.003 | A |
| Endosulfan II | ND | | ug/l | 0.040 | 0.005 | A |
| Endosulfan sulfate | ND | | ug/l | 0.040 | 0.005 | A |
| Methoxychlor | ND | | ug/l | 0.200 | 0.007 | A |
| Toxaphene | ND | | ug/l | 0.200 | 0.063 | A |
| cis-Chlordane | ND | | ug/l | 0.020 | 0.007 | A |
| trans-Chlordane | ND | | ug/l | 0.020 | 0.006 | A |
| Chlordane | ND | | ug/l | 0.200 | 0.046 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081B
 Analytical Date: 12/20/17 06:32
 Analyst: JW

Extraction Method: EPA 3510C
 Extraction Date: 12/16/17 20:12

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|----|-----|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 09 Batch: WG1073595-1 | | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance | |
|------------------------------|-----------|-----------|------------|--------|
| | | | Criteria | Column |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | A |
| Decachlorobiphenyl | 95 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | B |
| Decachlorobiphenyl | 95 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
 Analytical Date: 12/19/17 12:33
 Analyst: CD

Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|-------|-------|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-08,10 Batch: WG1074141-1 | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.60 | 0.313 | A |
| Lindane | ND | | ug/kg | 0.666 | 0.298 | A |
| Alpha-BHC | ND | | ug/kg | 0.666 | 0.189 | A |
| Beta-BHC | ND | | ug/kg | 1.60 | 0.606 | A |
| Heptachlor | ND | | ug/kg | 0.799 | 0.358 | A |
| Aldrin | ND | | ug/kg | 1.60 | 0.562 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.00 | 0.899 | A |
| Endrin | ND | | ug/kg | 0.666 | 0.273 | A |
| Endrin aldehyde | ND | | ug/kg | 2.00 | 0.699 | A |
| Endrin ketone | ND | | ug/kg | 1.60 | 0.411 | A |
| Dieldrin | ND | | ug/kg | 0.999 | 0.499 | A |
| 4,4'-DDE | ND | | ug/kg | 1.60 | 0.370 | A |
| 4,4'-DDD | ND | | ug/kg | 1.60 | 0.570 | A |
| 4,4'-DDT | ND | | ug/kg | 3.00 | 1.28 | A |
| Endosulfan I | ND | | ug/kg | 1.60 | 0.377 | A |
| Endosulfan II | ND | | ug/kg | 1.60 | 0.534 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.666 | 0.317 | A |
| Methoxychlor | ND | | ug/kg | 3.00 | 0.932 | A |
| Toxaphene | ND | | ug/kg | 30.0 | 8.39 | A |
| cis-Chlordane | ND | | ug/kg | 2.00 | 0.556 | A |
| trans-Chlordane | ND | | ug/kg | 2.00 | 0.527 | A |
| Chlordane | ND | | ug/kg | 13.0 | 5.29 | A |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081B
 Analytical Date: 12/19/17 12:33
 Analyst: CD

Extraction Method: EPA 3546
 Extraction Date: 12/18/17 22:09
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/19/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|----|-----|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-08,10 Batch: WG1074141-1 | | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance | |
|------------------------------|-----------|-----------|------------|--------|
| | | | Criteria | Column |
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 30-150 | B |
| Decachlorobiphenyl | 89 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 30-150 | A |
| Decachlorobiphenyl | 81 | | 30-150 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09 Batch: WG1073595-2 WG1073595-3 | | | | | | | | | |
| Delta-BHC | 67 | | 86 | | 30-150 | 25 | Q | 20 | A |
| Lindane | 65 | | 83 | | 30-150 | 24 | Q | 20 | A |
| Alpha-BHC | 68 | | 88 | | 30-150 | 25 | Q | 20 | A |
| Beta-BHC | 69 | | 86 | | 30-150 | 22 | Q | 20 | A |
| Heptachlor | 63 | | 82 | | 30-150 | 25 | Q | 20 | A |
| Aldrin | 63 | | 80 | | 30-150 | 24 | Q | 20 | A |
| Heptachlor epoxide | 69 | | 90 | | 30-150 | 25 | Q | 20 | A |
| Endrin | 68 | | 84 | | 30-150 | 22 | Q | 20 | A |
| Endrin aldehyde | 58 | | 72 | | 30-150 | 22 | Q | 20 | A |
| Endrin ketone | 64 | | 80 | | 30-150 | 23 | Q | 20 | A |
| Dieldrin | 67 | | 85 | | 30-150 | 23 | Q | 20 | A |
| 4,4'-DDE | 62 | | 80 | | 30-150 | 25 | Q | 20 | A |
| 4,4'-DDD | 63 | | 80 | | 30-150 | 24 | Q | 20 | A |
| 4,4'-DDT | 69 | | 86 | | 30-150 | 22 | Q | 20 | A |
| Endosulfan I | 69 | | 89 | | 30-150 | 24 | Q | 20 | A |
| Endosulfan II | 69 | | 89 | | 30-150 | 25 | Q | 20 | A |
| Endosulfan sulfate | 72 | | 91 | | 30-150 | 23 | Q | 20 | A |
| Methoxychlor | 72 | | 89 | | 30-150 | 20 | | 20 | A |
| cis-Chlordane | 66 | | 85 | | 30-150 | 25 | Q | 20 | A |
| trans-Chlordane | 65 | | 84 | | 30-150 | 26 | Q | 20 | A |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>%Recovery</i> Limits | <i>RPD</i> | <i>Qual</i> | <i>RPD</i> Limits |
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09 Batch: WG1073595-2 WG1073595-3

| <i>Surrogate</i> | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>Acceptance</i> Criteria | <i>Column</i> |
|------------------------------|-------------------------|-------------|--------------------------|-------------|-------------------------------|---------------|
| 2,4,5,6-Tetrachloro-m-xylene | 71 | | 86 | | 30-150 | A |
| Decachlorobiphenyl | 80 | | 95 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 87 | | 30-150 | B |
| Decachlorobiphenyl | 79 | | 93 | | 30-150 | B |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1074141-2 WG1074141-3 | | | | | | | | | |
| Delta-BHC | 91 | | 101 | | 30-150 | 10 | | 30 | A |
| Lindane | 83 | | 97 | | 30-150 | 16 | | 30 | A |
| Alpha-BHC | 92 | | 104 | | 30-150 | 12 | | 30 | A |
| Beta-BHC | 85 | | 97 | | 30-150 | 13 | | 30 | A |
| Heptachlor | 87 | | 97 | | 30-150 | 11 | | 30 | A |
| Aldrin | 84 | | 96 | | 30-150 | 13 | | 30 | A |
| Heptachlor epoxide | 73 | | 82 | | 30-150 | 12 | | 30 | A |
| Endrin | 79 | | 90 | | 30-150 | 13 | | 30 | A |
| Endrin aldehyde | 70 | | 78 | | 30-150 | 11 | | 30 | A |
| Endrin ketone | 76 | | 86 | | 30-150 | 12 | | 30 | A |
| Dieldrin | 88 | | 101 | | 30-150 | 14 | | 30 | A |
| 4,4'-DDE | 88 | | 102 | | 30-150 | 15 | | 30 | A |
| 4,4'-DDD | 82 | | 95 | | 30-150 | 15 | | 30 | A |
| 4,4'-DDT | 84 | | 97 | | 30-150 | 14 | | 30 | A |
| Endosulfan I | 82 | | 93 | | 30-150 | 13 | | 30 | A |
| Endosulfan II | 80 | | 90 | | 30-150 | 12 | | 30 | A |
| Endosulfan sulfate | 70 | | 81 | | 30-150 | 15 | | 30 | A |
| Methoxychlor | 73 | | 84 | | 30-150 | 14 | | 30 | A |
| cis-Chlordane | 70 | | 81 | | 30-150 | 15 | | 30 | A |
| trans-Chlordane | 77 | | 85 | | 30-150 | 10 | | 30 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-08,10 Batch: WG1074141-2 WG1074141-3

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 100 | | 30-150 | B |
| Decachlorobiphenyl | 85 | | 96 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 99 | | 30-150 | A |
| Decachlorobiphenyl | 68 | | 78 | | 30-150 | A |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|---------------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074141-4 WG1074141-5 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | | | |
| Delta-BHC | 0.986J | 36.9 | 34.2 | 93 | | 35.2 | 94 | | 30-150 | 3 | | 50 | B |
| Lindane | ND | 36.9 | 32.1 | 87 | | 33.6 | 90 | | 30-150 | 5 | | 50 | A |
| Alpha-BHC | ND | 36.9 | 33.3 | 90 | | 34.6 | 93 | | 30-150 | 4 | | 50 | A |
| Beta-BHC | ND | 36.9 | 34.0 | 92 | | 36.7 | 98 | | 30-150 | 8 | | 50 | A |
| Heptachlor | ND | 36.9 | 26.4 | 72 | | 27.2 | 73 | | 30-150 | 3 | | 50 | A |
| Aldrin | ND | 36.9 | 31.2 | 85 | | 32.6 | 87 | | 30-150 | 4 | | 50 | A |
| Heptachlor epoxide | ND | 36.9 | 33.0 | 90 | | 34.2 | 92 | | 30-150 | 4 | | 50 | A |
| Endrin | ND | 36.9 | 34.4 | 93 | | 35.7 | 96 | | 30-150 | 4 | | 50 | A |
| Endrin aldehyde | ND | 36.9 | 26.0 | 71 | | 27.1 | 73 | | 30-150 | 4 | | 50 | A |
| Endrin ketone | ND | 36.9 | 28.5 | 77 | | 30.1 | 81 | | 30-150 | 5 | | 50 | A |
| Dieldrin | ND | 36.9 | 34.0 | 92 | | 34.9 | 94 | | 30-150 | 3 | | 50 | A |
| 4,4'-DDE | ND | 36.9 | 30.5 | 83 | | 31.3 | 84 | | 30-150 | 3 | | 50 | A |
| 4,4'-DDD | ND | 36.9 | 30.8 | 84 | | 31.9 | 86 | | 30-150 | 4 | | 50 | A |
| 4,4'-DDT | ND | 36.9 | 34.9 | 95 | | 37.1 | 99 | | 30-150 | 6 | | 50 | A |
| Endosulfan I | ND | 36.9 | 32.9 | 89 | | 33.5 | 90 | | 30-150 | 2 | | 50 | A |
| Endosulfan II | ND | 36.9 | 33.2 | 90 | | 35.0 | 94 | | 30-150 | 5 | | 50 | A |
| Endosulfan sulfate | ND | 36.9 | 29.6 | 80 | | 32.0 | 86 | | 30-150 | 8 | | 50 | A |
| Methoxychlor | ND | 36.9 | 34.6 | 94 | | 37.6 | 101 | | 30-150 | 8 | | 50 | A |
| cis-Chlordane | ND | 36.9 | 29.6 | 80 | | 30.4 | 82 | | 30-150 | 3 | | 50 | A |
| trans-Chlordane | ND | 36.9 | 32.7 | 89 | | 35.1 | 94 | | 30-150 | 7 | | 50 | A |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|------------------|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
|------------------|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074141-4 WG1074141-5 QC Sample: L1745804-04
Client ID: SB002 (7-9)

| Surrogate | MS % Recovery | Qualifier | MSD % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|----------------------|------------------|-----------------------|------------------|----------------------------|---------------|
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 90 | | 30-150 | B |
| Decachlorobiphenyl | 106 | | 105 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 89 | | 30-150 | A |
| Decachlorobiphenyl | 90 | | 92 | | 30-150 | A |

METALS

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 94%

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 11000 | | mg/kg | 8.22 | 2.22 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.11 | 0.312 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.847 | | mg/kg | 0.822 | 0.171 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 109 | | mg/kg | 0.822 | 0.143 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.773 | | mg/kg | 0.411 | 0.027 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.822 | 0.081 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1950 | | mg/kg | 8.22 | 2.88 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 25.9 | | mg/kg | 0.822 | 0.079 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 12.1 | | mg/kg | 1.64 | 0.136 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 27.6 | | mg/kg | 0.822 | 0.212 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 21800 | | mg/kg | 4.11 | 0.742 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 3.62 | J | mg/kg | 4.11 | 0.220 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4840 | | mg/kg | 8.22 | 1.26 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 968 | | mg/kg | 0.822 | 0.131 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.01 | 1 | 12/20/17 08:00 | 12/20/17 19:48 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 22.3 | | mg/kg | 2.06 | 0.199 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 2040 | | mg/kg | 206 | 11.8 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.64 | 0.212 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.822 | 0.233 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 223 | | mg/kg | 164 | 2.59 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.64 | 0.259 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 40.2 | | mg/kg | 0.822 | 0.167 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 53.0 | | mg/kg | 4.11 | 0.241 | 2 | 12/19/17 22:20 | 12/20/17 17:58 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02
 Client ID: SB001 (8-10)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 87%

Date Collected: 12/11/17 09:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 11600 | | mg/kg | 8.79 | 2.37 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.39 | 0.334 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 1.50 | | mg/kg | 0.879 | 0.183 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 80.7 | | mg/kg | 0.879 | 0.153 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.800 | | mg/kg | 0.439 | 0.029 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.879 | 0.086 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1100 | | mg/kg | 8.79 | 3.08 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 34.6 | | mg/kg | 0.879 | 0.084 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 12.2 | | mg/kg | 1.76 | 0.146 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 30.4 | | mg/kg | 0.879 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 21300 | | mg/kg | 4.39 | 0.794 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 4.78 | | mg/kg | 4.39 | 0.236 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3910 | | mg/kg | 8.79 | 1.35 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 693 | | mg/kg | 0.879 | 0.140 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:50 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 18.8 | | mg/kg | 2.20 | 0.213 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 2480 | | mg/kg | 220 | 12.6 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.76 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.879 | 0.249 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 60.2 | J | mg/kg | 176 | 2.77 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.76 | 0.277 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 40.5 | | mg/kg | 0.879 | 0.178 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 51.5 | | mg/kg | 4.39 | 0.257 | 2 | 12/19/17 22:20 | 12/20/17 18:50 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03
 Client ID: SB002 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 12/11/17 09:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 15200 | | mg/kg | 9.19 | 2.48 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.59 | 0.349 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 2.48 | | mg/kg | 0.919 | 0.191 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 91.4 | | mg/kg | 0.919 | 0.160 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.634 | | mg/kg | 0.459 | 0.030 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.919 | 0.090 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1400 | | mg/kg | 9.19 | 3.22 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 24.3 | | mg/kg | 0.919 | 0.088 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 9.44 | | mg/kg | 1.84 | 0.152 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 12.8 | | mg/kg | 0.919 | 0.237 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 19200 | | mg/kg | 4.59 | 0.830 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 16.8 | | mg/kg | 4.59 | 0.246 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3010 | | mg/kg | 9.19 | 1.41 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 490 | | mg/kg | 0.919 | 0.146 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.07 | J | mg/kg | 0.08 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:52 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 14.5 | | mg/kg | 2.30 | 0.222 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 706 | | mg/kg | 230 | 13.2 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.84 | 0.237 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.919 | 0.260 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 52.5 | J | mg/kg | 184 | 2.89 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.84 | 0.289 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 35.5 | | mg/kg | 0.919 | 0.186 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 51.1 | | mg/kg | 4.59 | 0.269 | 2 | 12/19/17 22:20 | 12/20/17 18:55 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04
 Client ID: SB002 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 89%

Date Collected: 12/11/17 09:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 9960 | | mg/kg | 8.80 | 2.38 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.40 | 0.334 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.616 | J | mg/kg | 0.880 | 0.183 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 67.2 | | mg/kg | 0.880 | 0.153 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.669 | | mg/kg | 0.440 | 0.029 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.880 | 0.086 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1570 | | mg/kg | 8.80 | 3.08 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 25.5 | | mg/kg | 0.880 | 0.085 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 13.3 | | mg/kg | 1.76 | 0.146 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 23.5 | | mg/kg | 0.880 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 21000 | | mg/kg | 4.40 | 0.795 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 4.85 | | mg/kg | 4.40 | 0.236 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4030 | | mg/kg | 8.80 | 1.36 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 624 | | mg/kg | 0.880 | 0.140 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:40 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 17.2 | | mg/kg | 2.20 | 0.213 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 2220 | | mg/kg | 220 | 12.7 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.76 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.880 | 0.249 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 50.7 | J | mg/kg | 176 | 2.77 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.76 | 0.277 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 33.5 | | mg/kg | 0.880 | 0.179 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 53.0 | | mg/kg | 4.40 | 0.258 | 2 | 12/19/17 22:20 | 12/20/17 18:12 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 86%

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 6470 | | mg/kg | 9.07 | 2.45 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.54 | 0.345 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 5.32 | | mg/kg | 0.907 | 0.189 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 72.1 | | mg/kg | 0.907 | 0.158 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.318 | J | mg/kg | 0.454 | 0.030 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.907 | 0.089 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 90800 | | mg/kg | 90.7 | 31.8 | 20 | 12/19/17 22:20 | 12/20/17 22:13 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 9.34 | | mg/kg | 0.907 | 0.087 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 3.23 | | mg/kg | 1.81 | 0.151 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 12.1 | | mg/kg | 0.907 | 0.234 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 9340 | | mg/kg | 4.54 | 0.819 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 76.3 | | mg/kg | 4.54 | 0.243 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 14800 | | mg/kg | 9.07 | 1.40 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 149 | | mg/kg | 0.907 | 0.144 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.05 | J | mg/kg | 0.08 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:53 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 8.74 | | mg/kg | 2.27 | 0.220 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 842 | | mg/kg | 227 | 13.1 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.81 | 0.234 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.907 | 0.257 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 445 | | mg/kg | 181 | 2.86 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.81 | 0.286 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 14.0 | | mg/kg | 0.907 | 0.184 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 53.5 | | mg/kg | 4.54 | 0.266 | 2 | 12/19/17 22:20 | 12/20/17 19:00 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06
 Client ID: SB003 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 87%

Date Collected: 12/11/17 12:25
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 8390 | | mg/kg | 8.97 | 2.42 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.49 | 0.341 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 3.75 | | mg/kg | 0.897 | 0.187 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 109 | | mg/kg | 0.897 | 0.156 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.386 | J | mg/kg | 0.449 | 0.030 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.897 | 0.088 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 33500 | | mg/kg | 8.97 | 3.14 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 11.6 | | mg/kg | 0.897 | 0.086 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 3.00 | | mg/kg | 1.79 | 0.149 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 16.9 | | mg/kg | 0.897 | 0.232 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 7930 | | mg/kg | 4.49 | 0.810 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 80.4 | | mg/kg | 4.49 | 0.240 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 5060 | | mg/kg | 8.97 | 1.38 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 192 | | mg/kg | 0.897 | 0.143 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.11 | | mg/kg | 0.07 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:55 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 6.97 | | mg/kg | 2.24 | 0.217 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 627 | | mg/kg | 224 | 12.9 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.79 | 0.232 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.897 | 0.254 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 824 | | mg/kg | 179 | 2.83 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.79 | 0.283 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 15.2 | | mg/kg | 0.897 | 0.182 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 93.0 | | mg/kg | 4.49 | 0.263 | 2 | 12/19/17 22:20 | 12/20/17 19:04 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07
 Client ID: SB004 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 12/11/17 12:40
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 5930 | | mg/kg | 8.80 | 2.38 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.40 | 0.334 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 3.15 | | mg/kg | 0.880 | 0.183 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 76.0 | | mg/kg | 0.880 | 0.153 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.255 | J | mg/kg | 0.440 | 0.029 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.880 | 0.086 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 50300 | | mg/kg | 8.80 | 3.08 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 10.1 | | mg/kg | 0.880 | 0.085 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 3.25 | | mg/kg | 1.76 | 0.146 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 11.5 | | mg/kg | 0.880 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 7940 | | mg/kg | 4.40 | 0.794 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 85.8 | | mg/kg | 4.40 | 0.236 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3410 | | mg/kg | 8.80 | 1.36 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 140 | | mg/kg | 0.880 | 0.140 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.08 | | mg/kg | 0.07 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 20:01 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 10.6 | | mg/kg | 2.20 | 0.213 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 899 | | mg/kg | 220 | 12.7 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.76 | 0.227 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.880 | 0.249 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 303 | | mg/kg | 176 | 2.77 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.76 | 0.277 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 16.0 | | mg/kg | 0.880 | 0.179 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 105 | | mg/kg | 4.40 | 0.258 | 2 | 12/19/17 22:20 | 12/20/17 19:09 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 86%

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 5460 | | mg/kg | 9.16 | 2.47 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.58 | 0.348 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 3.45 | | mg/kg | 0.916 | 0.190 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 65.9 | | mg/kg | 0.916 | 0.159 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.275 | J | mg/kg | 0.458 | 0.030 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.916 | 0.090 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 57900 | | mg/kg | 9.16 | 3.21 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 11.8 | | mg/kg | 0.916 | 0.088 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 3.56 | | mg/kg | 1.83 | 0.152 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 28.2 | | mg/kg | 0.916 | 0.236 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 9640 | | mg/kg | 4.58 | 0.827 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 94.2 | | mg/kg | 4.58 | 0.245 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4340 | | mg/kg | 9.16 | 1.41 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 194 | | mg/kg | 0.916 | 0.146 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 7.6 | | mg/kg | 0.36 | 0.08 | 5 | 12/20/17 08:00 | 12/20/17 22:22 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 10.6 | | mg/kg | 2.29 | 0.222 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1080 | | mg/kg | 229 | 13.2 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.83 | 0.236 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.916 | 0.259 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 260 | | mg/kg | 183 | 2.88 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.83 | 0.288 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 15.1 | | mg/kg | 0.916 | 0.186 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 132 | | mg/kg | 4.58 | 0.268 | 2 | 12/19/17 22:20 | 12/20/17 19:14 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-09
 Client ID: FIELD BLANK 001
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Water

Date Collected: 12/11/17 10:30
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|---------|---------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | ND | | mg/l | 0.100 | 0.032 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Antimony, Total | ND | | mg/l | 0.050 | 0.007 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Arsenic, Total | ND | | mg/l | 0.005 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Barium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Beryllium, Total | ND | | mg/l | 0.005 | 0.001 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Cadmium, Total | ND | | mg/l | 0.005 | 0.001 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Calcium, Total | 0.700 | | mg/l | 0.100 | 0.035 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Chromium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Cobalt, Total | ND | | mg/l | 0.020 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Copper, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Iron, Total | ND | | mg/l | 0.050 | 0.009 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Lead, Total | ND | | mg/l | 0.010 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Magnesium, Total | ND | | mg/l | 0.100 | 0.015 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Manganese, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 12/14/17 14:43 | 12/15/17 15:38 | EPA 7470A | 1,7470A | MG |
| Nickel, Total | ND | | mg/l | 0.025 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Potassium, Total | ND | | mg/l | 2.50 | 0.237 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Selenium, Total | ND | | mg/l | 0.010 | 0.004 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Silver, Total | ND | | mg/l | 0.007 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Sodium, Total | ND | | mg/l | 2.00 | 0.120 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Thallium, Total | ND | | mg/l | 0.020 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Vanadium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |
| Zinc, Total | 0.002 | J | mg/l | 0.050 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:08 | EPA 3005A | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10
 Client ID: DUP001
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil
 Percent Solids: 90%

Date Collected: 12/11/17 00:00
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 9180 | | mg/kg | 8.54 | 2.31 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.27 | 0.324 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 1.49 | | mg/kg | 0.854 | 0.178 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 41.5 | | mg/kg | 0.854 | 0.149 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.418 | J | mg/kg | 0.427 | 0.028 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.854 | 0.084 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1050 | | mg/kg | 8.54 | 2.99 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 16.8 | | mg/kg | 0.854 | 0.082 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 6.80 | | mg/kg | 1.71 | 0.142 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 15.0 | | mg/kg | 0.854 | 0.220 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 15100 | | mg/kg | 4.27 | 0.771 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 7.69 | | mg/kg | 4.27 | 0.229 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 2220 | | mg/kg | 8.54 | 1.32 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 417 | | mg/kg | 0.854 | 0.136 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.04 | J | mg/kg | 0.07 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 20:05 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 11.9 | | mg/kg | 2.14 | 0.207 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1260 | | mg/kg | 214 | 12.3 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | ND | | mg/kg | 1.71 | 0.220 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.854 | 0.242 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 34.9 | J | mg/kg | 171 | 2.69 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.71 | 0.269 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 25.1 | | mg/kg | 0.854 | 0.173 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 33.7 | | mg/kg | 4.27 | 0.250 | 2 | 12/19/17 22:20 | 12/20/17 19:19 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis Batch Quality Control

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|---------|---------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 09 Batch: WG1072785-1 | | | | | | | | | |
| Mercury, Total | ND | mg/l | 0.00020 | 0.00006 | 1 | 12/14/17 14:43 | 12/15/17 15:03 | 1,7470A | MG |

Prep Information

Digestion Method: EPA 7470A

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|-------|-------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 01-08,10 Batch: WG1074609-1 | | | | | | | | | |
| Aluminum, Total | ND | mg/kg | 4.00 | 1.08 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Antimony, Total | ND | mg/kg | 2.00 | 0.152 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Arsenic, Total | ND | mg/kg | 0.400 | 0.083 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Barium, Total | ND | mg/kg | 0.400 | 0.070 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Beryllium, Total | ND | mg/kg | 0.200 | 0.013 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Cadmium, Total | ND | mg/kg | 0.400 | 0.039 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Calcium, Total | ND | mg/kg | 4.00 | 1.40 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Chromium, Total | ND | mg/kg | 0.400 | 0.038 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Cobalt, Total | ND | mg/kg | 0.800 | 0.066 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Copper, Total | ND | mg/kg | 0.400 | 0.103 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Iron, Total | ND | mg/kg | 2.00 | 0.361 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Lead, Total | ND | mg/kg | 2.00 | 0.107 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Magnesium, Total | ND | mg/kg | 4.00 | 0.616 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Manganese, Total | ND | mg/kg | 0.400 | 0.064 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Nickel, Total | ND | mg/kg | 1.00 | 0.097 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Potassium, Total | ND | mg/kg | 100 | 5.76 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Selenium, Total | ND | mg/kg | 0.800 | 0.103 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Silver, Total | ND | mg/kg | 0.400 | 0.113 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Sodium, Total | ND | mg/kg | 80.0 | 1.26 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Thallium, Total | ND | mg/kg | 0.800 | 0.126 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Vanadium, Total | ND | mg/kg | 0.400 | 0.081 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |
| Zinc, Total | ND | mg/kg | 2.00 | 0.117 | 1 | 12/19/17 22:20 | 12/20/17 17:48 | 1,6010C | AB |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3050B

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|------|------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 01-08,10 Batch: WG1074717-1 | | | | | | | | | |
| Mercury, Total | ND | mg/kg | 0.08 | 0.02 | 1 | 12/20/17 08:00 | 12/20/17 19:33 | 1,7471B | EA |

Prep Information

Digestion Method: EPA 7471B

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|-------|-------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 09 Batch: WG1074850-1 | | | | | | | | | |
| Aluminum, Total | ND | mg/l | 0.100 | 0.032 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Antimony, Total | ND | mg/l | 0.050 | 0.007 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Arsenic, Total | 0.002 J | mg/l | 0.005 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Barium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Beryllium, Total | ND | mg/l | 0.005 | 0.001 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Cadmium, Total | ND | mg/l | 0.005 | 0.001 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Calcium, Total | ND | mg/l | 0.100 | 0.035 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Chromium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Cobalt, Total | ND | mg/l | 0.020 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Copper, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Iron, Total | ND | mg/l | 0.050 | 0.009 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Lead, Total | ND | mg/l | 0.010 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Magnesium, Total | ND | mg/l | 0.100 | 0.015 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Manganese, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Nickel, Total | ND | mg/l | 0.025 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Potassium, Total | ND | mg/l | 2.50 | 0.237 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Selenium, Total | ND | mg/l | 0.010 | 0.004 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Silver, Total | ND | mg/l | 0.007 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Sodium, Total | ND | mg/l | 2.00 | 0.120 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Thallium, Total | ND | mg/l | 0.020 | 0.003 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
| Vanadium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Method Blank Analysis Batch Quality Control

| | | | | | | | | | |
|-------------|----|------|-------|-------|---|----------------|----------------|---------|----|
| Zinc, Total | ND | mg/l | 0.050 | 0.002 | 1 | 12/20/17 10:40 | 12/21/17 00:04 | 1,6010C | AB |
|-------------|----|------|-------|-------|---|----------------|----------------|---------|----|

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 Batch: WG1072785-2 | | | | | | | | |
| Mercury, Total | 107 | | - | | 80-120 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|---|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 Batch: WG1074609-2 SRM Lot Number: D098-540 | | | | | |
| Aluminum, Total | 61 | - | 47-153 | - | |
| Antimony, Total | 146 | - | 6-194 | - | |
| Arsenic, Total | 94 | - | 83-117 | - | |
| Barium, Total | 89 | - | 82-118 | - | |
| Beryllium, Total | 97 | - | 83-117 | - | |
| Cadmium, Total | 94 | - | 82-117 | - | |
| Calcium, Total | 88 | - | 81-118 | - | |
| Chromium, Total | 88 | - | 83-119 | - | |
| Cobalt, Total | 94 | - | 84-116 | - | |
| Copper, Total | 93 | - | 84-116 | - | |
| Iron, Total | 76 | - | 60-140 | - | |
| Lead, Total | 89 | - | 82-117 | - | |
| Magnesium, Total | 76 | - | 76-124 | - | |
| Manganese, Total | 90 | - | 82-118 | - | |
| Nickel, Total | 91 | - | 82-117 | - | |
| Potassium, Total | 78 | - | 69-131 | - | |
| Selenium, Total | 96 | - | 78-121 | - | |
| Silver, Total | 96 | - | 80-120 | - | |
| Sodium, Total | 92 | - | 74-126 | - | |
| Thallium, Total | 101 | - | 80-119 | - | |
| Vanadium, Total | 90 | - | 79-121 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|---|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 Batch: WG1074609-2 SRM Lot Number: D098-540 | | | | | |
| Zinc, Total | 91 | - | 81-119 | - | |
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 Batch: WG1074717-2 SRM Lot Number: D098-540 | | | | | |
| Mercury, Total | 109 | - | 50-149 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 Batch: WG1074850-2 | | | | | |
| Aluminum, Total | 108 | - | 80-120 | - | |
| Antimony, Total | 86 | - | 80-120 | - | |
| Arsenic, Total | 108 | - | 80-120 | - | |
| Barium, Total | 100 | - | 80-120 | - | |
| Beryllium, Total | 102 | - | 80-120 | - | |
| Cadmium, Total | 100 | - | 80-120 | - | |
| Calcium, Total | 102 | - | 80-120 | - | |
| Chromium, Total | 96 | - | 80-120 | - | |
| Cobalt, Total | 94 | - | 80-120 | - | |
| Copper, Total | 96 | - | 80-120 | - | |
| Iron, Total | 97 | - | 80-120 | - | |
| Lead, Total | 103 | - | 80-120 | - | |
| Magnesium, Total | 109 | - | 80-120 | - | |
| Manganese, Total | 89 | - | 80-120 | - | |
| Nickel, Total | 94 | - | 80-120 | - | |
| Potassium, Total | 108 | - | 80-120 | - | |
| Selenium, Total | 104 | - | 80-120 | - | |
| Silver, Total | 100 | - | 80-120 | - | |
| Sodium, Total | 110 | - | 80-120 | - | |
| Thallium, Total | 102 | - | 80-120 | - | |
| Vanadium, Total | 98 | - | 80-120 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 Batch: WG1074850-2 | | | | | |
| Zinc, Total | 100 | - | 80-120 | - | |

Matrix Spike Analysis
Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Qual | MSD Found | MSD %Recovery | MSD Qual | Recovery Limits | RPD Qual | RPD Limits |
|--|----------------------|-----------------|-----------------|---------------------|-----------------|------------------|----------------------|-----------------|------------------------|-----------------|-------------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 QC Batch ID: WG1072785-3 WG1072785-4 QC Sample: L1745590-04 Client ID: MS Sample | | | | | | | | | | | |
| Mercury, Total | ND | 0.005 | 0.00490 | 98 | | 0.00462 | 92 | | 75-125 | 6 | 20 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits | | |
|--|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|----|----|
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074609-3 WG1074609-4 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | | | |
| Aluminum, Total | 9960 | 179 | 10700 | 413 | Q | 12200 | 1300 | Q | 75-125 | 13 | 20 |
| Antimony, Total | ND | 44.8 | 37.0 | 83 | | 34.0 | 79 | | 75-125 | 8 | 20 |
| Arsenic, Total | 0.616J | 10.7 | 10.2 | 95 | | 9.86 | 95 | | 75-125 | 3 | 20 |
| Barium, Total | 67.2 | 179 | 242 | 98 | | 239 | 99 | | 75-125 | 1 | 20 |
| Beryllium, Total | 0.669 | 4.48 | 5.16 | 100 | | 5.03 | 101 | | 75-125 | 3 | 20 |
| Cadmium, Total | ND | 4.56 | 2.72 | 60 | Q | 2.43 | 55 | Q | 75-125 | 11 | 20 |
| Calcium, Total | 1570 | 895 | 2480 | 102 | | 2960 | 161 | Q | 75-125 | 18 | 20 |
| Chromium, Total | 25.5 | 17.9 | 45.6 | 112 | | 45.5 | 116 | | 75-125 | 0 | 20 |
| Cobalt, Total | 13.3 | 44.8 | 52.2 | 87 | | 51.4 | 88 | | 75-125 | 2 | 20 |
| Copper, Total | 23.5 | 22.4 | 45.7 | 99 | | 49.5 | 120 | | 75-125 | 8 | 20 |
| Iron, Total | 21000 | 89.5 | 21800 | 894 | Q | 24300 | 3820 | Q | 75-125 | 11 | 20 |
| Lead, Total | 4.85 | 45.6 | 44.5 | 87 | | 43.3 | 87 | | 75-125 | 3 | 20 |
| Magnesium, Total | 4030 | 895 | 4970 | 105 | | 5390 | 158 | Q | 75-125 | 8 | 20 |
| Manganese, Total | 624. | 44.8 | 654 | 67 | Q | 719 | 220 | Q | 75-125 | 9 | 20 |
| Nickel, Total | 17.2 | 44.8 | 54.7 | 84 | | 56.1 | 90 | | 75-125 | 3 | 20 |
| Potassium, Total | 2220 | 895 | 3120 | 100 | | 3380 | 134 | Q | 75-125 | 8 | 20 |
| Selenium, Total | ND | 10.7 | 8.93 | 83 | | 8.26 | 80 | | 75-125 | 8 | 20 |
| Silver, Total | ND | 26.8 | 26.8 | 100 | | 25.6 | 99 | | 75-125 | 5 | 20 |
| Sodium, Total | 50.7J | 895 | 941 | 105 | | 908 | 105 | | 75-125 | 4 | 20 |
| Thallium, Total | ND | 10.7 | 9.70 | 90 | | 9.20 | 89 | | 75-125 | 5 | 20 |
| Vanadium, Total | 33.5 | 44.8 | 77.0 | 97 | | 79.6 | 107 | | 75-125 | 3 | 20 |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|--|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074609-3 WG1074609-4 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | |
| Zinc, Total | 53.0 | 44.8 | 95.0 | 94 | 101 | 111 | 75-125 | 6 | 20 |
| Total Metals - Mansfield Lab Associated sample(s): 01-08,10 QC Batch ID: WG1074717-3 WG1074717-4 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | | | | |
| Mercury, Total | ND | 0.141 | 0.20 | 142 | Q | 0.20 | 80-120 | 0 | 20 |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|---|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 QC Batch ID: WG1074850-3 QC Sample: L1745665-01 Client ID: MS Sample | | | | | | | | | |
| Aluminum, Total | ND | 2 | 2.24 | 112 | - | - | 75-125 | - | 20 |
| Antimony, Total | ND | 0.5 | 0.518 | 104 | - | - | 75-125 | - | 20 |
| Arsenic, Total | 0.003J | 0.12 | 0.004J | 0 | Q | - | 75-125 | - | 20 |
| Barium, Total | 0.090 | 2 | 2.11 | 101 | - | - | 75-125 | - | 20 |
| Beryllium, Total | ND | 0.05 | 0.050 | 100 | - | - | 75-125 | - | 20 |
| Cadmium, Total | ND | 0.051 | 0.047 | 93 | - | - | 75-125 | - | 20 |
| Calcium, Total | 70.2 | 10 | 77.2 | 70 | Q | - | 75-125 | - | 20 |
| Chromium, Total | 1.09 | 0.2 | 1.23 | 70 | Q | - | 75-125 | - | 20 |
| Cobalt, Total | ND | 0.5 | 0.459 | 92 | - | - | 75-125 | - | 20 |
| Copper, Total | ND | 0.25 | 0.250 | 100 | - | - | 75-125 | - | 20 |
| Iron, Total | 0.013J | 1 | 0.938 | 94 | - | - | 75-125 | - | 20 |
| Lead, Total | 0.004J | 0.51 | 0.003J | 0 | Q | - | 75-125 | - | 20 |
| Magnesium, Total | 13.2 | 10 | 22.3 | 91 | - | - | 75-125 | - | 20 |
| Manganese, Total | 0.051 | 0.5 | 0.481 | 86 | - | - | 75-125 | - | 20 |
| Nickel, Total | ND | 0.5 | 0.456 | 91 | - | - | 75-125 | - | 20 |
| Potassium, Total | 6.16 | 10 | 19.2 | 130 | Q | - | 75-125 | - | 20 |
| Selenium, Total | ND | 0.12 | ND | 0 | Q | - | 75-125 | - | 20 |
| Silver, Total | ND | 0.05 | 0.054 | 107 | - | - | 75-125 | - | 20 |
| Sodium, Total | 315. | 10 | 319 | 40 | Q | - | 75-125 | - | 20 |
| Thallium, Total | 0.003J | 0.12 | ND | 0 | Q | - | 75-125 | - | 20 |
| Vanadium, Total | ND | 0.5 | 0.499 | 100 | - | - | 75-125 | - | 20 |

Matrix Spike Analysis
Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|---|----------------------|-----------------|-----------------|---------------------|------------------|----------------------|------------------------|------------|-------------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 QC Batch ID: WG1074850-3 QC Sample: L1745665-01 Client ID: MS Sample | | | | | | | | | |
| Zinc, Total | 0.021J | 0.5 | 0.516 | 103 | - | - | 75-125 | - | 20 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample(s): 09 QC Batch ID: WG1074850-4 QC Sample: L1745665-01 Client ID: DUP Sample | | | | | | |
| Chromium, Total | 1.09 | 1.09 | mg/l | 0 | | 20 |
| Iron, Total | 0.013J | ND | mg/l | NC | | 20 |

INORGANICS & MISCELLANEOUS

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-01
 Client ID: SB001 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil

Date Collected: 12/11/17 09:00
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 93.5 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-02

Date Collected: 12/11/17 09:15

Client ID: SB001 (8-10)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.6 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-03

Date Collected: 12/11/17 09:40

Client ID: SB002 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 84.5 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-04

Date Collected: 12/11/17 09:50

Client ID: SB002 (7-9)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 89.1 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-05
 Client ID: SB003 (0-2)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil

Date Collected: 12/11/17 12:15
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 85.5 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-06

Date Collected: 12/11/17 12:25

Client ID: SB003 (7-9)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 87.2 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-07

Date Collected: 12/11/17 12:40

Client ID: SB004 (0-2)

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.3 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-08
 Client ID: SB004 (7-9)
 Sample Location: 718 E. 212TH ST., BRONX, NY
 Matrix: Soil

Date Collected: 12/11/17 12:50
 Date Received: 12/12/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.3 | | % | 0.100 | NA | 1 | - | 12/19/17 12:17 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

SAMPLE RESULTS

Lab ID: L1745804-10

Date Collected: 12/11/17 00:00

Client ID: DUP001

Date Received: 12/12/17

Sample Location: 718 E. 212TH ST., BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 90.2 | | % | 0.100 | NA | 1 | - | 12/16/17 11:48 | 121,2540G | RI |



Lab Duplicate Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1745804

Report Date: 12/21/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| General Chemistry - Westborough Lab Associated sample(s): 01-07,10 QC Batch ID: WG1073504-1 QC Sample: L1745804-04 Client ID: SB002 (7-9) | | | | | | |
| Solids, Total | 89.1 | 89.5 | % | 0 | | 20 |
| General Chemistry - Westborough Lab Associated sample(s): 08 QC Batch ID: WG1074313-1 QC Sample: L1746641-01 Client ID: DUP Sample | | | | | | |
| Solids, Total | 70.7 | 74.5 | % | 5 | | 20 |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

| Cooler | Custody Seal |
|--------|--------------|
| A | Absent |
| C | Absent |

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1745804-01A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-01B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-01C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-01D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-01E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-01F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-02A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-02B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-02C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-02D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-02E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-02F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-03A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-03B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-03C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-03D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1745804-03E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-03F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-04A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-04A1 | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-04A2 | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-04B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04B1 | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04B2 | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04C1 | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04C2 | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-04D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-04D1 | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-04D2 | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-04E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-04E1 | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-04E2 | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-04F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |

Project Name: BBU1702
Project Number: BBU1702

Serial_No:12211719:34
Lab Number: L1745804
Report Date: 12/21/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|--|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--|
| L1745804-04F1 | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-04F2 | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-05A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-05B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-05C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-05D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-05E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-05F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-06A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-06B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-06C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-06D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-06E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-06F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-07A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-07B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-07C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-07D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-07E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |

Project Name: BBU1702

Lab Number: L1745804

Project Number: BBU1702

Report Date: 12/21/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1745804-07F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-08A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-08B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-08C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-08D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |
| L1745804-08E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-08F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-09A | Vial HCl preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260(14) |
| L1745804-09B | Vial HCl preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260(14) |
| L1745804-09C | Vial HCl preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260(14) |
| L1745804-09D | Plastic 250ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | HOLD-METAL-DISSOLVED(180) |
| L1745804-09E | Plastic 250ml HNO3 preserved | C | <2 | <2 | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-09F | Amber 500ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8081(7) |
| L1745804-09G | Amber 500ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8081(7) |
| L1745804-09H | Amber 1000ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8082-1200ML(7) |
| L1745804-09I | Amber 1000ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8082-1200ML(7) |
| L1745804-09J | Amber 1000ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8270(7) |
| L1745804-09K | Amber 1000ml unpreserved | C | 7 | 7 | 2.7 | Y | Absent | | NYTCL-8270(7) |
| L1745804-10A | Vial MeOH preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1745804-10B | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-10C | Vial water preserved | A | NA | | 4.2 | Y | Absent | 13-DEC-17 08:02 | NYTCL-8260HLW(14) |
| L1745804-10D | Plastic 2oz unpreserved for TS | A | NA | | 4.2 | Y | Absent | | TS(7) |

Project Name: BBU1702
Project Number: BBU1702

Serial_No:12211719:34
Lab Number: L1745804
Report Date: 12/21/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|--|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--|
| L1745804-10E | Metals Only-Glass 60mL/2oz unpreserved | A | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1745804-10F | Glass 250ml/8oz unpreserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1745804-11A | Vial HCl preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260(14) |
| L1745804-11B | Vial HCl preserved | A | NA | | 4.2 | Y | Absent | | NYTCL-8260(14) |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

GLOSSARY

Acronyms

| | |
|----------|---|
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: DU Report with 'J' Qualifiers



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1745804
Report Date: 12/21/17

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water


EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.


EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

| | | | | | | | | | | | | |
|---|--|--|----------------|---|------------------------|---|-------------|---------------------------|-------------|--|---|--------------------|
|  NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | NEW YORK CHAIN OF CUSTODY Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288 | Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105 | Page 1 of 2 | Date Rec'd in Lab 12/31/17 | ALPHA Job # 1745804 | | | | | | | |
| | | Project Information Project Name: Project Location: 718 E. 212 nd St, Bronx, NY Project # BBV1702 (Use Project name as Project #) <input checked="" type="checkbox"/> | | Deliverables <input checked="" type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other | | Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # | | | | | | |
| Client Information Client: PWGC Address: 630 Johnson Ave Bohemia, NY 11716 Phone: 631-589-6353 Fax: _____ Email: thomas.m@pwgasser.com | | Project Manager: Thomas Melia ALPHAQuote #: Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days: | | Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge | | Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other: | | | | | | |
| These samples have been previously analyzed by Alpha <input type="checkbox"/> | | | | | | | | | | | | |
| Other project specific requirements/comments: | | | | | | | | | | | | |
| Please specify Metals or TAL. | | | | | | | | | | | | |
| ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCBs (8082) | TAL/ Metals (7471) | Sample Filtration | Total Bottles 6 |
| | | Date | Time | | | | | | | | <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below) Sample Specific Comments | |
| 45804-01 | SB001 (0-2) | 12-11-17 | 0900 | S | KC | x | x | x | x | x | | |
| -02 | SB001 (8-10) | | 0915 | | | | | | | | | |
| -03 | SB002 (0-2) | | 0940 | | | | | | | | | |
| -04 | SB002 (7-9) | | 0950 | | | | | | | | | |
| -04 | SB002 (7-9) MS | | 0950 | | | | | | | | | |
| -04 | SB002 (7-9) MSD | | 0950 | | | | | | | | | |
| -05 | SB003 (0-2) | | 1215 | | | | | | | | | |
| -06 | SB003 (7-9) | | 1225 | | | | | | | | | |
| -07 | SB004 (0-2) | | 1240 | | | | | | | | | |
| -08 | SB004 (7-9) | | 1250 | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | | Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle | | Westboro: Certification No: MA935 Mansfield: Certification No: MA015 | | Container Type O A A A A | | Preservative O A A A A | | Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.) | | |
| Relinquished By: [Signature] Date/Time: 12/12/17 1540 | | Received By: [Signature] Date/Time: 12/21/17 1540 | | Relinquished By: [Signature] Date/Time: 12/12/17 1940 | | Received By: [Signature] Date/Time: 12/13/17 0300 | | | | | | |

|  NEW YORK CHAIN OF CUSTODY | Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105 | Page 2 of 2 | Date Rec'd in Lab 12/13/17 | ALPHA Job # 11745801 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--------------------------------------|---|-----------------------------|--|------------|--|---------------|--|---------------|--|-------------------|-------------|-------------------------|--------------------------|---------------|-------------|-------------------------|--------------------------|---------------|--|--|--|----------|-----------------|----------|------|----|----|---|---|---|---|---|--|--|-----|--------|---|----|---|----|---|---|---|---|---|--|---|----|------------|----|----|----|----|---|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Information Project Name: Project Location: 718 E. 212th Street, Bronx Project # BBU1702 (Use Project name as Project #) <input type="checkbox"/> | | Deliverables <input checked="" type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other | | Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Client Information Client: PWG-C Address: 630 Johnson Ave Bohemia, NY 11716 Phone: 631-664-2016 Fax: _____ Email: thomasm@pwgrosser.com | | Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge | | Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days: | | ANALYSIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| These samples have been previously analyzed by Alpha <input type="checkbox"/> Other project specific requirements/comments: | | VOC (8260) SVOC (8270) Pesticides (8081) PCBs (8082) TAL Metals (6010, 7471) | | Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Please specify Metals or TAL. | | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th>VOC (8260)</th> <th>SVOC (8270)</th> <th>Pesticides (8081)</th> <th>PCBs (8082)</th> <th>TAL Metals (6010, 7471)</th> <th rowspan="2">Sample Specific Comments</th> <th rowspan="2" style="writing-mode: vertical-rl; text-orientation: mixed;">Total Bottles</th> </tr> <tr> <th>Date</th> <th>Time</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>45804-09</td> <td>Field Blank 001</td> <td>12-11-17</td> <td>1030</td> <td>WT</td> <td>KC</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>-10</td> <td>DUPO01</td> <td>↓</td> <td>XX</td> <td>S</td> <td>KC</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td>6</td> </tr> <tr> <td>71</td> <td>Trip Blank</td> <td>XX</td> <td>XX</td> <td>WT</td> <td>XX</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | | | ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCBs (8082) | TAL Metals (6010, 7471) | Sample Specific Comments | Total Bottles | Date | Time | | | | | | 45804-09 | Field Blank 001 | 12-11-17 | 1030 | WT | KC | X | X | X | X | X | | | -10 | DUPO01 | ↓ | XX | S | KC | X | X | X | X | X | | 6 | 71 | Trip Blank | XX | XX | WT | XX | X | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALPHA Lab ID (Lab Use Only) | Sample ID | | | | | | Collection | | | | Sample Matrix | Sampler's Initials | VOC (8260) | SVOC (8270) | Pesticides (8081) | | | PCBs (8082) | TAL Metals (6010, 7471) | Sample Specific Comments | Total Bottles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | Date | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45804-09 | Field Blank 001 | | | | 12-11-17 | 1030 | WT | KC | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -10 | DUPO01 | ↓ | XX | S | KC | X | X | X | X | X | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 71 | Trip Blank | XX | XX | WT | XX | X | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | | Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle | | Westboro: Certification No: MA935 Mansfield: Certification No: MA015 | | Container Type Preservative | | O A A A A O A A A A | | Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished By: _____ Date/Time: _____ | | Received By: _____ Date/Time: _____ | | Relinquished By: _____ Date/Time: _____ | | Received By: _____ Date/Time: _____ | | Relinquished By: _____ Date/Time: _____ | | Received By: _____ Date/Time: _____ | | Relinquished By: _____ Date/Time: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L1745989 |
| Client: | P. W. Grosser 630 Johnson Avenue Suite 7 Bohemia, NY 11716 |
| ATTN: | Thomas Melia |
| Phone: | (631) 589-6353 |
| Project Name: | Not Specified |
| Project Number: | BBU1702 |
| Report Date: | 12/20/17 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), NJ NELAP (MA015), CT (PH-0141), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-13-00067), USFWS (Permit #LE2069641).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|-----------------------------|---------------------------------|---------------------|
| L1745989-01 | VP001 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:24 | 12/13/17 |
| L1745989-02 | VP002 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:31 | 12/13/17 |
| L1745989-03 | VP003 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:23 | 12/13/17 |
| L1745989-04 | VP004 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:43 | 12/13/17 |
| L1745989-05 | VP005 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:52 | 12/13/17 |
| L1745989-06 | VP006 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 11:00 | 12/13/17 |
| L1745989-07 | VP007 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 09:54 | 12/13/17 |
| L1745989-08 | VP008 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:30 | 12/13/17 |
| L1745989-09 | AA001 | AIR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:32 | 12/13/17 |

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on December 8, 2017. The canister certification results are provided as an addendum.

L1745989-05 The presence of Acetone could not be determined in this sample due to a non-target compound interfering with the identification and quantification of this compound.

The WG1074501-3 LCS recoveries for benzyl chloride (134%), 1,2,4-trichlorobenzene (141%) and hexachlorobutadiene (143%) are above the upper 130% acceptance limit. All samples associated with this LCS do not have reportable amounts of these analytes.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 12/20/17

AIR

Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01
Client ID: VP001
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 21:24
Analyst: RY

Date Collected: 12/12/17 10:24
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.324 | 0.200 | -- | 1.60 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.97 | 0.200 | -- | 11.0 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 5.65 | 5.00 | -- | 10.6 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 23.3 | 1.00 | -- | 55.3 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.289 | 0.200 | -- | 1.62 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.11 | 0.500 | -- | 3.36 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 1.41 | 0.200 | -- | 4.39 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.339 | 0.200 | -- | 1.34 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 11.0 | 0.500 | -- | 32.4 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01
Client ID: VP001
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:24
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.459 | 0.200 | -- | 2.24 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.19 | 0.200 | -- | 7.72 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.43 | 0.200 | -- | 7.76 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.314 | 0.200 | -- | 1.08 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.961 | 0.200 | -- | 3.94 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 3.10 | 0.200 | -- | 11.7 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.60 | 0.200 | -- | 6.56 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 5.80 | 0.200 | -- | 39.3 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.790 | 0.200 | -- | 3.43 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.36 | 0.400 | -- | 10.3 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.384 | 0.200 | -- | 1.63 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01
 Client ID: VP001
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:24
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.872 | 0.200 | -- | 3.79 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | 0.237 | 0.200 | -- | 1.17 | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | 0.337 | 0.200 | -- | 1.66 | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.933 | 0.200 | -- | 4.59 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 75 | | 60-140 |
| Bromochloromethane | 83 | | 60-140 |
| chlorobenzene-d5 | 88 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02
Client ID: VP002
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 22:34
Analyst: RY

Date Collected: 12/12/17 10:31
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.436 | 0.200 | -- | 2.16 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.51 | 0.200 | -- | 9.98 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 33.6 | 1.00 | -- | 79.8 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.227 | 0.200 | -- | 1.28 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 2.03 | 0.500 | -- | 6.15 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 2.52 | 0.200 | -- | 7.85 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.454 | 0.200 | -- | 1.80 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 12.0 | 0.500 | -- | 35.4 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02
Client ID: VP002
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:31
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.889 | 0.200 | -- | 4.34 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.80 | 0.200 | -- | 9.87 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.68 | 0.200 | -- | 8.56 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.360 | 0.200 | -- | 1.24 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.994 | 0.200 | -- | 4.07 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 4.64 | 0.200 | -- | 17.5 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.72 | 0.200 | -- | 7.05 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 1.26 | 0.200 | -- | 8.54 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.937 | 0.200 | -- | 4.07 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.80 | 0.400 | -- | 12.2 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.474 | 0.200 | -- | 2.02 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02 Date Collected: 12/12/17 10:31
 Client ID: VP002 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.997 | 0.200 | -- | 4.33 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.464 | 0.200 | -- | 2.28 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 106 | | 60-140 |
| Bromochloromethane | 96 | | 60-140 |
| chlorobenzene-d5 | 101 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03
Client ID: VP003
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 23:09
Analyst: RY

Date Collected: 12/12/17 10:23
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.217 | 0.200 | -- | 1.07 | 0.989 | -- | | 1 |
| Chloromethane | 0.218 | 0.200 | -- | 0.450 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.23 | 0.200 | -- | 9.36 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 6.92 | 5.00 | -- | 13.0 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 59.6 | 1.00 | -- | 142 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 0.996 | 0.500 | -- | 3.02 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 1.96 | 0.200 | -- | 6.10 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.263 | 0.200 | -- | 1.04 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 14.5 | 0.500 | -- | 42.8 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03
Client ID: VP003
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:23
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.461 | 0.200 | -- | 2.25 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.15 | 0.200 | -- | 7.58 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 1.83 | 0.200 | -- | 5.85 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 2.99 | 0.200 | -- | 10.3 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.577 | 0.200 | -- | 2.36 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.88 | 0.200 | -- | 7.08 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.72 | 0.200 | -- | 7.05 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.458 | 0.200 | -- | 1.99 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.54 | 0.400 | -- | 6.69 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.382 | 0.200 | -- | 1.63 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03 Date Collected: 12/12/17 10:23
 Client ID: VP003 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.574 | 0.200 | -- | 2.49 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.358 | 0.200 | -- | 1.76 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 116 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 106 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04
Client ID: VP004
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 23:43
Analyst: RY

Date Collected: 12/12/17 10:43
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.341 | 0.200 | -- | 1.69 | 0.989 | -- | | 1 |
| Chloromethane | 0.580 | 0.200 | -- | 1.20 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 27.3 | 5.00 | -- | 51.4 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 121 | 1.00 | -- | 287 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.222 | 0.200 | -- | 1.25 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 0.657 | 0.500 | -- | 1.99 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 21.2 | 0.500 | -- | 62.5 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | 0.900 | 0.500 | -- | 3.24 | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04
Client ID: VP004
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:43
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.260 | 0.200 | -- | 0.831 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.689 | 0.200 | -- | 2.60 | 0.754 | -- | | 1 |
| 2-Hexanone | 2.16 | 0.200 | -- | 8.85 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.850 | 0.200 | -- | 3.69 | 0.869 | -- | | 1 |
| p/m-Xylene | 0.992 | 0.400 | -- | 4.31 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 1.01 | 0.200 | -- | 4.30 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04 Date Collected: 12/12/17 10:43
 Client ID: VP004 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.361 | 0.200 | -- | 1.57 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.349 | 0.200 | -- | 1.72 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 109 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 105 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05
Client ID: VP005
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 00:18
Analyst: RY

Date Collected: 12/12/17 10:52
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.229 | 0.200 | -- | 1.13 | 0.989 | -- | | 1 |
| Chloromethane | 0.287 | 0.200 | -- | 0.593 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 1.84 | 0.200 | -- | 4.07 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 2.58 | 0.200 | -- | 8.03 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 3.80 | 0.500 | -- | 11.2 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05
 Client ID: VP005
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:52
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.471 | 0.200 | -- | 2.30 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.85 | 0.200 | -- | 10.0 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 1.63 | 0.200 | -- | 5.21 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.931 | 0.200 | -- | 3.20 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 1.22 | 0.200 | -- | 5.00 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.25 | 0.200 | -- | 4.71 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.291 | 0.200 | -- | 1.19 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.373 | 0.200 | -- | 1.62 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.53 | 0.400 | -- | 6.65 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.391 | 0.200 | -- | 1.66 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05 Date Collected: 12/12/17 10:52
 Client ID: VP005 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.636 | 0.200 | -- | 2.76 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.446 | 0.200 | -- | 2.19 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 111 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 108 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06
Client ID: VP006
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 00:53
Analyst: RY

Date Collected: 12/12/17 11:00
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | 0.236 | 0.200 | -- | 0.487 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 22.8 | 0.200 | -- | 50.4 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 65.4 | 1.00 | -- | 155 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.284 | 0.200 | -- | 1.60 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.00 | 0.500 | -- | 3.03 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 32.7 | 0.200 | -- | 102 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.752 | 0.200 | -- | 2.98 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 19.0 | 0.500 | -- | 56.0 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06
Client ID: VP006
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 11:00
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.736 | 0.200 | -- | 3.59 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 11.6 | 0.200 | -- | 40.9 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.70 | 0.200 | -- | 8.63 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 1.99 | 0.200 | -- | 6.85 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 3.33 | 0.200 | -- | 13.6 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 4.64 | 0.200 | -- | 17.5 | 0.754 | -- | | 1 |
| 2-Hexanone | 2.00 | 0.200 | -- | 8.20 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 0.519 | 0.200 | -- | 3.52 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.887 | 0.200 | -- | 3.85 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.54 | 0.400 | -- | 11.0 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.510 | 0.200 | -- | 2.17 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06 Date Collected: 12/12/17 11:00
 Client ID: VP006 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.921 | 0.200 | -- | 4.00 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.452 | 0.200 | -- | 2.22 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 114 | | 60-140 |
| Bromochloromethane | 110 | | 60-140 |
| chlorobenzene-d5 | 118 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
Client ID: VP007
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 01:27
Analyst: RY

Date Collected: 12/12/17 09:54
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.363 | 0.200 | -- | 1.79 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 20.1 | 1.00 | -- | 47.7 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.228 | 0.200 | -- | 1.28 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.34 | 0.500 | -- | 4.06 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 0.674 | 0.200 | -- | 2.10 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 3.92 | 0.500 | -- | 11.6 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
 Client ID: VP007
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 09:54
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.488 | 0.200 | -- | 2.38 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.394 | 0.200 | -- | 1.26 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.732 | 0.200 | -- | 2.76 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.336 | 0.200 | -- | 1.38 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 2.79 | 0.200 | -- | 18.9 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.305 | 0.200 | -- | 1.32 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.36 | 0.400 | -- | 5.91 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.286 | 0.200 | -- | 1.22 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
Client ID: VP007
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 09:54
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.463 | 0.200 | -- | 2.01 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.461 | 0.200 | -- | 2.27 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 106 | | 60-140 |
| Bromochloromethane | 112 | | 60-140 |
| chlorobenzene-d5 | 113 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08
Client ID: VP008
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 02:02
Analyst: RY

Date Collected: 12/12/17 10:30
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.352 | 0.200 | -- | 1.74 | 0.989 | -- | | 1 |
| Chloromethane | 0.362 | 0.200 | -- | 0.748 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 26.8 | 1.00 | -- | 63.7 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.217 | 0.200 | -- | 1.22 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 5.34 | 0.500 | -- | 15.7 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08
Client ID: VP008
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:30
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.215 | 0.200 | -- | 0.687 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.441 | 0.200 | -- | 1.66 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.314 | 0.200 | -- | 1.29 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | 0.521 | 0.400 | -- | 2.26 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08 Date Collected: 12/12/17 10:30
 Client ID: VP008 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.200 | 0.200 | -- | 0.869 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 107 | | 60-140 |
| Bromochloromethane | 114 | | 60-140 |
| chlorobenzene-d5 | 113 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09
Client ID: AA001
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 16:46
Analyst: RY

Date Collected: 12/12/17 10:32
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.283 | 0.200 | -- | 1.40 | 0.989 | -- | | 1 |
| Chloromethane | 0.523 | 0.200 | -- | 1.08 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 2.04 | 1.00 | -- | 4.85 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | 0.577 | 0.500 | -- | 1.42 | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09
Client ID: AA001
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:32
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.544 | 0.200 | -- | 1.74 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.215 | 0.200 | -- | 0.810 | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.575 | 0.200 | -- | 2.50 | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09 Date Collected: 12/12/17 10:32
 Client ID: AA001 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.376 | 0.200 | -- | 1.85 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 78 | | 60-140 |
| Bromochloromethane | 93 | | 60-140 |
| chlorobenzene-d5 | 86 | | 60-140 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds



Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| Chlorodifluoromethane | 84 | | - | | 70-130 | - | | |
| Propylene | 90 | | - | | 70-130 | - | | |
| Propane | 63 | Q | - | | 70-130 | - | | |
| Dichlorodifluoromethane | 70 | | - | | 70-130 | - | | |
| Chloromethane | 92 | | - | | 70-130 | - | | |
| 1,2-Dichloro-1,1,2,2-tetrafluoroethane | 103 | | - | | 70-130 | - | | |
| Methanol | 79 | | - | | 70-130 | - | | |
| Vinyl chloride | 96 | | - | | 70-130 | - | | |
| 1,3-Butadiene | 98 | | - | | 70-130 | - | | |
| Butane | 81 | | - | | 70-130 | - | | |
| Bromomethane | 104 | | - | | 70-130 | - | | |
| Chloroethane | 99 | | - | | 70-130 | - | | |
| Ethyl Alcohol | 88 | | - | | 70-130 | - | | |
| Dichlorofluoromethane | 93 | | - | | 70-130 | - | | |
| Vinyl bromide | 107 | | - | | 70-130 | - | | |
| Acrolein | 92 | | - | | 70-130 | - | | |
| Acetone | 101 | | - | | 70-130 | - | | |
| Acetonitrile | 83 | | - | | 70-130 | - | | |
| Trichlorofluoromethane | 113 | | - | | 70-130 | - | | |
| iso-Propyl Alcohol | 101 | | - | | 70-130 | - | | |
| Acrylonitrile | 92 | | - | | 70-130 | - | | |
| Pentane | 87 | | - | | 70-130 | - | | |
| Ethyl ether | 88 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| 1,1-Dichloroethene | 100 | | - | | 70-130 | - | | |
| tert-Butyl Alcohol | 97 | | - | | 70-130 | - | | |
| Methylene chloride | 103 | | - | | 70-130 | - | | |
| 3-Chloropropene | 101 | | - | | 70-130 | - | | |
| Carbon disulfide | 97 | | - | | 70-130 | - | | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 105 | | - | | 70-130 | - | | |
| trans-1,2-Dichloroethene | 96 | | - | | 70-130 | - | | |
| 1,1-Dichloroethane | 100 | | - | | 70-130 | - | | |
| Methyl tert butyl ether | 98 | | - | | 70-130 | - | | |
| Vinyl acetate | 122 | | - | | 70-130 | - | | |
| 2-Butanone | 96 | | - | | 70-130 | - | | |
| cis-1,2-Dichloroethene | 96 | | - | | 70-130 | - | | |
| Ethyl Acetate | 115 | | - | | 70-130 | - | | |
| Chloroform | 109 | | - | | 70-130 | - | | |
| Tetrahydrofuran | 95 | | - | | 70-130 | - | | |
| 2,2-Dichloropropane | 103 | | - | | 70-130 | - | | |
| 1,2-Dichloroethane | 102 | | - | | 70-130 | - | | |
| n-Hexane | 93 | | - | | 70-130 | - | | |
| Isopropyl Ether | 86 | | - | | 70-130 | - | | |
| Ethyl-Tert-Butyl-Ether | 84 | | - | | 70-130 | - | | |
| 1,1,1-Trichloroethane | 102 | | - | | 70-130 | - | | |
| 1,1-Dichloropropene | 84 | | - | | 70-130 | - | | |
| Benzene | 92 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| Carbon tetrachloride | 105 | | - | | 70-130 | - | | |
| Cyclohexane | 87 | | - | | 70-130 | - | | |
| Tertiary-Amyl Methyl Ether | 89 | | - | | 70-130 | - | | |
| Dibromomethane | 89 | | - | | 70-130 | - | | |
| 1,2-Dichloropropane | 92 | | - | | 70-130 | - | | |
| Bromodichloromethane | 100 | | - | | 70-130 | - | | |
| 1,4-Dioxane | 94 | | - | | 70-130 | - | | |
| Trichloroethene | 100 | | - | | 70-130 | - | | |
| 2,2,4-Trimethylpentane | 96 | | - | | 70-130 | - | | |
| Methyl Methacrylate | 94 | | - | | 70-130 | - | | |
| Heptane | 92 | | - | | 70-130 | - | | |
| cis-1,3-Dichloropropene | 100 | | - | | 70-130 | - | | |
| 4-Methyl-2-pentanone | 96 | | - | | 70-130 | - | | |
| trans-1,3-Dichloropropene | 87 | | - | | 70-130 | - | | |
| 1,1,2-Trichloroethane | 99 | | - | | 70-130 | - | | |
| Toluene | 106 | | - | | 70-130 | - | | |
| 1,3-Dichloropropane | 100 | | - | | 70-130 | - | | |
| 2-Hexanone | 105 | | - | | 70-130 | - | | |
| Dibromochloromethane | 121 | | - | | 70-130 | - | | |
| 1,2-Dibromoethane | 113 | | - | | 70-130 | - | | |
| Butyl Acetate | 101 | | - | | 70-130 | - | | |
| Octane | 98 | | - | | 70-130 | - | | |
| Tetrachloroethene | 116 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 110 | | - | | 70-130 | - | | |
| Chlorobenzene | 114 | | - | | 70-130 | - | | |
| Ethylbenzene | 108 | | - | | 70-130 | - | | |
| p/m-Xylene | 112 | | - | | 70-130 | - | | |
| Bromoform | 128 | | - | | 70-130 | - | | |
| Styrene | 112 | | - | | 70-130 | - | | |
| 1,1,1,2-Tetrachloroethane | 118 | | - | | 70-130 | - | | |
| o-Xylene | 116 | | - | | 70-130 | - | | |
| 1,2,3-Trichloropropane | 106 | | - | | 70-130 | - | | |
| Nonane (C9) | 102 | | - | | 70-130 | - | | |
| Isopropylbenzene | 112 | | - | | 70-130 | - | | |
| Bromobenzene | 104 | | - | | 70-130 | - | | |
| o-Chlorotoluene | 110 | | - | | 70-130 | - | | |
| n-Propylbenzene | 114 | | - | | 70-130 | - | | |
| p-Chlorotoluene | 105 | | - | | 70-130 | - | | |
| 4-Ethyltoluene | 115 | | - | | 70-130 | - | | |
| 1,3,5-Trimethylbenzene | 120 | | - | | 70-130 | - | | |
| tert-Butylbenzene | 115 | | - | | 70-130 | - | | |
| 1,2,4-Trimethylbenzene | 124 | | - | | 70-130 | - | | |
| Decane (C10) | 110 | | - | | 70-130 | - | | |
| Benzyl chloride | 134 | Q | - | | 70-130 | - | | |
| 1,3-Dichlorobenzene | 126 | | - | | 70-130 | - | | |
| 1,4-Dichlorobenzene | 124 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| sec-Butylbenzene | 116 | | - | | 70-130 | - | | |
| p-Isopropyltoluene | 109 | | - | | 70-130 | - | | |
| 1,2-Dichlorobenzene | 128 | | - | | 70-130 | - | | |
| n-Butylbenzene | 119 | | - | | 70-130 | - | | |
| 1,2-Dibromo-3-chloropropane | 109 | | - | | 70-130 | - | | |
| Undecane | 114 | | - | | 70-130 | - | | |
| Dodecane (C12) | 113 | | - | | 70-130 | - | | |
| 1,2,4-Trichlorobenzene | 141 | Q | - | | 70-130 | - | | |
| Naphthalene | 116 | | - | | 70-130 | - | | |
| 1,2,3-Trichlorobenzene | 124 | | - | | 70-130 | - | | |
| Hexachlorobutadiene | 143 | Q | - | | 70-130 | - | | |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| Dichlorodifluoromethane | 0.324 | 0.410 | ppbV | 23 | | 25 |
| Chloromethane | ND | ND | ppbV | NC | | 25 |
| Freon-114 | ND | ND | ppbV | NC | | 25 |
| Vinyl chloride | ND | ND | ppbV | NC | | 25 |
| 1,3-Butadiene | 4.97 | 5.50 | ppbV | 10 | | 25 |
| Bromomethane | ND | ND | ppbV | NC | | 25 |
| Chloroethane | ND | ND | ppbV | NC | | 25 |
| Ethanol | 5.65 | 5.66 | ppbV | 0 | | 25 |
| Vinyl bromide | ND | ND | ppbV | NC | | 25 |
| Acetone | 23.3 | 23.7 | ppbV | 2 | | 25 |
| Trichlorofluoromethane | 0.289 | 0.323 | ppbV | 11 | | 25 |
| Isopropanol | ND | ND | ppbV | NC | | 25 |
| 1,1-Dichloroethene | ND | ND | ppbV | NC | | 25 |
| Tertiary butyl Alcohol | 1.11 | 1.22 | ppbV | 9 | | 25 |
| Methylene chloride | ND | ND | ppbV | NC | | 25 |
| 3-Chloropropene | ND | ND | ppbV | NC | | 25 |
| Carbon disulfide | 1.41 | 1.50 | ppbV | 6 | | 25 |
| Freon-113 | ND | ND | ppbV | NC | | 25 |
| trans-1,2-Dichloroethene | 0.339 | 0.278 | ppbV | 20 | | 25 |
| 1,1-Dichloroethane | ND | ND | ppbV | NC | | 25 |
| Methyl tert butyl ether | ND | ND | ppbV | NC | | 25 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| 2-Butanone | 11.0 | 11.2 | ppbV | 2 | | 25 |
| cis-1,2-Dichloroethene | ND | ND | ppbV | NC | | 25 |
| Ethyl Acetate | ND | ND | ppbV | NC | | 25 |
| Chloroform | 0.459 | 0.494 | ppbV | 7 | | 25 |
| Tetrahydrofuran | ND | ND | ppbV | NC | | 25 |
| 1,2-Dichloroethane | ND | ND | ppbV | NC | | 25 |
| n-Hexane | 2.19 | 2.23 | ppbV | 2 | | 25 |
| 1,1,1-Trichloroethane | ND | ND | ppbV | NC | | 25 |
| Benzene | 2.43 | 2.26 | ppbV | 7 | | 25 |
| Carbon tetrachloride | ND | ND | ppbV | NC | | 25 |
| Cyclohexane | 0.314 | 0.301 | ppbV | 4 | | 25 |
| 1,2-Dichloropropane | ND | ND | ppbV | NC | | 25 |
| Bromodichloromethane | ND | ND | ppbV | NC | | 25 |
| 1,4-Dioxane | ND | ND | ppbV | NC | | 25 |
| Trichloroethene | ND | ND | ppbV | NC | | 25 |
| 2,2,4-Trimethylpentane | ND | ND | ppbV | NC | | 25 |
| Heptane | 0.961 | 0.983 | ppbV | 2 | | 25 |
| cis-1,3-Dichloropropene | ND | ND | ppbV | NC | | 25 |
| 4-Methyl-2-pentanone | ND | ND | ppbV | NC | | 25 |
| trans-1,3-Dichloropropene | ND | ND | ppbV | NC | | 25 |
| 1,1,2-Trichloroethane | ND | ND | ppbV | NC | | 25 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| Toluene | 3.10 | 3.41 | ppbV | 10 | | 25 |
| 2-Hexanone | 1.60 | 1.72 | ppbV | 7 | | 25 |
| Dibromochloromethane | ND | ND | ppbV | NC | | 25 |
| 1,2-Dibromoethane | ND | ND | ppbV | NC | | 25 |
| Tetrachloroethene | 5.80 | 6.72 | ppbV | 15 | | 25 |
| Chlorobenzene | ND | ND | ppbV | NC | | 25 |
| Ethylbenzene | 0.790 | 0.926 | ppbV | 16 | | 25 |
| p/m-Xylene | 2.36 | 2.61 | ppbV | 10 | | 25 |
| Bromoform | ND | ND | ppbV | NC | | 25 |
| Styrene | 0.384 | 0.444 | ppbV | 14 | | 25 |
| 1,1,2,2-Tetrachloroethane | ND | ND | ppbV | NC | | 25 |
| o-Xylene | 0.872 | 1.02 | ppbV | 16 | | 25 |
| 4-Ethyltoluene | 0.237 | 0.268 | ppbV | 12 | | 25 |
| 1,3,5-Trimethylbenzene | 0.337 | 0.372 | ppbV | 10 | | 25 |
| 1,2,4-Trimethylbenzene | 0.933 | 1.05 | ppbV | 12 | | 25 |
| Benzyl chloride | ND | ND | ppbV | NC | | 25 |
| 1,3-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,4-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,2-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,2,4-Trichlorobenzene | ND | ND | ppbV | NC | | 25 |
| Hexachlorobutadiene | ND | ND | ppbV | NC | | 25 |

Project Name:

Serial_No:12201715:53
Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Canister and Flow Controller Information

| Samplenum | Client ID | Media ID | Media Type | Date Prepared | Bottle Order | Cleaning Batch ID | Can Leak Check | Initial Pressure (in. Hg) | Pressure on Receipt (in. Hg) | Flow Controller Leak Chk | Flow Out mL/min | Flow In mL/min | % RPD |
|-------------|-----------|----------|------------|---------------|--------------|-------------------|----------------|---------------------------|------------------------------|--------------------------|-----------------|----------------|-------|
| L1745989-01 | VP001 | 0258 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 17.3 | 16.0 | 8 |
| L1745989-01 | VP001 | 194 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.4 | - | - | - | - |
| L1745989-02 | VP002 | 0235 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.2 | 1 |
| L1745989-02 | VP002 | 2246 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.3 | - | - | - | - |
| L1745989-03 | VP003 | 0216 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 17.9 | 18.6 | 4 |
| L1745989-03 | VP003 | 2241 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -29.2 | -4.6 | - | - | - | - |
| L1745989-04 | VP004 | 0972 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.1 | 1 |
| L1745989-04 | VP004 | 2026 | 2.7L Can | 12/08/17 | 254947 | L1744737-01 | Pass | -30.0 | -6.3 | - | - | - | - |
| L1745989-05 | VP005 | 0959 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 17.9 | 1 |
| L1745989-05 | VP005 | 182 | 2.7L Can | 12/08/17 | 254947 | L1744737-01 | Pass | -30.0 | -3.3 | - | - | - | - |
| L1745989-06 | VP006 | 0543 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.1 | 1 |
| L1745989-06 | VP006 | 347 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.1 | - | - | - | - |
| L1745989-07 | VP007 | 0277 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 39.1 | 74 |
| L1745989-07 | VP007 | 2297 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -3.7 | - | - | - | - |
| L1745989-08 | VP008 | 0973 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.2 | 1 |



Project Name:

Project Number: BBU1702

Serial_No:12201715:53
Lab Number: L1745989

Report Date: 12/20/17

Canister and Flow Controller Information

| Samplenum | Client ID | Media ID | Media Type | Date Prepared | Bottle Order | Cleaning Batch ID | Can Leak Check | Initial Pressure (in. Hg) | Pressure on Receipt (in. Hg) | Flow Controller Leak Chk | Flow Out mL/min | Flow In mL/min | % RPD |
|-------------|-----------|----------|------------|---------------|--------------|-------------------|----------------|---------------------------|------------------------------|--------------------------|-----------------|----------------|-------|
| L1745989-08 | VP008 | 539 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | 0.0 | - | - | - | - |
| L1745989-09 | AA001 | 0575 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 17.9 | 19.1 | 6 |
| L1745989-09 | AA001 | 346 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -3.0 | - | - | - | - |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/06/17 15:48
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chlorodifluoromethane | ND | 0.200 | -- | ND | 0.707 | -- | | 1 |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Propane | ND | 0.500 | -- | ND | 0.902 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Methanol | ND | 5.00 | -- | ND | 6.55 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Butane | ND | 0.200 | -- | ND | 0.475 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Dichlorofluoromethane | ND | 0.200 | -- | ND | 0.842 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acrolein | ND | 0.500 | -- | ND | 1.15 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Acetonitrile | ND | 0.200 | -- | ND | 0.336 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| Pentane | ND | 0.200 | -- | ND | 0.590 | -- | | 1 |
| Ethyl ether | ND | 0.200 | -- | ND | 0.606 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 2,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| Diisopropyl ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| tert-Butyl Ethyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| tert-Amyl Methyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| Dibromomethane | ND | 0.200 | -- | ND | 1.42 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Methyl Methacrylate | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 1,3-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Butyl acetate | ND | 0.500 | -- | ND | 2.38 | -- | | 1 |
| Octane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 1,2,3-Trichloropropane | ND | 0.200 | -- | ND | 1.21 | -- | | 1 |
| Nonane | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Bromobenzene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 2-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| n-Propylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| tert-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Decane | ND | 0.200 | -- | ND | 1.16 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dibromo-3-chloropropane | ND | 0.200 | -- | ND | 1.93 | -- | | 1 |
| Undecane | ND | 0.200 | -- | ND | 1.28 | -- | | 1 |
| Dodecane | ND | 0.200 | -- | ND | 1.39 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Naphthalene | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1744737**Project Number:** CANISTER QC BAT**Report Date:** 12/20/17**Air Canister Certification Results**

Lab ID: L1744737-01

Date Collected: 12/05/17 16:00

Client ID: CAN 177 SHELF 3

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|----|-----|---------|----|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 90 | | 60-140 |
| Bromochloromethane | 96 | | 60-140 |
| chlorobenzene-d5 | 91 | | 60-140 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/06/17 15:48
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.050 | -- | ND | 0.349 | -- | | 1 |
| Vinyl chloride | ND | 0.020 | -- | ND | 0.051 | -- | | 1 |
| 1,3-Butadiene | ND | 0.020 | -- | ND | 0.044 | -- | | 1 |
| Bromomethane | ND | 0.020 | -- | ND | 0.078 | -- | | 1 |
| Chloroethane | ND | 0.100 | -- | ND | 0.264 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.050 | -- | ND | 0.281 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| Freon-113 | ND | 0.050 | -- | ND | 0.383 | -- | | 1 |
| Halothane | ND | 0.050 | -- | ND | 0.404 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Chloroform | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Benzene | ND | 0.100 | -- | ND | 0.319 | -- | | 1 |
| Carbon tetrachloride | ND | 0.020 | -- | ND | 0.126 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.020 | -- | ND | 0.092 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Bromodichloromethane | ND | 0.020 | -- | ND | 0.134 | -- | | 1 |
| 1,4-Dioxane | ND | 0.100 | -- | ND | 0.360 | -- | | 1 |
| Trichloroethene | ND | 0.020 | -- | ND | 0.107 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Toluene | ND | 0.050 | -- | ND | 0.188 | -- | | 1 |
| Dibromochloromethane | ND | 0.020 | -- | ND | 0.170 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.020 | -- | ND | 0.154 | -- | | 1 |
| Tetrachloroethene | ND | 0.020 | -- | ND | 0.136 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| Chlorobenzene | ND | 0.100 | -- | ND | 0.461 | -- | | 1 |
| Ethylbenzene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| p/m-Xylene | ND | 0.040 | -- | ND | 0.174 | -- | | 1 |
| Bromoform | ND | 0.020 | -- | ND | 0.207 | -- | | 1 |
| Styrene | ND | 0.020 | -- | ND | 0.085 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| o-Xylene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01

Date Collected: 12/05/17 16:00

Client ID: CAN 177 SHELF 3

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Naphthalene | ND | 0.050 | -- | ND | 0.262 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.050 | -- | ND | 0.533 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-difluorobenzene | 90 | | 60-140 |
| bromochloromethane | 93 | | 60-140 |
| chlorobenzene-d5 | 92 | | 60-140 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/06/17 16:20
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chlorodifluoromethane | ND | 0.200 | -- | ND | 0.707 | -- | | 1 |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Propane | ND | 0.500 | -- | ND | 0.902 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Methanol | ND | 5.00 | -- | ND | 6.55 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Butane | ND | 0.200 | -- | ND | 0.475 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Dichlorofluoromethane | ND | 0.200 | -- | ND | 0.842 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acrolein | ND | 0.500 | -- | ND | 1.15 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Acetonitrile | ND | 0.200 | -- | ND | 0.336 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| Pentane | ND | 0.200 | -- | ND | 0.590 | -- | | 1 |
| Ethyl ether | ND | 0.200 | -- | ND | 0.606 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 2,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| Diisopropyl ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| tert-Butyl Ethyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| tert-Amyl Methyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| Dibromomethane | ND | 0.200 | -- | ND | 1.42 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Methyl Methacrylate | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 1,3-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Butyl acetate | ND | 0.500 | -- | ND | 2.38 | -- | | 1 |
| Octane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 1,2,3-Trichloropropane | ND | 0.200 | -- | ND | 1.21 | -- | | 1 |
| Nonane | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Bromobenzene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 2-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| n-Propylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| tert-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Decane | ND | 0.200 | -- | ND | 1.16 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dibromo-3-chloropropane | ND | 0.200 | -- | ND | 1.93 | -- | | 1 |
| Undecane | ND | 0.200 | -- | ND | 1.28 | -- | | 1 |
| Dodecane | ND | 0.200 | -- | ND | 1.39 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Naphthalene | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| | Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|---------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | | |

No Tentatively Identified Compounds



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1744737**Project Number:** CANISTER QC BAT**Report Date:** 12/20/17**Air Canister Certification Results**

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|----|-----|---------|----|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 87 | | 60-140 |
| Bromochloromethane | 94 | | 60-140 |
| chlorobenzene-d5 | 88 | | 60-140 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/06/17 16:20
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.050 | -- | ND | 0.349 | -- | | 1 |
| Vinyl chloride | ND | 0.020 | -- | ND | 0.051 | -- | | 1 |
| 1,3-Butadiene | ND | 0.020 | -- | ND | 0.044 | -- | | 1 |
| Bromomethane | ND | 0.020 | -- | ND | 0.078 | -- | | 1 |
| Chloroethane | ND | 0.100 | -- | ND | 0.264 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.050 | -- | ND | 0.281 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| Freon-113 | ND | 0.050 | -- | ND | 0.383 | -- | | 1 |
| Halothane | ND | 0.050 | -- | ND | 0.404 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Chloroform | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Benzene | ND | 0.100 | -- | ND | 0.319 | -- | | 1 |
| Carbon tetrachloride | ND | 0.020 | -- | ND | 0.126 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.020 | -- | ND | 0.092 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02 Date Collected: 12/05/17 16:00
 Client ID: CAN 401 SHELF 9 Date Received: 12/06/17
 Sample Location: Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Bromodichloromethane | ND | 0.020 | -- | ND | 0.134 | -- | | 1 |
| 1,4-Dioxane | ND | 0.100 | -- | ND | 0.360 | -- | | 1 |
| Trichloroethene | ND | 0.020 | -- | ND | 0.107 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Toluene | ND | 0.050 | -- | ND | 0.188 | -- | | 1 |
| Dibromochloromethane | ND | 0.020 | -- | ND | 0.170 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.020 | -- | ND | 0.154 | -- | | 1 |
| Tetrachloroethene | ND | 0.020 | -- | ND | 0.136 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| Chlorobenzene | ND | 0.100 | -- | ND | 0.461 | -- | | 1 |
| Ethylbenzene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| p/m-Xylene | ND | 0.040 | -- | ND | 0.174 | -- | | 1 |
| Bromoform | ND | 0.020 | -- | ND | 0.207 | -- | | 1 |
| Styrene | ND | 0.020 | -- | ND | 0.085 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| o-Xylene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Naphthalene | ND | 0.050 | -- | ND | 0.262 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.050 | -- | ND | 0.533 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-difluorobenzene | 88 | | 60-140 |
| bromochloromethane | 92 | | 60-140 |
| chlorobenzene-d5 | 90 | | 60-140 |



Project Name: Not Specified**Lab Number:** L1745989**Project Number:** BBU1702**Report Date:** 12/20/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Absent

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-----------------------|---------------------|-----------------------|-------------|-------------|-----------------------------|--------------------|
| L1745989-01A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-02A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-03A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-04A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-05A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-06A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-07A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-08A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-09A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

GLOSSARY

Acronyms

| | |
|----------|---|
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



AIR ANALYSIS

PAGE 1 OF 1

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: PWGC
 Address: 630 Johnson Ave
 Bohemia, NY 11716
 Phone: 631-589-6353
 Fax: _____
 Email: thomasm@pwgrosser.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Project Information

Project Name:
 Project Location: 718 E. 212th St, Bronx
 Project #: BBU1702
 Project Manager: Thomas Melia
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: _____ Time: _____

Date Rec'd in Lab: 12/14/17

ALPHA Job #: L745989

Report Information - Data Deliverables

FAX
 ADEx
 Criteria Checker: _____
(Default based on Regulatory Criteria Indicated)
 Other Formats: _____
 EMAIL (standard pdf report)
 Additional Deliverables: _____
 Report to: (if different than Project Manager)

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

| State/Fed | Program | Res / Comm |
|-----------|---------|------------|
| | | |
| | | |
| | | |
| | | |

All Columns Below Must Be Filled Out

| ALPHA Lab ID (Lab Use Only) | Sample ID | COLLECTION | | | | | Sample Matrix* | Sampler's Initials | Can Size | ID Can | ID - Flow Controller | TO-15 | TO-15 SIM | APH <small>Subtract Non-petroleum HCs</small> | Fixed Gases | Sulfides & Mercaptans by TO-15 | Sample Comments (i.e. PID) |
|--------------------------------|-----------|------------|------------|----------|----------------|--------------|----------------|--------------------|----------|--------|----------------------|-------|-----------|---|-------------|--------------------------------|--|
| | | End Date | Start Time | End Time | Initial Vacuum | Final Vacuum | | | | | | | | | | | |
| 45989.01 | VP001 | 12-12-17 | 0810 | 1024 | -29.4 | -6.1 | SV | KC | 2.7L | 194 | 0258 | X | | | | | |
| .02 | VP002 | | 0829 | 1031 | -29.74 | -5.75 | | | | | 2246 | 0235 | | | | | |
| .03 | VP003 | | 0835 | 1023 | -28.85 | -5.16 | | | | | 0216 | 2241 | | | | | Can ID and flow control IDs are swapped once |
| .04 | VP004 | | 0843 | 1043 | -29.6 | -6.92 | | | | | 2026 | 0972 | | | | | |
| .05 | VP005 | | 0852 | 1052 | -29.81 | -4.14 | | | | | 182 | 0959 | | | | | |
| .06 | VP006 | | 0902 | 1100 | -29.33 | -5.65 | | | | | 347 | 0543 | | | | | |
| .07 | VP007 | | 0856 | 0954 | -29.16 | -4.32 | | | | | 2297 | 0277 | | | | | |
| .08 | VP008 | | 0917 | 1030 | -30.22 | 0 | | | | | 539 | 0973 | | | | | |
| .09 | AA001 | | 0827 | 1032 | -29.38 | -3.77 | AA | | | | 346 | 0575 | | | | | |

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type

CS

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:

Date/Time

Received By:

Date/Time



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L1745989 |
| Client: | P. W. Grosser 630 Johnson Avenue Suite 7 Bohemia, NY 11716 |
| ATTN: | Thomas Melia |
| Phone: | (631) 589-6353 |
| Project Name: | Not Specified |
| Project Number: | BBU1702 |
| Report Date: | 12/20/17 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), NJ NELAP (MA015), CT (PH-0141), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-13-00067), USFWS (Permit #LE2069641).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|-----------------------------|---------------------------------|---------------------|
| L1745989-01 | VP001 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:24 | 12/13/17 |
| L1745989-02 | VP002 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:31 | 12/13/17 |
| L1745989-03 | VP003 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:23 | 12/13/17 |
| L1745989-04 | VP004 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:43 | 12/13/17 |
| L1745989-05 | VP005 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:52 | 12/13/17 |
| L1745989-06 | VP006 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 11:00 | 12/13/17 |
| L1745989-07 | VP007 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 09:54 | 12/13/17 |
| L1745989-08 | VP008 | SOIL_VAPOR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:30 | 12/13/17 |
| L1745989-09 | AA001 | AIR | 718 E. 212TH ST., BRONX, NY | 12/12/17 10:32 | 12/13/17 |

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on December 8, 2017. The canister certification results are provided as an addendum.

L1745989-05 The presence of Acetone could not be determined in this sample due to a non-target compound interfering with the identification and quantification of this compound.

The WG1074501-3 LCS recoveries for benzyl chloride (134%), 1,2,4-trichlorobenzene (141%) and hexachlorobutadiene (143%) are above the upper 130% acceptance limit. All samples associated with this LCS do not have reportable amounts of these analytes.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 12/20/17

AIR

Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01
Client ID: VP001
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 21:24
Analyst: RY

Date Collected: 12/12/17 10:24
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.324 | 0.200 | -- | 1.60 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.97 | 0.200 | -- | 11.0 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 5.65 | 5.00 | -- | 10.6 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 23.3 | 1.00 | -- | 55.3 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.289 | 0.200 | -- | 1.62 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.11 | 0.500 | -- | 3.36 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 1.41 | 0.200 | -- | 4.39 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.339 | 0.200 | -- | 1.34 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 11.0 | 0.500 | -- | 32.4 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01
Client ID: VP001
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:24
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.459 | 0.200 | -- | 2.24 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.19 | 0.200 | -- | 7.72 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.43 | 0.200 | -- | 7.76 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.314 | 0.200 | -- | 1.08 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.961 | 0.200 | -- | 3.94 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 3.10 | 0.200 | -- | 11.7 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.60 | 0.200 | -- | 6.56 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 5.80 | 0.200 | -- | 39.3 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.790 | 0.200 | -- | 3.43 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.36 | 0.400 | -- | 10.3 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.384 | 0.200 | -- | 1.63 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-01 Date Collected: 12/12/17 10:24
 Client ID: VP001 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.872 | 0.200 | -- | 3.79 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | 0.237 | 0.200 | -- | 1.17 | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | 0.337 | 0.200 | -- | 1.66 | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.933 | 0.200 | -- | 4.59 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 75 | | 60-140 |
| Bromochloromethane | 83 | | 60-140 |
| chlorobenzene-d5 | 88 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02
Client ID: VP002
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 22:34
Analyst: RY

Date Collected: 12/12/17 10:31
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.436 | 0.200 | -- | 2.16 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.51 | 0.200 | -- | 9.98 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 33.6 | 1.00 | -- | 79.8 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.227 | 0.200 | -- | 1.28 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 2.03 | 0.500 | -- | 6.15 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 2.52 | 0.200 | -- | 7.85 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.454 | 0.200 | -- | 1.80 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 12.0 | 0.500 | -- | 35.4 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02
Client ID: VP002
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:31
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.889 | 0.200 | -- | 4.34 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.80 | 0.200 | -- | 9.87 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.68 | 0.200 | -- | 8.56 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.360 | 0.200 | -- | 1.24 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.994 | 0.200 | -- | 4.07 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 4.64 | 0.200 | -- | 17.5 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.72 | 0.200 | -- | 7.05 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 1.26 | 0.200 | -- | 8.54 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.937 | 0.200 | -- | 4.07 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.80 | 0.400 | -- | 12.2 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.474 | 0.200 | -- | 2.02 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-02 Date Collected: 12/12/17 10:31
 Client ID: VP002 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.997 | 0.200 | -- | 4.33 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.464 | 0.200 | -- | 2.28 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 106 | | 60-140 |
| Bromochloromethane | 96 | | 60-140 |
| chlorobenzene-d5 | 101 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03
Client ID: VP003
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 23:09
Analyst: RY

Date Collected: 12/12/17 10:23
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.217 | 0.200 | -- | 1.07 | 0.989 | -- | | 1 |
| Chloromethane | 0.218 | 0.200 | -- | 0.450 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 4.23 | 0.200 | -- | 9.36 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 6.92 | 5.00 | -- | 13.0 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 59.6 | 1.00 | -- | 142 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 0.996 | 0.500 | -- | 3.02 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 1.96 | 0.200 | -- | 6.10 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.263 | 0.200 | -- | 1.04 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 14.5 | 0.500 | -- | 42.8 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03
 Client ID: VP003
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:23
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.461 | 0.200 | -- | 2.25 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.15 | 0.200 | -- | 7.58 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 1.83 | 0.200 | -- | 5.85 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 2.99 | 0.200 | -- | 10.3 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 0.577 | 0.200 | -- | 2.36 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.88 | 0.200 | -- | 7.08 | 0.754 | -- | | 1 |
| 2-Hexanone | 1.72 | 0.200 | -- | 7.05 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.458 | 0.200 | -- | 1.99 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.54 | 0.400 | -- | 6.69 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.382 | 0.200 | -- | 1.63 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-03 Date Collected: 12/12/17 10:23
 Client ID: VP003 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.574 | 0.200 | -- | 2.49 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.358 | 0.200 | -- | 1.76 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 116 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 106 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04
Client ID: VP004
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 23:43
Analyst: RY

Date Collected: 12/12/17 10:43
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.341 | 0.200 | -- | 1.69 | 0.989 | -- | | 1 |
| Chloromethane | 0.580 | 0.200 | -- | 1.20 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 27.3 | 5.00 | -- | 51.4 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 121 | 1.00 | -- | 287 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.222 | 0.200 | -- | 1.25 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 0.657 | 0.500 | -- | 1.99 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 21.2 | 0.500 | -- | 62.5 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | 0.900 | 0.500 | -- | 3.24 | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04
 Client ID: VP004
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:43
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.260 | 0.200 | -- | 0.831 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.689 | 0.200 | -- | 2.60 | 0.754 | -- | | 1 |
| 2-Hexanone | 2.16 | 0.200 | -- | 8.85 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.850 | 0.200 | -- | 3.69 | 0.869 | -- | | 1 |
| p/m-Xylene | 0.992 | 0.400 | -- | 4.31 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 1.01 | 0.200 | -- | 4.30 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-04
 Client ID: VP004
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:43
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.361 | 0.200 | -- | 1.57 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.349 | 0.200 | -- | 1.72 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 109 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 105 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05
Client ID: VP005
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 00:18
Analyst: RY

Date Collected: 12/12/17 10:52
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.229 | 0.200 | -- | 1.13 | 0.989 | -- | | 1 |
| Chloromethane | 0.287 | 0.200 | -- | 0.593 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 1.84 | 0.200 | -- | 4.07 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 2.58 | 0.200 | -- | 8.03 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 3.80 | 0.500 | -- | 11.2 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05
Client ID: VP005
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:52
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.471 | 0.200 | -- | 2.30 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 2.85 | 0.200 | -- | 10.0 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 1.63 | 0.200 | -- | 5.21 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.931 | 0.200 | -- | 3.20 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 1.22 | 0.200 | -- | 5.00 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.25 | 0.200 | -- | 4.71 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.291 | 0.200 | -- | 1.19 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.373 | 0.200 | -- | 1.62 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.53 | 0.400 | -- | 6.65 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.391 | 0.200 | -- | 1.66 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-05 Date Collected: 12/12/17 10:52
 Client ID: VP005 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.636 | 0.200 | -- | 2.76 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.446 | 0.200 | -- | 2.19 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 111 | | 60-140 |
| Bromochloromethane | 105 | | 60-140 |
| chlorobenzene-d5 | 108 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06
Client ID: VP006
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 00:53
Analyst: RY

Date Collected: 12/12/17 11:00
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | 0.236 | 0.200 | -- | 0.487 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | 22.8 | 0.200 | -- | 50.4 | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 65.4 | 1.00 | -- | 155 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.284 | 0.200 | -- | 1.60 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.00 | 0.500 | -- | 3.03 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 32.7 | 0.200 | -- | 102 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.752 | 0.200 | -- | 2.98 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 19.0 | 0.500 | -- | 56.0 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06
Client ID: VP006
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 11:00
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.736 | 0.200 | -- | 3.59 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 11.6 | 0.200 | -- | 40.9 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 2.70 | 0.200 | -- | 8.63 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 1.99 | 0.200 | -- | 6.85 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | 3.33 | 0.200 | -- | 13.6 | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 4.64 | 0.200 | -- | 17.5 | 0.754 | -- | | 1 |
| 2-Hexanone | 2.00 | 0.200 | -- | 8.20 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 0.519 | 0.200 | -- | 3.52 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.887 | 0.200 | -- | 3.85 | 0.869 | -- | | 1 |
| p/m-Xylene | 2.54 | 0.400 | -- | 11.0 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.510 | 0.200 | -- | 2.17 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-06 Date Collected: 12/12/17 11:00
 Client ID: VP006 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.921 | 0.200 | -- | 4.00 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.452 | 0.200 | -- | 2.22 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 114 | | 60-140 |
| Bromochloromethane | 110 | | 60-140 |
| chlorobenzene-d5 | 118 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
Client ID: VP007
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 01:27
Analyst: RY

Date Collected: 12/12/17 09:54
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.363 | 0.200 | -- | 1.79 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 20.1 | 1.00 | -- | 47.7 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.228 | 0.200 | -- | 1.28 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.34 | 0.500 | -- | 4.06 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 0.674 | 0.200 | -- | 2.10 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 3.92 | 0.500 | -- | 11.6 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
 Client ID: VP007
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 09:54
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | 0.488 | 0.200 | -- | 2.38 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.394 | 0.200 | -- | 1.26 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.732 | 0.200 | -- | 2.76 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.336 | 0.200 | -- | 1.38 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 2.79 | 0.200 | -- | 18.9 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.305 | 0.200 | -- | 1.32 | 0.869 | -- | | 1 |
| p/m-Xylene | 1.36 | 0.400 | -- | 5.91 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.286 | 0.200 | -- | 1.22 | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-07
 Client ID: VP007
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 09:54
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.463 | 0.200 | -- | 2.01 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.461 | 0.200 | -- | 2.27 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 106 | | 60-140 |
| Bromochloromethane | 112 | | 60-140 |
| chlorobenzene-d5 | 113 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08
Client ID: VP008
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 12/20/17 02:02
Analyst: RY

Date Collected: 12/12/17 10:30
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.352 | 0.200 | -- | 1.74 | 0.989 | -- | | 1 |
| Chloromethane | 0.362 | 0.200 | -- | 0.748 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 26.8 | 1.00 | -- | 63.7 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.217 | 0.200 | -- | 1.22 | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 5.34 | 0.500 | -- | 15.7 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08
 Client ID: VP008
 Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:30
 Date Received: 12/13/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.215 | 0.200 | -- | 0.687 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.441 | 0.200 | -- | 1.66 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.314 | 0.200 | -- | 1.29 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | 0.521 | 0.400 | -- | 2.26 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-08 Date Collected: 12/12/17 10:30
 Client ID: VP008 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.200 | 0.200 | -- | 0.869 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 107 | | 60-140 |
| Bromochloromethane | 114 | | 60-140 |
| chlorobenzene-d5 | 113 | | 60-140 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09
Client ID: AA001
Sample Location: 718 E. 212TH ST., BRONX, NY
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 12/19/17 16:46
Analyst: RY

Date Collected: 12/12/17 10:32
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.283 | 0.200 | -- | 1.40 | 0.989 | -- | | 1 |
| Chloromethane | 0.523 | 0.200 | -- | 1.08 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 2.04 | 1.00 | -- | 4.85 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | 0.577 | 0.500 | -- | 1.42 | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09
Client ID: AA001
Sample Location: 718 E. 212TH ST., BRONX, NY

Date Collected: 12/12/17 10:32
Date Received: 12/13/17
Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.544 | 0.200 | -- | 1.74 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 0.215 | 0.200 | -- | 0.810 | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.575 | 0.200 | -- | 2.50 | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |



Project Name:
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

SAMPLE RESULTS

Lab ID: L1745989-09 Date Collected: 12/12/17 10:32
 Client ID: AA001 Date Received: 12/13/17
 Sample Location: 718 E. 212TH ST., BRONX, NY Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.376 | 0.200 | -- | 1.85 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 78 | | 60-140 |
| Bromochloromethane | 93 | | 60-140 |
| chlorobenzene-d5 | 86 | | 60-140 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |



Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/19/17 14:37

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-09 Batch: WG1074501-4 | | | | | | | | |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds



Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| Chlorodifluoromethane | 84 | | - | | 70-130 | - | | |
| Propylene | 90 | | - | | 70-130 | - | | |
| Propane | 63 | Q | - | | 70-130 | - | | |
| Dichlorodifluoromethane | 70 | | - | | 70-130 | - | | |
| Chloromethane | 92 | | - | | 70-130 | - | | |
| 1,2-Dichloro-1,1,2,2-tetrafluoroethane | 103 | | - | | 70-130 | - | | |
| Methanol | 79 | | - | | 70-130 | - | | |
| Vinyl chloride | 96 | | - | | 70-130 | - | | |
| 1,3-Butadiene | 98 | | - | | 70-130 | - | | |
| Butane | 81 | | - | | 70-130 | - | | |
| Bromomethane | 104 | | - | | 70-130 | - | | |
| Chloroethane | 99 | | - | | 70-130 | - | | |
| Ethyl Alcohol | 88 | | - | | 70-130 | - | | |
| Dichlorofluoromethane | 93 | | - | | 70-130 | - | | |
| Vinyl bromide | 107 | | - | | 70-130 | - | | |
| Acrolein | 92 | | - | | 70-130 | - | | |
| Acetone | 101 | | - | | 70-130 | - | | |
| Acetonitrile | 83 | | - | | 70-130 | - | | |
| Trichlorofluoromethane | 113 | | - | | 70-130 | - | | |
| iso-Propyl Alcohol | 101 | | - | | 70-130 | - | | |
| Acrylonitrile | 92 | | - | | 70-130 | - | | |
| Pentane | 87 | | - | | 70-130 | - | | |
| Ethyl ether | 88 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| 1,1-Dichloroethene | 100 | | - | | 70-130 | - | | |
| tert-Butyl Alcohol | 97 | | - | | 70-130 | - | | |
| Methylene chloride | 103 | | - | | 70-130 | - | | |
| 3-Chloropropene | 101 | | - | | 70-130 | - | | |
| Carbon disulfide | 97 | | - | | 70-130 | - | | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 105 | | - | | 70-130 | - | | |
| trans-1,2-Dichloroethene | 96 | | - | | 70-130 | - | | |
| 1,1-Dichloroethane | 100 | | - | | 70-130 | - | | |
| Methyl tert butyl ether | 98 | | - | | 70-130 | - | | |
| Vinyl acetate | 122 | | - | | 70-130 | - | | |
| 2-Butanone | 96 | | - | | 70-130 | - | | |
| cis-1,2-Dichloroethene | 96 | | - | | 70-130 | - | | |
| Ethyl Acetate | 115 | | - | | 70-130 | - | | |
| Chloroform | 109 | | - | | 70-130 | - | | |
| Tetrahydrofuran | 95 | | - | | 70-130 | - | | |
| 2,2-Dichloropropane | 103 | | - | | 70-130 | - | | |
| 1,2-Dichloroethane | 102 | | - | | 70-130 | - | | |
| n-Hexane | 93 | | - | | 70-130 | - | | |
| Isopropyl Ether | 86 | | - | | 70-130 | - | | |
| Ethyl-Tert-Butyl-Ether | 84 | | - | | 70-130 | - | | |
| 1,1,1-Trichloroethane | 102 | | - | | 70-130 | - | | |
| 1,1-Dichloropropene | 84 | | - | | 70-130 | - | | |
| Benzene | 92 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| Carbon tetrachloride | 105 | | - | | 70-130 | - | | |
| Cyclohexane | 87 | | - | | 70-130 | - | | |
| Tertiary-Amyl Methyl Ether | 89 | | - | | 70-130 | - | | |
| Dibromomethane | 89 | | - | | 70-130 | - | | |
| 1,2-Dichloropropane | 92 | | - | | 70-130 | - | | |
| Bromodichloromethane | 100 | | - | | 70-130 | - | | |
| 1,4-Dioxane | 94 | | - | | 70-130 | - | | |
| Trichloroethene | 100 | | - | | 70-130 | - | | |
| 2,2,4-Trimethylpentane | 96 | | - | | 70-130 | - | | |
| Methyl Methacrylate | 94 | | - | | 70-130 | - | | |
| Heptane | 92 | | - | | 70-130 | - | | |
| cis-1,3-Dichloropropene | 100 | | - | | 70-130 | - | | |
| 4-Methyl-2-pentanone | 96 | | - | | 70-130 | - | | |
| trans-1,3-Dichloropropene | 87 | | - | | 70-130 | - | | |
| 1,1,2-Trichloroethane | 99 | | - | | 70-130 | - | | |
| Toluene | 106 | | - | | 70-130 | - | | |
| 1,3-Dichloropropane | 100 | | - | | 70-130 | - | | |
| 2-Hexanone | 105 | | - | | 70-130 | - | | |
| Dibromochloromethane | 121 | | - | | 70-130 | - | | |
| 1,2-Dibromoethane | 113 | | - | | 70-130 | - | | |
| Butyl Acetate | 101 | | - | | 70-130 | - | | |
| Octane | 98 | | - | | 70-130 | - | | |
| Tetrachloroethene | 116 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 110 | | - | | 70-130 | - | | |
| Chlorobenzene | 114 | | - | | 70-130 | - | | |
| Ethylbenzene | 108 | | - | | 70-130 | - | | |
| p/m-Xylene | 112 | | - | | 70-130 | - | | |
| Bromoform | 128 | | - | | 70-130 | - | | |
| Styrene | 112 | | - | | 70-130 | - | | |
| 1,1,1,2-Tetrachloroethane | 118 | | - | | 70-130 | - | | |
| o-Xylene | 116 | | - | | 70-130 | - | | |
| 1,2,3-Trichloropropane | 106 | | - | | 70-130 | - | | |
| Nonane (C9) | 102 | | - | | 70-130 | - | | |
| Isopropylbenzene | 112 | | - | | 70-130 | - | | |
| Bromobenzene | 104 | | - | | 70-130 | - | | |
| o-Chlorotoluene | 110 | | - | | 70-130 | - | | |
| n-Propylbenzene | 114 | | - | | 70-130 | - | | |
| p-Chlorotoluene | 105 | | - | | 70-130 | - | | |
| 4-Ethyltoluene | 115 | | - | | 70-130 | - | | |
| 1,3,5-Trimethylbenzene | 120 | | - | | 70-130 | - | | |
| tert-Butylbenzene | 115 | | - | | 70-130 | - | | |
| 1,2,4-Trimethylbenzene | 124 | | - | | 70-130 | - | | |
| Decane (C10) | 110 | | - | | 70-130 | - | | |
| Benzyl chloride | 134 | Q | - | | 70-130 | - | | |
| 1,3-Dichlorobenzene | 126 | | - | | 70-130 | - | | |
| 1,4-Dichlorobenzene | 124 | | - | | 70-130 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 Batch: WG1074501-3 | | | | | | | | |
| sec-Butylbenzene | 116 | | - | | 70-130 | - | | |
| p-Isopropyltoluene | 109 | | - | | 70-130 | - | | |
| 1,2-Dichlorobenzene | 128 | | - | | 70-130 | - | | |
| n-Butylbenzene | 119 | | - | | 70-130 | - | | |
| 1,2-Dibromo-3-chloropropane | 109 | | - | | 70-130 | - | | |
| Undecane | 114 | | - | | 70-130 | - | | |
| Dodecane (C12) | 113 | | - | | 70-130 | - | | |
| 1,2,4-Trichlorobenzene | 141 | Q | - | | 70-130 | - | | |
| Naphthalene | 116 | | - | | 70-130 | - | | |
| 1,2,3-Trichlorobenzene | 124 | | - | | 70-130 | - | | |
| Hexachlorobutadiene | 143 | Q | - | | 70-130 | - | | |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| Dichlorodifluoromethane | 0.324 | 0.410 | ppbV | 23 | | 25 |
| Chloromethane | ND | ND | ppbV | NC | | 25 |
| Freon-114 | ND | ND | ppbV | NC | | 25 |
| Vinyl chloride | ND | ND | ppbV | NC | | 25 |
| 1,3-Butadiene | 4.97 | 5.50 | ppbV | 10 | | 25 |
| Bromomethane | ND | ND | ppbV | NC | | 25 |
| Chloroethane | ND | ND | ppbV | NC | | 25 |
| Ethanol | 5.65 | 5.66 | ppbV | 0 | | 25 |
| Vinyl bromide | ND | ND | ppbV | NC | | 25 |
| Acetone | 23.3 | 23.7 | ppbV | 2 | | 25 |
| Trichlorofluoromethane | 0.289 | 0.323 | ppbV | 11 | | 25 |
| Isopropanol | ND | ND | ppbV | NC | | 25 |
| 1,1-Dichloroethene | ND | ND | ppbV | NC | | 25 |
| Tertiary butyl Alcohol | 1.11 | 1.22 | ppbV | 9 | | 25 |
| Methylene chloride | ND | ND | ppbV | NC | | 25 |
| 3-Chloropropene | ND | ND | ppbV | NC | | 25 |
| Carbon disulfide | 1.41 | 1.50 | ppbV | 6 | | 25 |
| Freon-113 | ND | ND | ppbV | NC | | 25 |
| trans-1,2-Dichloroethene | 0.339 | 0.278 | ppbV | 20 | | 25 |
| 1,1-Dichloroethane | ND | ND | ppbV | NC | | 25 |
| Methyl tert butyl ether | ND | ND | ppbV | NC | | 25 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| 2-Butanone | 11.0 | 11.2 | ppbV | 2 | | 25 |
| cis-1,2-Dichloroethene | ND | ND | ppbV | NC | | 25 |
| Ethyl Acetate | ND | ND | ppbV | NC | | 25 |
| Chloroform | 0.459 | 0.494 | ppbV | 7 | | 25 |
| Tetrahydrofuran | ND | ND | ppbV | NC | | 25 |
| 1,2-Dichloroethane | ND | ND | ppbV | NC | | 25 |
| n-Hexane | 2.19 | 2.23 | ppbV | 2 | | 25 |
| 1,1,1-Trichloroethane | ND | ND | ppbV | NC | | 25 |
| Benzene | 2.43 | 2.26 | ppbV | 7 | | 25 |
| Carbon tetrachloride | ND | ND | ppbV | NC | | 25 |
| Cyclohexane | 0.314 | 0.301 | ppbV | 4 | | 25 |
| 1,2-Dichloropropane | ND | ND | ppbV | NC | | 25 |
| Bromodichloromethane | ND | ND | ppbV | NC | | 25 |
| 1,4-Dioxane | ND | ND | ppbV | NC | | 25 |
| Trichloroethene | ND | ND | ppbV | NC | | 25 |
| 2,2,4-Trimethylpentane | ND | ND | ppbV | NC | | 25 |
| Heptane | 0.961 | 0.983 | ppbV | 2 | | 25 |
| cis-1,3-Dichloropropene | ND | ND | ppbV | NC | | 25 |
| 4-Methyl-2-pentanone | ND | ND | ppbV | NC | | 25 |
| trans-1,3-Dichloropropene | ND | ND | ppbV | NC | | 25 |
| 1,1,2-Trichloroethane | ND | ND | ppbV | NC | | 25 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified

Project Number: BBU1702

Lab Number: L1745989

Report Date: 12/20/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|---|---------------|------------------|-------|-----|------|------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-09 QC Batch ID: WG1074501-5 QC Sample: L1745989-01 Client ID: VP001 | | | | | | |
| Toluene | 3.10 | 3.41 | ppbV | 10 | | 25 |
| 2-Hexanone | 1.60 | 1.72 | ppbV | 7 | | 25 |
| Dibromochloromethane | ND | ND | ppbV | NC | | 25 |
| 1,2-Dibromoethane | ND | ND | ppbV | NC | | 25 |
| Tetrachloroethene | 5.80 | 6.72 | ppbV | 15 | | 25 |
| Chlorobenzene | ND | ND | ppbV | NC | | 25 |
| Ethylbenzene | 0.790 | 0.926 | ppbV | 16 | | 25 |
| p/m-Xylene | 2.36 | 2.61 | ppbV | 10 | | 25 |
| Bromoform | ND | ND | ppbV | NC | | 25 |
| Styrene | 0.384 | 0.444 | ppbV | 14 | | 25 |
| 1,1,2,2-Tetrachloroethane | ND | ND | ppbV | NC | | 25 |
| o-Xylene | 0.872 | 1.02 | ppbV | 16 | | 25 |
| 4-Ethyltoluene | 0.237 | 0.268 | ppbV | 12 | | 25 |
| 1,3,5-Trimethylbenzene | 0.337 | 0.372 | ppbV | 10 | | 25 |
| 1,2,4-Trimethylbenzene | 0.933 | 1.05 | ppbV | 12 | | 25 |
| Benzyl chloride | ND | ND | ppbV | NC | | 25 |
| 1,3-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,4-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,2-Dichlorobenzene | ND | ND | ppbV | NC | | 25 |
| 1,2,4-Trichlorobenzene | ND | ND | ppbV | NC | | 25 |
| Hexachlorobutadiene | ND | ND | ppbV | NC | | 25 |

Project Name:

Serial_No:12201715:53
Lab Number: L1745989

Project Number: BBU1702

Report Date: 12/20/17

Canister and Flow Controller Information

| Samplenum | Client ID | Media ID | Media Type | Date Prepared | Bottle Order | Cleaning Batch ID | Can Leak Check | Initial Pressure (in. Hg) | Pressure on Receipt (in. Hg) | Flow Controller Leak Chk | Flow Out mL/min | Flow In mL/min | % RPD |
|-------------|-----------|----------|------------|---------------|--------------|-------------------|----------------|---------------------------|------------------------------|--------------------------|-----------------|----------------|-------|
| L1745989-01 | VP001 | 0258 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 17.3 | 16.0 | 8 |
| L1745989-01 | VP001 | 194 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.4 | - | - | - | - |
| L1745989-02 | VP002 | 0235 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.2 | 1 |
| L1745989-02 | VP002 | 2246 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.3 | - | - | - | - |
| L1745989-03 | VP003 | 0216 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 17.9 | 18.6 | 4 |
| L1745989-03 | VP003 | 2241 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -29.2 | -4.6 | - | - | - | - |
| L1745989-04 | VP004 | 0972 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.1 | 1 |
| L1745989-04 | VP004 | 2026 | 2.7L Can | 12/08/17 | 254947 | L1744737-01 | Pass | -30.0 | -6.3 | - | - | - | - |
| L1745989-05 | VP005 | 0959 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 17.9 | 1 |
| L1745989-05 | VP005 | 182 | 2.7L Can | 12/08/17 | 254947 | L1744737-01 | Pass | -30.0 | -3.3 | - | - | - | - |
| L1745989-06 | VP006 | 0543 | Flow 5 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.1 | 1 |
| L1745989-06 | VP006 | 347 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -5.1 | - | - | - | - |
| L1745989-07 | VP007 | 0277 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 39.1 | 74 |
| L1745989-07 | VP007 | 2297 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -3.7 | - | - | - | - |
| L1745989-08 | VP008 | 0973 | Flow 3 | 12/08/17 | 254947 | | - | - | - | Pass | 18.0 | 18.2 | 1 |



Project Name:

Project Number: BBU1702

Serial_No:12201715:53
Lab Number: L1745989

Report Date: 12/20/17

Canister and Flow Controller Information

| Samplenum | Client ID | Media ID | Media Type | Date Prepared | Bottle Order | Cleaning Batch ID | Can Leak Check | Initial Pressure (in. Hg) | Pressure on Receipt (in. Hg) | Flow Controller Leak Chk | Flow Out mL/min | Flow In mL/min | % RPD |
|-------------|-----------|----------|------------|---------------|--------------|-------------------|----------------|---------------------------|------------------------------|--------------------------|-----------------|----------------|-------|
| L1745989-08 | VP008 | 539 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | 0.0 | - | - | - | - |
| L1745989-09 | AA001 | 0575 | Flow 4 | 12/08/17 | 254947 | | - | - | - | Pass | 17.9 | 19.1 | 6 |
| L1745989-09 | AA001 | 346 | 2.7L Can | 12/08/17 | 254947 | L1744737-02 | Pass | -30.0 | -3.0 | - | - | - | - |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/06/17 15:48
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chlorodifluoromethane | ND | 0.200 | -- | ND | 0.707 | -- | | 1 |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Propane | ND | 0.500 | -- | ND | 0.902 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Methanol | ND | 5.00 | -- | ND | 6.55 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Butane | ND | 0.200 | -- | ND | 0.475 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Dichlorofluoromethane | ND | 0.200 | -- | ND | 0.842 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acrolein | ND | 0.500 | -- | ND | 1.15 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Acetonitrile | ND | 0.200 | -- | ND | 0.336 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| Pentane | ND | 0.200 | -- | ND | 0.590 | -- | | 1 |
| Ethyl ether | ND | 0.200 | -- | ND | 0.606 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 2,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| Diisopropyl ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| tert-Butyl Ethyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| tert-Amyl Methyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| Dibromomethane | ND | 0.200 | -- | ND | 1.42 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Methyl Methacrylate | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 1,3-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Butyl acetate | ND | 0.500 | -- | ND | 2.38 | -- | | 1 |
| Octane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 1,2,3-Trichloropropane | ND | 0.200 | -- | ND | 1.21 | -- | | 1 |
| Nonane | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Bromobenzene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 2-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| n-Propylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| tert-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Decane | ND | 0.200 | -- | ND | 1.16 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dibromo-3-chloropropane | ND | 0.200 | -- | ND | 1.93 | -- | | 1 |
| Undecane | ND | 0.200 | -- | ND | 1.28 | -- | | 1 |
| Dodecane | ND | 0.200 | -- | ND | 1.39 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Naphthalene | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1744737**Project Number:** CANISTER QC BAT**Report Date:** 12/20/17**Air Canister Certification Results**

Lab ID: L1744737-01

Date Collected: 12/05/17 16:00

Client ID: CAN 177 SHELF 3

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|----|-----|---------|----|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 90 | | 60-140 |
| Bromochloromethane | 96 | | 60-140 |
| chlorobenzene-d5 | 91 | | 60-140 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01
 Client ID: CAN 177 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/06/17 15:48
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.050 | -- | ND | 0.349 | -- | | 1 |
| Vinyl chloride | ND | 0.020 | -- | ND | 0.051 | -- | | 1 |
| 1,3-Butadiene | ND | 0.020 | -- | ND | 0.044 | -- | | 1 |
| Bromomethane | ND | 0.020 | -- | ND | 0.078 | -- | | 1 |
| Chloroethane | ND | 0.100 | -- | ND | 0.264 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.050 | -- | ND | 0.281 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| Freon-113 | ND | 0.050 | -- | ND | 0.383 | -- | | 1 |
| Halothane | ND | 0.050 | -- | ND | 0.404 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Chloroform | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Benzene | ND | 0.100 | -- | ND | 0.319 | -- | | 1 |
| Carbon tetrachloride | ND | 0.020 | -- | ND | 0.126 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.020 | -- | ND | 0.092 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01 Date Collected: 12/05/17 16:00
 Client ID: CAN 177 SHELF 3 Date Received: 12/06/17
 Sample Location: Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Bromodichloromethane | ND | 0.020 | -- | ND | 0.134 | -- | | 1 |
| 1,4-Dioxane | ND | 0.100 | -- | ND | 0.360 | -- | | 1 |
| Trichloroethene | ND | 0.020 | -- | ND | 0.107 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Toluene | ND | 0.050 | -- | ND | 0.188 | -- | | 1 |
| Dibromochloromethane | ND | 0.020 | -- | ND | 0.170 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.020 | -- | ND | 0.154 | -- | | 1 |
| Tetrachloroethene | ND | 0.020 | -- | ND | 0.136 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| Chlorobenzene | ND | 0.100 | -- | ND | 0.461 | -- | | 1 |
| Ethylbenzene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| p/m-Xylene | ND | 0.040 | -- | ND | 0.174 | -- | | 1 |
| Bromoform | ND | 0.020 | -- | ND | 0.207 | -- | | 1 |
| Styrene | ND | 0.020 | -- | ND | 0.085 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| o-Xylene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-01

Date Collected: 12/05/17 16:00

Client ID: CAN 177 SHELF 3

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Naphthalene | ND | 0.050 | -- | ND | 0.262 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.050 | -- | ND | 0.533 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-difluorobenzene | 90 | | 60-140 |
| bromochloromethane | 93 | | 60-140 |
| chlorobenzene-d5 | 92 | | 60-140 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/06/17 16:20
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chlorodifluoromethane | ND | 0.200 | -- | ND | 0.707 | -- | | 1 |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Propane | ND | 0.500 | -- | ND | 0.902 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Methanol | ND | 5.00 | -- | ND | 6.55 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Butane | ND | 0.200 | -- | ND | 0.475 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Dichlorofluoromethane | ND | 0.200 | -- | ND | 0.842 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acrolein | ND | 0.500 | -- | ND | 1.15 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Acetonitrile | ND | 0.200 | -- | ND | 0.336 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| Pentane | ND | 0.200 | -- | ND | 0.590 | -- | | 1 |
| Ethyl ether | ND | 0.200 | -- | ND | 0.606 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02 Date Collected: 12/05/17 16:00
 Client ID: CAN 401 SHELF 9 Date Received: 12/06/17
 Sample Location: Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 2,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| Diisopropyl ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| tert-Butyl Ethyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| tert-Amyl Methyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| Dibromomethane | ND | 0.200 | -- | ND | 1.42 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Methyl Methacrylate | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 1,3-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Butyl acetate | ND | 0.500 | -- | ND | 2.38 | -- | | 1 |
| Octane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 1,2,3-Trichloropropane | ND | 0.200 | -- | ND | 1.21 | -- | | 1 |
| Nonane | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Bromobenzene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| 2-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| n-Propylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| tert-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Decane | ND | 0.200 | -- | ND | 1.16 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dibromo-3-chloropropane | ND | 0.200 | -- | ND | 1.93 | -- | | 1 |
| Undecane | ND | 0.200 | -- | ND | 1.28 | -- | | 1 |
| Dodecane | ND | 0.200 | -- | ND | 1.39 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Naphthalene | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1744737**Project Number:** CANISTER QC BAT**Report Date:** 12/20/17**Air Canister Certification Results**

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|----|-----|---------|----|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 87 | | 60-140 |
| Bromochloromethane | 94 | | 60-140 |
| chlorobenzene-d5 | 88 | | 60-140 |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/06/17 16:20
 Analyst: RY

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.050 | -- | ND | 0.349 | -- | | 1 |
| Vinyl chloride | ND | 0.020 | -- | ND | 0.051 | -- | | 1 |
| 1,3-Butadiene | ND | 0.020 | -- | ND | 0.044 | -- | | 1 |
| Bromomethane | ND | 0.020 | -- | ND | 0.078 | -- | | 1 |
| Chloroethane | ND | 0.100 | -- | ND | 0.264 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.050 | -- | ND | 0.281 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| Freon-113 | ND | 0.050 | -- | ND | 0.383 | -- | | 1 |
| Halothane | ND | 0.050 | -- | ND | 0.404 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Chloroform | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Benzene | ND | 0.100 | -- | ND | 0.319 | -- | | 1 |
| Carbon tetrachloride | ND | 0.020 | -- | ND | 0.126 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.020 | -- | ND | 0.092 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1744737
Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02
 Client ID: CAN 401 SHELF 9
 Sample Location:

Date Collected: 12/05/17 16:00
 Date Received: 12/06/17
 Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Bromodichloromethane | ND | 0.020 | -- | ND | 0.134 | -- | | 1 |
| 1,4-Dioxane | ND | 0.100 | -- | ND | 0.360 | -- | | 1 |
| Trichloroethene | ND | 0.020 | -- | ND | 0.107 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Toluene | ND | 0.050 | -- | ND | 0.188 | -- | | 1 |
| Dibromochloromethane | ND | 0.020 | -- | ND | 0.170 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.020 | -- | ND | 0.154 | -- | | 1 |
| Tetrachloroethene | ND | 0.020 | -- | ND | 0.136 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| Chlorobenzene | ND | 0.100 | -- | ND | 0.461 | -- | | 1 |
| Ethylbenzene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| p/m-Xylene | ND | 0.040 | -- | ND | 0.174 | -- | | 1 |
| Bromoform | ND | 0.020 | -- | ND | 0.207 | -- | | 1 |
| Styrene | ND | 0.020 | -- | ND | 0.085 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| o-Xylene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L1744737

Project Number: CANISTER QC BAT

Report Date: 12/20/17

Air Canister Certification Results

Lab ID: L1744737-02

Date Collected: 12/05/17 16:00

Client ID: CAN 401 SHELF 9

Date Received: 12/06/17

Sample Location:

Field Prep: Not Specified

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Naphthalene | ND | 0.050 | -- | ND | 0.262 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.050 | -- | ND | 0.533 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-difluorobenzene | 88 | | 60-140 |
| bromochloromethane | 92 | | 60-140 |
| chlorobenzene-d5 | 90 | | 60-140 |



Project Name: Not Specified**Lab Number:** L1745989**Project Number:** BBU1702**Report Date:** 12/20/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Absent

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-----------------------|---------------------|-----------------------|-------------|-------------|-----------------------------|--------------------|
| L1745989-01A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-02A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-03A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-04A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-05A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-06A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-07A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-08A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L1745989-09A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

GLOSSARY

Acronyms

| | |
|----------|---|
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: Not Specified
Project Number: BBU1702

Lab Number: L1745989
Report Date: 12/20/17

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



AIR ANALYSIS

PAGE 1 OF 1

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: PWGC
 Address: 630 Johnson Ave
 Bohemia, NY 11716
 Phone: 631-589-6353
 Fax: _____
 Email: thomasm@pwgrosser.com

Project Information

Project Name:
 Project Location: 718 E. 212th St, Bronx
 Project #: BBU1702
 Project Manager: Thomas Melia
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)
 Date Due: _____ Time: _____

Date Rec'd in Lab: 12/14/17

ALPHA Job #: L745989

Report Information - Data Deliverables

FAX
 ADEx
 Criteria Checker: _____
 (Default based on Regulatory Criteria Indicated)
 Other Formats: _____
 EMAIL (standard pdf report)
 Additional Deliverables: _____
 Report to: (if different than Project Manager)

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

| State/Fed | Program | Res / Comm |
|-----------|---------|------------|
| | | |
| | | |
| | | |

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

All Columns Below Must Be Filled Out

| ALPHA Lab ID (Lab Use Only) | Sample ID | COLLECTION | | | | | Sample Matrix* | Sampler's Initials | Can Size | ID Can | ID - Flow Controller | TO-15 | TO-15 SIM | APH Substituted Non-petroleum HCs | Fixed Gases | Sulfides & Mercaptans by TO-15 | Sample Comments (i.e. PID) |
|--------------------------------|-----------|------------|------------|----------|----------------|--------------|----------------|--------------------|----------|--------|----------------------|-------|-----------|-----------------------------------|-------------|--------------------------------|--|
| | | End Date | Start Time | End Time | Initial Vacuum | Final Vacuum | | | | | | | | | | | |
| 45989.01 | VP001 | 12-12-17 | 0810 | 1024 | -29.4 | -6.1 | SV | KC | 2.7L | 194 | 0258 | X | | | | | |
| .02 | VP002 | | 0829 | 1031 | -29.74 | -5.75 | | | | | 2246 | 0235 | | | | | |
| .03 | VP003 | | 0835 | 1023 | -28.85 | -5.16 | | | | | 0216 | 2241 | | | | | Can ID and flow control IDs are swapped once |
| .04 | VP004 | | 0843 | 1043 | -29.6 | -6.92 | | | | | 2026 | 0972 | | | | | |
| .05 | VP005 | | 0852 | 1052 | -29.81 | -4.14 | | | | | 182 | 0959 | | | | | |
| .06 | VP006 | | 0902 | 1100 | -29.33 | -5.65 | | | | | 347 | 0543 | | | | | |
| .07 | VP007 | | 0856 | 0954 | -29.16 | -4.32 | | | | | 2297 | 0277 | | | | | |
| .08 | VP008 | | 0917 | 1030 | -30.22 | 0 | | | | | 539 | 0973 | | | | | |
| .09 | AA001 | | 0827 | 1032 | -29.38 | -3.77 | AA | | | | 346 | 0575 | | | | | |

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type CS

Relinquished By: [Signature] Date/Time: 12/13/17 1500
 Received By: [Signature] Date/Time: 12/13/17
 [Signature] 12/14/17 0200

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L1746315 |
| Client: | P. W. Grosser 630 Johnson Avenue Suite 7 Bohemia, NY 11716 |
| ATTN: | Thomas Melia |
| Phone: | (631) 589-6353 |
| Project Name: | BBU1702 |
| Project Number: | BBU1702 |
| Report Date: | 12/26/17 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|-----------------|-----------------|--------|--------------------------------|----------------------|--------------|
| L1746315-01 | SB005 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 09:30 | 12/14/17 |
| L1746315-02 | SB005 (3-5) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 09:35 | 12/14/17 |
| L1746315-03 | SB006 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 09:45 | 12/14/17 |
| L1746315-04 | SB006 (7.5-9.5) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 09:50 | 12/14/17 |
| L1746315-05 | SB007 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:00 | 12/14/17 |
| L1746315-06 | SB007 (7-9) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:05 | 12/14/17 |
| L1746315-07 | SB008 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:25 | 12/14/17 |
| L1746315-08 | SB008 (10-12) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:30 | 12/14/17 |
| L1746315-09 | SB009 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:50 | 12/14/17 |
| L1746315-10 | SB009 (7-9) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 10:55 | 12/14/17 |
| L1746315-11 | SB010 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:05 | 12/14/17 |
| L1746315-12 | SB010 (7-9) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:10 | 12/14/17 |
| L1746315-13 | SB011 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:20 | 12/14/17 |
| L1746315-14 | SB011 (5-7) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:25 | 12/14/17 |
| L1746315-15 | SB012 (0-2) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:40 | 12/14/17 |
| L1746315-16 | SB012 (6-8) | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 11:45 | 12/14/17 |
| L1746315-17 | DUP002 | SOIL | 718 E. 212TH STREET, BRONX, NY | 12/14/17 00:00 | 12/14/17 |
| L1746315-18 | FIELDBLANK002 | WATER | 718 E. 212TH STREET, BRONX, NY | 12/14/17 12:00 | 12/14/17 |
| L1746315-19 | TRIP BLANK | WATER | 718 E. 212TH STREET, BRONX, NY | 12/14/17 00:00 | 12/14/17 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L1746315-07: The internal standard (IS) responses for fluorobenzene (30%), chlorobenzene-d5 (30%), and 1,4-dichlorobenzene-d4 (28%), and the surrogate recovery for 1,2-dichloroethane-d4 (147%) were outside the acceptance criteria. A second low-level vial was analyzed, but yielded no internal standard recoveries. A high-level analysis was performed, and those results are also reported.

Semivolatile Organics

The WG1075523-2/-3 LCS/LCSD recoveries, associated with L1746315-14 through -17, are below the acceptance criteria for benzoic acid (0%/0%); however, it has been identified as a "difficult" analyte. The results of the associated samples are reported.

The WG1075347-4/-5 MS/MSD recoveries, performed on L1746315-03, are below the acceptance criteria for 2,4-dinitrophenol (0%/0%), 4,6-dinitro-o-cresol (MSD 0%), and benzoic acid (0%/0%) due to the concentrations of these compounds falling below the reported detection limits.

Pesticides

L1746315-03: The surrogate recoveries are outside the acceptance criteria for decachlorobiphenyl (173%/174%); however, the sample was not re-extracted due to coelution with obvious interferences.

Total Metals

L1746315-01 through -17: The sample has elevated detection limits for all elements, with the exception of mercury, due to the dilution required by matrix interferences encountered during analysis.

The WG1075214-3 MS recovery, performed on L1746315-03, is outside the acceptance criteria for mercury (159%). A post digestion spike was performed and was within acceptance criteria.

The WG1075583-3/-4 MS/MSD recoveries for aluminum (557%/0%), iron (0%/0%), lead (1090%/0%),

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17


Case Narrative (continued)

manganese (0%/0%), and zinc (MSD 0%), performed on L1746315-03, do not apply because the sample concentrations are greater than four times the spike amounts added.

The WG1075583-3/-4 MS/MSD recoveries, performed on L1746315-03, are outside the acceptance criteria for arsenic (MSD 74%), barium (MSD 65%), calcium (274%/207%), chromium (MSD 34%), cobalt (MSD 73%), copper (49%/221%), magnesium (MSD 14%), nickel (MSD 72%), thallium (MS 72%), and vanadium (MSD 62%). A post digestion spike was performed and yielded unacceptable recoveries for arsenic (71%), calcium (76%), chromium (68%), cobalt (64%), copper (56%), magnesium (68%), nickel (64%), thallium (65%), and vanadium (77%); all other compounds were within acceptance criteria. This has been attributed to sample matrix.

The WG1075583-3/-4 MS/MSD RPDs, performed on L1746315-03, are above the acceptance criteria for aluminum (36%), chromium (23%), copper (34%), iron (30%), lead (75%), magnesium (24%) and zinc (35%).

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Kelly Stenstrom

Title: Technical Director/Representative

Date: 12/26/17

ORGANICS

VOLATILES

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
 Client ID: SB005 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:30
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 22:11
 Analyst: MV
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.7 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 | 1 |
| Chloroform | ND | | ug/kg | 1.5 | 0.38 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.35 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.6 | 0.23 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.32 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.31 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.1 | 0.42 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.36 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.1 | 0.33 | 1 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 | 1 |
| Benzene | 0.29 | J | ug/kg | 1.0 | 0.20 | 1 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.17 | 1 |
| Chloromethane | ND | | ug/kg | 5.1 | 0.44 | 1 |
| Bromomethane | ND | | ug/kg | 2.0 | 0.34 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 | 1 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.38 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 | 1 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.31 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.1 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01

Date Collected: 12/14/17 09:30

Client ID: SB005 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.1 | 0.22 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.1 | 0.18 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.16 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.0 | 0.36 | 1 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.0 | 0.34 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.35 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 | 1 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 | 1 |
| Styrene | ND | | ug/kg | 2.0 | 0.41 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.51 | 1 |
| Acetone | 57 | | ug/kg | 10 | 2.3 | 1 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 | 1 |
| 2-Butanone | 6.5 | J | ug/kg | 10 | 0.70 | 1 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.16 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.25 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 | 1 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.68 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.1 | 0.36 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.1 | 0.46 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.1 | 0.18 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 | 1 |
| Bromobenzene | ND | | ug/kg | 5.1 | 0.22 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.1 | 0.25 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.1 | 0.22 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.1 | 0.18 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.1 | 0.40 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.1 | 0.35 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 | 1 |
| Naphthalene | ND | | ug/kg | 5.1 | 0.14 | 1 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.52 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.1 | 0.25 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.1 | 0.22 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.1 | 0.16 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01

Date Collected: 12/14/17 09:30

Client ID: SB005 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.24 | J | ug/kg | 5.1 | 0.19 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 15. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.0 | 0.24 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 | 1 |
| Ethyl ether | ND | | ug/kg | 5.1 | 0.26 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.1 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 95 | | 70-130 |
| 4-Bromofluorobenzene | 105 | | 70-130 |
| Dibromofluoromethane | 105 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 22:37
 Analyst: MV
 Percent Solids: 84%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 9.6 | 1.6 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.4 | 0.26 | 1 |
| Chloroform | ND | | ug/kg | 1.4 | 0.36 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 0.96 | 0.33 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.4 | 0.22 | 1 |
| Dibromochloromethane | ND | | ug/kg | 0.96 | 0.17 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.4 | 0.30 | 1 |
| Tetrachloroethene | ND | | ug/kg | 0.96 | 0.29 | 1 |
| Chlorobenzene | ND | | ug/kg | 0.96 | 0.33 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 4.8 | 0.40 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 0.96 | 0.24 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 0.96 | 0.34 | 1 |
| Bromodichloromethane | ND | | ug/kg | 0.96 | 0.30 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 0.96 | 0.20 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 0.96 | 0.22 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 0.96 | 0.20 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 4.8 | 0.32 | 1 |
| Bromoform | ND | | ug/kg | 3.8 | 0.23 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 0.96 | 0.29 | 1 |
| Benzene | ND | | ug/kg | 0.96 | 0.18 | 1 |
| Toluene | ND | | ug/kg | 1.4 | 0.19 | 1 |
| Ethylbenzene | ND | | ug/kg | 0.96 | 0.16 | 1 |
| Chloromethane | ND | | ug/kg | 4.8 | 0.42 | 1 |
| Bromomethane | ND | | ug/kg | 1.9 | 0.32 | 1 |
| Vinyl chloride | ND | | ug/kg | 1.9 | 0.30 | 1 |
| Chloroethane | ND | | ug/kg | 1.9 | 0.30 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 0.96 | 0.36 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.23 | 1 |
| Trichloroethene | ND | | ug/kg | 0.96 | 0.29 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 4.8 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02

Date Collected: 12/14/17 09:35

Client ID: SB005 (3-5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 4.8 | 0.21 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 4.8 | 0.18 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 1.9 | 0.15 | 1 |
| p/m-Xylene | ND | | ug/kg | 1.9 | 0.34 | 1 |
| o-Xylene | ND | | ug/kg | 1.9 | 0.32 | 1 |
| Xylenes, Total | ND | | ug/kg | 1.9 | 0.32 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 0.96 | 0.33 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 0.96 | 0.23 | 1 |
| Dibromomethane | ND | | ug/kg | 9.6 | 0.23 | 1 |
| Styrene | ND | | ug/kg | 1.9 | 0.38 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 9.6 | 0.48 | 1 |
| Acetone | 2.7 | J | ug/kg | 9.6 | 2.2 | 1 |
| Carbon disulfide | ND | | ug/kg | 9.6 | 1.0 | 1 |
| 2-Butanone | ND | | ug/kg | 9.6 | 0.66 | 1 |
| Vinyl acetate | ND | | ug/kg | 9.6 | 0.15 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 9.6 | 0.23 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 9.6 | 0.17 | 1 |
| 2-Hexanone | ND | | ug/kg | 9.6 | 0.64 | 1 |
| Bromochloromethane | ND | | ug/kg | 4.8 | 0.34 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 4.8 | 0.43 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 3.8 | 0.19 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 4.8 | 0.18 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 0.96 | 0.31 | 1 |
| Bromobenzene | ND | | ug/kg | 4.8 | 0.21 | 1 |
| n-Butylbenzene | ND | | ug/kg | 0.96 | 0.22 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 0.96 | 0.21 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 4.8 | 0.24 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 4.8 | 0.21 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 4.8 | 0.18 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 4.8 | 0.38 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 4.8 | 0.33 | 1 |
| Isopropylbenzene | ND | | ug/kg | 0.96 | 0.19 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 0.96 | 0.19 | 1 |
| Naphthalene | ND | | ug/kg | 4.8 | 0.13 | 1 |
| Acrylonitrile | ND | | ug/kg | 9.6 | 0.49 | 1 |
| n-Propylbenzene | ND | | ug/kg | 0.96 | 0.21 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 4.8 | 0.24 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 4.8 | 0.21 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 4.8 | 0.15 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02

Date Collected: 12/14/17 09:35

Client ID: SB005 (3-5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 4.8 | 0.18 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 38 | 14. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 3.8 | 3.8 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 3.8 | 0.22 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 3.8 | 0.15 | 1 |
| Ethyl ether | ND | | ug/kg | 4.8 | 0.25 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 4.8 | 0.38 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 92 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/24/17 19:05
 Analyst: MV
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 14 | 2.3 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.1 | 0.37 | 1 |
| Chloroform | ND | | ug/kg | 2.1 | 0.51 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.4 | 0.47 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.8 | 0.31 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.4 | 0.24 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.1 | 0.43 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.4 | 0.42 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.4 | 0.48 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.9 | 0.57 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.4 | 0.34 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.4 | 0.48 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.4 | 0.42 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.29 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.32 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.4 | 0.29 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.9 | 0.45 | 1 |
| Bromoform | ND | | ug/kg | 5.5 | 0.33 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.41 | 1 |
| Benzene | ND | | ug/kg | 1.4 | 0.26 | 1 |
| Toluene | ND | | ug/kg | 2.1 | 0.27 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.4 | 0.23 | 1 |
| Chloromethane | ND | | ug/kg | 6.9 | 0.60 | 1 |
| Bromomethane | ND | | ug/kg | 2.8 | 0.46 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.8 | 0.43 | 1 |
| Chloroethane | ND | | ug/kg | 2.8 | 0.43 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.4 | 0.51 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.1 | 0.33 | 1 |
| Trichloroethene | ND | | ug/kg | 1.4 | 0.42 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.9 | 0.25 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03

Date Collected: 12/14/17 09:45

Client ID: SB006 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.9 | 0.30 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.9 | 0.25 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.8 | 0.21 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.8 | 0.48 | 1 |
| o-Xylene | ND | | ug/kg | 2.8 | 0.46 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.8 | 0.46 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.47 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.4 | 0.33 | 1 |
| Dibromomethane | ND | | ug/kg | 14 | 0.33 | 1 |
| Styrene | ND | | ug/kg | 2.8 | 0.55 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 14 | 0.69 | 1 |
| Acetone | 44 | | ug/kg | 14 | 3.2 | 1 |
| Carbon disulfide | 2.0 | J | ug/kg | 14 | 1.5 | 1 |
| 2-Butanone | ND | | ug/kg | 14 | 0.95 | 1 |
| Vinyl acetate | ND | | ug/kg | 14 | 0.21 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 14 | 0.34 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 14 | 0.24 | 1 |
| 2-Hexanone | ND | | ug/kg | 14 | 0.92 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.9 | 0.49 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.9 | 0.62 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.5 | 0.27 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.9 | 0.25 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.44 | 1 |
| Bromobenzene | ND | | ug/kg | 6.9 | 0.30 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.4 | 0.31 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.4 | 0.30 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.9 | 0.34 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.9 | 0.30 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.9 | 0.25 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.9 | 0.54 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.9 | 0.48 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.4 | 0.27 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.4 | 0.28 | 1 |
| Naphthalene | ND | | ug/kg | 6.9 | 0.19 | 1 |
| Acrylonitrile | ND | | ug/kg | 14 | 0.71 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.4 | 0.30 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.9 | 0.34 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.9 | 0.30 | 1 |
| 1,3,5-Trimethylbenzene | 0.26 | J | ug/kg | 6.9 | 0.22 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03

Date Collected: 12/14/17 09:45

Client ID: SB006 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.61 | J | ug/kg | 6.9 | 0.26 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 55 | 20. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.5 | 5.5 | 1 |
| p-Ethyltoluene | 0.63 | J | ug/kg | 5.5 | 0.32 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.5 | 0.21 | 1 |
| Ethyl ether | ND | | ug/kg | 6.9 | 0.36 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.9 | 0.54 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 107 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 102 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 23:04
 Analyst: MV
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.29 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.39 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.37 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.7 | 0.24 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.19 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.33 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.37 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.3 | 0.44 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.26 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.37 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.33 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.22 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.3 | 0.35 | 1 |
| Bromoform | ND | | ug/kg | 4.3 | 0.25 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.20 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.21 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.3 | 0.46 | 1 |
| Bromomethane | ND | | ug/kg | 2.1 | 0.36 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.1 | 0.34 | 1 |
| Chloroethane | ND | | ug/kg | 2.1 | 0.34 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.40 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.26 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.32 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04

Date Collected: 12/14/17 09:50

Client ID: SB006 (7.5-9.5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.19 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.1 | 0.16 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.1 | 0.37 | 1 |
| o-Xylene | ND | | ug/kg | 2.1 | 0.36 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.1 | 0.36 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.36 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.26 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.26 | 1 |
| Styrene | ND | | ug/kg | 2.1 | 0.43 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.53 | 1 |
| Acetone | 4.5 | J | ug/kg | 11 | 2.4 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.74 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.16 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.26 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.19 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.71 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.3 | 0.38 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.3 | 0.48 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.3 | 0.21 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.3 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Bromobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.3 | 0.26 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.3 | 0.24 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.3 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.3 | 0.42 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.3 | 0.37 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Naphthalene | ND | | ug/kg | 5.3 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.55 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.3 | 0.27 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.3 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04

Date Collected: 12/14/17 09:50

Client ID: SB006 (7.5-9.5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.3 | 0.20 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 43 | 15. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.3 | 4.3 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.3 | 0.25 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.3 | 0.17 | 1 |
| Ethyl ether | ND | | ug/kg | 5.3 | 0.28 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.3 | 0.42 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 105 | | 70-130 |
| Toluene-d8 | 92 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 23:30
 Analyst: MV
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 13 | 2.2 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.0 | 0.36 | 1 |
| Chloroform | ND | | ug/kg | 2.0 | 0.49 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.3 | 0.45 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.6 | 0.30 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.3 | 0.23 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.0 | 0.41 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.3 | 0.46 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.6 | 0.55 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.3 | 0.32 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.3 | 0.46 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.3 | 0.40 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.27 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.30 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.3 | 0.27 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.6 | 0.43 | 1 |
| Bromoform | ND | | ug/kg | 5.3 | 0.31 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.39 | 1 |
| Benzene | ND | | ug/kg | 1.3 | 0.25 | 1 |
| Toluene | ND | | ug/kg | 2.0 | 0.26 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.3 | 0.22 | 1 |
| Chloromethane | ND | | ug/kg | 6.6 | 0.57 | 1 |
| Bromomethane | ND | | ug/kg | 2.6 | 0.44 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.6 | 0.41 | 1 |
| Chloroethane | ND | | ug/kg | 2.6 | 0.42 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.3 | 0.49 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.0 | 0.32 | 1 |
| Trichloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05

Date Collected: 12/14/17 10:00

Client ID: SB007 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.29 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.6 | 0.20 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.6 | 0.46 | 1 |
| o-Xylene | ND | | ug/kg | 2.6 | 0.44 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.6 | 0.44 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.3 | 0.45 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.3 | 0.32 | 1 |
| Dibromomethane | ND | | ug/kg | 13 | 0.31 | 1 |
| Styrene | ND | | ug/kg | 2.6 | 0.53 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 13 | 0.66 | 1 |
| Acetone | ND | | ug/kg | 13 | 3.0 | 1 |
| Carbon disulfide | ND | | ug/kg | 13 | 1.4 | 1 |
| 2-Butanone | ND | | ug/kg | 13 | 0.91 | 1 |
| Vinyl acetate | ND | | ug/kg | 13 | 0.20 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 13 | 0.32 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 13 | 0.23 | 1 |
| 2-Hexanone | ND | | ug/kg | 13 | 0.88 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.6 | 0.47 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.6 | 0.59 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.3 | 0.26 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.42 | 1 |
| Bromobenzene | ND | | ug/kg | 6.6 | 0.29 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.3 | 0.30 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.3 | 0.28 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.6 | 0.32 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.6 | 0.29 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.6 | 0.52 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.6 | 0.46 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.3 | 0.26 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.3 | 0.26 | 1 |
| Naphthalene | ND | | ug/kg | 6.6 | 0.18 | 1 |
| Acrylonitrile | ND | | ug/kg | 13 | 0.68 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.3 | 0.28 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.6 | 0.33 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.6 | 0.28 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 6.6 | 0.21 | 1 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
Client ID: SB007 (0-2)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:00
Date Received: 12/14/17
Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 53 | 19. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.3 | 5.3 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 5.3 | 0.31 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.3 | 0.20 | 1 |
| Ethyl ether | ND | | ug/kg | 6.6 | 0.34 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.6 | 0.52 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 96 | | 70-130 |
| 4-Bromofluorobenzene | 111 | | 70-130 |
| Dibromofluoromethane | 106 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06
 Client ID: SB007 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:05
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 23:56
 Analyst: MV
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 9.2 | 1.5 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.4 | 0.25 | 1 |
| Chloroform | ND | | ug/kg | 1.4 | 0.34 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 0.92 | 0.32 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.2 | 0.21 | 1 |
| Dibromochloromethane | ND | | ug/kg | 0.92 | 0.16 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.4 | 0.29 | 1 |
| Tetrachloroethene | ND | | ug/kg | 0.92 | 0.28 | 1 |
| Chlorobenzene | ND | | ug/kg | 0.92 | 0.32 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 4.6 | 0.38 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 0.92 | 0.23 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 0.92 | 0.32 | 1 |
| Bromodichloromethane | ND | | ug/kg | 0.92 | 0.28 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 0.92 | 0.19 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 0.92 | 0.21 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 0.92 | 0.19 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 4.6 | 0.30 | 1 |
| Bromoform | ND | | ug/kg | 3.7 | 0.22 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 0.92 | 0.28 | 1 |
| Benzene | ND | | ug/kg | 0.92 | 0.18 | 1 |
| Toluene | ND | | ug/kg | 1.4 | 0.18 | 1 |
| Ethylbenzene | ND | | ug/kg | 0.92 | 0.16 | 1 |
| Chloromethane | ND | | ug/kg | 4.6 | 0.40 | 1 |
| Bromomethane | ND | | ug/kg | 1.8 | 0.31 | 1 |
| Vinyl chloride | ND | | ug/kg | 1.8 | 0.29 | 1 |
| Chloroethane | ND | | ug/kg | 1.8 | 0.29 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 0.92 | 0.34 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.22 | 1 |
| Trichloroethene | ND | | ug/kg | 0.92 | 0.28 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06

Date Collected: 12/14/17 10:05

Client ID: SB007 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.17 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 1.8 | 0.14 | 1 |
| p/m-Xylene | ND | | ug/kg | 1.8 | 0.32 | 1 |
| o-Xylene | ND | | ug/kg | 1.8 | 0.31 | 1 |
| Xylenes, Total | ND | | ug/kg | 1.8 | 0.31 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 0.92 | 0.32 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 0.92 | 0.22 | 1 |
| Dibromomethane | ND | | ug/kg | 9.2 | 0.22 | 1 |
| Styrene | ND | | ug/kg | 1.8 | 0.37 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 9.2 | 0.46 | 1 |
| Acetone | ND | | ug/kg | 9.2 | 2.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 9.2 | 1.0 | 1 |
| 2-Butanone | ND | | ug/kg | 9.2 | 0.64 | 1 |
| Vinyl acetate | ND | | ug/kg | 9.2 | 0.14 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 9.2 | 0.22 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 9.2 | 0.16 | 1 |
| 2-Hexanone | ND | | ug/kg | 9.2 | 0.62 | 1 |
| Bromochloromethane | ND | | ug/kg | 4.6 | 0.33 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 4.6 | 0.42 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 3.7 | 0.18 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 4.6 | 0.17 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 0.92 | 0.29 | 1 |
| Bromobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| n-Butylbenzene | ND | | ug/kg | 0.92 | 0.21 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 0.92 | 0.20 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 4.6 | 0.23 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 4.6 | 0.17 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 4.6 | 0.37 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 4.6 | 0.32 | 1 |
| Isopropylbenzene | ND | | ug/kg | 0.92 | 0.18 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 0.92 | 0.19 | 1 |
| Naphthalene | ND | | ug/kg | 4.6 | 0.13 | 1 |
| Acrylonitrile | ND | | ug/kg | 9.2 | 0.48 | 1 |
| n-Propylbenzene | ND | | ug/kg | 0.92 | 0.20 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 4.6 | 0.23 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 4.6 | 0.15 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06

Date Collected: 12/14/17 10:05

Client ID: SB007 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 4.6 | 0.17 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 37 | 13. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 3.7 | 3.7 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 3.7 | 0.22 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 3.7 | 0.14 | 1 |
| Ethyl ether | ND | | ug/kg | 4.6 | 0.24 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 4.6 | 0.36 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 104 | | 70-130 |
| Toluene-d8 | 92 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 00:22
 Analyst: MV
 Percent Solids: 91%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 13 | 2.2 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.0 | 0.35 | 1 |
| Chloroform | ND | | ug/kg | 2.0 | 0.48 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.3 | 0.45 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.6 | 0.30 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.3 | 0.23 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.0 | 0.41 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.3 | 0.46 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.6 | 0.55 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.3 | 0.32 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.3 | 0.46 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.3 | 0.40 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.27 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.30 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.3 | 0.27 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.6 | 0.43 | 1 |
| Bromoform | ND | | ug/kg | 5.2 | 0.31 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.39 | 1 |
| Benzene | ND | | ug/kg | 1.3 | 0.25 | 1 |
| Toluene | ND | | ug/kg | 2.0 | 0.26 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.3 | 0.22 | 1 |
| Chloromethane | ND | | ug/kg | 6.6 | 0.57 | 1 |
| Bromomethane | ND | | ug/kg | 2.6 | 0.44 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.6 | 0.41 | 1 |
| Chloroethane | ND | | ug/kg | 2.6 | 0.41 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.3 | 0.49 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.0 | 0.32 | 1 |
| Trichloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.28 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.6 | 0.20 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.6 | 0.46 | 1 |
| o-Xylene | ND | | ug/kg | 2.6 | 0.44 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.6 | 0.44 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.3 | 0.45 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.3 | 0.32 | 1 |
| Dibromomethane | ND | | ug/kg | 13 | 0.31 | 1 |
| Styrene | ND | | ug/kg | 2.6 | 0.52 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 13 | 0.66 | 1 |
| Acetone | 10 | J | ug/kg | 13 | 3.0 | 1 |
| Carbon disulfide | ND | | ug/kg | 13 | 1.4 | 1 |
| 2-Butanone | ND | | ug/kg | 13 | 0.90 | 1 |
| Vinyl acetate | ND | | ug/kg | 13 | 0.20 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 13 | 0.32 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 13 | 0.23 | 1 |
| 2-Hexanone | ND | | ug/kg | 13 | 0.87 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.6 | 0.47 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.6 | 0.59 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.2 | 0.26 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.42 | 1 |
| Bromobenzene | ND | | ug/kg | 6.6 | 0.29 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.3 | 0.30 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.3 | 0.28 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.6 | 0.32 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.6 | 0.29 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.6 | 0.52 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.6 | 0.46 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.3 | 0.25 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.3 | 0.26 | 1 |
| Naphthalene | ND | | ug/kg | 6.6 | 0.18 | 1 |
| Acrylonitrile | ND | | ug/kg | 13 | 0.67 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.3 | 0.28 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.6 | 0.33 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.6 | 0.28 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 6.6 | 0.21 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 6.6 | 0.24 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 52 | 19. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.2 | 5.2 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 5.2 | 0.31 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.2 | 0.20 | 1 |
| Ethyl ether | ND | | ug/kg | 6.6 | 0.34 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.6 | 0.51 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 147 | Q | 70-130 |
| Toluene-d8 | 88 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 117 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/26/17 09:03
 Analyst: CBN
 Percent Solids: 91%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by EPA 5035 High - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 640 | 100 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 95 | 17. | 1 |
| Chloroform | ND | | ug/kg | 95 | 24. | 1 |
| Carbon tetrachloride | ND | | ug/kg | 64 | 22. | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 220 | 14. | 1 |
| Dibromochloromethane | ND | | ug/kg | 64 | 11. | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 95 | 20. | 1 |
| Tetrachloroethene | ND | | ug/kg | 64 | 19. | 1 |
| Chlorobenzene | ND | | ug/kg | 64 | 22. | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 320 | 26. | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 64 | 16. | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 64 | 22. | 1 |
| Bromodichloromethane | ND | | ug/kg | 64 | 20. | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 64 | 13. | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 64 | 15. | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 64 | 13. | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 320 | 21. | 1 |
| Bromoform | ND | | ug/kg | 250 | 15. | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 64 | 19. | 1 |
| Benzene | ND | | ug/kg | 64 | 12. | 1 |
| Toluene | 41 | J | ug/kg | 95 | 12. | 1 |
| Ethylbenzene | 17 | J | ug/kg | 64 | 11. | 1 |
| Chloromethane | ND | | ug/kg | 320 | 28. | 1 |
| Bromomethane | ND | | ug/kg | 130 | 22. | 1 |
| Vinyl chloride | ND | | ug/kg | 130 | 20. | 1 |
| Chloroethane | ND | | ug/kg | 130 | 20. | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 64 | 24. | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 95 | 15. | 1 |
| Trichloroethene | ND | | ug/kg | 64 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 320 | 12. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by EPA 5035 High - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 320 | 14. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 320 | 12. | 1 |
| Methyl tert butyl ether | 16 | J | ug/kg | 130 | 9.7 | 1 |
| p/m-Xylene | 120 | J | ug/kg | 130 | 22. | 1 |
| o-Xylene | 46 | J | ug/kg | 130 | 22. | 1 |
| Xylene (Total) | 170 | J | ug/kg | 130 | 22. | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 64 | 22. | 1 |
| 1,2-Dichloroethene (total) | ND | | ug/kg | 64 | 15. | 1 |
| Dibromomethane | ND | | ug/kg | 640 | 15. | 1 |
| Styrene | ND | | ug/kg | 130 | 26. | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 640 | 32. | 1 |
| Acetone | ND | | ug/kg | 640 | 140 | 1 |
| Carbon disulfide | ND | | ug/kg | 640 | 70. | 1 |
| 2-Butanone | ND | | ug/kg | 640 | 44. | 1 |
| Vinyl acetate | ND | | ug/kg | 640 | 9.7 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 640 | 16. | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 640 | 11. | 1 |
| 2-Hexanone | ND | | ug/kg | 640 | 42. | 1 |
| Bromochloromethane | ND | | ug/kg | 320 | 23. | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 320 | 29. | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 250 | 13. | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 320 | 12. | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 64 | 20. | 1 |
| Bromobenzene | ND | | ug/kg | 320 | 14. | 1 |
| n-Butylbenzene | ND | | ug/kg | 64 | 14. | 1 |
| sec-Butylbenzene | ND | | ug/kg | 64 | 14. | 1 |
| tert-Butylbenzene | ND | | ug/kg | 320 | 16. | 1 |
| o-Chlorotoluene | ND | | ug/kg | 320 | 14. | 1 |
| p-Chlorotoluene | ND | | ug/kg | 320 | 12. | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 320 | 25. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 320 | 22. | 1 |
| Isopropylbenzene | ND | | ug/kg | 64 | 12. | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 64 | 13. | 1 |
| Naphthalene | 41 | J | ug/kg | 320 | 8.8 | 1 |
| Acrylonitrile | ND | | ug/kg | 640 | 33. | 1 |
| n-Propylbenzene | 18 | J | ug/kg | 64 | 14. | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 320 | 16. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 320 | 14. | 1 |
| 1,3,5-Trimethylbenzene | 26 | J | ug/kg | 320 | 10. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|-----|-----------------|
| Volatile Organics by EPA 5035 High - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 58 | J | ug/kg | 320 | 12. | 1 |
| 1,4-Dioxane | ND | | ug/kg | 2500 | 920 | 1 |
| 1,4-Diethylbenzene | ND | | ug/kg | 250 | 250 | 1 |
| 4-Ethyltoluene | 49 | J | ug/kg | 250 | 15. | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 250 | 9.9 | 1 |
| Ethyl ether | ND | | ug/kg | 320 | 16. | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 320 | 25. | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 109 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 99 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 00:48
 Analyst: MV
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 12 | 1.9 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.8 | 0.32 | 1 |
| Chloroform | ND | | ug/kg | 1.8 | 0.43 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.2 | 0.40 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.1 | 0.27 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.2 | 0.21 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.8 | 0.37 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.2 | 0.35 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.2 | 0.41 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.9 | 0.49 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.2 | 0.29 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.2 | 0.41 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.2 | 0.36 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.24 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.27 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.2 | 0.24 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.9 | 0.38 | 1 |
| Bromoform | ND | | ug/kg | 4.7 | 0.28 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.35 | 1 |
| Benzene | ND | | ug/kg | 1.2 | 0.23 | 1 |
| Toluene | ND | | ug/kg | 1.8 | 0.23 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.2 | 0.20 | 1 |
| Chloromethane | ND | | ug/kg | 5.9 | 0.51 | 1 |
| Bromomethane | ND | | ug/kg | 2.3 | 0.40 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.3 | 0.37 | 1 |
| Chloroethane | ND | | ug/kg | 2.3 | 0.37 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.2 | 0.44 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.8 | 0.28 | 1 |
| Trichloroethene | ND | | ug/kg | 1.2 | 0.35 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.9 | 0.21 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08

Date Collected: 12/14/17 10:30

Client ID: SB008 (10-12)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.9 | 0.26 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.9 | 0.21 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.3 | 0.18 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.3 | 0.41 | 1 |
| o-Xylene | ND | | ug/kg | 2.3 | 0.40 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.3 | 0.40 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.2 | 0.40 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.2 | 0.28 | 1 |
| Dibromomethane | ND | | ug/kg | 12 | 0.28 | 1 |
| Styrene | ND | | ug/kg | 2.3 | 0.47 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 12 | 0.59 | 1 |
| Acetone | ND | | ug/kg | 12 | 2.7 | 1 |
| Carbon disulfide | ND | | ug/kg | 12 | 1.3 | 1 |
| 2-Butanone | ND | | ug/kg | 12 | 0.81 | 1 |
| Vinyl acetate | ND | | ug/kg | 12 | 0.18 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 12 | 0.29 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 12 | 0.21 | 1 |
| 2-Hexanone | ND | | ug/kg | 12 | 0.78 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.9 | 0.42 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.9 | 0.53 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.7 | 0.23 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.9 | 0.21 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.37 | 1 |
| Bromobenzene | ND | | ug/kg | 5.9 | 0.26 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.2 | 0.27 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.2 | 0.25 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.9 | 0.29 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.9 | 0.26 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.9 | 0.21 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.9 | 0.46 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.9 | 0.41 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.2 | 0.23 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.2 | 0.24 | 1 |
| Naphthalene | ND | | ug/kg | 5.9 | 0.16 | 1 |
| Acrylonitrile | ND | | ug/kg | 12 | 0.60 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.2 | 0.25 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.9 | 0.29 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.9 | 0.25 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.9 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.9 | 0.22 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 47 | 17. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.7 | 4.7 | 1 |
| p-Ethyltoluene | ND | | ug/kg | 4.7 | 0.27 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.7 | 0.18 | 1 |
| Ethyl ether | ND | | ug/kg | 5.9 | 0.30 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.9 | 0.46 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 105 | | 70-130 |
| Toluene-d8 | 91 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 19:31
 Analyst: CBN
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.30 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.40 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.38 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.8 | 0.25 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.19 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.34 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.33 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.38 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.5 | 0.46 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.27 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.38 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.5 | 0.36 | 1 |
| Bromoform | ND | | ug/kg | 4.4 | 0.26 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.21 | 1 |
| Ethylbenzene | 0.27 | J | ug/kg | 1.1 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.5 | 0.48 | 1 |
| Bromomethane | ND | | ug/kg | 2.2 | 0.37 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.2 | 0.34 | 1 |
| Chloroethane | ND | | ug/kg | 2.2 | 0.34 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.41 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.26 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.33 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.5 | 0.20 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09

Date Collected: 12/14/17 10:50

Client ID: SB009 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.5 | 0.24 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.5 | 0.20 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.2 | 0.17 | 1 |
| p/m-Xylene | 0.56 | J | ug/kg | 2.2 | 0.38 | 1 |
| o-Xylene | ND | | ug/kg | 2.2 | 0.37 | 1 |
| Xylenes, Total | 0.56 | J | ug/kg | 2.2 | 0.37 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.37 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.26 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.26 | 1 |
| Styrene | ND | | ug/kg | 2.2 | 0.44 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.55 | 1 |
| Acetone | 7.2 | J | ug/kg | 11 | 2.5 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.75 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.17 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.27 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.19 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.73 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.5 | 0.39 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.5 | 0.49 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.4 | 0.22 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.5 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.35 | 1 |
| Bromobenzene | ND | | ug/kg | 5.5 | 0.24 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.5 | 0.27 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.5 | 0.24 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.5 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.5 | 0.43 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.5 | 0.38 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Naphthalene | ND | | ug/kg | 5.5 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.56 | 1 |
| n-Propylbenzene | 0.37 | J | ug/kg | 1.1 | 0.24 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.5 | 0.27 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.5 | 0.24 | 1 |
| 1,3,5-Trimethylbenzene | 0.46 | J | ug/kg | 5.5 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09

Date Collected: 12/14/17 10:50

Client ID: SB009 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 1.1 | J | ug/kg | 5.5 | 0.20 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 44 | 16. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.4 | 4.4 | 1 |
| p-Ethyltoluene | 1.2 | J | ug/kg | 4.4 | 0.26 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.4 | 0.17 | 1 |
| Ethyl ether | ND | | ug/kg | 5.5 | 0.28 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.5 | 0.43 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 121 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10
 Client ID: SB009 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:55
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 19:57
 Analyst: CBN
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.29 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.40 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.38 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.8 | 0.25 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.19 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.34 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.33 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.38 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.4 | 0.45 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.27 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.38 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.4 | 0.36 | 1 |
| Bromoform | ND | | ug/kg | 4.4 | 0.26 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.21 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.4 | 0.48 | 1 |
| Bromomethane | ND | | ug/kg | 2.2 | 0.37 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.2 | 0.34 | 1 |
| Chloroethane | ND | | ug/kg | 2.2 | 0.34 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.40 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.26 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.33 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.4 | 0.20 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10

Date Collected: 12/14/17 10:55

Client ID: SB009 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.4 | 0.24 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.4 | 0.20 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.2 | 0.17 | 1 |
| p/m-Xylene | 0.42 | J | ug/kg | 2.2 | 0.38 | 1 |
| o-Xylene | ND | | ug/kg | 2.2 | 0.37 | 1 |
| Xylenes, Total | 0.42 | J | ug/kg | 2.2 | 0.37 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.37 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.26 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.26 | 1 |
| Styrene | ND | | ug/kg | 2.2 | 0.44 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.54 | 1 |
| Acetone | ND | | ug/kg | 11 | 2.5 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.75 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.17 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.27 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.19 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.73 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.4 | 0.39 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.4 | 0.49 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.4 | 0.22 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.4 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.35 | 1 |
| Bromobenzene | ND | | ug/kg | 5.4 | 0.24 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.4 | 0.27 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.4 | 0.24 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.4 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.4 | 0.43 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.4 | 0.38 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Naphthalene | ND | | ug/kg | 5.4 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.56 | 1 |
| n-Propylbenzene | 0.27 | J | ug/kg | 1.1 | 0.23 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.4 | 0.27 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.4 | 0.23 | 1 |
| 1,3,5-Trimethylbenzene | 0.35 | J | ug/kg | 5.4 | 0.18 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10

Date Collected: 12/14/17 10:55

Client ID: SB009 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.82 | J | ug/kg | 5.4 | 0.20 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 44 | 16. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.4 | 4.4 | 1 |
| p-Ethyltoluene | 0.88 | J | ug/kg | 4.4 | 0.26 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.4 | 0.17 | 1 |
| Ethyl ether | ND | | ug/kg | 5.4 | 0.28 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.4 | 0.43 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 104 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
 Client ID: SB010 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:05
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 20:23
 Analyst: CBN
 Percent Solids: 80%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 13 | 2.2 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.0 | 0.36 | 1 |
| Chloroform | ND | | ug/kg | 2.0 | 0.49 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.3 | 0.46 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.7 | 0.30 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.3 | 0.24 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.0 | 0.42 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.3 | 0.46 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.7 | 0.56 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.3 | 0.33 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.3 | 0.47 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.3 | 0.41 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.28 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.3 | 0.31 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.3 | 0.28 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.7 | 0.44 | 1 |
| Bromoform | ND | | ug/kg | 5.3 | 0.32 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.40 | 1 |
| Benzene | 0.33 | J | ug/kg | 1.3 | 0.26 | 1 |
| Toluene | 0.34 | J | ug/kg | 2.0 | 0.26 | 1 |
| Ethylbenzene | 0.31 | J | ug/kg | 1.3 | 0.23 | 1 |
| Chloromethane | ND | | ug/kg | 6.7 | 0.58 | 1 |
| Bromomethane | ND | | ug/kg | 2.7 | 0.45 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.7 | 0.42 | 1 |
| Chloroethane | ND | | ug/kg | 2.7 | 0.42 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.3 | 0.50 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.0 | 0.32 | 1 |
| Trichloroethene | ND | | ug/kg | 1.3 | 0.40 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.7 | 0.24 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11

Date Collected: 12/14/17 11:05

Client ID: SB010 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.7 | 0.29 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.7 | 0.24 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.7 | 0.20 | 1 |
| p/m-Xylene | 0.75 | J | ug/kg | 2.7 | 0.47 | 1 |
| o-Xylene | ND | | ug/kg | 2.7 | 0.45 | 1 |
| Xylenes, Total | 0.75 | J | ug/kg | 2.7 | 0.45 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.3 | 0.46 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.3 | 0.32 | 1 |
| Dibromomethane | ND | | ug/kg | 13 | 0.32 | 1 |
| Styrene | ND | | ug/kg | 2.7 | 0.54 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 13 | 0.67 | 1 |
| Acetone | 13 | | ug/kg | 13 | 3.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 13 | 1.5 | 1 |
| 2-Butanone | ND | | ug/kg | 13 | 0.92 | 1 |
| Vinyl acetate | ND | | ug/kg | 13 | 0.20 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 13 | 0.33 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 13 | 0.24 | 1 |
| 2-Hexanone | ND | | ug/kg | 13 | 0.89 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.7 | 0.48 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.7 | 0.60 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.3 | 0.26 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.7 | 0.24 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.3 | 0.42 | 1 |
| Bromobenzene | ND | | ug/kg | 6.7 | 0.29 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.3 | 0.30 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.3 | 0.29 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.7 | 0.33 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.7 | 0.30 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.7 | 0.24 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.7 | 0.53 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.7 | 0.46 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.3 | 0.26 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.3 | 0.27 | 1 |
| Naphthalene | ND | | ug/kg | 6.7 | 0.18 | 1 |
| Acrylonitrile | ND | | ug/kg | 13 | 0.69 | 1 |
| n-Propylbenzene | 0.42 | J | ug/kg | 1.3 | 0.29 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.7 | 0.34 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.7 | 0.29 | 1 |
| 1,3,5-Trimethylbenzene | 0.52 | J | ug/kg | 6.7 | 0.22 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11

Date Collected: 12/14/17 11:05

Client ID: SB010 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 1.3 | J | ug/kg | 6.7 | 0.25 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 53 | 19. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.3 | 5.3 | 1 |
| p-Ethyltoluene | 1.4 | J | ug/kg | 5.3 | 0.31 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.3 | 0.21 | 1 |
| Ethyl ether | ND | | ug/kg | 6.7 | 0.35 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.7 | 0.52 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 105 | | 70-130 |
| Toluene-d8 | 107 | | 70-130 |
| 4-Bromofluorobenzene | 112 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 20:49
 Analyst: CBN
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 9.1 | 1.5 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.4 | 0.24 | 1 |
| Chloroform | ND | | ug/kg | 1.4 | 0.34 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 0.91 | 0.31 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.2 | 0.21 | 1 |
| Dibromochloromethane | ND | | ug/kg | 0.91 | 0.16 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.4 | 0.28 | 1 |
| Tetrachloroethene | ND | | ug/kg | 0.91 | 0.27 | 1 |
| Chlorobenzene | ND | | ug/kg | 0.91 | 0.32 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 4.5 | 0.38 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 0.91 | 0.22 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 0.91 | 0.32 | 1 |
| Bromodichloromethane | ND | | ug/kg | 0.91 | 0.28 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 0.91 | 0.19 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 0.91 | 0.21 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 0.91 | 0.19 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 4.5 | 0.30 | 1 |
| Bromoform | ND | | ug/kg | 3.6 | 0.21 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 0.91 | 0.27 | 1 |
| Benzene | ND | | ug/kg | 0.91 | 0.18 | 1 |
| Toluene | ND | | ug/kg | 1.4 | 0.18 | 1 |
| Ethylbenzene | ND | | ug/kg | 0.91 | 0.15 | 1 |
| Chloromethane | ND | | ug/kg | 4.5 | 0.40 | 1 |
| Bromomethane | ND | | ug/kg | 1.8 | 0.31 | 1 |
| Vinyl chloride | ND | | ug/kg | 1.8 | 0.28 | 1 |
| Chloroethane | ND | | ug/kg | 1.8 | 0.29 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 0.91 | 0.34 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.22 | 1 |
| Trichloroethene | ND | | ug/kg | 0.91 | 0.27 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 4.5 | 0.16 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12

Date Collected: 12/14/17 11:10

Client ID: SB010 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 4.5 | 0.20 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 4.5 | 0.16 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 1.8 | 0.14 | 1 |
| p/m-Xylene | ND | | ug/kg | 1.8 | 0.32 | 1 |
| o-Xylene | ND | | ug/kg | 1.8 | 0.31 | 1 |
| Xylenes, Total | ND | | ug/kg | 1.8 | 0.31 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 0.91 | 0.31 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 0.91 | 0.22 | 1 |
| Dibromomethane | ND | | ug/kg | 9.1 | 0.22 | 1 |
| Styrene | ND | | ug/kg | 1.8 | 0.36 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 9.1 | 0.45 | 1 |
| Acetone | ND | | ug/kg | 9.1 | 2.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 9.1 | 1.0 | 1 |
| 2-Butanone | ND | | ug/kg | 9.1 | 0.62 | 1 |
| Vinyl acetate | ND | | ug/kg | 9.1 | 0.14 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 9.1 | 0.22 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 9.1 | 0.16 | 1 |
| 2-Hexanone | ND | | ug/kg | 9.1 | 0.60 | 1 |
| Bromochloromethane | ND | | ug/kg | 4.5 | 0.32 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 4.5 | 0.41 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 3.6 | 0.18 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 4.5 | 0.17 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 0.91 | 0.29 | 1 |
| Bromobenzene | ND | | ug/kg | 4.5 | 0.20 | 1 |
| n-Butylbenzene | ND | | ug/kg | 0.91 | 0.21 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 0.91 | 0.20 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 4.5 | 0.22 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 4.5 | 0.20 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 4.5 | 0.17 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 4.5 | 0.36 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 4.5 | 0.32 | 1 |
| Isopropylbenzene | ND | | ug/kg | 0.91 | 0.18 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 0.91 | 0.18 | 1 |
| Naphthalene | 0.14 | J | ug/kg | 4.5 | 0.12 | 1 |
| Acrylonitrile | ND | | ug/kg | 9.1 | 0.47 | 1 |
| n-Propylbenzene | 0.21 | J | ug/kg | 0.91 | 0.20 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 4.5 | 0.23 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 4.5 | 0.20 | 1 |
| 1,3,5-Trimethylbenzene | 0.28 | J | ug/kg | 4.5 | 0.15 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12

Date Collected: 12/14/17 11:10

Client ID: SB010 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.70 | J | ug/kg | 4.5 | 0.17 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 36 | 13. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 3.6 | 3.6 | 1 |
| p-Ethyltoluene | 0.72 | J | ug/kg | 3.6 | 0.21 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 3.6 | 0.14 | 1 |
| Ethyl ether | ND | | ug/kg | 4.5 | 0.24 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 4.5 | 0.36 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 101 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
 Client ID: SB011 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:20
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 21:15
 Analyst: CBN
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 14 | 2.3 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 2.1 | 0.38 | 1 |
| Chloroform | ND | | ug/kg | 2.1 | 0.52 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.4 | 0.48 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.9 | 0.32 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.4 | 0.25 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 2.1 | 0.44 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.4 | 0.42 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.4 | 0.49 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 7.0 | 0.59 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.4 | 0.34 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.4 | 0.49 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.4 | 0.43 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.29 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.4 | 0.32 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.4 | 0.29 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 7.0 | 0.46 | 1 |
| Bromoform | ND | | ug/kg | 5.6 | 0.33 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.42 | 1 |
| Benzene | ND | | ug/kg | 1.4 | 0.27 | 1 |
| Toluene | ND | | ug/kg | 2.1 | 0.27 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.4 | 0.24 | 1 |
| Chloromethane | ND | | ug/kg | 7.0 | 0.61 | 1 |
| Bromomethane | ND | | ug/kg | 2.8 | 0.48 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.8 | 0.44 | 1 |
| Chloroethane | ND | | ug/kg | 2.8 | 0.44 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.4 | 0.52 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 2.1 | 0.34 | 1 |
| Trichloroethene | ND | | ug/kg | 1.4 | 0.42 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 7.0 | 0.26 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13

Date Collected: 12/14/17 11:20

Client ID: SB011 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 7.0 | 0.31 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 7.0 | 0.26 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.8 | 0.22 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.8 | 0.49 | 1 |
| o-Xylene | ND | | ug/kg | 2.8 | 0.48 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.8 | 0.48 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.48 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.4 | 0.34 | 1 |
| Dibromomethane | ND | | ug/kg | 14 | 0.34 | 1 |
| Styrene | ND | | ug/kg | 2.8 | 0.56 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 14 | 0.70 | 1 |
| Acetone | 6.9 | J | ug/kg | 14 | 3.2 | 1 |
| Carbon disulfide | ND | | ug/kg | 14 | 1.5 | 1 |
| 2-Butanone | ND | | ug/kg | 14 | 0.97 | 1 |
| Vinyl acetate | ND | | ug/kg | 14 | 0.22 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 14 | 0.34 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 14 | 0.25 | 1 |
| 2-Hexanone | ND | | ug/kg | 14 | 0.94 | 1 |
| Bromochloromethane | ND | | ug/kg | 7.0 | 0.50 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 7.0 | 0.63 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.6 | 0.28 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 7.0 | 0.26 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.4 | 0.45 | 1 |
| Bromobenzene | ND | | ug/kg | 7.0 | 0.31 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.4 | 0.32 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.4 | 0.30 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 7.0 | 0.35 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 7.0 | 0.31 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 7.0 | 0.26 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 7.0 | 0.56 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 7.0 | 0.49 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.4 | 0.27 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.4 | 0.28 | 1 |
| Naphthalene | 0.28 | J | ug/kg | 7.0 | 0.19 | 1 |
| Acrylonitrile | ND | | ug/kg | 14 | 0.72 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.4 | 0.30 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 7.0 | 0.35 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 7.0 | 0.30 | 1 |
| 1,3,5-Trimethylbenzene | 0.44 | J | ug/kg | 7.0 | 0.23 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13

Date Collected: 12/14/17 11:20

Client ID: SB011 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 1.1 | J | ug/kg | 7.0 | 0.26 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 56 | 20. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.6 | 5.6 | 1 |
| p-Ethyltoluene | 1.1 | J | ug/kg | 5.6 | 0.33 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.6 | 0.22 | 1 |
| Ethyl ether | ND | | ug/kg | 7.0 | 0.36 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 7.0 | 0.55 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 107 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 106 | | 70-130 |
| Dibromofluoromethane | 99 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
 Client ID: SB011 (5-7)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:25
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 21:41
 Analyst: CBN
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 11 | 1.8 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.6 | 0.29 | 1 |
| Chloroform | ND | | ug/kg | 1.6 | 0.40 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.1 | 0.37 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.7 | 0.24 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.1 | 0.19 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.6 | 0.33 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.1 | 0.37 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 5.3 | 0.44 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.1 | 0.26 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.1 | 0.37 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.1 | 0.33 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.1 | 0.25 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.1 | 0.22 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.3 | 0.35 | 1 |
| Bromoform | ND | | ug/kg | 4.3 | 0.25 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.32 | 1 |
| Benzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| Toluene | ND | | ug/kg | 1.6 | 0.21 | 1 |
| Ethylbenzene | ND | | ug/kg | 1.1 | 0.18 | 1 |
| Chloromethane | ND | | ug/kg | 5.3 | 0.46 | 1 |
| Bromomethane | ND | | ug/kg | 2.1 | 0.36 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.1 | 0.34 | 1 |
| Chloroethane | ND | | ug/kg | 2.1 | 0.34 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.1 | 0.40 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.6 | 0.26 | 1 |
| Trichloroethene | ND | | ug/kg | 1.1 | 0.32 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.19 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14

Date Collected: 12/14/17 11:25

Client ID: SB011 (5-7)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.3 | 0.19 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.1 | 0.16 | 1 |
| p/m-Xylene | ND | | ug/kg | 2.1 | 0.37 | 1 |
| o-Xylene | ND | | ug/kg | 2.1 | 0.36 | 1 |
| Xylenes, Total | ND | | ug/kg | 2.1 | 0.36 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.1 | 0.36 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.1 | 0.26 | 1 |
| Dibromomethane | ND | | ug/kg | 11 | 0.26 | 1 |
| Styrene | ND | | ug/kg | 2.1 | 0.43 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 11 | 0.53 | 1 |
| Acetone | 4.2 | J | ug/kg | 11 | 2.4 | 1 |
| Carbon disulfide | ND | | ug/kg | 11 | 1.2 | 1 |
| 2-Butanone | ND | | ug/kg | 11 | 0.74 | 1 |
| Vinyl acetate | ND | | ug/kg | 11 | 0.16 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 11 | 0.26 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 11 | 0.19 | 1 |
| 2-Hexanone | ND | | ug/kg | 11 | 0.71 | 1 |
| Bromochloromethane | ND | | ug/kg | 5.3 | 0.38 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.3 | 0.48 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.3 | 0.21 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.3 | 0.20 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.1 | 0.34 | 1 |
| Bromobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.1 | 0.24 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 5.3 | 0.26 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 5.3 | 0.24 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 5.3 | 0.20 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.3 | 0.42 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 5.3 | 0.37 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.1 | 0.21 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.1 | 0.22 | 1 |
| Naphthalene | ND | | ug/kg | 5.3 | 0.15 | 1 |
| Acrylonitrile | ND | | ug/kg | 11 | 0.55 | 1 |
| n-Propylbenzene | ND | | ug/kg | 1.1 | 0.23 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.3 | 0.27 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.3 | 0.23 | 1 |
| 1,3,5-Trimethylbenzene | 0.26 | J | ug/kg | 5.3 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14

Date Collected: 12/14/17 11:25

Client ID: SB011 (5-7)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.74 | J | ug/kg | 5.3 | 0.20 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 43 | 15. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 4.3 | 4.3 | 1 |
| p-Ethyltoluene | 0.78 | J | ug/kg | 4.3 | 0.25 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.3 | 0.17 | 1 |
| Ethyl ether | ND | | ug/kg | 5.3 | 0.28 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.3 | 0.42 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 124 | | 70-130 |
| Toluene-d8 | 100 | | 70-130 |
| 4-Bromofluorobenzene | 104 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 22:07
 Analyst: CBN
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 9.3 | 1.5 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.4 | 0.25 | 1 |
| Chloroform | ND | | ug/kg | 1.4 | 0.34 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 0.93 | 0.32 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.3 | 0.21 | 1 |
| Dibromochloromethane | ND | | ug/kg | 0.93 | 0.16 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.4 | 0.29 | 1 |
| Tetrachloroethene | ND | | ug/kg | 0.93 | 0.28 | 1 |
| Chlorobenzene | ND | | ug/kg | 0.93 | 0.32 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 4.6 | 0.39 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 0.93 | 0.23 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 0.93 | 0.33 | 1 |
| Bromodichloromethane | ND | | ug/kg | 0.93 | 0.29 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 0.93 | 0.19 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 0.93 | 0.22 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 0.93 | 0.19 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 4.6 | 0.30 | 1 |
| Bromoform | ND | | ug/kg | 3.7 | 0.22 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 0.93 | 0.28 | 1 |
| Benzene | ND | | ug/kg | 0.93 | 0.18 | 1 |
| Toluene | ND | | ug/kg | 1.4 | 0.18 | 1 |
| Ethylbenzene | ND | | ug/kg | 0.93 | 0.16 | 1 |
| Chloromethane | ND | | ug/kg | 4.6 | 0.41 | 1 |
| Bromomethane | ND | | ug/kg | 1.9 | 0.31 | 1 |
| Vinyl chloride | ND | | ug/kg | 1.9 | 0.29 | 1 |
| Chloroethane | ND | | ug/kg | 1.9 | 0.29 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 0.93 | 0.35 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.22 | 1 |
| Trichloroethene | ND | | ug/kg | 0.93 | 0.28 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15

Date Collected: 12/14/17 11:40

Client ID: SB012 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 4.6 | 0.17 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 1.9 | 0.14 | 1 |
| p/m-Xylene | ND | | ug/kg | 1.9 | 0.33 | 1 |
| o-Xylene | ND | | ug/kg | 1.9 | 0.31 | 1 |
| Xylenes, Total | ND | | ug/kg | 1.9 | 0.31 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 0.93 | 0.32 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 0.93 | 0.22 | 1 |
| Dibromomethane | ND | | ug/kg | 9.3 | 0.22 | 1 |
| Styrene | ND | | ug/kg | 1.9 | 0.37 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 9.3 | 0.46 | 1 |
| Acetone | ND | | ug/kg | 9.3 | 2.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 9.3 | 1.0 | 1 |
| 2-Butanone | ND | | ug/kg | 9.3 | 0.64 | 1 |
| Vinyl acetate | ND | | ug/kg | 9.3 | 0.14 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 9.3 | 0.23 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 9.3 | 0.16 | 1 |
| 2-Hexanone | ND | | ug/kg | 9.3 | 0.62 | 1 |
| Bromochloromethane | ND | | ug/kg | 4.6 | 0.33 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 4.6 | 0.42 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 3.7 | 0.18 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 4.6 | 0.17 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 0.93 | 0.30 | 1 |
| Bromobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| n-Butylbenzene | ND | | ug/kg | 0.93 | 0.21 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 0.93 | 0.20 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 4.6 | 0.23 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 4.6 | 0.17 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 4.6 | 0.37 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 4.6 | 0.32 | 1 |
| Isopropylbenzene | ND | | ug/kg | 0.93 | 0.18 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 0.93 | 0.19 | 1 |
| Naphthalene | ND | | ug/kg | 4.6 | 0.13 | 1 |
| Acrylonitrile | ND | | ug/kg | 9.3 | 0.48 | 1 |
| n-Propylbenzene | ND | | ug/kg | 0.93 | 0.20 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 4.6 | 0.23 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 4.6 | 0.20 | 1 |
| 1,3,5-Trimethylbenzene | 0.23 | J | ug/kg | 4.6 | 0.15 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15

Date Collected: 12/14/17 11:40

Client ID: SB012 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.59 | J | ug/kg | 4.6 | 0.17 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 37 | 13. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 3.7 | 3.7 | 1 |
| p-Ethyltoluene | 0.62 | J | ug/kg | 3.7 | 0.22 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 3.7 | 0.14 | 1 |
| Ethyl ether | ND | | ug/kg | 4.6 | 0.24 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 4.6 | 0.36 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 108 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 107 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/22/17 22:33
 Analyst: CBN
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 9.4 | 1.5 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.4 | 0.25 | 1 |
| Chloroform | ND | | ug/kg | 1.4 | 0.35 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 0.94 | 0.32 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.3 | 0.21 | 1 |
| Dibromochloromethane | ND | | ug/kg | 0.94 | 0.16 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.4 | 0.29 | 1 |
| Tetrachloroethene | ND | | ug/kg | 0.94 | 0.28 | 1 |
| Chlorobenzene | ND | | ug/kg | 0.94 | 0.32 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 4.7 | 0.39 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 0.94 | 0.23 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 0.94 | 0.33 | 1 |
| Bromodichloromethane | ND | | ug/kg | 0.94 | 0.29 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 0.94 | 0.19 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 0.94 | 0.22 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 0.94 | 0.19 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 4.7 | 0.31 | 1 |
| Bromoform | ND | | ug/kg | 3.7 | 0.22 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 0.94 | 0.28 | 1 |
| Benzene | ND | | ug/kg | 0.94 | 0.18 | 1 |
| Toluene | ND | | ug/kg | 1.4 | 0.18 | 1 |
| Ethylbenzene | ND | | ug/kg | 0.94 | 0.16 | 1 |
| Chloromethane | ND | | ug/kg | 4.7 | 0.41 | 1 |
| Bromomethane | ND | | ug/kg | 1.9 | 0.32 | 1 |
| Vinyl chloride | ND | | ug/kg | 1.9 | 0.29 | 1 |
| Chloroethane | ND | | ug/kg | 1.9 | 0.30 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 0.94 | 0.35 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.4 | 0.22 | 1 |
| Trichloroethene | ND | | ug/kg | 0.94 | 0.28 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 4.7 | 0.17 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16

Date Collected: 12/14/17 11:45

Client ID: SB012 (6-8)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 4.7 | 0.20 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 4.7 | 0.17 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 1.9 | 0.14 | 1 |
| p/m-Xylene | ND | | ug/kg | 1.9 | 0.33 | 1 |
| o-Xylene | ND | | ug/kg | 1.9 | 0.32 | 1 |
| Xylenes, Total | ND | | ug/kg | 1.9 | 0.32 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 0.94 | 0.32 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 0.94 | 0.22 | 1 |
| Dibromomethane | ND | | ug/kg | 9.4 | 0.22 | 1 |
| Styrene | ND | | ug/kg | 1.9 | 0.38 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 9.4 | 0.47 | 1 |
| Acetone | ND | | ug/kg | 9.4 | 2.1 | 1 |
| Carbon disulfide | ND | | ug/kg | 9.4 | 1.0 | 1 |
| 2-Butanone | ND | | ug/kg | 9.4 | 0.64 | 1 |
| Vinyl acetate | ND | | ug/kg | 9.4 | 0.14 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 9.4 | 0.23 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 9.4 | 0.16 | 1 |
| 2-Hexanone | ND | | ug/kg | 9.4 | 0.62 | 1 |
| Bromochloromethane | ND | | ug/kg | 4.7 | 0.33 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 4.7 | 0.42 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 3.7 | 0.19 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 4.7 | 0.17 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 0.94 | 0.30 | 1 |
| Bromobenzene | ND | | ug/kg | 4.7 | 0.20 | 1 |
| n-Butylbenzene | ND | | ug/kg | 0.94 | 0.21 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 0.94 | 0.20 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 4.7 | 0.23 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 4.7 | 0.21 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 4.7 | 0.17 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 4.7 | 0.37 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 4.7 | 0.32 | 1 |
| Isopropylbenzene | ND | | ug/kg | 0.94 | 0.18 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 0.94 | 0.19 | 1 |
| Naphthalene | ND | | ug/kg | 4.7 | 0.13 | 1 |
| Acrylonitrile | ND | | ug/kg | 9.4 | 0.48 | 1 |
| n-Propylbenzene | ND | | ug/kg | 0.94 | 0.20 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 4.7 | 0.23 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 4.7 | 0.20 | 1 |
| 1,3,5-Trimethylbenzene | 0.23 | J | ug/kg | 4.7 | 0.15 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16

Date Collected: 12/14/17 11:45

Client ID: SB012 (6-8)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 0.57 | J | ug/kg | 4.7 | 0.17 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 37 | 13. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 3.7 | 3.7 | 1 |
| p-Ethyltoluene | 0.59 | J | ug/kg | 3.7 | 0.22 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 3.7 | 0.15 | 1 |
| Ethyl ether | ND | | ug/kg | 4.7 | 0.24 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 4.7 | 0.37 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 99 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17
 Client ID: DUP002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 12/24/17 11:16
 Analyst: MV
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/kg | 12 | 2.1 | 1 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.9 | 0.34 | 1 |
| Chloroform | ND | | ug/kg | 1.9 | 0.46 | 1 |
| Carbon tetrachloride | ND | | ug/kg | 1.2 | 0.43 | 1 |
| 1,2-Dichloropropane | ND | | ug/kg | 4.4 | 0.28 | 1 |
| Dibromochloromethane | ND | | ug/kg | 1.2 | 0.22 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.9 | 0.39 | 1 |
| Tetrachloroethene | ND | | ug/kg | 1.2 | 0.38 | 1 |
| Chlorobenzene | ND | | ug/kg | 1.2 | 0.44 | 1 |
| Trichlorofluoromethane | ND | | ug/kg | 6.3 | 0.52 | 1 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.2 | 0.31 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.2 | 0.44 | 1 |
| Bromodichloromethane | ND | | ug/kg | 1.2 | 0.38 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.26 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.2 | 0.29 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.2 | 0.26 | 1 |
| 1,1-Dichloropropene | ND | | ug/kg | 6.3 | 0.41 | 1 |
| Bromoform | ND | | ug/kg | 5.0 | 0.30 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.37 | 1 |
| Benzene | ND | | ug/kg | 1.2 | 0.24 | 1 |
| Toluene | 0.26 | J | ug/kg | 1.9 | 0.24 | 1 |
| Ethylbenzene | 0.46 | J | ug/kg | 1.2 | 0.21 | 1 |
| Chloromethane | ND | | ug/kg | 6.3 | 0.54 | 1 |
| Bromomethane | ND | | ug/kg | 2.5 | 0.42 | 1 |
| Vinyl chloride | ND | | ug/kg | 2.5 | 0.39 | 1 |
| Chloroethane | ND | | ug/kg | 2.5 | 0.40 | 1 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.2 | 0.46 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.9 | 0.30 | 1 |
| Trichloroethene | ND | | ug/kg | 1.2 | 0.38 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 6.3 | 0.23 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17

Date Collected: 12/14/17 00:00

Client ID: DUP002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/kg | 6.3 | 0.27 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 6.3 | 0.23 | 1 |
| Methyl tert butyl ether | ND | | ug/kg | 2.5 | 0.19 | 1 |
| p/m-Xylene | 0.82 | J | ug/kg | 2.5 | 0.44 | 1 |
| o-Xylene | ND | | ug/kg | 2.5 | 0.42 | 1 |
| Xylenes, Total | 0.82 | J | ug/kg | 2.5 | 0.42 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.2 | 0.43 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.2 | 0.30 | 1 |
| Dibromomethane | ND | | ug/kg | 12 | 0.30 | 1 |
| Styrene | ND | | ug/kg | 2.5 | 0.50 | 1 |
| Dichlorodifluoromethane | ND | | ug/kg | 12 | 0.63 | 1 |
| Acetone | 17 | | ug/kg | 12 | 2.9 | 1 |
| Carbon disulfide | ND | | ug/kg | 12 | 1.4 | 1 |
| 2-Butanone | ND | | ug/kg | 12 | 0.86 | 1 |
| Vinyl acetate | ND | | ug/kg | 12 | 0.19 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 12 | 0.30 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 12 | 0.22 | 1 |
| 2-Hexanone | ND | | ug/kg | 12 | 0.83 | 1 |
| Bromochloromethane | ND | | ug/kg | 6.3 | 0.45 | 1 |
| 2,2-Dichloropropane | ND | | ug/kg | 6.3 | 0.56 | 1 |
| 1,2-Dibromoethane | ND | | ug/kg | 5.0 | 0.25 | 1 |
| 1,3-Dichloropropane | ND | | ug/kg | 6.3 | 0.23 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.2 | 0.40 | 1 |
| Bromobenzene | ND | | ug/kg | 6.3 | 0.27 | 1 |
| n-Butylbenzene | ND | | ug/kg | 1.2 | 0.28 | 1 |
| sec-Butylbenzene | ND | | ug/kg | 1.2 | 0.27 | 1 |
| tert-Butylbenzene | ND | | ug/kg | 6.3 | 0.31 | 1 |
| o-Chlorotoluene | ND | | ug/kg | 6.3 | 0.28 | 1 |
| p-Chlorotoluene | ND | | ug/kg | 6.3 | 0.23 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 6.3 | 0.50 | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 6.3 | 0.44 | 1 |
| Isopropylbenzene | ND | | ug/kg | 1.2 | 0.24 | 1 |
| p-Isopropyltoluene | ND | | ug/kg | 1.2 | 0.25 | 1 |
| Naphthalene | 0.19 | J | ug/kg | 6.3 | 0.17 | 1 |
| Acrylonitrile | ND | | ug/kg | 12 | 0.64 | 1 |
| n-Propylbenzene | 0.52 | J | ug/kg | 1.2 | 0.27 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 6.3 | 0.31 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 6.3 | 0.27 | 1 |
| 1,3,5-Trimethylbenzene | 0.61 | J | ug/kg | 6.3 | 0.20 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17

Date Collected: 12/14/17 00:00

Client ID: DUP002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by 8260/5035 - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | 1.4 | J | ug/kg | 6.3 | 0.23 | 1 |
| 1,4-Dioxane | ND | | ug/kg | 50 | 18. | 1 |
| p-Diethylbenzene | ND | | ug/kg | 5.0 | 5.0 | 1 |
| p-Ethyltoluene | 1.5 | J | ug/kg | 5.0 | 0.29 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 5.0 | 0.20 | 1 |
| Ethyl ether | ND | | ug/kg | 6.3 | 0.32 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 6.3 | 0.49 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 104 | | 70-130 |
| Toluene-d8 | 109 | | 70-130 |
| 4-Bromofluorobenzene | 118 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 11:46
 Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18

Date Collected: 12/14/17 12:00

Client ID: FIELDBLANK002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Volatile Organics by GC/MS - Westborough Lab

| | | | | | | |
|-----------------------------|----|--|------|-----|------|---|
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 | 1 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 96 | | 70-130 |
| Toluene-d8 | 109 | | 70-130 |
| 4-Bromofluorobenzene | 114 | | 70-130 |
| Dibromofluoromethane | 90 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-19
 Client ID: TRIP BLANK
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 12/21/17 12:13
 Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 | 1 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-19

Date Collected: 12/14/17 00:00

Client ID: TRIP BLANK

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-19

Date Collected: 12/14/17 00:00

Client ID: TRIP BLANK

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 | 1 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 | 1 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 95 | | 70-130 |
| Toluene-d8 | 109 | | 70-130 |
| 4-Bromofluorobenzene | 114 | | 70-130 |
| Dibromofluoromethane | 89 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/21/17 09:00
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 18-19 Batch: WG1075601-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| 1,3-Dichloropropene, Total | ND | | ug/l | 0.50 | 0.14 |
| 1,1-Dichloropropene | ND | | ug/l | 2.5 | 0.70 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260C
 Analytical Date: 12/21/17 09:00
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 18-19 Batch: WG1075601-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| Xylenes, Total | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethene, Total | ND | | ug/l | 2.5 | 0.70 |
| Dibromomethane | ND | | ug/l | 5.0 | 1.0 |
| 1,2,3-Trichloropropane | ND | | ug/l | 2.5 | 0.70 |
| Acrylonitrile | ND | | ug/l | 5.0 | 1.5 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| Vinyl acetate | ND | | ug/l | 5.0 | 1.0 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 |
| 2,2-Dichloropropane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| 1,3-Dichloropropane | ND | | ug/l | 2.5 | 0.70 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromobenzene | ND | | ug/l | 2.5 | 0.70 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260C
 Analytical Date: 12/21/17 09:00
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 18-19 Batch: WG1075601-5 | | | | | |
| o-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 |
| p-Chlorotoluene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Hexachlorobutadiene | ND | | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. |
| p-Diethylbenzene | ND | | ug/l | 2.0 | 0.70 |
| p-Ethyltoluene | ND | | ug/l | 2.0 | 0.70 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/l | 2.0 | 0.54 |
| Ethyl ether | ND | | ug/l | 2.5 | 0.70 |
| trans-1,4-Dichloro-2-butene | ND | | ug/l | 2.5 | 0.70 |

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/21/17 09:00
 Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|----|-----|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 18-19 Batch: WG1075601-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 94 | | 70-130 |
| Toluene-d8 | 110 | | 70-130 |
| 4-Bromofluorobenzene | 114 | | 70-130 |
| Dibromofluoromethane | 90 | | 70-130 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/21/17 20:25
Analyst: AD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02,04-08 Batch: WG1075729-5 | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.6 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 |
| Chloroform | ND | | ug/kg | 1.5 | 0.37 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.5 | 0.23 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.31 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.30 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 |
| Trichlorofluoromethane | ND | | ug/kg | 5.0 | 0.42 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.35 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.0 | 0.33 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 |
| Benzene | ND | | ug/kg | 1.0 | 0.19 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 |
| Ethylbenzene | ND | | ug/kg | 1.0 | 0.17 |
| Chloromethane | ND | | ug/kg | 5.0 | 0.44 |
| Bromomethane | ND | | ug/kg | 2.0 | 0.34 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.37 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.30 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/21/17 20:25
Analyst: AD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02,04-08 Batch: WG1075729-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.15 |
| p/m-Xylene | ND | | ug/kg | 2.0 | 0.35 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 |
| Xylenes, Total | ND | | ug/kg | 2.0 | 0.34 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 |
| Styrene | ND | | ug/kg | 2.0 | 0.40 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.50 |
| Acetone | ND | | ug/kg | 10 | 2.3 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.69 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.15 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.24 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.67 |
| Bromochloromethane | ND | | ug/kg | 5.0 | 0.36 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.0 | 0.45 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.0 | 0.18 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 |
| Bromobenzene | ND | | ug/kg | 5.0 | 0.22 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| tert-Butylbenzene | ND | | ug/kg | 5.0 | 0.25 |
| o-Chlorotoluene | ND | | ug/kg | 5.0 | 0.22 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/21/17 20:25
Analyst: AD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02,04-08 Batch: WG1075729-5 | | | | | |
| p-Chlorotoluene | ND | | ug/kg | 5.0 | 0.18 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.0 | 0.40 |
| Hexachlorobutadiene | ND | | ug/kg | 5.0 | 0.35 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.19 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 |
| Naphthalene | ND | | ug/kg | 5.0 | 0.14 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.51 |
| n-Propylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.25 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,3,5-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.16 |
| 1,2,4-Trimethylbenzene | ND | | ug/kg | 5.0 | 0.19 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 14. |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 |
| p-Ethyltoluene | ND | | ug/kg | 4.0 | 0.23 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 |
| Ethyl ether | ND | | ug/kg | 5.0 | 0.26 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.0 | 0.39 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 105 | | 70-130 |
| Toluene-d8 | 94 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 101 | | 70-130 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/24/17 10:50
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 03,17 Batch: WG1076365-10 | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.6 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 |
| Chloroform | ND | | ug/kg | 1.5 | 0.37 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.5 | 0.23 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.31 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.30 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 |
| Trichlorofluoromethane | ND | | ug/kg | 5.0 | 0.42 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.35 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.0 | 0.33 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 |
| Benzene | ND | | ug/kg | 1.0 | 0.19 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 |
| Ethylbenzene | 0.19 | J | ug/kg | 1.0 | 0.17 |
| Chloromethane | ND | | ug/kg | 5.0 | 0.44 |
| Bromomethane | ND | | ug/kg | 2.0 | 0.34 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.37 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.30 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/24/17 10:50
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 03,17 Batch: WG1076365-10 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.15 |
| p/m-Xylene | 0.48 | J | ug/kg | 2.0 | 0.35 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 |
| Xylenes, Total | 0.48 | J | ug/kg | 2.0 | 0.34 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 |
| Styrene | ND | | ug/kg | 2.0 | 0.40 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.50 |
| Acetone | ND | | ug/kg | 10 | 2.3 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.69 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.15 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.24 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.67 |
| Bromochloromethane | ND | | ug/kg | 5.0 | 0.36 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.0 | 0.45 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.0 | 0.18 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 |
| Bromobenzene | ND | | ug/kg | 5.0 | 0.22 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| tert-Butylbenzene | ND | | ug/kg | 5.0 | 0.25 |
| o-Chlorotoluene | ND | | ug/kg | 5.0 | 0.22 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/24/17 10:50
Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 03,17 Batch: WG1076365-10 | | | | | |
| p-Chlorotoluene | ND | | ug/kg | 5.0 | 0.18 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.0 | 0.40 |
| Hexachlorobutadiene | ND | | ug/kg | 5.0 | 0.35 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.19 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 |
| Naphthalene | ND | | ug/kg | 5.0 | 0.14 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.51 |
| n-Propylbenzene | 0.30 | J | ug/kg | 1.0 | 0.22 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.25 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,3,5-Trimethylbenzene | 0.36 | J | ug/kg | 5.0 | 0.16 |
| 1,2,4-Trimethylbenzene | 0.80 | J | ug/kg | 5.0 | 0.19 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 14. |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 |
| p-Ethyltoluene | 0.84 | J | ug/kg | 4.0 | 0.23 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 |
| Ethyl ether | ND | | ug/kg | 5.0 | 0.26 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.0 | 0.39 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 106 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 99 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/22/17 18:39
Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09-16 Batch: WG1076365-5 | | | | | |
| Methylene chloride | ND | | ug/kg | 10 | 1.6 |
| 1,1-Dichloroethane | ND | | ug/kg | 1.5 | 0.27 |
| Chloroform | ND | | ug/kg | 1.5 | 0.37 |
| Carbon tetrachloride | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloropropane | ND | | ug/kg | 3.5 | 0.23 |
| Dibromochloromethane | ND | | ug/kg | 1.0 | 0.18 |
| 1,1,2-Trichloroethane | ND | | ug/kg | 1.5 | 0.31 |
| Tetrachloroethene | ND | | ug/kg | 1.0 | 0.30 |
| Chlorobenzene | ND | | ug/kg | 1.0 | 0.35 |
| Trichlorofluoromethane | ND | | ug/kg | 5.0 | 0.42 |
| 1,2-Dichloroethane | ND | | ug/kg | 1.0 | 0.25 |
| 1,1,1-Trichloroethane | ND | | ug/kg | 1.0 | 0.35 |
| Bromodichloromethane | ND | | ug/kg | 1.0 | 0.31 |
| trans-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.21 |
| cis-1,3-Dichloropropene | ND | | ug/kg | 1.0 | 0.23 |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 1.0 | 0.21 |
| 1,1-Dichloropropene | ND | | ug/kg | 5.0 | 0.33 |
| Bromoform | ND | | ug/kg | 4.0 | 0.24 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.30 |
| Benzene | ND | | ug/kg | 1.0 | 0.19 |
| Toluene | ND | | ug/kg | 1.5 | 0.20 |
| Ethylbenzene | 0.22 | J | ug/kg | 1.0 | 0.17 |
| Chloromethane | ND | | ug/kg | 5.0 | 0.44 |
| Bromomethane | ND | | ug/kg | 2.0 | 0.34 |
| Vinyl chloride | ND | | ug/kg | 2.0 | 0.32 |
| Chloroethane | ND | | ug/kg | 2.0 | 0.32 |
| 1,1-Dichloroethene | ND | | ug/kg | 1.0 | 0.37 |
| trans-1,2-Dichloroethene | ND | | ug/kg | 1.5 | 0.24 |
| Trichloroethene | ND | | ug/kg | 1.0 | 0.30 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/22/17 18:39
Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09-16 Batch: WG1076365-5 | | | | | |
| 1,2-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 5.0 | 0.18 |
| Methyl tert butyl ether | ND | | ug/kg | 2.0 | 0.15 |
| p/m-Xylene | 0.54 | J | ug/kg | 2.0 | 0.35 |
| o-Xylene | ND | | ug/kg | 2.0 | 0.34 |
| Xylenes, Total | 0.54 | J | ug/kg | 2.0 | 0.34 |
| cis-1,2-Dichloroethene | ND | | ug/kg | 1.0 | 0.34 |
| 1,2-Dichloroethene, Total | ND | | ug/kg | 1.0 | 0.24 |
| Dibromomethane | ND | | ug/kg | 10 | 0.24 |
| Styrene | ND | | ug/kg | 2.0 | 0.40 |
| Dichlorodifluoromethane | ND | | ug/kg | 10 | 0.50 |
| Acetone | ND | | ug/kg | 10 | 2.3 |
| Carbon disulfide | ND | | ug/kg | 10 | 1.1 |
| 2-Butanone | ND | | ug/kg | 10 | 0.69 |
| Vinyl acetate | ND | | ug/kg | 10 | 0.15 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 10 | 0.24 |
| 1,2,3-Trichloropropane | ND | | ug/kg | 10 | 0.18 |
| 2-Hexanone | ND | | ug/kg | 10 | 0.67 |
| Bromochloromethane | ND | | ug/kg | 5.0 | 0.36 |
| 2,2-Dichloropropane | ND | | ug/kg | 5.0 | 0.45 |
| 1,2-Dibromoethane | ND | | ug/kg | 4.0 | 0.20 |
| 1,3-Dichloropropane | ND | | ug/kg | 5.0 | 0.18 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 1.0 | 0.32 |
| Bromobenzene | ND | | ug/kg | 5.0 | 0.22 |
| n-Butylbenzene | ND | | ug/kg | 1.0 | 0.23 |
| sec-Butylbenzene | ND | | ug/kg | 1.0 | 0.22 |
| tert-Butylbenzene | ND | | ug/kg | 5.0 | 0.25 |
| o-Chlorotoluene | ND | | ug/kg | 5.0 | 0.22 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/22/17 18:39
Analyst: BD

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09-16 Batch: WG1076365-5 | | | | | |
| p-Chlorotoluene | ND | | ug/kg | 5.0 | 0.18 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 5.0 | 0.40 |
| Hexachlorobutadiene | ND | | ug/kg | 5.0 | 0.35 |
| Isopropylbenzene | ND | | ug/kg | 1.0 | 0.19 |
| p-Isopropyltoluene | ND | | ug/kg | 1.0 | 0.20 |
| Naphthalene | ND | | ug/kg | 5.0 | 0.14 |
| Acrylonitrile | ND | | ug/kg | 10 | 0.51 |
| n-Propylbenzene | 0.33 | J | ug/kg | 1.0 | 0.22 |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.25 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 5.0 | 0.22 |
| 1,3,5-Trimethylbenzene | 0.44 | J | ug/kg | 5.0 | 0.16 |
| 1,2,4-Trimethylbenzene | 0.98 | J | ug/kg | 5.0 | 0.19 |
| 1,4-Dioxane | ND | | ug/kg | 40 | 14. |
| p-Diethylbenzene | ND | | ug/kg | 4.0 | 4.0 |
| p-Ethyltoluene | 1.0 | J | ug/kg | 4.0 | 0.23 |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 4.0 | 0.16 |
| Ethyl ether | ND | | ug/kg | 5.0 | 0.26 |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 5.0 | 0.39 |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 104 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 97 | | 70-130 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/26/17 08:37
 Analyst: CBN

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|------|-----|
| Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 07 Batch: WG1076454-5 | | | | | |
| Methylene chloride | ND | | ug/kg | 500 | 82. |
| 1,1-Dichloroethane | ND | | ug/kg | 75 | 14. |
| Chloroform | ND | | ug/kg | 75 | 18. |
| Carbon tetrachloride | ND | | ug/kg | 50 | 17. |
| 1,2-Dichloropropane | ND | | ug/kg | 180 | 11. |
| Dibromochloromethane | ND | | ug/kg | 50 | 8.8 |
| 2-Chloroethylvinyl ether | ND | | ug/kg | 1000 | 31. |
| 1,1,2-Trichloroethane | ND | | ug/kg | 75 | 16. |
| Tetrachloroethene | ND | | ug/kg | 50 | 15. |
| Chlorobenzene | ND | | ug/kg | 50 | 17. |
| Trichlorofluoromethane | ND | | ug/kg | 250 | 21. |
| 1,2-Dichloroethane | ND | | ug/kg | 50 | 12. |
| 1,1,1-Trichloroethane | ND | | ug/kg | 50 | 18. |
| Bromodichloromethane | ND | | ug/kg | 50 | 15. |
| trans-1,3-Dichloropropene | ND | | ug/kg | 50 | 10. |
| cis-1,3-Dichloropropene | ND | | ug/kg | 50 | 12. |
| 1,3-Dichloropropene, Total | ND | | ug/kg | 50 | 10. |
| 1,1-Dichloropropene | ND | | ug/kg | 250 | 16. |
| Bromoform | ND | | ug/kg | 200 | 12. |
| 1,1,2,2-Tetrachloroethane | ND | | ug/kg | 50 | 15. |
| Benzene | ND | | ug/kg | 50 | 9.6 |
| Toluene | ND | | ug/kg | 75 | 9.8 |
| Ethylbenzene | ND | | ug/kg | 50 | 8.5 |
| Chloromethane | ND | | ug/kg | 250 | 22. |
| Bromomethane | ND | | ug/kg | 100 | 17. |
| Vinyl chloride | ND | | ug/kg | 100 | 16. |
| Chloroethane | ND | | ug/kg | 100 | 16. |
| 1,1-Dichloroethene | ND | | ug/kg | 50 | 19. |
| trans-1,2-Dichloroethene | ND | | ug/kg | 75 | 12. |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/26/17 08:37
 Analyst: CBN

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|-----|
| Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 07 Batch: WG1076454-5 | | | | | |
| Trichloroethene | ND | | ug/kg | 50 | 15. |
| 1,2-Dichlorobenzene | ND | | ug/kg | 250 | 9.1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 250 | 11. |
| 1,4-Dichlorobenzene | ND | | ug/kg | 250 | 9.1 |
| Methyl tert butyl ether | ND | | ug/kg | 100 | 7.6 |
| p/m-Xylene | ND | | ug/kg | 100 | 18. |
| o-Xylene | ND | | ug/kg | 100 | 17. |
| Xylene (Total) | ND | | ug/kg | 100 | 17. |
| cis-1,2-Dichloroethene | ND | | ug/kg | 50 | 17. |
| 1,2-Dichloroethene (total) | ND | | ug/kg | 50 | 12. |
| Dibromomethane | ND | | ug/kg | 500 | 12. |
| Styrene | ND | | ug/kg | 100 | 20. |
| Dichlorodifluoromethane | ND | | ug/kg | 500 | 25. |
| Acetone | ND | | ug/kg | 500 | 110 |
| Carbon disulfide | ND | | ug/kg | 500 | 55. |
| 2-Butanone | ND | | ug/kg | 500 | 34. |
| Vinyl acetate | ND | | ug/kg | 500 | 7.6 |
| 4-Methyl-2-pentanone | ND | | ug/kg | 500 | 12. |
| 1,2,3-Trichloropropane | ND | | ug/kg | 500 | 8.8 |
| 2-Hexanone | ND | | ug/kg | 500 | 33. |
| Bromochloromethane | ND | | ug/kg | 250 | 18. |
| 2,2-Dichloropropane | ND | | ug/kg | 250 | 22. |
| 1,2-Dibromoethane | ND | | ug/kg | 200 | 10. |
| 1,3-Dichloropropane | ND | | ug/kg | 250 | 9.2 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/kg | 50 | 16. |
| Bromobenzene | ND | | ug/kg | 250 | 11. |
| n-Butylbenzene | ND | | ug/kg | 50 | 11. |
| sec-Butylbenzene | ND | | ug/kg | 50 | 11. |
| tert-Butylbenzene | ND | | ug/kg | 250 | 12. |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 12/26/17 08:37
Analyst: CBN

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|------|-----|
| Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 07 Batch: WG1076454-5 | | | | | |
| o-Chlorotoluene | ND | | ug/kg | 250 | 11. |
| p-Chlorotoluene | ND | | ug/kg | 250 | 9.2 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/kg | 250 | 20. |
| Hexachlorobutadiene | ND | | ug/kg | 250 | 17. |
| Isopropylbenzene | ND | | ug/kg | 50 | 9.7 |
| p-Isopropyltoluene | ND | | ug/kg | 50 | 10. |
| Naphthalene | ND | | ug/kg | 250 | 6.9 |
| Acrylonitrile | ND | | ug/kg | 500 | 26. |
| Isopropyl Ether | ND | | ug/kg | 200 | 14. |
| tert-Butyl Alcohol | ND | | ug/kg | 3000 | 150 |
| n-Propylbenzene | 11 | J | ug/kg | 50 | 11. |
| 1,2,3-Trichlorobenzene | ND | | ug/kg | 250 | 12. |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 250 | 11. |
| 1,3,5-Trimethylbenzene | 12 | J | ug/kg | 250 | 8.0 |
| 1,2,4-Trimethylbenzene | 23 | J | ug/kg | 250 | 9.3 |
| Methyl Acetate | ND | | ug/kg | 1000 | 23. |
| Ethyl Acetate | ND | | ug/kg | 1000 | 100 |
| Acrolein | ND | | ug/kg | 1200 | 400 |
| Cyclohexane | ND | | ug/kg | 1000 | 22. |
| 1,4-Dioxane | ND | | ug/kg | 2000 | 720 |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | ND | | ug/kg | 1000 | 26. |
| 1,4-Diethylbenzene | ND | | ug/kg | 200 | 200 |
| 4-Ethyltoluene | 25 | J | ug/kg | 200 | 12. |
| 1,2,4,5-Tetramethylbenzene | ND | | ug/kg | 200 | 7.8 |
| Tetrahydrofuran | ND | | ug/kg | 1000 | 50. |
| Ethyl ether | ND | | ug/kg | 250 | 13. |
| trans-1,4-Dichloro-2-butene | ND | | ug/kg | 250 | 20. |
| Methyl cyclohexane | ND | | ug/kg | 200 | 12. |
| Ethyl-Tert-Butyl-Ether | ND | | ug/kg | 200 | 8.9 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260C
 Analytical Date: 12/26/17 08:37
 Analyst: CBN

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|-----|
| Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 07 Batch: WG1076454-5 | | | | | |
| Tertiary-Amyl Methyl Ether | ND | | ug/kg | 200 | 12. |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|------------------------|
| 1,2-Dichloroethane-d4 | 105 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery | | RPD | RPD | |
|---|-----------|------|-----------|------|-----------|------|-----|--------|----|
| | %Recovery | Qual | %Recovery | Qual | Limits | Qual | | Limits | |
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 18-19 Batch: WG1075601-3 WG1075601-4 | | | | | | | | | |
| Methylene chloride | 90 | | 87 | | 70-130 | | 3 | | 20 |
| 1,1-Dichloroethane | 100 | | 98 | | 70-130 | | 2 | | 20 |
| Chloroform | 89 | | 87 | | 70-130 | | 2 | | 20 |
| Carbon tetrachloride | 88 | | 84 | | 63-132 | | 5 | | 20 |
| 1,2-Dichloropropane | 100 | | 100 | | 70-130 | | 0 | | 20 |
| Dibromochloromethane | 91 | | 91 | | 63-130 | | 0 | | 20 |
| 1,1,2-Trichloroethane | 100 | | 100 | | 70-130 | | 0 | | 20 |
| Tetrachloroethene | 89 | | 87 | | 70-130 | | 2 | | 20 |
| Chlorobenzene | 99 | | 98 | | 75-130 | | 1 | | 20 |
| Trichlorofluoromethane | 85 | | 81 | | 62-150 | | 5 | | 20 |
| 1,2-Dichloroethane | 92 | | 89 | | 70-130 | | 3 | | 20 |
| 1,1,1-Trichloroethane | 85 | | 81 | | 67-130 | | 5 | | 20 |
| Bromodichloromethane | 84 | | 81 | | 67-130 | | 4 | | 20 |
| trans-1,3-Dichloropropene | 100 | | 100 | | 70-130 | | 0 | | 20 |
| cis-1,3-Dichloropropene | 93 | | 89 | | 70-130 | | 4 | | 20 |
| 1,1-Dichloropropene | 92 | | 88 | | 70-130 | | 4 | | 20 |
| Bromoform | 62 | | 62 | | 54-136 | | 0 | | 20 |
| 1,1,2,2-Tetrachloroethane | 110 | | 120 | | 67-130 | | 9 | | 20 |
| Benzene | 100 | | 98 | | 70-130 | | 2 | | 20 |
| Toluene | 110 | | 110 | | 70-130 | | 0 | | 20 |
| Ethylbenzene | 100 | | 100 | | 70-130 | | 0 | | 20 |
| Chloromethane | 110 | | 100 | | 64-130 | | 10 | | 20 |
| Bromomethane | 45 | | 41 | | 39-139 | | 9 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | Qual | RPD Limits |
|---|-----------|------|-----------|------|------------------|-----|------|------------|
| | %Recovery | Qual | %Recovery | Qual | | | | |
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 18-19 Batch: WG1075601-3 WG1075601-4 | | | | | | | | |
| Vinyl chloride | 87 | | 81 | | 55-140 | 7 | | 20 |
| Chloroethane | 99 | | 94 | | 55-138 | 5 | | 20 |
| 1,1-Dichloroethene | 90 | | 85 | | 61-145 | 6 | | 20 |
| trans-1,2-Dichloroethene | 87 | | 84 | | 70-130 | 4 | | 20 |
| Trichloroethene | 91 | | 89 | | 70-130 | 2 | | 20 |
| 1,2-Dichlorobenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| 1,3-Dichlorobenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| 1,4-Dichlorobenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| Methyl tert butyl ether | 83 | | 83 | | 63-130 | 0 | | 20 |
| p/m-Xylene | 100 | | 100 | | 70-130 | 0 | | 20 |
| o-Xylene | 115 | | 115 | | 70-130 | 0 | | 20 |
| cis-1,2-Dichloroethene | 89 | | 86 | | 70-130 | 3 | | 20 |
| Dibromomethane | 110 | | 110 | | 70-130 | 0 | | 20 |
| 1,2,3-Trichloropropane | 120 | | 120 | | 64-130 | 0 | | 20 |
| Acrylonitrile | 110 | | 110 | | 70-130 | 0 | | 20 |
| Styrene | 50 | Q | 50 | Q | 70-130 | 0 | | 20 |
| Dichlorodifluoromethane | 86 | | 82 | | 36-147 | 5 | | 20 |
| Acetone | 88 | | 89 | | 58-148 | 1 | | 20 |
| Carbon disulfide | 92 | | 88 | | 51-130 | 4 | | 20 |
| 2-Butanone | 110 | | 110 | | 63-138 | 0 | | 20 |
| Vinyl acetate | 99 | | 98 | | 70-130 | 1 | | 20 |
| 4-Methyl-2-pentanone | 100 | | 110 | | 59-130 | 10 | | 20 |
| 2-Hexanone | 110 | | 120 | | 57-130 | 9 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 18-19 Batch: WG1075601-3 WG1075601-4 | | | | | | | | |
| Bromochloromethane | 88 | | 86 | | 70-130 | 2 | | 20 |
| 2,2-Dichloropropane | 93 | | 88 | | 63-133 | 6 | | 20 |
| 1,2-Dibromoethane | 92 | | 95 | | 70-130 | 3 | | 20 |
| 1,3-Dichloropropane | 110 | | 110 | | 70-130 | 0 | | 20 |
| 1,1,1,2-Tetrachloroethane | 99 | | 97 | | 64-130 | 2 | | 20 |
| Bromobenzene | 110 | | 100 | | 70-130 | 10 | | 20 |
| n-Butylbenzene | 120 | | 120 | | 53-136 | 0 | | 20 |
| sec-Butylbenzene | 120 | | 110 | | 70-130 | 9 | | 20 |
| tert-Butylbenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| o-Chlorotoluene | 120 | | 120 | | 70-130 | 0 | | 20 |
| p-Chlorotoluene | 120 | | 120 | | 70-130 | 0 | | 20 |
| 1,2-Dibromo-3-chloropropane | 87 | | 88 | | 41-144 | 1 | | 20 |
| Hexachlorobutadiene | 74 | | 72 | | 63-130 | 3 | | 20 |
| Isopropylbenzene | 120 | | 110 | | 70-130 | 9 | | 20 |
| p-Isopropyltoluene | 120 | | 120 | | 70-130 | 0 | | 20 |
| Naphthalene | 96 | | 100 | | 70-130 | 4 | | 20 |
| n-Propylbenzene | 120 | | 120 | | 69-130 | 0 | | 20 |
| 1,2,3-Trichlorobenzene | 86 | | 86 | | 70-130 | 0 | | 20 |
| 1,2,4-Trichlorobenzene | 91 | | 91 | | 70-130 | 0 | | 20 |
| 1,3,5-Trimethylbenzene | 120 | | 120 | | 64-130 | 0 | | 20 |
| 1,2,4-Trimethylbenzene | 140 | Q | 140 | Q | 70-130 | 0 | | 20 |
| 1,4-Dioxane | 96 | | 88 | | 56-162 | 9 | | 20 |
| p-Diethylbenzene | 120 | | 110 | | 70-130 | 9 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|---------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 18-19 Batch: WG1075601-3 WG1075601-4 | | | | | | | | |
| p-Ethyltoluene | 120 | | 120 | | 70-130 | 0 | | 20 |
| 1,2,4,5-Tetramethylbenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| Ethyl ether | 87 | | 88 | | 59-134 | 1 | | 20 |
| trans-1,4-Dichloro-2-butene | 100 | | 100 | | 70-130 | 0 | | 20 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|------------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 93 | | 94 | | 70-130 |
| Toluene-d8 | 109 | | 109 | | 70-130 |
| 4-Bromofluorobenzene | 112 | | 113 | | 70-130 |
| Dibromofluoromethane | 91 | | 90 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02,04-08 Batch: WG1075729-3 WG1075729-4 | | | | | | | | |
| Methylene chloride | 84 | | 87 | | 70-130 | 4 | | 30 |
| 1,1-Dichloroethane | 118 | | 120 | | 70-130 | 2 | | 30 |
| Chloroform | 105 | | 108 | | 70-130 | 3 | | 30 |
| Carbon tetrachloride | 108 | | 112 | | 70-130 | 4 | | 30 |
| 1,2-Dichloropropane | 118 | | 122 | | 70-130 | 3 | | 30 |
| Dibromochloromethane | 88 | | 92 | | 70-130 | 4 | | 30 |
| 1,1,2-Trichloroethane | 89 | | 92 | | 70-130 | 3 | | 30 |
| Tetrachloroethene | 89 | | 93 | | 70-130 | 4 | | 30 |
| Chlorobenzene | 87 | | 89 | | 70-130 | 2 | | 30 |
| Trichlorofluoromethane | 97 | | 100 | | 70-139 | 3 | | 30 |
| 1,2-Dichloroethane | 113 | | 118 | | 70-130 | 4 | | 30 |
| 1,1,1-Trichloroethane | 107 | | 112 | | 70-130 | 5 | | 30 |
| Bromodichloromethane | 103 | | 107 | | 70-130 | 4 | | 30 |
| trans-1,3-Dichloropropene | 93 | | 97 | | 70-130 | 4 | | 30 |
| cis-1,3-Dichloropropene | 110 | | 114 | | 70-130 | 4 | | 30 |
| 1,1-Dichloropropene | 108 | | 111 | | 70-130 | 3 | | 30 |
| Bromoform | 83 | | 88 | | 70-130 | 6 | | 30 |
| 1,1,1,2,2-Tetrachloroethane | 78 | | 83 | | 70-130 | 6 | | 30 |
| Benzene | 103 | | 106 | | 70-130 | 3 | | 30 |
| Toluene | 84 | | 86 | | 70-130 | 2 | | 30 |
| Ethylbenzene | 87 | | 90 | | 70-130 | 3 | | 30 |
| Chloromethane | 111 | | 113 | | 52-130 | 2 | | 30 |
| Bromomethane | 109 | | 112 | | 57-147 | 3 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02,04-08 Batch: WG1075729-3 WG1075729-4 | | | | | | | | |
| Vinyl chloride | 97 | | 99 | | 67-130 | 2 | | 30 |
| Chloroethane | 106 | | 110 | | 50-151 | 4 | | 30 |
| 1,1-Dichloroethene | 102 | | 105 | | 65-135 | 3 | | 30 |
| trans-1,2-Dichloroethene | 104 | | 107 | | 70-130 | 3 | | 30 |
| Trichloroethene | 106 | | 109 | | 70-130 | 3 | | 30 |
| 1,2-Dichlorobenzene | 79 | | 81 | | 70-130 | 3 | | 30 |
| 1,3-Dichlorobenzene | 80 | | 81 | | 70-130 | 1 | | 30 |
| 1,4-Dichlorobenzene | 79 | | 81 | | 70-130 | 3 | | 30 |
| Methyl tert butyl ether | 110 | | 115 | | 66-130 | 4 | | 30 |
| p/m-Xylene | 88 | | 91 | | 70-130 | 3 | | 30 |
| o-Xylene | 91 | | 94 | | 70-130 | 3 | | 30 |
| cis-1,2-Dichloroethene | 105 | | 106 | | 70-130 | 1 | | 30 |
| Dibromomethane | 102 | | 107 | | 70-130 | 5 | | 30 |
| Styrene | 85 | | 89 | | 70-130 | 5 | | 30 |
| Dichlorodifluoromethane | 80 | | 83 | | 30-146 | 4 | | 30 |
| Acetone | 123 | | 132 | | 54-140 | 7 | | 30 |
| Carbon disulfide | 100 | | 103 | | 59-130 | 3 | | 30 |
| 2-Butanone | 107 | | 119 | | 70-130 | 11 | | 30 |
| Vinyl acetate | 116 | | 124 | | 70-130 | 7 | | 30 |
| 4-Methyl-2-pentanone | 97 | | 104 | | 70-130 | 7 | | 30 |
| 1,2,3-Trichloropropane | 81 | | 85 | | 68-130 | 5 | | 30 |
| 2-Hexanone | 96 | | 104 | | 70-130 | 8 | | 30 |
| Bromochloromethane | 108 | | 113 | | 70-130 | 5 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02,04-08 Batch: WG1075729-3 WG1075729-4 | | | | | | | | |
| 2,2-Dichloropropane | 115 | | 117 | | 70-130 | 2 | | 30 |
| 1,2-Dibromoethane | 86 | | 91 | | 70-130 | 6 | | 30 |
| 1,3-Dichloropropane | 88 | | 92 | | 69-130 | 4 | | 30 |
| 1,1,1,2-Tetrachloroethane | 89 | | 92 | | 70-130 | 3 | | 30 |
| Bromobenzene | 80 | | 82 | | 70-130 | 2 | | 30 |
| n-Butylbenzene | 82 | | 83 | | 70-130 | 1 | | 30 |
| sec-Butylbenzene | 80 | | 83 | | 70-130 | 4 | | 30 |
| tert-Butylbenzene | 79 | | 82 | | 70-130 | 4 | | 30 |
| o-Chlorotoluene | 85 | | 86 | | 70-130 | 1 | | 30 |
| p-Chlorotoluene | 80 | | 84 | | 70-130 | 5 | | 30 |
| 1,2-Dibromo-3-chloropropane | 76 | | 82 | | 68-130 | 8 | | 30 |
| Hexachlorobutadiene | 84 | | 86 | | 67-130 | 2 | | 30 |
| Isopropylbenzene | 81 | | 83 | | 70-130 | 2 | | 30 |
| p-Isopropyltoluene | 81 | | 83 | | 70-130 | 2 | | 30 |
| Naphthalene | 82 | | 86 | | 70-130 | 5 | | 30 |
| Acrylonitrile | 123 | | 144 | Q | 70-130 | 16 | | 30 |
| n-Propylbenzene | 80 | | 82 | | 70-130 | 2 | | 30 |
| 1,2,3-Trichlorobenzene | 84 | | 86 | | 70-130 | 2 | | 30 |
| 1,2,4-Trichlorobenzene | 85 | | 85 | | 70-130 | 0 | | 30 |
| 1,3,5-Trimethylbenzene | 82 | | 84 | | 70-130 | 2 | | 30 |
| 1,2,4-Trimethylbenzene | 81 | | 83 | | 70-130 | 2 | | 30 |
| 1,4-Dioxane | 113 | | 120 | | 65-136 | 6 | | 30 |
| p-Diethylbenzene | 81 | | 82 | | 70-130 | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|---------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02,04-08 Batch: WG1075729-3 WG1075729-4 | | | | | | | | |
| p-Ethyltoluene | 81 | | 83 | | 70-130 | 2 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 80 | | 81 | | 70-130 | 1 | | 30 |
| Ethyl ether | 109 | | 111 | | 67-130 | 2 | | 30 |
| trans-1,4-Dichloro-2-butene | 92 | | 100 | | 70-130 | 8 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|------------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 104 | | 105 | | 70-130 |
| Toluene-d8 | 94 | | 94 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 102 | | 70-130 |
| Dibromofluoromethane | 107 | | 106 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09-16 Batch: WG1076365-3 WG1076365-4 | | | | | | | | |
| Methylene chloride | 70 | | 75 | | 70-130 | 7 | | 30 |
| 1,1-Dichloroethane | 102 | | 110 | | 70-130 | 8 | | 30 |
| Chloroform | 91 | | 97 | | 70-130 | 6 | | 30 |
| Carbon tetrachloride | 95 | | 100 | | 70-130 | 5 | | 30 |
| 1,2-Dichloropropane | 102 | | 109 | | 70-130 | 7 | | 30 |
| Dibromochloromethane | 94 | | 98 | | 70-130 | 4 | | 30 |
| 1,1,2-Trichloroethane | 93 | | 97 | | 70-130 | 4 | | 30 |
| Tetrachloroethene | 97 | | 103 | | 70-130 | 6 | | 30 |
| Chlorobenzene | 93 | | 98 | | 70-130 | 5 | | 30 |
| Trichlorofluoromethane | 92 | | 98 | | 70-139 | 6 | | 30 |
| 1,2-Dichloroethane | 99 | | 105 | | 70-130 | 6 | | 30 |
| 1,1,1-Trichloroethane | 94 | | 100 | | 70-130 | 6 | | 30 |
| Bromodichloromethane | 90 | | 96 | | 70-130 | 6 | | 30 |
| trans-1,3-Dichloropropene | 101 | | 105 | | 70-130 | 4 | | 30 |
| cis-1,3-Dichloropropene | 96 | | 102 | | 70-130 | 6 | | 30 |
| 1,1-Dichloropropene | 96 | | 100 | | 70-130 | 4 | | 30 |
| Bromoform | 96 | | 101 | | 70-130 | 5 | | 30 |
| 1,1,2,2-Tetrachloroethane | 89 | | 93 | | 70-130 | 4 | | 30 |
| Benzene | 89 | | 94 | | 70-130 | 5 | | 30 |
| Toluene | 91 | | 94 | | 70-130 | 3 | | 30 |
| Ethylbenzene | 94 | | 99 | | 70-130 | 5 | | 30 |
| Chloromethane | 119 | | 120 | | 52-130 | 1 | | 30 |
| Bromomethane | 111 | | 112 | | 57-147 | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | Qual | RPD Limits |
|---|-----------|------|-----------|------|---------------------|-----|------|---------------|
| | %Recovery | Qual | %Recovery | Qual | | | | |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09-16 Batch: WG1076365-3 WG1076365-4 | | | | | | | | |
| Vinyl chloride | 101 | | 102 | | 67-130 | 1 | | 30 |
| Chloroethane | 102 | | 106 | | 50-151 | 4 | | 30 |
| 1,1-Dichloroethene | 92 | | 97 | | 65-135 | 5 | | 30 |
| trans-1,2-Dichloroethene | 91 | | 97 | | 70-130 | 6 | | 30 |
| Trichloroethene | 91 | | 97 | | 70-130 | 6 | | 30 |
| 1,2-Dichlorobenzene | 91 | | 96 | | 70-130 | 5 | | 30 |
| 1,3-Dichlorobenzene | 91 | | 97 | | 70-130 | 6 | | 30 |
| 1,4-Dichlorobenzene | 91 | | 97 | | 70-130 | 6 | | 30 |
| Methyl tert butyl ether | 95 | | 100 | | 66-130 | 5 | | 30 |
| p/m-Xylene | 96 | | 101 | | 70-130 | 5 | | 30 |
| o-Xylene | 97 | | 102 | | 70-130 | 5 | | 30 |
| cis-1,2-Dichloroethene | 91 | | 96 | | 70-130 | 5 | | 30 |
| Dibromomethane | 91 | | 94 | | 70-130 | 3 | | 30 |
| Styrene | 91 | | 97 | | 70-130 | 6 | | 30 |
| Dichlorodifluoromethane | 99 | | 102 | | 30-146 | 3 | | 30 |
| Acetone | 134 | | 108 | | 54-140 | 21 | | 30 |
| Carbon disulfide | 94 | | 96 | | 59-130 | 2 | | 30 |
| 2-Butanone | 134 | Q | 134 | Q | 70-130 | 0 | | 30 |
| Vinyl acetate | 105 | | 110 | | 70-130 | 5 | | 30 |
| 4-Methyl-2-pentanone | 104 | | 104 | | 70-130 | 0 | | 30 |
| 1,2,3-Trichloropropane | 91 | | 95 | | 68-130 | 4 | | 30 |
| 2-Hexanone | 100 | | 104 | | 70-130 | 4 | | 30 |
| Bromochloromethane | 96 | | 101 | | 70-130 | 5 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09-16 Batch: WG1076365-3 WG1076365-4 | | | | | | | | |
| 2,2-Dichloropropane | 104 | | 106 | | 70-130 | 2 | | 30 |
| 1,2-Dibromoethane | 93 | | 97 | | 70-130 | 4 | | 30 |
| 1,3-Dichloropropane | 95 | | 99 | | 69-130 | 4 | | 30 |
| 1,1,1,2-Tetrachloroethane | 96 | | 100 | | 70-130 | 4 | | 30 |
| Bromobenzene | 92 | | 97 | | 70-130 | 5 | | 30 |
| n-Butylbenzene | 92 | | 98 | | 70-130 | 6 | | 30 |
| sec-Butylbenzene | 92 | | 98 | | 70-130 | 6 | | 30 |
| tert-Butylbenzene | 90 | | 97 | | 70-130 | 7 | | 30 |
| o-Chlorotoluene | 92 | | 99 | | 70-130 | 7 | | 30 |
| p-Chlorotoluene | 91 | | 97 | | 70-130 | 6 | | 30 |
| 1,2-Dibromo-3-chloropropane | 86 | | 92 | | 68-130 | 7 | | 30 |
| Hexachlorobutadiene | 94 | | 100 | | 67-130 | 6 | | 30 |
| Isopropylbenzene | 92 | | 98 | | 70-130 | 6 | | 30 |
| p-Isopropyltoluene | 92 | | 98 | | 70-130 | 6 | | 30 |
| Naphthalene | 92 | | 98 | | 70-130 | 6 | | 30 |
| Acrylonitrile | 113 | | 121 | | 70-130 | 7 | | 30 |
| n-Propylbenzene | 93 | | 98 | | 70-130 | 5 | | 30 |
| 1,2,3-Trichlorobenzene | 97 | | 101 | | 70-130 | 4 | | 30 |
| 1,2,4-Trichlorobenzene | 96 | | 103 | | 70-130 | 7 | | 30 |
| 1,3,5-Trimethylbenzene | 94 | | 100 | | 70-130 | 6 | | 30 |
| 1,2,4-Trimethylbenzene | 100 | | 105 | | 70-130 | 5 | | 30 |
| 1,4-Dioxane | 93 | | 94 | | 65-136 | 1 | | 30 |
| p-Diethylbenzene | 92 | | 98 | | 70-130 | 6 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|---------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09-16 Batch: WG1076365-3 WG1076365-4 | | | | | | | | |
| p-Ethyltoluene | 100 | | 106 | | 70-130 | 6 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 92 | | 97 | | 70-130 | 5 | | 30 |
| Ethyl ether | 94 | | 100 | | 67-130 | 6 | | 30 |
| trans-1,4-Dichloro-2-butene | 108 | | 113 | | 70-130 | 5 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|------------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 105 | | 102 | | 70-130 |
| Toluene-d8 | 106 | | 104 | | 70-130 |
| 4-Bromofluorobenzene | 104 | | 104 | | 70-130 |
| Dibromofluoromethane | 102 | | 101 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,17 Batch: WG1076365-8 WG1076365-9 | | | | | | | | |
| Methylene chloride | 77 | | 72 | | 70-130 | 7 | | 30 |
| 1,1-Dichloroethane | 110 | | 103 | | 70-130 | 7 | | 30 |
| Chloroform | 96 | | 92 | | 70-130 | 4 | | 30 |
| Carbon tetrachloride | 105 | | 99 | | 70-130 | 6 | | 30 |
| 1,2-Dichloropropane | 110 | | 105 | | 70-130 | 5 | | 30 |
| Dibromochloromethane | 99 | | 96 | | 70-130 | 3 | | 30 |
| 1,1,2-Trichloroethane | 98 | | 94 | | 70-130 | 4 | | 30 |
| Tetrachloroethene | 105 | | 98 | | 70-130 | 7 | | 30 |
| Chlorobenzene | 99 | | 93 | | 70-130 | 6 | | 30 |
| Trichlorofluoromethane | 101 | | 94 | | 70-139 | 7 | | 30 |
| 1,2-Dichloroethane | 105 | | 101 | | 70-130 | 4 | | 30 |
| 1,1,1-Trichloroethane | 102 | | 96 | | 70-130 | 6 | | 30 |
| Bromodichloromethane | 95 | | 92 | | 70-130 | 3 | | 30 |
| trans-1,3-Dichloropropene | 106 | | 101 | | 70-130 | 5 | | 30 |
| cis-1,3-Dichloropropene | 102 | | 98 | | 70-130 | 4 | | 30 |
| 1,1-Dichloropropene | 103 | | 96 | | 70-130 | 7 | | 30 |
| Bromoform | 101 | | 98 | | 70-130 | 3 | | 30 |
| 1,1,2,2-Tetrachloroethane | 93 | | 89 | | 70-130 | 4 | | 30 |
| Benzene | 94 | | 89 | | 70-130 | 5 | | 30 |
| Toluene | 96 | | 89 | | 70-130 | 8 | | 30 |
| Ethylbenzene | 100 | | 94 | | 70-130 | 6 | | 30 |
| Chloromethane | 126 | | 113 | | 52-130 | 11 | | 30 |
| Bromomethane | 117 | | 106 | | 57-147 | 10 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,17 Batch: WG1076365-8 WG1076365-9 | | | | | | | | |
| Vinyl chloride | 106 | | 96 | | 67-130 | 10 | | 30 |
| Chloroethane | 108 | | 100 | | 50-151 | 8 | | 30 |
| 1,1-Dichloroethene | 98 | | 93 | | 65-135 | 5 | | 30 |
| trans-1,2-Dichloroethene | 98 | | 91 | | 70-130 | 7 | | 30 |
| Trichloroethene | 98 | | 92 | | 70-130 | 6 | | 30 |
| 1,2-Dichlorobenzene | 94 | | 92 | | 70-130 | 2 | | 30 |
| 1,3-Dichlorobenzene | 97 | | 92 | | 70-130 | 5 | | 30 |
| 1,4-Dichlorobenzene | 95 | | 93 | | 70-130 | 2 | | 30 |
| Methyl tert butyl ether | 101 | | 97 | | 66-130 | 4 | | 30 |
| p/m-Xylene | 101 | | 95 | | 70-130 | 6 | | 30 |
| o-Xylene | 103 | | 97 | | 70-130 | 6 | | 30 |
| cis-1,2-Dichloroethene | 97 | | 92 | | 70-130 | 5 | | 30 |
| Dibromomethane | 93 | | 90 | | 70-130 | 3 | | 30 |
| Styrene | 96 | | 92 | | 70-130 | 4 | | 30 |
| Dichlorodifluoromethane | 108 | | 97 | | 30-146 | 11 | | 30 |
| Acetone | 109 | | 100 | | 54-140 | 9 | | 30 |
| Carbon disulfide | 97 | | 90 | | 59-130 | 7 | | 30 |
| 2-Butanone | 94 | | 93 | | 70-130 | 1 | | 30 |
| Vinyl acetate | 111 | | 106 | | 70-130 | 5 | | 30 |
| 4-Methyl-2-pentanone | 108 | | 101 | | 70-130 | 7 | | 30 |
| 1,2,3-Trichloropropane | 95 | | 91 | | 68-130 | 4 | | 30 |
| 2-Hexanone | 102 | | 101 | | 70-130 | 1 | | 30 |
| Bromochloromethane | 100 | | 98 | | 70-130 | 2 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,17 Batch: WG1076365-8 WG1076365-9 | | | | | | | | |
| 2,2-Dichloropropane | 110 | | 102 | | 70-130 | 8 | | 30 |
| 1,2-Dibromoethane | 96 | | 92 | | 70-130 | 4 | | 30 |
| 1,3-Dichloropropane | 99 | | 95 | | 69-130 | 4 | | 30 |
| 1,1,1,2-Tetrachloroethane | 101 | | 97 | | 70-130 | 4 | | 30 |
| Bromobenzene | 98 | | 92 | | 70-130 | 6 | | 30 |
| n-Butylbenzene | 100 | | 94 | | 70-130 | 6 | | 30 |
| sec-Butylbenzene | 99 | | 94 | | 70-130 | 5 | | 30 |
| tert-Butylbenzene | 98 | | 93 | | 70-130 | 5 | | 30 |
| o-Chlorotoluene | 92 | | 97 | | 70-130 | 5 | | 30 |
| p-Chlorotoluene | 96 | | 92 | | 70-130 | 4 | | 30 |
| 1,2-Dibromo-3-chloropropane | 93 | | 86 | | 68-130 | 8 | | 30 |
| Hexachlorobutadiene | 104 | | 96 | | 67-130 | 8 | | 30 |
| Isopropylbenzene | 99 | | 93 | | 70-130 | 6 | | 30 |
| p-Isopropyltoluene | 100 | | 94 | | 70-130 | 6 | | 30 |
| Naphthalene | 97 | | 94 | | 70-130 | 3 | | 30 |
| Acrylonitrile | 118 | | 113 | | 70-130 | 4 | | 30 |
| n-Propylbenzene | 99 | | 93 | | 70-130 | 6 | | 30 |
| 1,2,3-Trichlorobenzene | 101 | | 98 | | 70-130 | 3 | | 30 |
| 1,2,4-Trichlorobenzene | 103 | | 98 | | 70-130 | 5 | | 30 |
| 1,3,5-Trimethylbenzene | 100 | | 95 | | 70-130 | 5 | | 30 |
| 1,2,4-Trimethylbenzene | 105 | | 98 | | 70-130 | 7 | | 30 |
| 1,4-Dioxane | 108 | | 103 | | 65-136 | 5 | | 30 |
| p-Diethylbenzene | 100 | | 93 | | 70-130 | 7 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,17 Batch: WG1076365-8 WG1076365-9 | | | | | | | | |
| p-Ethyltoluene | 105 | | 98 | | 70-130 | 7 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 98 | | 92 | | 70-130 | 6 | | 30 |
| Ethyl ether | 100 | | 96 | | 67-130 | 4 | | 30 |
| trans-1,4-Dichloro-2-butene | 113 | | 109 | | 70-130 | 4 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|---------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 105 | | 102 | | 70-130 |
| Toluene-d8 | 106 | | 104 | | 70-130 |
| 4-Bromofluorobenzene | 104 | | 102 | | 70-130 |
| Dibromofluoromethane | 102 | | 101 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 07 Batch: WG1076454-3 WG1076454-4 | | | | | | | | |
| Methylene chloride | 80 | | 73 | | 70-130 | 9 | | 30 |
| 1,1-Dichloroethane | 114 | | 103 | | 70-130 | 10 | | 30 |
| Chloroform | 101 | | 90 | | 70-130 | 12 | | 30 |
| Carbon tetrachloride | 108 | | 98 | | 70-130 | 10 | | 30 |
| 1,2-Dichloropropane | 114 | | 106 | | 70-130 | 7 | | 30 |
| Dibromochloromethane | 104 | | 98 | | 70-130 | 6 | | 30 |
| 2-Chloroethylvinyl ether | 110 | | 104 | | 70-130 | 6 | | 30 |
| 1,1,2-Trichloroethane | 102 | | 96 | | 70-130 | 6 | | 30 |
| Tetrachloroethene | 106 | | 98 | | 70-130 | 8 | | 30 |
| Chlorobenzene | 100 | | 92 | | 70-130 | 8 | | 30 |
| Trichlorofluoromethane | 105 | | 93 | | 70-139 | 12 | | 30 |
| 1,2-Dichloroethane | 113 | | 106 | | 70-130 | 6 | | 30 |
| 1,1,1-Trichloroethane | 105 | | 97 | | 70-130 | 8 | | 30 |
| Bromodichloromethane | 101 | | 94 | | 70-130 | 7 | | 30 |
| trans-1,3-Dichloropropene | 109 | | 101 | | 70-130 | 8 | | 30 |
| cis-1,3-Dichloropropene | 106 | | 99 | | 70-130 | 7 | | 30 |
| 1,1-Dichloropropene | 103 | | 93 | | 70-130 | 10 | | 30 |
| Bromoform | 107 | | 103 | | 70-130 | 4 | | 30 |
| 1,1,2,2-Tetrachloroethane | 95 | | 90 | | 70-130 | 5 | | 30 |
| Benzene | 98 | | 89 | | 70-130 | 10 | | 30 |
| Toluene | 94 | | 88 | | 70-130 | 7 | | 30 |
| Ethylbenzene | 99 | | 91 | | 70-130 | 8 | | 30 |
| Chloromethane | 133 | Q | 119 | | 52-130 | 11 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 07 Batch: WG1076454-3 WG1076454-4 | | | | | | | | |
| Bromomethane | 118 | | 108 | | 57-147 | 9 | | 30 |
| Vinyl chloride | 107 | | 94 | | 67-130 | 13 | | 30 |
| Chloroethane | 110 | | 97 | | 50-151 | 13 | | 30 |
| 1,1-Dichloroethene | 100 | | 90 | | 65-135 | 11 | | 30 |
| trans-1,2-Dichloroethene | 99 | | 90 | | 70-130 | 10 | | 30 |
| Trichloroethene | 102 | | 92 | | 70-130 | 10 | | 30 |
| 1,2-Dichlorobenzene | 98 | | 92 | | 70-130 | 6 | | 30 |
| 1,3-Dichlorobenzene | 98 | | 92 | | 70-130 | 6 | | 30 |
| 1,4-Dichlorobenzene | 97 | | 93 | | 70-130 | 4 | | 30 |
| Methyl tert butyl ether | 104 | | 98 | | 66-130 | 6 | | 30 |
| p/m-Xylene | 101 | | 93 | | 70-130 | 8 | | 30 |
| o-Xylene | 104 | | 96 | | 70-130 | 8 | | 30 |
| cis-1,2-Dichloroethene | 100 | | 91 | | 70-130 | 9 | | 30 |
| Dibromomethane | 100 | | 95 | | 70-130 | 5 | | 30 |
| Styrene | 98 | | 92 | | 70-130 | 6 | | 30 |
| Dichlorodifluoromethane | 107 | | 95 | | 30-146 | 12 | | 30 |
| Acetone | 125 | | 99 | | 54-140 | 23 | | 30 |
| Carbon disulfide | 98 | | 89 | | 59-130 | 10 | | 30 |
| 2-Butanone | 115 | | 101 | | 70-130 | 13 | | 30 |
| Vinyl acetate | 120 | | 114 | | 70-130 | 5 | | 30 |
| 4-Methyl-2-pentanone | 113 | | 109 | | 70-130 | 4 | | 30 |
| 1,2,3-Trichloropropane | 96 | | 89 | | 68-130 | 8 | | 30 |
| 2-Hexanone | 113 | | 107 | | 70-130 | 5 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 07 Batch: WG1076454-3 WG1076454-4 | | | | | | | | |
| Bromochloromethane | 106 | | 101 | | 70-130 | 5 | | 30 |
| 2,2-Dichloropropane | 112 | | 102 | | 70-130 | 9 | | 30 |
| 1,2-Dibromoethane | 100 | | 95 | | 70-130 | 5 | | 30 |
| 1,3-Dichloropropane | 101 | | 96 | | 69-130 | 5 | | 30 |
| 1,1,1,2-Tetrachloroethane | 105 | | 98 | | 70-130 | 7 | | 30 |
| Bromobenzene | 98 | | 94 | | 70-130 | 4 | | 30 |
| n-Butylbenzene | 98 | | 91 | | 70-130 | 7 | | 30 |
| sec-Butylbenzene | 98 | | 90 | | 70-130 | 9 | | 30 |
| tert-Butylbenzene | 96 | | 89 | | 70-130 | 8 | | 30 |
| o-Chlorotoluene | 102 | | 96 | | 70-130 | 6 | | 30 |
| p-Chlorotoluene | 96 | | 89 | | 70-130 | 8 | | 30 |
| 1,2-Dibromo-3-chloropropane | 94 | | 92 | | 68-130 | 2 | | 30 |
| Hexachlorobutadiene | 106 | | 96 | | 67-130 | 10 | | 30 |
| Isopropylbenzene | 98 | | 90 | | 70-130 | 9 | | 30 |
| p-Isopropyltoluene | 98 | | 91 | | 70-130 | 7 | | 30 |
| Naphthalene | 101 | | 95 | | 70-130 | 6 | | 30 |
| Acrylonitrile | 135 | Q | 127 | | 70-130 | 6 | | 30 |
| Isopropyl Ether | 127 | | 120 | | 66-130 | 6 | | 30 |
| tert-Butyl Alcohol | 129 | | 126 | | 70-130 | 2 | | 30 |
| n-Propylbenzene | 96 | | 90 | | 70-130 | 6 | | 30 |
| 1,2,3-Trichlorobenzene | 106 | | 98 | | 70-130 | 8 | | 30 |
| 1,2,4-Trichlorobenzene | 105 | | 98 | | 70-130 | 7 | | 30 |
| 1,3,5-Trimethylbenzene | 99 | | 91 | | 70-130 | 8 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery | | RPD | RPD | |
|--|-----------|------|-----------|------|-----------|------|-----|--------|----|
| | %Recovery | Qual | %Recovery | Qual | Limits | Qual | | Limits | |
| Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 07 Batch: WG1076454-3 WG1076454-4 | | | | | | | | | |
| 1,2,4-Trimethylbenzene | 101 | | 94 | | 70-130 | | 7 | | 30 |
| Methyl Acetate | 126 | | 117 | | 51-146 | | 7 | | 30 |
| Ethyl Acetate | 125 | | 119 | | 70-130 | | 5 | | 30 |
| Acrolein | 103 | | 113 | | 70-130 | | 9 | | 30 |
| Cyclohexane | 129 | | 118 | | 59-142 | | 9 | | 30 |
| 1,4-Dioxane | 109 | | 108 | | 65-136 | | 1 | | 30 |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 105 | | 94 | | 50-139 | | 11 | | 30 |
| 1,4-Diethylbenzene | 98 | | 91 | | 70-130 | | 7 | | 30 |
| 4-Ethyltoluene | 100 | | 93 | | 70-130 | | 7 | | 30 |
| 1,2,4,5-Tetramethylbenzene | 97 | | 90 | | 70-130 | | 7 | | 30 |
| Tetrahydrofuran | 128 | | 129 | | 66-130 | | 1 | | 30 |
| Ethyl ether | 103 | | 96 | | 67-130 | | 7 | | 30 |
| trans-1,4-Dichloro-2-butene | 122 | | 114 | | 70-130 | | 7 | | 30 |
| Methyl cyclohexane | 103 | | 93 | | 70-130 | | 10 | | 30 |
| Ethyl-Tert-Butyl-Ether | 120 | | 114 | | 70-130 | | 5 | | 30 |
| Tertiary-Amyl Methyl Ether | 103 | | 97 | | 70-130 | | 6 | | 30 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|------------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 107 | | 106 | | 70-130 |
| Toluene-d8 | 102 | | 102 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 100 | | 70-130 |
| Dibromofluoromethane | 103 | | 104 | | 70-130 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,09-17 QC Batch ID: WG1076365-11 WG1076365-12 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| Methylene chloride | ND | 105 | 61 | 58 | Q | 56 | 54 | Q | 70-130 | 9 | | 30 |
| 1,1-Dichloroethane | ND | 105 | 92 | 88 | | 86 | 83 | | 70-130 | 7 | | 30 |
| Chloroform | ND | 105 | 70 | 67 | Q | 60 | 58 | Q | 70-130 | 16 | | 30 |
| Carbon tetrachloride | ND | 105 | 93 | 88 | | 87 | 84 | | 70-130 | 6 | | 30 |
| 1,2-Dichloropropane | ND | 105 | 73 | 69 | Q | 68 | 65 | Q | 70-130 | 7 | | 30 |
| Dibromochloromethane | ND | 105 | 46 | 44 | Q | 41 | 40 | Q | 70-130 | 11 | | 30 |
| 1,1,2-Trichloroethane | ND | 105 | 51 | 49 | Q | 48 | 47 | Q | 70-130 | 6 | | 30 |
| Tetrachloroethene | ND | 105 | 42 | 40 | Q | 36 | 35 | Q | 70-130 | 14 | | 30 |
| Chlorobenzene | ND | 105 | 23 | 22 | Q | 19 | 18 | Q | 70-130 | 23 | | 30 |
| Trichlorofluoromethane | ND | 105 | 110 | 106 | | 99 | 96 | | 70-139 | 12 | | 30 |
| 1,2-Dichloroethane | ND | 105 | 60 | 57 | Q | 52 | 50 | Q | 70-130 | 14 | | 30 |
| 1,1,1-Trichloroethane | ND | 105 | 93 | 89 | | 88 | 86 | | 70-130 | 6 | | 30 |
| Bromodichloromethane | ND | 105 | 56 | 53 | Q | 49 | 48 | Q | 70-130 | 12 | | 30 |
| trans-1,3-Dichloropropene | ND | 105 | 26 | 24 | Q | 18 | 17 | Q | 70-130 | 37 | Q | 30 |
| cis-1,3-Dichloropropene | ND | 105 | 34 | 32 | Q | 24 | 23 | Q | 70-130 | 35 | Q | 30 |
| 1,1-Dichloropropene | ND | 105 | 70 | 66 | Q | 56 | 54 | Q | 70-130 | 22 | | 30 |
| Bromoform | ND | 105 | 43 | 41 | Q | 39 | 38 | Q | 70-130 | 9 | | 30 |
| 1,1,2,2-Tetrachloroethane | ND | 105 | 36 | 34 | Q | 17 | 16 | Q | 70-130 | 72 | Q | 30 |
| Benzene | ND | 105 | 62 | 59 | Q | 54 | 52 | Q | 70-130 | 15 | | 30 |
| Toluene | ND | 105 | 40 | 38 | Q | 33 | 32 | Q | 70-130 | 18 | | 30 |
| Ethylbenzene | ND | 105 | 26 | 25 | Q | 23 | 22 | Q | 70-130 | 15 | | 30 |
| Chloromethane | ND | 105 | 130 | 124 | | 130 | 128 | | 52-130 | 2 | | 30 |
| Bromomethane | ND | 105 | 92 | 88 | | 79 | 76 | | 57-147 | 16 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,09-17 QC Batch ID: WG1076365-11 WG1076365-12 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| Vinyl chloride | ND | 105 | 110 | 104 | | 110 | 106 | | 67-130 | 0 | | 30 |
| Chloroethane | ND | 105 | 95 | 91 | | 58 | 56 | | 50-151 | 48 | Q | 30 |
| 1,1-Dichloroethene | ND | 105 | 92 | 88 | | 82 | 80 | | 65-135 | 11 | | 30 |
| trans-1,2-Dichloroethene | ND | 105 | 62 | 58 | Q | 45 | 44 | Q | 70-130 | 31 | Q | 30 |
| Trichloroethene | ND | 105 | 58 | 55 | Q | 54 | 53 | Q | 70-130 | 6 | | 30 |
| 1,2-Dichlorobenzene | ND | 105 | 12 | 12 | Q | 12 | 12 | Q | 70-130 | 3 | | 30 |
| 1,3-Dichlorobenzene | ND | 105 | 11 | 10 | Q | 10 | 10 | Q | 70-130 | 6 | | 30 |
| 1,4-Dichlorobenzene | ND | 105 | 9.8 | 9 | Q | 9.1 | 9 | Q | 70-130 | 8 | | 30 |
| Methyl tert butyl ether | ND | 105 | 95 | 90 | | 92 | 89 | | 66-130 | 3 | | 30 |
| p/m-Xylene | ND | 210 | 47 | 22 | Q | 42 | 20 | Q | 70-130 | 11 | | 30 |
| o-Xylene | ND | 210 | 53 | 25 | Q | 51 | 25 | Q | 70-130 | 3 | | 30 |
| cis-1,2-Dichloroethene | ND | 105 | 54 | 51 | Q | 42 | 40 | Q | 70-130 | 26 | | 30 |
| Dibromomethane | ND | 105 | 41 | 39 | Q | 34 | 33 | Q | 70-130 | 20 | | 30 |
| Styrene | ND | 210 | 32 | 15 | Q | 25 | 12 | Q | 70-130 | 26 | | 30 |
| Dichlorodifluoromethane | ND | 105 | 120 | 113 | | 120 | 116 | | 30-146 | 1 | | 30 |
| Acetone | 44 | 105 | 140 | 92 | | 160 | 114 | | 54-140 | 14 | | 30 |
| Carbon disulfide | 2.0J | 105 | 70 | 67 | | 55 | 53 | Q | 59-130 | 25 | | 30 |
| 2-Butanone | ND | 105 | 110 | 101 | | 110 | 105 | | 70-130 | 2 | | 30 |
| Vinyl acetate | ND | 105 | 18 | 17 | Q | 16 | 16 | Q | 70-130 | 10 | | 30 |
| 4-Methyl-2-pentanone | ND | 105 | 87 | 82 | | 87 | 84 | | 70-130 | 0 | | 30 |
| 1,2,3-Trichloropropane | ND | 105 | 46 | 44 | Q | 40 | 39 | Q | 68-130 | 13 | | 30 |
| 2-Hexanone | ND | 105 | 66 | 62 | Q | 60 | 58 | Q | 70-130 | 8 | | 30 |
| Bromochloromethane | ND | 105 | 56 | 53 | Q | 48 | 47 | Q | 70-130 | 15 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> |
|---|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,09-17 QC Batch ID: WG1076365-11 WG1076365-12 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| 2,2-Dichloropropane | ND | 105 | 100 | 97 | | 98 | 95 | | 70-130 | 4 | | 30 |
| 1,2-Dibromoethane | ND | 105 | 32 | 30 | Q | 25 | 24 | Q | 70-130 | 24 | | 30 |
| 1,3-Dichloropropane | ND | 105 | 42 | 40 | Q | 36 | 35 | Q | 69-130 | 14 | | 30 |
| 1,1,1,2-Tetrachloroethane | ND | 105 | 50 | 48 | Q | 50 | 48 | Q | 70-130 | 1 | | 30 |
| Bromobenzene | ND | 105 | 17 | 16 | Q | 15 | 14 | Q | 70-130 | 14 | | 30 |
| n-Butylbenzene | ND | 105 | 7.1 | 7 | Q | 9.0 | 9 | Q | 70-130 | 23 | | 30 |
| sec-Butylbenzene | ND | 105 | 15 | 14 | Q | 19 | 18 | Q | 70-130 | 25 | | 30 |
| tert-Butylbenzene | ND | 105 | 21 | 20 | Q | 27 | 26 | Q | 70-130 | 26 | | 30 |
| o-Chlorotoluene | ND | 105 | 18 | 17 | Q | 15 | 14 | Q | 70-130 | 17 | | 30 |
| p-Chlorotoluene | ND | 105 | 12 | 11 | Q | 11 | 11 | Q | 70-130 | 6 | | 30 |
| 1,2-Dibromo-3-chloropropane | ND | 105 | 36 | 35 | Q | 32 | 31 | Q | 68-130 | 14 | | 30 |
| Hexachlorobutadiene | ND | 105 | 7.8 | 7 | Q | 14 | 14 | Q | 67-130 | 59 | Q | 30 |
| Isopropylbenzene | ND | 105 | 24 | 22 | Q | 26 | 25 | Q | 70-130 | 9 | | 30 |
| p-Isopropyltoluene | ND | 105 | 11 | 10 | Q | 15 | 14 | Q | 70-130 | 30 | | 30 |
| Naphthalene | ND | 105 | 11 | 10 | Q | 7.9 | 8 | Q | 70-130 | 28 | | 30 |
| Acrylonitrile | ND | 105 | 92 | 87 | | 93 | 90 | | 70-130 | 1 | | 30 |
| n-Propylbenzene | ND | 105 | 14 | 14 | Q | 15 | 15 | Q | 70-130 | 5 | | 30 |
| 1,2,3-Trichlorobenzene | ND | 105 | 8.3 | 8 | Q | 8.3 | 8 | Q | 70-130 | 0 | | 30 |
| 1,2,4-Trichlorobenzene | ND | 105 | 6.8 | 7 | Q | 6.4 | 6 | Q | 70-130 | 6 | | 30 |
| 1,3,5-Trimethylbenzene | 0.26J | 105 | 17 | 16 | Q | 21 | 20 | Q | 70-130 | 19 | | 30 |
| 1,2,4-Trimethylbenzene | 0.61J | 105 | 14 | 14 | Q | 17 | 16 | Q | 70-130 | 15 | | 30 |
| 1,4-Dioxane | ND | 5250 | 6000 | 113 | | 6400 | 124 | | 65-136 | 7 | | 30 |
| p-Diethylbenzene | ND | 105 | 7.5 | 7 | Q | 9.6 | 9 | Q | 70-130 | 25 | | 30 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 03,09-17 QC Batch ID: WG1076365-11 WG1076365-12 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| p-Ethyltoluene | 0.63J | 105 | 13 | 13 | Q | 15 | 14 | Q | 70-130 | 9 | | 30 |
| 1,2,4,5-Tetramethylbenzene | ND | 105 | 9.6 | 9 | Q | 13 | 12 | Q | 70-130 | 29 | | 30 |
| Ethyl ether | ND | 105 | 79 | 75 | | 77 | 75 | | 67-130 | 3 | | 30 |
| trans-1,4-Dichloro-2-butene | ND | 105 | 19 | 18 | Q | 13 | 12 | Q | 70-130 | 40 | Q | 30 |

| Surrogate | MS % Recovery | Qualifier | MSD % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|----------------------|------------------|-----------------------|------------------|----------------------------|
| 1,2-Dichloroethane-d4 | 110 | | 108 | | 70-130 |
| 4-Bromofluorobenzene | 105 | | 110 | | 70-130 |
| Dibromofluoromethane | 106 | | 105 | | 70-130 |
| Toluene-d8 | 104 | | 106 | | 70-130 |

SEMIVOLATILES

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
 Client ID: SB005 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:30
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 12:57
 Analyst: KR
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 160 | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 49. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 32. | 1 |
| Fluoranthene | 3100 | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 530 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | 110 | J | ug/kg | 180 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 64. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 47. | 1 |
| Di-n-butylphthalate | 75 | J | ug/kg | 180 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 63. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01

Date Collected: 12/14/17 09:30

Client ID: SB005 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 1500 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 1400 | | ug/kg | 150 | 45. | 1 |
| Benzo(b)fluoranthene | 1800 | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | 600 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 1700 | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | 77 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 420 | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | 830 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 150 | J | ug/kg | 180 | 18. | 1 |
| Phenanthrene | 2200 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 230 | | ug/kg | 110 | 21. | 1 |
| Indeno(1,2,3-cd)pyrene | 880 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 2900 | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 43. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 77. | 1 |
| Dibenzofuran | 69 | J | ug/kg | 180 | 18. | 1 |
| 2-Methylnaphthalene | 89 | J | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 61. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 890 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 89. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 180 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 600 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 57. | 1 |
| Carbazole | 160 | J | ug/kg | 180 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01

Date Collected: 12/14/17 09:30

Client ID: SB005 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 75 | | 25-120 |
| Phenol-d6 | 76 | | 10-120 |
| Nitrobenzene-d5 | 96 | | 23-120 |
| 2-Fluorobiphenyl | 85 | | 30-120 |
| 2,4,6-Tribromophenol | 90 | | 10-136 |
| 4-Terphenyl-d14 | 60 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 13:23
 Analyst: KR
 Percent Solids: 84%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 160 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 200 | 23. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 120 | 22. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 200 | 20. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 200 | 36. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 200 | 34. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 200 | 35. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 200 | 53. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 200 | 40. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 200 | 34. | 1 |
| Fluoranthene | 110 | J | ug/kg | 120 | 23. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 200 | 21. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 200 | 30. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 240 | 34. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 210 | 20. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 200 | 29. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 570 | 180 | 1 |
| Hexachloroethane | ND | | ug/kg | 160 | 32. | 1 |
| Isophorone | ND | | ug/kg | 180 | 26. | 1 |
| Naphthalene | ND | | ug/kg | 200 | 24. | 1 |
| Nitrobenzene | ND | | ug/kg | 180 | 29. | 1 |
| NDPA/DPA | ND | | ug/kg | 160 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 200 | 31. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 200 | 69. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 200 | 50. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 200 | 38. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 200 | 67. | 1 |
| Diethyl phthalate | ND | | ug/kg | 200 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 200 | 42. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02

Date Collected: 12/14/17 09:35

Client ID: SB005 (3-5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 58 | J | ug/kg | 120 | 22. | 1 |
| Benzo(a)pyrene | 53 | J | ug/kg | 160 | 48. | 1 |
| Benzo(b)fluoranthene | 63 | J | ug/kg | 120 | 33. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 120 | 32. | 1 |
| Chrysene | 58 | J | ug/kg | 120 | 21. | 1 |
| Acenaphthylene | ND | | ug/kg | 160 | 31. | 1 |
| Anthracene | ND | | ug/kg | 120 | 39. | 1 |
| Benzo(ghi)perylene | 35 | J | ug/kg | 160 | 23. | 1 |
| Fluorene | ND | | ug/kg | 200 | 19. | 1 |
| Phenanthrene | 69 | J | ug/kg | 120 | 24. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 120 | 23. | 1 |
| Indeno(1,2,3-cd)pyrene | 39 | J | ug/kg | 160 | 28. | 1 |
| Pyrene | 88 | J | ug/kg | 120 | 20. | 1 |
| Biphenyl | ND | | ug/kg | 450 | 46. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 200 | 36. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 200 | 38. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 200 | 37. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 200 | 82. | 1 |
| Dibenzofuran | ND | | ug/kg | 200 | 19. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 240 | 24. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 200 | 21. | 1 |
| Acetophenone | ND | | ug/kg | 200 | 24. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 120 | 38. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 200 | 30. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 200 | 23. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 180 | 32. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 200 | 65. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 430 | 74. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 280 | 81. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 950 | 92. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 520 | 95. | 1 |
| Pentachlorophenol | ND | | ug/kg | 160 | 44. | 1 |
| Phenol | ND | | ug/kg | 200 | 30. | 1 |
| 2-Methylphenol | ND | | ug/kg | 200 | 31. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 280 | 31. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 200 | 38. | 1 |
| Benzoic Acid | ND | | ug/kg | 640 | 200 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 200 | 61. | 1 |
| Carbazole | ND | | ug/kg | 200 | 19. | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-02

Date Collected: 12/14/17 09:35

Client ID: SB005 (3-5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 87 | | 25-120 |
| Phenol-d6 | 87 | | 10-120 |
| Nitrobenzene-d5 | 92 | | 23-120 |
| 2-Fluorobiphenyl | 78 | | 30-120 |
| 2,4,6-Tribromophenol | 110 | | 10-136 |
| 4-Terphenyl-d14 | 55 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 13:48
 Analyst: KR
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 62 | J | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 51. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 33. | 1 |
| Fluoranthene | 1600 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 210 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 31. | 1 |
| Isophorone | ND | | ug/kg | 170 | 25. | 1 |
| Naphthalene | 83 | J | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 66. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 65. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03

Date Collected: 12/14/17 09:45

Client ID: SB006 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 850 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 800 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 1000 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 370 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 890 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 78 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 180 | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 500 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 71 | J | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 850 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 140 | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 540 | | ug/kg | 150 | 27. | 1 |
| Pyrene | 1400 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 440 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 37. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 79. | 1 |
| Dibenzofuran | 36 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 84 | J | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 24. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 31. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 63. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 72. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 270 | 78. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 920 | 89. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 500 | 92. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 29. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 30. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 620 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 91 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03

Date Collected: 12/14/17 09:45

Client ID: SB006 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 64 | | 25-120 |
| Phenol-d6 | 78 | | 10-120 |
| Nitrobenzene-d5 | 91 | | 23-120 |
| 2-Fluorobiphenyl | 77 | | 30-120 |
| 2,4,6-Tribromophenol | 59 | | 10-136 |
| 4-Terphenyl-d14 | 54 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/22/17 10:44
 Analyst: CB
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 530 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 64. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 63. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 45. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 43. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 77. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 61. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 890 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 89. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 600 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04

Date Collected: 12/14/17 09:50

Client ID: SB006 (7.5-9.5)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 96 | | 25-120 |
| Phenol-d6 | 101 | | 10-120 |
| Nitrobenzene-d5 | 96 | | 23-120 |
| 2-Fluorobiphenyl | 80 | | 30-120 |
| 2,4,6-Tribromophenol | 79 | | 10-136 |
| 4-Terphenyl-d14 | 61 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 14:14
 Analyst: KR
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 100 | J | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 2900 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 31. | 1 |
| Isophorone | ND | | ug/kg | 170 | 25. | 1 |
| Naphthalene | 200 | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 66. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05

Date Collected: 12/14/17 10:00

Client ID: SB007 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 1400 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 1400 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 1700 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 640 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 1500 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 290 | | ug/kg | 150 | 29. | 1 |
| Anthracene | 400 | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 810 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 240 | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 2200 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 220 | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 900 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 2500 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | 89 | J | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | 130 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 120 | J | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 910 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 91. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 29. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 230 | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05

Date Collected: 12/14/17 10:00

Client ID: SB007 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 93 | | 25-120 |
| Phenol-d6 | 91 | | 10-120 |
| Nitrobenzene-d5 | 106 | | 23-120 |
| 2-Fluorobiphenyl | 82 | | 30-120 |
| 2,4,6-Tribromophenol | 106 | | 10-136 |
| 4-Terphenyl-d14 | 59 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06
 Client ID: SB007 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:05
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/22/17 11:10
 Analyst: CB
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 49. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 31. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 31. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 520 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 160 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 27. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 63. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 46. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 62. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 38. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06

Date Collected: 12/14/17 10:05

Client ID: SB007 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 45. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 29. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 28. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 180 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 42. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 35. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 76. | 1 |
| Dibenzofuran | ND | | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 29. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 60. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 69. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 75. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 880 | 85. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 88. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 40. | 1 |
| Phenol | ND | | ug/kg | 180 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 28. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 260 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 35. | 1 |
| Benzoic Acid | ND | | ug/kg | 590 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 56. | 1 |
| Carbazole | ND | | ug/kg | 180 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06

Date Collected: 12/14/17 10:05

Client ID: SB007 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 85 | | 25-120 |
| Phenol-d6 | 90 | | 10-120 |
| Nitrobenzene-d5 | 86 | | 23-120 |
| 2-Fluorobiphenyl | 72 | | 30-120 |
| 2,4,6-Tribromophenol | 71 | | 10-136 |
| 4-Terphenyl-d14 | 52 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 14:39
 Analyst: KR
 Percent Solids: 91%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 33. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 48. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 36. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 31. | 1 |
| Fluoranthene | 510 | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 31. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 520 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 160 | 24. | 1 |
| Naphthalene | 82 | J | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 27. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 63. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 46. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 62. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 38. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 320 | | ug/kg | 110 | 20. | 1 |
| Benzo(a)pyrene | 360 | | ug/kg | 150 | 44. | 1 |
| Benzo(b)fluoranthene | 500 | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | 160 | | ug/kg | 110 | 29. | 1 |
| Chrysene | 360 | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | 95 | J | ug/kg | 150 | 28. | 1 |
| Anthracene | 66 | J | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | 260 | | ug/kg | 150 | 21. | 1 |
| Fluorene | ND | | ug/kg | 180 | 18. | 1 |
| Phenanthrene | 180 | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | 70 | J | ug/kg | 110 | 21. | 1 |
| Indeno(1,2,3-cd)pyrene | 280 | | ug/kg | 150 | 25. | 1 |
| Pyrene | 480 | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 42. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 35. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 76. | 1 |
| Dibenzofuran | 25 | J | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | 74 | J | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 29. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 60. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 390 | 69. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 74. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 880 | 85. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 470 | 88. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 40. | 1 |
| Phenol | ND | | ug/kg | 180 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 28. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 260 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 35. | 1 |
| Benzoic Acid | ND | | ug/kg | 590 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 56. | 1 |
| Carbazole | 27 | J | ug/kg | 180 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-07

Date Collected: 12/14/17 10:25

Client ID: SB008 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 66 | | 25-120 |
| Phenol-d6 | 68 | | 10-120 |
| Nitrobenzene-d5 | 98 | | 23-120 |
| 2-Fluorobiphenyl | 76 | | 30-120 |
| 2,4,6-Tribromophenol | 86 | | 10-136 |
| 4-Terphenyl-d14 | 54 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/22/17 10:18
 Analyst: CB
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08

Date Collected: 12/14/17 10:30

Client ID: SB008 (10-12)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 69 | | 25-120 |
| Phenol-d6 | 76 | | 10-120 |
| Nitrobenzene-d5 | 73 | | 23-120 |
| 2-Fluorobiphenyl | 69 | | 30-120 |
| 2,4,6-Tribromophenol | 79 | | 10-136 |
| 4-Terphenyl-d14 | 68 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 15:05
 Analyst: KR
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 630 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | 150 | J | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | 77 | J | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09

Date Collected: 12/14/17 10:50

Client ID: SB009 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 420 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 340 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 520 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 160 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 580 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 74 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 82 | J | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 210 | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 360 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 75 | J | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 230 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 580 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | 46 | J | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | 40 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 270 | | ug/kg | 220 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | 91 | J | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 23 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09

Date Collected: 12/14/17 10:50

Client ID: SB009 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 55 | | 25-120 |
| Phenol-d6 | 70 | | 10-120 |
| Nitrobenzene-d5 | 91 | | 23-120 |
| 2-Fluorobiphenyl | 87 | | 30-120 |
| 2,4,6-Tribromophenol | 51 | | 10-136 |
| 4-Terphenyl-d14 | 68 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10
 Client ID: SB009 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:55
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/22/17 15:32
 Analyst: CB
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10

Date Collected: 12/14/17 10:55

Client ID: SB009 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10

Date Collected: 12/14/17 10:55

Client ID: SB009 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 88 | | 25-120 |
| Phenol-d6 | 92 | | 10-120 |
| Nitrobenzene-d5 | 89 | | 23-120 |
| 2-Fluorobiphenyl | 75 | | 30-120 |
| 2,4,6-Tribromophenol | 79 | | 10-136 |
| 4-Terphenyl-d14 | 61 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
 Client ID: SB010 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:05
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 15:30
 Analyst: KR
 Percent Solids: 80%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 25 | J | ug/kg | 160 | 21. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 210 | 24. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 120 | 23. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 210 | 20. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 210 | 37. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 210 | 36. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 210 | 36. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 210 | 55. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 210 | 41. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 210 | 36. | 1 |
| Fluoranthene | 2100 | | ug/kg | 120 | 24. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 210 | 22. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 210 | 32. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 250 | 35. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 220 | 21. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 210 | 30. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 590 | 190 | 1 |
| Hexachloroethane | ND | | ug/kg | 160 | 34. | 1 |
| Isophorone | ND | | ug/kg | 190 | 27. | 1 |
| Naphthalene | 52 | J | ug/kg | 210 | 25. | 1 |
| Nitrobenzene | ND | | ug/kg | 190 | 31. | 1 |
| NDPA/DPA | ND | | ug/kg | 160 | 24. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 210 | 32. | 1 |
| Bis(2-ethylhexyl)phthalate | 2000 | | ug/kg | 210 | 72. | 1 |
| Butyl benzyl phthalate | 590 | | ug/kg | 210 | 52. | 1 |
| Di-n-butylphthalate | 75 | J | ug/kg | 210 | 39. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 210 | 70. | 1 |
| Diethyl phthalate | ND | | ug/kg | 210 | 19. | 1 |
| Dimethyl phthalate | 870 | | ug/kg | 210 | 44. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11

Date Collected: 12/14/17 11:05

Client ID: SB010 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 1400 | | ug/kg | 120 | 23. | 1 |
| Benzo(a)pyrene | 1400 | | ug/kg | 160 | 50. | 1 |
| Benzo(b)fluoranthene | 1800 | | ug/kg | 120 | 35. | 1 |
| Benzo(k)fluoranthene | 690 | | ug/kg | 120 | 33. | 1 |
| Chrysene | 1500 | | ug/kg | 120 | 22. | 1 |
| Acenaphthylene | 400 | | ug/kg | 160 | 32. | 1 |
| Anthracene | 290 | | ug/kg | 120 | 40. | 1 |
| Benzo(ghi)perylene | 1000 | | ug/kg | 160 | 24. | 1 |
| Fluorene | 51 | J | ug/kg | 210 | 20. | 1 |
| Phenanthrene | 740 | | ug/kg | 120 | 25. | 1 |
| Dibenzo(a,h)anthracene | 260 | | ug/kg | 120 | 24. | 1 |
| Indeno(1,2,3-cd)pyrene | 1000 | | ug/kg | 160 | 29. | 1 |
| Pyrene | 2200 | | ug/kg | 120 | 20. | 1 |
| Biphenyl | ND | | ug/kg | 470 | 48. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 210 | 38. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 210 | 40. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 210 | 39. | 1 |
| 4-Nitroaniline | 91 | J | ug/kg | 210 | 86. | 1 |
| Dibenzofuran | 23 | J | ug/kg | 210 | 20. | 1 |
| 2-Methylnaphthalene | 49 | J | ug/kg | 250 | 25. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 210 | 22. | 1 |
| Acetophenone | 56 | J | ug/kg | 210 | 26. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 120 | 39. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 210 | 31. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 210 | 24. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 190 | 33. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 210 | 68. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 450 | 78. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 290 | 84. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 990 | 96. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 540 | 99. | 1 |
| Pentachlorophenol | ND | | ug/kg | 160 | 46. | 1 |
| Phenol | ND | | ug/kg | 210 | 31. | 1 |
| 2-Methylphenol | ND | | ug/kg | 210 | 32. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 300 | 32. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 210 | 40. | 1 |
| Benzoic Acid | ND | | ug/kg | 670 | 210 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 210 | 63. | 1 |
| Carbazole | 110 | J | ug/kg | 210 | 20. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11

Date Collected: 12/14/17 11:05

Client ID: SB010 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 65 | | 25-120 |
| Phenol-d6 | 68 | | 10-120 |
| Nitrobenzene-d5 | 77 | | 23-120 |
| 2-Fluorobiphenyl | 69 | | 30-120 |
| 2,4,6-Tribromophenol | 86 | | 10-136 |
| 4-Terphenyl-d14 | 61 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 15:56
 Analyst: KR
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 530 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 64. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 63. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12

Date Collected: 12/14/17 11:10

Client ID: SB010 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 150 | 29. | 1 |
| Anthracene | ND | | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 150 | 26. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 420 | 43. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 77. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 600 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-12

Date Collected: 12/14/17 11:10

Client ID: SB010 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 84 | | 25-120 |
| Phenol-d6 | 84 | | 10-120 |
| Nitrobenzene-d5 | 88 | | 23-120 |
| 2-Fluorobiphenyl | 75 | | 30-120 |
| 2,4,6-Tribromophenol | 102 | | 10-136 |
| 4-Terphenyl-d14 | 57 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
 Client ID: SB011 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:20
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 09:17

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/23/17 16:22
 Analyst: KR
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 150 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 21. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 25. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 37. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 160 | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 28. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 27. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 530 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | ND | | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 21. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | 310 | | ug/kg | 190 | 47. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 35. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 39. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13

Date Collected: 12/14/17 11:20

Client ID: SB011 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 110 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 130 | J | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 180 | | ug/kg | 110 | 31. | 1 |
| Benzo(k)fluoranthene | 63 | J | ug/kg | 110 | 30. | 1 |
| Chrysene | 130 | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | 59 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 37 | J | ug/kg | 110 | 36. | 1 |
| Benzo(ghi)perylene | 180 | | ug/kg | 150 | 22. | 1 |
| Fluorene | ND | | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 72 | J | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 160 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 170 | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 43. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 35. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 77. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 24 | J | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 35. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 400 | 70. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 76. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 900 | 87. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 480 | 90. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 41. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 29. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 600 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 57. | 1 |
| Carbazole | ND | | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-13

Date Collected: 12/14/17 11:20

Client ID: SB011 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 79 | | 25-120 |
| Phenol-d6 | 84 | | 10-120 |
| Nitrobenzene-d5 | 91 | | 23-120 |
| 2-Fluorobiphenyl | 86 | | 30-120 |
| 2,4,6-Tribromophenol | 95 | | 10-136 |
| 4-Terphenyl-d14 | 78 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
 Client ID: SB011 (5-7)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:25
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/24/17 01:49
 Analyst: TT
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 140 | 18. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 20. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 24. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 30. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 47. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 35. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 30. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 20. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 19. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 27. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 210 | 30. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 190 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 26. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 510 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 140 | 29. | 1 |
| Isophorone | ND | | ug/kg | 160 | 23. | 1 |
| Naphthalene | ND | | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 26. | 1 |
| NDPA/DPA | ND | | ug/kg | 140 | 20. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 27. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 61. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 44. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 34. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 60. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 16. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 37. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14

Date Collected: 12/14/17 11:25

Client ID: SB011 (5-7)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 140 | 43. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 28. | 1 |
| Chrysene | ND | | ug/kg | 110 | 18. | 1 |
| Acenaphthylene | ND | | ug/kg | 140 | 27. | 1 |
| Anthracene | ND | | ug/kg | 110 | 34. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 140 | 21. | 1 |
| Fluorene | ND | | ug/kg | 180 | 17. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 140 | 25. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 400 | 41. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 32. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 73. | 1 |
| Dibenzofuran | ND | | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 210 | 21. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 18. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 22. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 34. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 26. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 21. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 28. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 58. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 380 | 66. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 250 | 72. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 850 | 82. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 460 | 85. | 1 |
| Pentachlorophenol | ND | | ug/kg | 140 | 39. | 1 |
| Phenol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 27. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 250 | 28. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 34. | 1 |
| Benzoic Acid | ND | | ug/kg | 570 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 54. | 1 |
| Carbazole | ND | | ug/kg | 180 | 17. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14

Date Collected: 12/14/17 11:25

Client ID: SB011 (5-7)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 78 | | 25-120 |
| Phenol-d6 | 83 | | 10-120 |
| Nitrobenzene-d5 | 73 | | 23-120 |
| 2-Fluorobiphenyl | 82 | | 30-120 |
| 2,4,6-Tribromophenol | 83 | | 10-136 |
| 4-Terphenyl-d14 | 78 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/24/17 04:21
 Analyst: TT
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 25 | J | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 32. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 970 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 30. | 1 |
| Isophorone | ND | | ug/kg | 170 | 24. | 1 |
| Naphthalene | 23 | J | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 65. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15

Date Collected: 12/14/17 11:40

Client ID: SB012 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 540 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 520 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 740 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 230 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 620 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 120 | J | ug/kg | 150 | 29. | 1 |
| Anthracene | 100 | J | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 410 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 25 | J | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 460 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 110 | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 420 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 900 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | ND | | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 62. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 910 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 91. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 53 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15

Date Collected: 12/14/17 11:40

Client ID: SB012 (0-2)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 79 | | 25-120 |
| Phenol-d6 | 80 | | 10-120 |
| Nitrobenzene-d5 | 80 | | 23-120 |
| 2-Fluorobiphenyl | 89 | | 30-120 |
| 2,4,6-Tribromophenol | 80 | | 10-136 |
| 4-Terphenyl-d14 | 80 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/24/17 02:14
 Analyst: TT
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/kg | 140 | 19. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 180 | 20. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 20. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 160 | 24. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 180 | 18. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 180 | 32. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 180 | 31. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 180 | 48. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 180 | 36. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 180 | 31. | 1 |
| Fluoranthene | ND | | ug/kg | 110 | 21. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 180 | 19. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 180 | 27. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 220 | 31. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 190 | 18. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 180 | 26. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 510 | 160 | 1 |
| Hexachloroethane | ND | | ug/kg | 140 | 29. | 1 |
| Isophorone | ND | | ug/kg | 160 | 23. | 1 |
| Naphthalene | ND | | ug/kg | 180 | 22. | 1 |
| Nitrobenzene | ND | | ug/kg | 160 | 26. | 1 |
| NDPA/DPA | ND | | ug/kg | 140 | 20. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 180 | 28. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 180 | 62. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 180 | 45. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 180 | 34. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 180 | 61. | 1 |
| Diethyl phthalate | ND | | ug/kg | 180 | 17. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 180 | 38. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16

Date Collected: 12/14/17 11:45

Client ID: SB012 (6-8)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/kg | 110 | 20. | 1 |
| Benzo(a)pyrene | ND | | ug/kg | 140 | 44. | 1 |
| Benzo(b)fluoranthene | ND | | ug/kg | 110 | 30. | 1 |
| Benzo(k)fluoranthene | ND | | ug/kg | 110 | 29. | 1 |
| Chrysene | ND | | ug/kg | 110 | 19. | 1 |
| Acenaphthylene | ND | | ug/kg | 140 | 28. | 1 |
| Anthracene | ND | | ug/kg | 110 | 35. | 1 |
| Benzo(ghi)perylene | ND | | ug/kg | 140 | 21. | 1 |
| Fluorene | ND | | ug/kg | 180 | 17. | 1 |
| Phenanthrene | ND | | ug/kg | 110 | 22. | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 110 | 21. | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 140 | 25. | 1 |
| Pyrene | ND | | ug/kg | 110 | 18. | 1 |
| Biphenyl | ND | | ug/kg | 410 | 42. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 180 | 33. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 180 | 35. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 180 | 34. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 180 | 74. | 1 |
| Dibenzofuran | ND | | ug/kg | 180 | 17. | 1 |
| 2-Methylnaphthalene | ND | | ug/kg | 220 | 22. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 180 | 19. | 1 |
| Acetophenone | ND | | ug/kg | 180 | 22. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 34. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 180 | 21. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 160 | 29. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 180 | 59. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 390 | 68. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 250 | 73. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 860 | 84. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 470 | 86. | 1 |
| Pentachlorophenol | ND | | ug/kg | 140 | 40. | 1 |
| Phenol | ND | | ug/kg | 180 | 27. | 1 |
| 2-Methylphenol | ND | | ug/kg | 180 | 28. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 260 | 28. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 180 | 34. | 1 |
| Benzoic Acid | ND | | ug/kg | 580 | 180 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 180 | 55. | 1 |
| Carbazole | ND | | ug/kg | 180 | 17. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16

Date Collected: 12/14/17 11:45

Client ID: SB012 (6-8)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 74 | | 25-120 |
| Phenol-d6 | 82 | | 10-120 |
| Nitrobenzene-d5 | 80 | | 23-120 |
| 2-Fluorobiphenyl | 89 | | 30-120 |
| 2,4,6-Tribromophenol | 79 | | 10-136 |
| 4-Terphenyl-d14 | 94 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17
 Client ID: DUP002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 12/24/17 05:38
 Analyst: TT
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | 100 | J | ug/kg | 150 | 20. | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 190 | 22. | 1 |
| Hexachlorobenzene | ND | | ug/kg | 110 | 21. | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 170 | 26. | 1 |
| 2-Chloronaphthalene | ND | | ug/kg | 190 | 19. | 1 |
| 1,2-Dichlorobenzene | ND | | ug/kg | 190 | 34. | 1 |
| 1,3-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 1,4-Dichlorobenzene | ND | | ug/kg | 190 | 33. | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 190 | 50. | 1 |
| 2,4-Dinitrotoluene | ND | | ug/kg | 190 | 38. | 1 |
| 2,6-Dinitrotoluene | ND | | ug/kg | 190 | 32. | 1 |
| Fluoranthene | 1800 | | ug/kg | 110 | 22. | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 190 | 20. | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 230 | 32. | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 200 | 19. | 1 |
| Hexachlorobutadiene | ND | | ug/kg | 190 | 28. | 1 |
| Hexachlorocyclopentadiene | ND | | ug/kg | 540 | 170 | 1 |
| Hexachloroethane | ND | | ug/kg | 150 | 31. | 1 |
| Isophorone | ND | | ug/kg | 170 | 25. | 1 |
| Naphthalene | 170 | J | ug/kg | 190 | 23. | 1 |
| Nitrobenzene | ND | | ug/kg | 170 | 28. | 1 |
| NDPA/DPA | ND | | ug/kg | 150 | 22. | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 190 | 29. | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 190 | 66. | 1 |
| Butyl benzyl phthalate | ND | | ug/kg | 190 | 48. | 1 |
| Di-n-butylphthalate | ND | | ug/kg | 190 | 36. | 1 |
| Di-n-octylphthalate | ND | | ug/kg | 190 | 64. | 1 |
| Diethyl phthalate | ND | | ug/kg | 190 | 18. | 1 |
| Dimethyl phthalate | ND | | ug/kg | 190 | 40. | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17

Date Collected: 12/14/17 00:00

Client ID: DUP002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|-----|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | 940 | | ug/kg | 110 | 21. | 1 |
| Benzo(a)pyrene | 830 | | ug/kg | 150 | 46. | 1 |
| Benzo(b)fluoranthene | 1200 | | ug/kg | 110 | 32. | 1 |
| Benzo(k)fluoranthene | 350 | | ug/kg | 110 | 30. | 1 |
| Chrysene | 1000 | | ug/kg | 110 | 20. | 1 |
| Acenaphthylene | 160 | | ug/kg | 150 | 29. | 1 |
| Anthracene | 320 | | ug/kg | 110 | 37. | 1 |
| Benzo(ghi)perylene | 610 | | ug/kg | 150 | 22. | 1 |
| Fluorene | 110 | J | ug/kg | 190 | 18. | 1 |
| Phenanthrene | 1200 | | ug/kg | 110 | 23. | 1 |
| Dibenzo(a,h)anthracene | 160 | | ug/kg | 110 | 22. | 1 |
| Indeno(1,2,3-cd)pyrene | 620 | | ug/kg | 150 | 26. | 1 |
| Pyrene | 1500 | | ug/kg | 110 | 19. | 1 |
| Biphenyl | ND | | ug/kg | 430 | 44. | 1 |
| 4-Chloroaniline | ND | | ug/kg | 190 | 34. | 1 |
| 2-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 3-Nitroaniline | ND | | ug/kg | 190 | 36. | 1 |
| 4-Nitroaniline | ND | | ug/kg | 190 | 78. | 1 |
| Dibenzofuran | 74 | J | ug/kg | 190 | 18. | 1 |
| 2-Methylnaphthalene | 120 | J | ug/kg | 230 | 23. | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 190 | 20. | 1 |
| Acetophenone | ND | | ug/kg | 190 | 23. | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 110 | 36. | 1 |
| p-Chloro-m-cresol | ND | | ug/kg | 190 | 28. | 1 |
| 2-Chlorophenol | ND | | ug/kg | 190 | 22. | 1 |
| 2,4-Dichlorophenol | ND | | ug/kg | 170 | 30. | 1 |
| 2,4-Dimethylphenol | ND | | ug/kg | 190 | 63. | 1 |
| 2-Nitrophenol | ND | | ug/kg | 410 | 71. | 1 |
| 4-Nitrophenol | ND | | ug/kg | 260 | 77. | 1 |
| 2,4-Dinitrophenol | ND | | ug/kg | 910 | 88. | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 490 | 91. | 1 |
| Pentachlorophenol | ND | | ug/kg | 150 | 42. | 1 |
| Phenol | ND | | ug/kg | 190 | 29. | 1 |
| 2-Methylphenol | ND | | ug/kg | 190 | 29. | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 270 | 30. | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 190 | 36. | 1 |
| Benzoic Acid | ND | | ug/kg | 610 | 190 | 1 |
| Benzyl Alcohol | ND | | ug/kg | 190 | 58. | 1 |
| Carbazole | 120 | J | ug/kg | 190 | 18. | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-17

Date Collected: 12/14/17 00:00

Client ID: DUP002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 84 | | 25-120 |
| Phenol-d6 | 78 | | 10-120 |
| Nitrobenzene-d5 | 88 | | 23-120 |
| 2-Fluorobiphenyl | 84 | | 30-120 |
| 2,4,6-Tribromophenol | 78 | | 10-136 |
| 4-Terphenyl-d14 | 65 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/20/17 12:22

Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 12/21/17 14:47
 Analyst: ALS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Acenaphthene | ND | | ug/l | 2.0 | 0.59 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.66 | 1 |
| Hexachlorobenzene | ND | | ug/l | 2.0 | 0.58 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.67 | 1 |
| 2-Chloronaphthalene | ND | | ug/l | 2.0 | 0.64 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.73 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.69 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.71 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.4 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 0.84 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 1.1 | 1 |
| Fluoranthene | ND | | ug/l | 2.0 | 0.57 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.62 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.73 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.70 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.63 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 2.0 | 0.72 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 7.8 | 1 |
| Hexachloroethane | ND | | ug/l | 2.0 | 0.68 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 0.60 | 1 |
| Naphthalene | ND | | ug/l | 2.0 | 0.68 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.75 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.64 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.70 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 0.91 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.69 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.1 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.63 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 0.65 | 1 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | |
| Benzo(a)anthracene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Benzo(a)pyrene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Benzo(b)fluoranthene | ND | | ug/l | 2.0 | 0.64 | 1 |
| Benzo(k)fluoranthene | ND | | ug/l | 2.0 | 0.60 | 1 |
| Chrysene | ND | | ug/l | 2.0 | 0.54 | 1 |
| Acenaphthylene | ND | | ug/l | 2.0 | 0.66 | 1 |
| Anthracene | ND | | ug/l | 2.0 | 0.64 | 1 |
| Benzo(ghi)perylene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Fluorene | ND | | ug/l | 2.0 | 0.62 | 1 |
| Phenanthrene | ND | | ug/l | 2.0 | 0.61 | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 2.0 | 0.55 | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 2.0 | 0.71 | 1 |
| Pyrene | ND | | ug/l | 2.0 | 0.57 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.76 | 1 |
| 4-Chloroaniline | 0.86 | J | ug/l | 5.0 | 0.63 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 1.2 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 1.3 | 1 |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.66 | 1 |
| 2-Methylnaphthalene | ND | | ug/l | 2.0 | 0.72 | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.67 | 1 |
| Acetophenone | ND | | ug/l | 5.0 | 0.85 | 1 |
| 2,4,6-Trichlorophenol | ND | | ug/l | 5.0 | 0.68 | 1 |
| p-Chloro-m-cresol | ND | | ug/l | 2.0 | 0.62 | 1 |
| 2-Chlorophenol | ND | | ug/l | 2.0 | 0.63 | 1 |
| 2,4-Dichlorophenol | ND | | ug/l | 5.0 | 0.77 | 1 |
| 2,4-Dimethylphenol | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2-Nitrophenol | ND | | ug/l | 10 | 1.5 | 1 |
| 4-Nitrophenol | ND | | ug/l | 10 | 1.8 | 1 |
| 2,4-Dinitrophenol | ND | | ug/l | 20 | 5.5 | 1 |
| 4,6-Dinitro-o-cresol | ND | | ug/l | 10 | 2.1 | 1 |
| Pentachlorophenol | ND | | ug/l | 10 | 3.4 | 1 |
| Phenol | ND | | ug/l | 5.0 | 1.9 | 1 |
| 2-Methylphenol | ND | | ug/l | 5.0 | 1.0 | 1 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2,4,5-Trichlorophenol | ND | | ug/l | 5.0 | 0.72 | 1 |
| Benzoic Acid | ND | | ug/l | 50 | 13. | 1 |
| Benzyl Alcohol | 0.88 | J | ug/l | 2.0 | 0.72 | 1 |
| Carbazole | ND | | ug/l | 2.0 | 0.63 | 1 |

Project Name: BBU1702**Lab Number:** L1746315**Project Number:** BBU1702**Report Date:** 12/26/17**SAMPLE RESULTS**

Lab ID: L1746315-18

Date Collected: 12/14/17 12:00

Client ID: FIELDBLANK002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------|--------|-----------|-------|----|-----|-----------------|
|-----------|--------|-----------|-------|----|-----|-----------------|

Semivolatile Organics by GC/MS - Westborough Lab

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|----------------------|------------|-----------|---------------------|
| 2-Fluorophenol | 52 | | 21-120 |
| Phenol-d6 | 35 | | 10-120 |
| Nitrobenzene-d5 | 82 | | 23-120 |
| 2-Fluorobiphenyl | 94 | | 15-120 |
| 2,4,6-Tribromophenol | 102 | | 10-120 |
| 4-Terphenyl-d14 | 100 | | 41-149 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/21/17 10:31
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 12/20/17 10:56

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 18 Batch: WG1074914-1 | | | | | |
| Acenaphthene | ND | | ug/l | 2.0 | 0.59 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.66 |
| Hexachlorobenzene | ND | | ug/l | 2.0 | 0.58 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.67 |
| 2-Chloronaphthalene | ND | | ug/l | 2.0 | 0.64 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.73 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.69 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.71 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.4 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 0.84 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 1.1 |
| Fluoranthene | ND | | ug/l | 2.0 | 0.57 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.62 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.73 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.70 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.63 |
| Hexachlorobutadiene | ND | | ug/l | 2.0 | 0.72 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 7.8 |
| Hexachloroethane | ND | | ug/l | 2.0 | 0.68 |
| Isophorone | ND | | ug/l | 5.0 | 0.60 |
| Naphthalene | ND | | ug/l | 2.0 | 0.68 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.75 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.64 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.70 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 0.91 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.3 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.69 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.63 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/21/17 10:31
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 12/20/17 10:56

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 18 Batch: WG1074914-1 | | | | | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 0.65 |
| Benzo(a)anthracene | ND | | ug/l | 2.0 | 0.61 |
| Benzo(a)pyrene | 0.87 | J | ug/l | 2.0 | 0.54 |
| Benzo(b)fluoranthene | 0.89 | J | ug/l | 2.0 | 0.64 |
| Benzo(k)fluoranthene | 0.71 | J | ug/l | 2.0 | 0.60 |
| Chrysene | ND | | ug/l | 2.0 | 0.54 |
| Acenaphthylene | ND | | ug/l | 2.0 | 0.66 |
| Anthracene | ND | | ug/l | 2.0 | 0.64 |
| Benzo(ghi)perylene | ND | | ug/l | 2.0 | 0.61 |
| Fluorene | ND | | ug/l | 2.0 | 0.62 |
| Phenanthrene | ND | | ug/l | 2.0 | 0.61 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 2.0 | 0.55 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 2.0 | 0.71 |
| Pyrene | ND | | ug/l | 2.0 | 0.57 |
| Biphenyl | ND | | ug/l | 2.0 | 0.76 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 0.63 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 1.1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 1.2 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 1.3 |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.66 |
| 2-Methylnaphthalene | ND | | ug/l | 2.0 | 0.72 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.67 |
| Acetophenone | ND | | ug/l | 5.0 | 0.85 |
| 2,4,6-Trichlorophenol | ND | | ug/l | 5.0 | 0.68 |
| p-Chloro-m-cresol | ND | | ug/l | 2.0 | 0.62 |
| 2-Chlorophenol | ND | | ug/l | 2.0 | 0.63 |
| 2,4-Dichlorophenol | ND | | ug/l | 5.0 | 0.77 |
| 2,4-Dimethylphenol | ND | | ug/l | 5.0 | 1.6 |
| 2-Nitrophenol | ND | | ug/l | 10 | 1.5 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
 Analytical Date: 12/21/17 10:31
 Analyst: SZ

Extraction Method: EPA 3510C
 Extraction Date: 12/20/17 10:56

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 18 Batch: WG1074914-1 | | | | | |
| 4-Nitrophenol | ND | | ug/l | 10 | 1.8 |
| 2,4-Dinitrophenol | ND | | ug/l | 20 | 5.5 |
| 4,6-Dinitro-o-cresol | ND | | ug/l | 10 | 2.1 |
| Pentachlorophenol | ND | | ug/l | 10 | 3.4 |
| Phenol | ND | | ug/l | 5.0 | 1.9 |
| 2-Methylphenol | ND | | ug/l | 5.0 | 1.0 |
| 3-Methylphenol/4-Methylphenol | ND | | ug/l | 5.0 | 1.1 |
| 2,4,5-Trichlorophenol | ND | | ug/l | 5.0 | 0.72 |
| Benzoic Acid | ND | | ug/l | 50 | 13. |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.72 |
| Carbazole | ND | | ug/l | 2.0 | 0.63 |

Tentatively Identified Compounds

| | | | |
|---------------------|------|---|------|
| Total TIC Compounds | 5.53 | J | ug/l |
| Unknown | 5.53 | J | ug/l |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|----------------------|-----------|-----------|---------------------|
| 2-Fluorophenol | 55 | | 21-120 |
| Phenol-d6 | 39 | | 10-120 |
| Nitrobenzene-d5 | 99 | | 23-120 |
| 2-Fluorobiphenyl | 102 | | 15-120 |
| 2,4,6-Tribromophenol | 103 | | 10-120 |
| 4-Terphenyl-d14 | 92 | | 41-149 |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/21/17 22:51
Analyst: CB

Extraction Method: EPA 3546
Extraction Date: 12/21/17 09:17

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1075347-1 | | | | | |
| Acenaphthene | ND | | ug/kg | 130 | 17. |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 160 | 19. |
| Hexachlorobenzene | ND | | ug/kg | 98 | 18. |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 150 | 22. |
| 2-Chloronaphthalene | ND | | ug/kg | 160 | 16. |
| 1,2-Dichlorobenzene | ND | | ug/kg | 160 | 29. |
| 1,3-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 1,4-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 160 | 43. |
| 2,4-Dinitrotoluene | ND | | ug/kg | 160 | 32. |
| 2,6-Dinitrotoluene | ND | | ug/kg | 160 | 28. |
| Fluoranthene | ND | | ug/kg | 98 | 19. |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 160 | 17. |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 160 | 25. |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 200 | 28. |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 180 | 16. |
| Hexachlorobutadiene | ND | | ug/kg | 160 | 24. |
| Hexachlorocyclopentadiene | ND | | ug/kg | 460 | 150 |
| Hexachloroethane | ND | | ug/kg | 130 | 26. |
| Isophorone | ND | | ug/kg | 150 | 21. |
| Naphthalene | ND | | ug/kg | 160 | 20. |
| Nitrobenzene | ND | | ug/kg | 150 | 24. |
| NDPA/DPA | ND | | ug/kg | 130 | 18. |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 160 | 25. |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 160 | 56. |
| Butyl benzyl phthalate | ND | | ug/kg | 160 | 41. |
| Di-n-butylphthalate | ND | | ug/kg | 160 | 31. |
| Di-n-octylphthalate | ND | | ug/kg | 160 | 55. |
| Diethyl phthalate | ND | | ug/kg | 160 | 15. |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/21/17 22:51
Analyst: CB

Extraction Method: EPA 3546
Extraction Date: 12/21/17 09:17

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1075347-1 | | | | | |
| Dimethyl phthalate | ND | | ug/kg | 160 | 34. |
| Benzo(a)anthracene | ND | | ug/kg | 98 | 18. |
| Benzo(a)pyrene | ND | | ug/kg | 130 | 40. |
| Benzo(b)fluoranthene | ND | | ug/kg | 98 | 27. |
| Benzo(k)fluoranthene | ND | | ug/kg | 98 | 26. |
| Chrysene | ND | | ug/kg | 98 | 17. |
| Acenaphthylene | ND | | ug/kg | 130 | 25. |
| Anthracene | ND | | ug/kg | 98 | 32. |
| Benzo(ghi)perylene | ND | | ug/kg | 130 | 19. |
| Fluorene | ND | | ug/kg | 160 | 16. |
| Phenanthrene | ND | | ug/kg | 98 | 20. |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 98 | 19. |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 130 | 23. |
| Pyrene | ND | | ug/kg | 98 | 16. |
| Biphenyl | ND | | ug/kg | 370 | 38. |
| 4-Chloroaniline | ND | | ug/kg | 160 | 30. |
| 2-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 3-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 4-Nitroaniline | ND | | ug/kg | 160 | 67. |
| Dibenzofuran | ND | | ug/kg | 160 | 15. |
| 2-Methylnaphthalene | ND | | ug/kg | 200 | 20. |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 160 | 17. |
| Acetophenone | ND | | ug/kg | 160 | 20. |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 98 | 31. |
| p-Chloro-m-cresol | ND | | ug/kg | 160 | 24. |
| 2-Chlorophenol | ND | | ug/kg | 160 | 19. |
| 2,4-Dichlorophenol | ND | | ug/kg | 150 | 26. |
| 2,4-Dimethylphenol | ND | | ug/kg | 160 | 54. |
| 2-Nitrophenol | ND | | ug/kg | 350 | 61. |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/21/17 22:51
Analyst: CB

Extraction Method: EPA 3546
Extraction Date: 12/21/17 09:17

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1075347-1 | | | | | |
| 4-Nitrophenol | ND | | ug/kg | 230 | 66. |
| 2,4-Dinitrophenol | ND | | ug/kg | 780 | 76. |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 420 | 78. |
| Pentachlorophenol | ND | | ug/kg | 130 | 36. |
| Phenol | ND | | ug/kg | 160 | 24. |
| 2-Methylphenol | ND | | ug/kg | 160 | 25. |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 230 | 25. |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 160 | 31. |
| Benzoic Acid | ND | | ug/kg | 530 | 160 |
| Benzyl Alcohol | ND | | ug/kg | 160 | 50. |
| Carbazole | ND | | ug/kg | 160 | 16. |

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/kg

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|----------------------|-----------|-----------|---------------------|
| 2-Fluorophenol | 57 | | 25-120 |
| Phenol-d6 | 61 | | 10-120 |
| Nitrobenzene-d5 | 61 | | 23-120 |
| 2-Fluorobiphenyl | 63 | | 30-120 |
| 2,4,6-Tribromophenol | 77 | | 10-136 |
| 4-Terphenyl-d14 | 73 | | 18-120 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
 Analytical Date: 12/23/17 23:42
 Analyst: EK

Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 14-17 Batch: WG1075523-1 | | | | | |
| Acenaphthene | ND | | ug/kg | 130 | 17. |
| 1,2,4-Trichlorobenzene | ND | | ug/kg | 160 | 19. |
| Hexachlorobenzene | ND | | ug/kg | 98 | 18. |
| Bis(2-chloroethyl)ether | ND | | ug/kg | 150 | 22. |
| 2-Chloronaphthalene | ND | | ug/kg | 160 | 16. |
| 1,2-Dichlorobenzene | ND | | ug/kg | 160 | 29. |
| 1,3-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 1,4-Dichlorobenzene | ND | | ug/kg | 160 | 28. |
| 3,3'-Dichlorobenzidine | ND | | ug/kg | 160 | 43. |
| 2,4-Dinitrotoluene | ND | | ug/kg | 160 | 33. |
| 2,6-Dinitrotoluene | ND | | ug/kg | 160 | 28. |
| Fluoranthene | ND | | ug/kg | 98 | 19. |
| 4-Chlorophenyl phenyl ether | ND | | ug/kg | 160 | 17. |
| 4-Bromophenyl phenyl ether | ND | | ug/kg | 160 | 25. |
| Bis(2-chloroisopropyl)ether | ND | | ug/kg | 200 | 28. |
| Bis(2-chloroethoxy)methane | ND | | ug/kg | 180 | 16. |
| Hexachlorobutadiene | ND | | ug/kg | 160 | 24. |
| Hexachlorocyclopentadiene | ND | | ug/kg | 470 | 150 |
| Hexachloroethane | ND | | ug/kg | 130 | 26. |
| Isophorone | ND | | ug/kg | 150 | 21. |
| Naphthalene | ND | | ug/kg | 160 | 20. |
| Nitrobenzene | ND | | ug/kg | 150 | 24. |
| NDPA/DPA | ND | | ug/kg | 130 | 18. |
| n-Nitrosodi-n-propylamine | ND | | ug/kg | 160 | 25. |
| Bis(2-ethylhexyl)phthalate | ND | | ug/kg | 160 | 56. |
| Butyl benzyl phthalate | ND | | ug/kg | 160 | 41. |
| Di-n-butylphthalate | ND | | ug/kg | 160 | 31. |
| Di-n-octylphthalate | ND | | ug/kg | 160 | 55. |
| Diethyl phthalate | ND | | ug/kg | 160 | 15. |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 12/23/17 23:42
Analyst: EK

Extraction Method: EPA 3546
Extraction Date: 12/21/17 15:25

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 14-17 Batch: WG1075523-1 | | | | | |
| Dimethyl phthalate | ND | | ug/kg | 160 | 34. |
| Benzo(a)anthracene | ND | | ug/kg | 98 | 18. |
| Benzo(a)pyrene | ND | | ug/kg | 130 | 40. |
| Benzo(b)fluoranthene | ND | | ug/kg | 98 | 27. |
| Benzo(k)fluoranthene | ND | | ug/kg | 98 | 26. |
| Chrysene | ND | | ug/kg | 98 | 17. |
| Acenaphthylene | ND | | ug/kg | 130 | 25. |
| Anthracene | ND | | ug/kg | 98 | 32. |
| Benzo(ghi)perylene | ND | | ug/kg | 130 | 19. |
| Fluorene | ND | | ug/kg | 160 | 16. |
| Phenanthrene | ND | | ug/kg | 98 | 20. |
| Dibenzo(a,h)anthracene | ND | | ug/kg | 98 | 19. |
| Indeno(1,2,3-cd)pyrene | ND | | ug/kg | 130 | 23. |
| Pyrene | ND | | ug/kg | 98 | 16. |
| Biphenyl | ND | | ug/kg | 370 | 38. |
| 4-Chloroaniline | ND | | ug/kg | 160 | 30. |
| 2-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 3-Nitroaniline | ND | | ug/kg | 160 | 31. |
| 4-Nitroaniline | ND | | ug/kg | 160 | 68. |
| Dibenzofuran | ND | | ug/kg | 160 | 15. |
| 2-Methylnaphthalene | ND | | ug/kg | 200 | 20. |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/kg | 160 | 17. |
| Acetophenone | ND | | ug/kg | 160 | 20. |
| 2,4,6-Trichlorophenol | ND | | ug/kg | 98 | 31. |
| p-Chloro-m-cresol | ND | | ug/kg | 160 | 24. |
| 2-Chlorophenol | ND | | ug/kg | 160 | 19. |
| 2,4-Dichlorophenol | ND | | ug/kg | 150 | 26. |
| 2,4-Dimethylphenol | ND | | ug/kg | 160 | 54. |
| 2-Nitrophenol | ND | | ug/kg | 350 | 61. |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
 Analytical Date: 12/23/17 23:42
 Analyst: EK

Extraction Method: EPA 3546
 Extraction Date: 12/21/17 15:25

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|-----|
| Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 14-17 Batch: WG1075523-1 | | | | | |
| 4-Nitrophenol | ND | | ug/kg | 230 | 66. |
| 2,4-Dinitrophenol | ND | | ug/kg | 780 | 76. |
| 4,6-Dinitro-o-cresol | ND | | ug/kg | 420 | 78. |
| Pentachlorophenol | ND | | ug/kg | 130 | 36. |
| Phenol | ND | | ug/kg | 160 | 25. |
| 2-Methylphenol | ND | | ug/kg | 160 | 25. |
| 3-Methylphenol/4-Methylphenol | ND | | ug/kg | 230 | 26. |
| 2,4,5-Trichlorophenol | ND | | ug/kg | 160 | 31. |
| Benzoic Acid | ND | | ug/kg | 530 | 160 |
| Benzyl Alcohol | ND | | ug/kg | 160 | 50. |
| Carbazole | ND | | ug/kg | 160 | 16. |

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/kg

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|----------------------|-----------|-----------|------------------------|
| 2-Fluorophenol | 80 | | 25-120 |
| Phenol-d6 | 80 | | 10-120 |
| Nitrobenzene-d5 | 72 | | 23-120 |
| 2-Fluorobiphenyl | 77 | | 30-120 |
| 2,4,6-Tribromophenol | 76 | | 10-136 |
| 4-Terphenyl-d14 | 80 | | 18-120 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCS %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 18 Batch: WG1074914-2 WG1074914-3 | | | | | | | | |
| Acenaphthene | 89 | | 90 | | 37-111 | 1 | | 30 |
| 1,2,4-Trichlorobenzene | 82 | | 81 | | 39-98 | 1 | | 30 |
| Hexachlorobenzene | 97 | | 105 | | 40-140 | 8 | | 30 |
| Bis(2-chloroethyl)ether | 86 | | 86 | | 40-140 | 0 | | 30 |
| 2-Chloronaphthalene | 97 | | 97 | | 40-140 | 0 | | 30 |
| 1,2-Dichlorobenzene | 74 | | 74 | | 40-140 | 0 | | 30 |
| 1,3-Dichlorobenzene | 71 | | 71 | | 40-140 | 0 | | 30 |
| 1,4-Dichlorobenzene | 72 | | 71 | | 36-97 | 1 | | 30 |
| 3,3'-Dichlorobenzidine | 84 | | 77 | | 40-140 | 9 | | 30 |
| 2,4-Dinitrotoluene | 111 | | 111 | | 48-143 | 0 | | 30 |
| 2,6-Dinitrotoluene | 118 | | 122 | | 40-140 | 3 | | 30 |
| Fluoranthene | 94 | | 94 | | 40-140 | 0 | | 30 |
| 4-Chlorophenyl phenyl ether | 96 | | 99 | | 40-140 | 3 | | 30 |
| 4-Bromophenyl phenyl ether | 97 | | 105 | | 40-140 | 8 | | 30 |
| Bis(2-chloroisopropyl)ether | 86 | | 85 | | 40-140 | 1 | | 30 |
| Bis(2-chloroethoxy)methane | 99 | | 97 | | 40-140 | 2 | | 30 |
| Hexachlorobutadiene | 74 | | 76 | | 40-140 | 3 | | 30 |
| Hexachlorocyclopentadiene | 69 | | 70 | | 40-140 | 1 | | 30 |
| Hexachloroethane | 70 | | 69 | | 40-140 | 1 | | 30 |
| Isophorone | 100 | | 98 | | 40-140 | 2 | | 30 |
| Naphthalene | 81 | | 84 | | 40-140 | 4 | | 30 |
| Nitrobenzene | 91 | | 91 | | 40-140 | 0 | | 30 |
| NDPA/DPA | 99 | | 109 | | 40-140 | 10 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | Qual | LCS | Qual | %Recovery | RPD | Qual | RPD |
|--|-----------|------|-----------|------|-----------|-----|------|--------|
| | %Recovery | | %Recovery | | Limits | | | Limits |
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 18 Batch: WG1074914-2 WG1074914-3 | | | | | | | | |
| n-Nitrosodi-n-propylamine | 99 | | 96 | | 29-132 | | 3 | 30 |
| Bis(2-ethylhexyl)phthalate | 114 | | 117 | | 40-140 | | 3 | 30 |
| Butyl benzyl phthalate | 104 | | 107 | | 40-140 | | 3 | 30 |
| Di-n-butylphthalate | 102 | | 105 | | 40-140 | | 3 | 30 |
| Di-n-octylphthalate | 103 | | 108 | | 40-140 | | 5 | 30 |
| Diethyl phthalate | 100 | | 101 | | 40-140 | | 1 | 30 |
| Dimethyl phthalate | 111 | | 109 | | 40-140 | | 2 | 30 |
| Benzo(a)anthracene | 96 | | 96 | | 40-140 | | 0 | 30 |
| Benzo(a)pyrene | 91 | | 92 | | 40-140 | | 1 | 30 |
| Benzo(b)fluoranthene | 89 | | 94 | | 40-140 | | 5 | 30 |
| Benzo(k)fluoranthene | 91 | | 92 | | 40-140 | | 1 | 30 |
| Chrysene | 95 | | 97 | | 40-140 | | 2 | 30 |
| Acenaphthylene | 104 | | 105 | | 45-123 | | 1 | 30 |
| Anthracene | 97 | | 97 | | 40-140 | | 0 | 30 |
| Benzo(ghi)perylene | 104 | | 96 | | 40-140 | | 8 | 30 |
| Fluorene | 98 | | 101 | | 40-140 | | 3 | 30 |
| Phenanthrene | 96 | | 94 | | 40-140 | | 2 | 30 |
| Dibenzo(a,h)anthracene | 104 | | 96 | | 40-140 | | 8 | 30 |
| Indeno(1,2,3-cd)pyrene | 108 | | 98 | | 40-140 | | 10 | 30 |
| Pyrene | 92 | | 93 | | 26-127 | | 1 | 30 |
| Biphenyl | 103 | | 104 | | 40-140 | | 1 | 30 |
| 4-Chloroaniline | 61 | | 53 | | 40-140 | | 14 | 30 |
| 2-Nitroaniline | 124 | | 124 | | 52-143 | | 0 | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|--|------------|------|------------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 18 Batch: WG1074914-2 WG1074914-3 | | | | | | | | |
| 3-Nitroaniline | 78 | | 69 | | 25-145 | 12 | | 30 |
| 4-Nitroaniline | 99 | | 108 | | 51-143 | 9 | | 30 |
| Dibenzofuran | 94 | | 94 | | 40-140 | 0 | | 30 |
| 2-Methylnaphthalene | 89 | | 91 | | 40-140 | 2 | | 30 |
| 1,2,4,5-Tetrachlorobenzene | 96 | | 98 | | 2-134 | 2 | | 30 |
| Acetophenone | 99 | | 97 | | 39-129 | 2 | | 30 |
| 2,4,6-Trichlorophenol | 112 | | 113 | | 30-130 | 1 | | 30 |
| p-Chloro-m-cresol | 108 | Q | 109 | Q | 23-97 | 1 | | 30 |
| 2-Chlorophenol | 87 | | 88 | | 27-123 | 1 | | 30 |
| 2,4-Dichlorophenol | 108 | | 106 | | 30-130 | 2 | | 30 |
| 2,4-Dimethylphenol | 95 | | 98 | | 30-130 | 3 | | 30 |
| 2-Nitrophenol | 115 | | 112 | | 30-130 | 3 | | 30 |
| 4-Nitrophenol | 66 | | 68 | | 10-80 | 3 | | 30 |
| 2,4-Dinitrophenol | 111 | | 108 | | 20-130 | 3 | | 30 |
| 4,6-Dinitro-o-cresol | 125 | | 137 | | 20-164 | 9 | | 30 |
| Pentachlorophenol | 91 | | 98 | | 9-103 | 7 | | 30 |
| Phenol | 43 | | 44 | | 12-110 | 2 | | 30 |
| 2-Methylphenol | 85 | | 82 | | 30-130 | 4 | | 30 |
| 3-Methylphenol/4-Methylphenol | 81 | | 80 | | 30-130 | 1 | | 30 |
| 2,4,5-Trichlorophenol | 117 | | 115 | | 30-130 | 2 | | 30 |
| Benzoic Acid | 42 | | 44 | | 10-164 | 5 | | 30 |
| Benzyl Alcohol | 82 | | 82 | | 26-116 | 0 | | 30 |
| Carbazole | 101 | | 102 | | 55-144 | 1 | | 30 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>%Recovery</i> Limits | <i>RPD</i> | <i>Qual</i> | <i>RPD</i> Limits |
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 18 Batch: WG1074914-2 WG1074914-3

| <i>Surrogate</i> | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>Acceptance</i> Criteria |
|----------------------|-------------------------|-------------|--------------------------|-------------|-------------------------------|
| 2-Fluorophenol | 54 | | 55 | | 21-120 |
| Phenol-d6 | 40 | | 40 | | 10-120 |
| Nitrobenzene-d5 | 90 | | 89 | | 23-120 |
| 2-Fluorobiphenyl | 96 | | 99 | | 15-120 |
| 2,4,6-Tribromophenol | 103 | | 115 | | 10-120 |
| 4-Terphenyl-d14 | 88 | | 89 | | 41-149 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1075347-2 WG1075347-3 | | | | | | | | |
| Acenaphthene | 75 | | 86 | | 31-137 | 14 | | 50 |
| 1,2,4-Trichlorobenzene | 74 | | 81 | | 38-107 | 9 | | 50 |
| Hexachlorobenzene | 82 | | 88 | | 40-140 | 7 | | 50 |
| Bis(2-chloroethyl)ether | 69 | | 74 | | 40-140 | 7 | | 50 |
| 2-Chloronaphthalene | 77 | | 88 | | 40-140 | 13 | | 50 |
| 1,2-Dichlorobenzene | 71 | | 76 | | 40-140 | 7 | | 50 |
| 1,3-Dichlorobenzene | 69 | | 75 | | 40-140 | 8 | | 50 |
| 1,4-Dichlorobenzene | 70 | | 76 | | 28-104 | 8 | | 50 |
| 3,3'-Dichlorobenzidine | 39 | Q | 43 | | 40-140 | 10 | | 50 |
| 2,4-Dinitrotoluene | 91 | | 103 | | 40-132 | 12 | | 50 |
| 2,6-Dinitrotoluene | 86 | | 97 | | 40-140 | 12 | | 50 |
| Fluoranthene | 79 | | 88 | | 40-140 | 11 | | 50 |
| 4-Chlorophenyl phenyl ether | 78 | | 88 | | 40-140 | 12 | | 50 |
| 4-Bromophenyl phenyl ether | 80 | | 90 | | 40-140 | 12 | | 50 |
| Bis(2-chloroisopropyl)ether | 66 | | 71 | | 40-140 | 7 | | 50 |
| Bis(2-chloroethoxy)methane | 72 | | 80 | | 40-117 | 11 | | 50 |
| Hexachlorobutadiene | 79 | | 89 | | 40-140 | 12 | | 50 |
| Hexachlorocyclopentadiene | 75 | | 82 | | 40-140 | 9 | | 50 |
| Hexachloroethane | 72 | | 77 | | 40-140 | 7 | | 50 |
| Isophorone | 73 | | 81 | | 40-140 | 10 | | 50 |
| Naphthalene | 73 | | 83 | | 40-140 | 13 | | 50 |
| Nitrobenzene | 76 | | 83 | | 40-140 | 9 | | 50 |
| NDPA/DPA | 78 | | 87 | | 36-157 | 11 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1075347-2 WG1075347-3 | | | | | | | | |
| n-Nitrosodi-n-propylamine | 73 | | 83 | | 32-121 | 13 | | 50 |
| Bis(2-ethylhexyl)phthalate | 77 | | 86 | | 40-140 | 11 | | 50 |
| Butyl benzyl phthalate | 86 | | 92 | | 40-140 | 7 | | 50 |
| Di-n-butylphthalate | 79 | | 88 | | 40-140 | 11 | | 50 |
| Di-n-octylphthalate | 78 | | 87 | | 40-140 | 11 | | 50 |
| Diethyl phthalate | 80 | | 89 | | 40-140 | 11 | | 50 |
| Dimethyl phthalate | 79 | | 90 | | 40-140 | 13 | | 50 |
| Benzo(a)anthracene | 75 | | 84 | | 40-140 | 11 | | 50 |
| Benzo(a)pyrene | 78 | | 84 | | 40-140 | 7 | | 50 |
| Benzo(b)fluoranthene | 79 | | 84 | | 40-140 | 6 | | 50 |
| Benzo(k)fluoranthene | 77 | | 85 | | 40-140 | 10 | | 50 |
| Chrysene | 75 | | 83 | | 40-140 | 10 | | 50 |
| Acenaphthylene | 77 | | 87 | | 40-140 | 12 | | 50 |
| Anthracene | 78 | | 88 | | 40-140 | 12 | | 50 |
| Benzo(ghi)perylene | 75 | | 82 | | 40-140 | 9 | | 50 |
| Fluorene | 77 | | 87 | | 40-140 | 12 | | 50 |
| Phenanthrene | 76 | | 86 | | 40-140 | 12 | | 50 |
| Dibenzo(a,h)anthracene | 76 | | 86 | | 40-140 | 12 | | 50 |
| Indeno(1,2,3-cd)pyrene | 77 | | 86 | | 40-140 | 11 | | 50 |
| Pyrene | 78 | | 86 | | 35-142 | 10 | | 50 |
| Biphenyl | 80 | | 92 | | 54-104 | 14 | | 50 |
| 4-Chloroaniline | 38 | Q | 121 | | 40-140 | 104 | Q | 50 |
| 2-Nitroaniline | 88 | | 101 | | 47-134 | 14 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1075347-2 WG1075347-3 | | | | | | | | |
| 3-Nitroaniline | 60 | | 67 | | 26-129 | 11 | | 50 |
| 4-Nitroaniline | 78 | | 88 | | 41-125 | 12 | | 50 |
| Dibenzofuran | 77 | | 88 | | 40-140 | 13 | | 50 |
| 2-Methylnaphthalene | 75 | | 86 | | 40-140 | 14 | | 50 |
| 1,2,4,5-Tetrachlorobenzene | 82 | | 93 | | 40-117 | 13 | | 50 |
| Acetophenone | 79 | | 87 | | 14-144 | 10 | | 50 |
| 2,4,6-Trichlorophenol | 82 | | 95 | | 30-130 | 15 | | 50 |
| p-Chloro-m-cresol | 84 | | 96 | | 26-103 | 13 | | 50 |
| 2-Chlorophenol | 76 | | 84 | | 25-102 | 10 | | 50 |
| 2,4-Dichlorophenol | 80 | | 90 | | 30-130 | 12 | | 50 |
| 2,4-Dimethylphenol | 82 | | 93 | | 30-130 | 13 | | 50 |
| 2-Nitrophenol | 88 | | 96 | | 30-130 | 9 | | 50 |
| 4-Nitrophenol | 94 | | 105 | | 11-114 | 11 | | 50 |
| 2,4-Dinitrophenol | 67 | | 65 | | 4-130 | 3 | | 50 |
| 4,6-Dinitro-o-cresol | 84 | | 93 | | 10-130 | 10 | | 50 |
| Pentachlorophenol | 76 | | 82 | | 17-109 | 8 | | 50 |
| Phenol | 72 | | 80 | | 26-90 | 11 | | 50 |
| 2-Methylphenol | 75 | | 85 | | 30-130. | 13 | | 50 |
| 3-Methylphenol/4-Methylphenol | 77 | | 87 | | 30-130 | 12 | | 50 |
| 2,4,5-Trichlorophenol | 85 | | 97 | | 30-130 | 13 | | 50 |
| Benzoic Acid | 16 | | 15 | | 10-110 | 6 | | 50 |
| Benzyl Alcohol | 83 | | 93 | | 40-140 | 11 | | 50 |
| Carbazole | 78 | | 86 | | 54-128 | 10 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1075347-2 WG1075347-3 | | | | | | | | |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria |
|----------------------|------------------|------|-------------------|------|------------------------|
| 2-Fluorophenol | 74 | | 79 | | 25-120 |
| Phenol-d6 | 72 | | 80 | | 10-120 |
| Nitrobenzene-d5 | 75 | | 82 | | 23-120 |
| 2-Fluorobiphenyl | 73 | | 83 | | 30-120 |
| 2,4,6-Tribromophenol | 87 | | 99 | | 10-136 |
| 4-Terphenyl-d14 | 75 | | 83 | | 18-120 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 14-17 Batch: WG1075523-2 WG1075523-3 | | | | | | | | |
| Acenaphthene | 73 | | 68 | | 31-137 | 7 | | 50 |
| 1,2,4-Trichlorobenzene | 80 | | 78 | | 38-107 | 3 | | 50 |
| Hexachlorobenzene | 78 | | 75 | | 40-140 | 4 | | 50 |
| Bis(2-chloroethyl)ether | 80 | | 76 | | 40-140 | 5 | | 50 |
| 2-Chloronaphthalene | 89 | | 75 | | 40-140 | 17 | | 50 |
| 1,2-Dichlorobenzene | 80 | | 75 | | 40-140 | 6 | | 50 |
| 1,3-Dichlorobenzene | 79 | | 73 | | 40-140 | 8 | | 50 |
| 1,4-Dichlorobenzene | 77 | | 74 | | 28-104 | 4 | | 50 |
| 3,3'-Dichlorobenzidine | 54 | | 53 | | 40-140 | 2 | | 50 |
| 2,4-Dinitrotoluene | 81 | | 78 | | 40-132 | 4 | | 50 |
| 2,6-Dinitrotoluene | 96 | | 83 | | 40-140 | 15 | | 50 |
| Fluoranthene | 85 | | 82 | | 40-140 | 4 | | 50 |
| 4-Chlorophenyl phenyl ether | 75 | | 71 | | 40-140 | 5 | | 50 |
| 4-Bromophenyl phenyl ether | 76 | | 74 | | 40-140 | 3 | | 50 |
| Bis(2-chloroisopropyl)ether | 89 | | 83 | | 40-140 | 7 | | 50 |
| Bis(2-chloroethoxy)methane | 78 | | 76 | | 40-117 | 3 | | 50 |
| Hexachlorobutadiene | 80 | | 73 | | 40-140 | 9 | | 50 |
| Hexachlorocyclopentadiene | 88 | | 75 | | 40-140 | 16 | | 50 |
| Hexachloroethane | 74 | | 70 | | 40-140 | 6 | | 50 |
| Isophorone | 78 | | 77 | | 40-140 | 1 | | 50 |
| Naphthalene | 80 | | 74 | | 40-140 | 8 | | 50 |
| Nitrobenzene | 81 | | 75 | | 40-140 | 8 | | 50 |
| NDPA/DPA | 77 | | 74 | | 36-157 | 4 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 14-17 Batch: WG1075523-2 WG1075523-3 | | | | | | | | |
| n-Nitrosodi-n-propylamine | 80 | | 74 | | 32-121 | 8 | | 50 |
| Bis(2-ethylhexyl)phthalate | 78 | | 75 | | 40-140 | 4 | | 50 |
| Butyl benzyl phthalate | 85 | | 82 | | 40-140 | 4 | | 50 |
| Di-n-butylphthalate | 80 | | 77 | | 40-140 | 4 | | 50 |
| Di-n-octylphthalate | 79 | | 76 | | 40-140 | 4 | | 50 |
| Diethyl phthalate | 76 | | 72 | | 40-140 | 5 | | 50 |
| Dimethyl phthalate | 92 | | 80 | | 40-140 | 14 | | 50 |
| Benzo(a)anthracene | 80 | | 77 | | 40-140 | 4 | | 50 |
| Benzo(a)pyrene | 83 | | 79 | | 40-140 | 5 | | 50 |
| Benzo(b)fluoranthene | 82 | | 77 | | 40-140 | 6 | | 50 |
| Benzo(k)fluoranthene | 83 | | 80 | | 40-140 | 4 | | 50 |
| Chrysene | 82 | | 77 | | 40-140 | 6 | | 50 |
| Acenaphthylene | 91 | | 77 | | 40-140 | 17 | | 50 |
| Anthracene | 81 | | 77 | | 40-140 | 5 | | 50 |
| Benzo(ghi)perylene | 84 | | 80 | | 40-140 | 5 | | 50 |
| Fluorene | 75 | | 72 | | 40-140 | 4 | | 50 |
| Phenanthrene | 78 | | 75 | | 40-140 | 4 | | 50 |
| Dibenzo(a,h)anthracene | 85 | | 81 | | 40-140 | 5 | | 50 |
| Indeno(1,2,3-cd)pyrene | 89 | | 80 | | 40-140 | 11 | | 50 |
| Pyrene | 85 | | 82 | | 35-142 | 4 | | 50 |
| Biphenyl | 93 | | 80 | | 54-104 | 15 | | 50 |
| 4-Chloroaniline | 54 | | 48 | | 40-140 | 12 | | 50 |
| 2-Nitroaniline | 96 | | 82 | | 47-134 | 16 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 14-17 Batch: WG1075523-2 WG1075523-3 | | | | | | | | |
| 3-Nitroaniline | 66 | | 60 | | 26-129 | 10 | | 50 |
| 4-Nitroaniline | 78 | | 75 | | 41-125 | 4 | | 50 |
| Dibenzofuran | 74 | | 70 | | 40-140 | 6 | | 50 |
| 2-Methylnaphthalene | 86 | | 73 | | 40-140 | 16 | | 50 |
| 1,2,4,5-Tetrachlorobenzene | 94 | | 80 | | 40-117 | 16 | | 50 |
| Acetophenone | 86 | | 79 | | 14-144 | 8 | | 50 |
| 2,4,6-Trichlorophenol | 99 | | 85 | | 30-130 | 15 | | 50 |
| p-Chloro-m-cresol | 88 | | 80 | | 26-103 | 10 | | 50 |
| 2-Chlorophenol | 84 | | 78 | | 25-102 | 7 | | 50 |
| 2,4-Dichlorophenol | 86 | | 84 | | 30-130 | 2 | | 50 |
| 2,4-Dimethylphenol | 78 | | 79 | | 30-130 | 1 | | 50 |
| 2-Nitrophenol | 86 | | 83 | | 30-130 | 4 | | 50 |
| 4-Nitrophenol | 89 | | 88 | | 11-114 | 1 | | 50 |
| 2,4-Dinitrophenol | 42 | | 53 | | 4-130 | 23 | | 50 |
| 4,6-Dinitro-o-cresol | 78 | | 77 | | 10-130 | 1 | | 50 |
| Pentachlorophenol | 94 | | 94 | | 17-109 | 0 | | 50 |
| Phenol | 80 | | 75 | | 26-90 | 6 | | 50 |
| 2-Methylphenol | 84 | | 77 | | 30-130. | 9 | | 50 |
| 3-Methylphenol/4-Methylphenol | 86 | | 80 | | 30-130 | 7 | | 50 |
| 2,4,5-Trichlorophenol | 100 | | 88 | | 30-130 | 13 | | 50 |
| Benzoic Acid | 0 | Q | 0 | Q | 10-110 | NC | | 50 |
| Benzyl Alcohol | 88 | | 81 | | 40-140 | 8 | | 50 |
| Carbazole | 82 | | 79 | | 54-128 | 4 | | 50 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 14-17 Batch: WG1075523-2 WG1075523-3 | | | | | | | | |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria |
|----------------------|------------------|------|-------------------|------|------------------------|
| 2-Fluorophenol | 82 | | 80 | | 25-120 |
| Phenol-d6 | 78 | | 75 | | 10-120 |
| Nitrobenzene-d5 | 77 | | 75 | | 23-120 |
| 2-Fluorobiphenyl | 83 | | 74 | | 30-120 |
| 2,4,6-Tribromophenol | 81 | | 80 | | 10-136 |
| 4-Terphenyl-d14 | 80 | | 80 | | 18-120 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075347-4 WG1075347-5 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| Acenaphthene | 62.J | 1510 | 1300 | 86 | | 1800 | 120 | | 31-137 | 32 | | 50 |
| 1,2,4-Trichlorobenzene | ND | 1510 | 1300 | 86 | | 1700 | 110 | Q | 38-107 | 27 | | 50 |
| Hexachlorobenzene | ND | 1510 | 1200 | 80 | | 1600 | 110 | | 40-140 | 29 | | 50 |
| Bis(2-chloroethyl)ether | ND | 1510 | 1300 | 86 | | 1600 | 110 | | 40-140 | 21 | | 50 |
| 2-Chloronaphthalene | ND | 1510 | 1300 | 86 | | 1700 | 110 | | 40-140 | 27 | | 50 |
| 1,2-Dichlorobenzene | ND | 1510 | 1300 | 86 | | 1600 | 110 | | 40-140 | 21 | | 50 |
| 1,3-Dichlorobenzene | ND | 1510 | 1300 | 86 | | 1600 | 110 | | 40-140 | 21 | | 50 |
| 1,4-Dichlorobenzene | ND | 1510 | 1300 | 86 | | 1600 | 110 | Q | 28-104 | 21 | | 50 |
| 3,3'-Dichlorobenzidine | ND | 1510 | 590 | 39 | Q | 900 | 60 | | 40-140 | 42 | | 50 |
| 2,4-Dinitrotoluene | ND | 1510 | 1600 | 110 | | 2000 | 130 | | 40-132 | 22 | | 50 |
| 2,6-Dinitrotoluene | ND | 1510 | 1500 | 100 | | 1900 | 130 | | 40-140 | 24 | | 50 |
| Fluoranthene | 1600 | 1510 | 3500 | 130 | | 5200 | 240 | Q | 40-140 | 39 | | 50 |
| 4-Chlorophenyl phenyl ether | ND | 1510 | 1200 | 80 | | 1600 | 110 | | 40-140 | 29 | | 50 |
| 4-Bromophenyl phenyl ether | ND | 1510 | 1200 | 80 | | 1700 | 110 | | 40-140 | 34 | | 50 |
| Bis(2-chloroisopropyl)ether | ND | 1510 | 1200 | 80 | | 1500 | 100 | | 40-140 | 22 | | 50 |
| Bis(2-chloroethoxy)methane | ND | 1510 | 1300 | 86 | | 1700 | 110 | | 40-117 | 27 | | 50 |
| Hexachlorobutadiene | ND | 1510 | 1400 | 93 | | 1700 | 110 | | 40-140 | 19 | | 50 |
| Hexachlorocyclopentadiene | ND | 1510 | 590 | 39 | Q | 680 | 46 | | 40-140 | 14 | | 50 |
| Hexachloroethane | ND | 1510 | 1300 | 86 | | 1600 | 110 | | 40-140 | 21 | | 50 |
| Isophorone | ND | 1510 | 1300 | 86 | | 1700 | 110 | | 40-140 | 27 | | 50 |
| Naphthalene | 83.J | 1510 | 1400 | 93 | | 1800 | 120 | | 40-140 | 25 | | 50 |
| Nitrobenzene | ND | 1510 | 1400 | 93 | | 1800 | 120 | | 40-140 | 25 | | 50 |
| NDPA/DPA | ND | 1510 | 1300 | 86 | | 1800 | 120 | | 36-157 | 32 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> |
|---|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075347-4 WG1075347-5 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| n-Nitrosodi-n-propylamine | ND | 1510 | 1400 | 93 | | 1700 | 110 | | 32-121 | 19 | | 50 |
| Bis(2-ethylhexyl)phthalate | ND | 1510 | 1200 | 80 | | 1600 | 110 | | 40-140 | 29 | | 50 |
| Butyl benzyl phthalate | ND | 1510 | 1200 | 80 | | 1700 | 110 | | 40-140 | 34 | | 50 |
| Di-n-butylphthalate | ND | 1510 | 1200 | 80 | | 1600 | 110 | | 40-140 | 29 | | 50 |
| Di-n-octylphthalate | ND | 1510 | 1200 | 80 | | 1600 | 110 | | 40-140 | 29 | | 50 |
| Diethyl phthalate | ND | 1510 | 1300 | 86 | | 1800 | 120 | | 40-140 | 32 | | 50 |
| Dimethyl phthalate | ND | 1510 | 1400 | 93 | | 1800 | 120 | | 40-140 | 25 | | 50 |
| Benzo(a)anthracene | 850 | 1510 | 2200 | 90 | | 3300 | 160 | Q | 40-140 | 40 | | 50 |
| Benzo(a)pyrene | 800 | 1510 | 2100 | 86 | | 3100 | 150 | Q | 40-140 | 38 | | 50 |
| Benzo(b)fluoranthene | 1000 | 1510 | 2400 | 93 | | 3500 | 170 | Q | 40-140 | 37 | | 50 |
| Benzo(k)fluoranthene | 370 | 1510 | 1600 | 82 | | 2200 | 120 | | 40-140 | 32 | | 50 |
| Chrysene | 890 | 1510 | 2200 | 87 | | 3300 | 160 | Q | 40-140 | 40 | | 50 |
| Acenaphthylene | 78.J | 1510 | 1400 | 93 | | 1800 | 120 | | 40-140 | 25 | | 50 |
| Anthracene | 180 | 1510 | 1500 | 88 | | 2000 | 120 | | 40-140 | 29 | | 50 |
| Benzo(ghi)perylene | 500 | 1510 | 1600 | 73 | | 2200 | 110 | | 40-140 | 32 | | 50 |
| Fluorene | 71.J | 1510 | 1300 | 86 | | 1800 | 120 | | 40-140 | 32 | | 50 |
| Phenanthrene | 850 | 1510 | 2500 | 110 | | 3700 | 190 | Q | 40-140 | 39 | | 50 |
| Dibenzo(a,h)anthracene | 140 | 1510 | 1100 | 64 | | 1600 | 98 | | 40-140 | 37 | | 50 |
| Indeno(1,2,3-cd)pyrene | 540 | 1510 | 1700 | 77 | | 2400 | 120 | | 40-140 | 34 | | 50 |
| Pyrene | 1400 | 1510 | 3200 | 120 | | 4700 | 220 | Q | 35-142 | 38 | | 50 |
| Biphenyl | ND | 1510 | 1400 | 93 | | 1800 | 120 | Q | 54-104 | 25 | | 50 |
| 4-Chloroaniline | ND | 1510 | 620 | 41 | | 800 | 54 | | 40-140 | 25 | | 50 |
| 2-Nitroaniline | ND | 1510 | 1600 | 110 | | 2000 | 130 | | 47-134 | 22 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075347-4 WG1075347-5 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| 3-Nitroaniline | ND | 1510 | 960 | 64 | | 1500 | 100 | | 26-129 | 44 | | 50 |
| 4-Nitroaniline | ND | 1510 | 1100 | 73 | | 1600 | 110 | | 41-125 | 37 | | 50 |
| Dibenzofuran | 36.J | 1510 | 1300 | 86 | | 1800 | 120 | | 40-140 | 32 | | 50 |
| 2-Methylnaphthalene | 84.J | 1510 | 1400 | 93 | | 1800 | 120 | | 40-140 | 25 | | 50 |
| 1,2,4,5-Tetrachlorobenzene | ND | 1510 | 1400 | 93 | | 1800 | 120 | Q | 40-117 | 25 | | 50 |
| Acetophenone | ND | 1510 | 1500 | 100 | | 1900 | 130 | | 14-144 | 24 | | 50 |
| 2,4,6-Trichlorophenol | ND | 1510 | 1000 | 66 | | 1000 | 67 | | 30-130 | 0 | | 50 |
| p-Chloro-m-cresol | ND | 1510 | 1500 | 100 | | 1900 | 130 | Q | 26-103 | 24 | | 50 |
| 2-Chlorophenol | ND | 1510 | 1300 | 86 | | 1500 | 100 | | 25-102 | 14 | | 50 |
| 2,4-Dichlorophenol | ND | 1510 | 1300 | 86 | | 1600 | 110 | | 30-130 | 21 | | 50 |
| 2,4-Dimethylphenol | ND | 1510 | 1500 | 100 | | 1900 | 130 | | 30-130 | 24 | | 50 |
| 2-Nitrophenol | ND | 1510 | 1300 | 86 | | 1400 | 94 | | 30-130 | 7 | | 50 |
| 4-Nitrophenol | ND | 1510 | 640 | 42 | | 540 | 36 | | 11-114 | 17 | | 50 |
| 2,4-Dinitrophenol | ND | 1510 | ND | 0 | Q | ND | 0 | Q | 4-130 | NC | | 50 |
| 4,6-Dinitro-o-cresol | ND | 1510 | 180J | 12 | | ND | 0 | Q | 10-130 | NC | | 50 |
| Pentachlorophenol | ND | 1510 | 300 | 20 | | 240 | 16 | Q | 17-109 | 22 | | 50 |
| Phenol | ND | 1510 | 1300 | 86 | | 1600 | 110 | Q | 26-90 | 21 | | 50 |
| 2-Methylphenol | ND | 1510 | 1400 | 93 | | 1700 | 110 | | 30-130 | 19 | | 50 |
| 3-Methylphenol/4-Methylphenol | ND | 1510 | 1400 | 93 | | 1800 | 120 | | 30-130 | 25 | | 50 |
| 2,4,5-Trichlorophenol | ND | 1510 | 1200 | 80 | | 1400 | 94 | | 30-130 | 15 | | 50 |
| Benzoic Acid | ND | 1510 | ND | 0 | Q | ND | 0 | Q | 10-110 | NC | | 50 |
| Benzyl Alcohol | ND | 1510 | 1500 | 100 | | 2000 | 130 | | 40-140 | 29 | | 50 |
| Carbazole | 91.J | 1510 | 1400 | 93 | | 1900 | 130 | Q | 54-128 | 30 | | 50 |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|

Semivolatiles Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075347-4 WG1075347-5 QC Sample: L1746315-03 Client ID: SB006 (0-2)

| Surrogate | MS | | MSD | | Acceptance Criteria |
|----------------------|-------------------|------------------|-------------------|------------------|--------------------------------|
| | % Recovery | Qualifier | % Recovery | Qualifier | |
| 2,4,6-Tribromophenol | 78 | | 84 | | 10-136 |
| 2-Fluorobiphenyl | 78 | | 103 | | 30-120 |
| 2-Fluorophenol | 77 | | 83 | | 25-120 |
| 4-Terphenyl-d14 | 65 | | 91 | | 18-120 |
| Nitrobenzene-d5 | 92 | | 119 | | 23-120 |
| Phenol-d6 | 85 | | 107 | | 10-120 |

PCBS

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
Client ID: SB005 (0-2)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:30
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 20:29
Analyst: JW
Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 37.1 | 4.21 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 37.1 | 5.65 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 37.1 | 3.65 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 37.1 | 4.54 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 37.1 | 4.16 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 37.1 | 3.03 | 1 | A |
| Aroclor 1260 | 19.1 | J | ug/kg | 37.1 | 3.87 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 37.1 | 3.05 | 1 | A |
| Aroclor 1268 | 8.86 | J | ug/kg | 37.1 | 2.63 | 1 | B |
| PCBs, Total | 28.0 | J | ug/kg | 37.1 | 2.63 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 94 | | 30-150 | A |
| Decachlorobiphenyl | 112 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 30-150 | B |
| Decachlorobiphenyl | 125 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 20:44
 Analyst: JW
 Percent Solids: 84%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 38.1 | 4.32 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 38.1 | 5.80 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 38.1 | 3.75 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 38.1 | 4.66 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 38.1 | 4.27 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 38.1 | 3.11 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 38.1 | 3.98 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 38.1 | 3.13 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 38.1 | 2.70 | 1 | A |
| PCBs, Total | ND | | ug/kg | 38.1 | 2.70 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 90 | | 30-150 | A |
| Decachlorobiphenyl | 93 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 30-150 | B |
| Decachlorobiphenyl | 92 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 14:18
 Analyst: AWS
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.6 | 4.15 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.6 | 5.57 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.6 | 3.60 | 1 | A |
| Aroclor 1242 | 28.9 | J | ug/kg | 36.6 | 4.48 | 1 | B |
| Aroclor 1248 | ND | | ug/kg | 36.6 | 4.10 | 1 | A |
| Aroclor 1254 | 26.6 | J | ug/kg | 36.6 | 2.98 | 1 | A |
| Aroclor 1260 | 21.3 | J | ug/kg | 36.6 | 3.82 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 36.6 | 3.01 | 1 | A |
| Aroclor 1268 | 8.61 | J | ug/kg | 36.6 | 2.59 | 1 | B |
| PCBs, Total | 85.4 | J | ug/kg | 36.6 | 2.59 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | A |
| Decachlorobiphenyl | 64 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 72 | | 30-150 | B |
| Decachlorobiphenyl | 76 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 21:00
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.8 | 4.18 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.8 | 5.60 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.8 | 3.62 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.8 | 4.51 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.8 | 4.13 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.8 | 3.00 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.8 | 3.84 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.8 | 3.03 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.8 | 2.61 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.8 | 2.61 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 93 | | 30-150 | A |
| Decachlorobiphenyl | 99 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 92 | | 30-150 | B |
| Decachlorobiphenyl | 97 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 21:16
 Analyst: JW
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.6 | 4.15 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.6 | 5.57 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.6 | 3.60 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.6 | 4.48 | 1 | A |
| Aroclor 1248 | 35.9 | J | ug/kg | 36.6 | 4.11 | 1 | A |
| Aroclor 1254 | 41.6 | P | ug/kg | 36.6 | 2.99 | 1 | B |
| Aroclor 1260 | 30.0 | J | ug/kg | 36.6 | 3.82 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 36.6 | 3.01 | 1 | A |
| Aroclor 1268 | 12.4 | J | ug/kg | 36.6 | 2.59 | 1 | B |
| PCBs, Total | 120 | J | ug/kg | 36.6 | 2.59 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 30-150 | A |
| Decachlorobiphenyl | 110 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | B |
| Decachlorobiphenyl | 120 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06
Client ID: SB007 (7-9)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:05
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 21:32
Analyst: JW
Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.6 | 4.16 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.6 | 5.58 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.6 | 3.60 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.6 | 4.48 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.6 | 4.11 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.6 | 2.99 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.6 | 3.82 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.6 | 3.01 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.6 | 2.59 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.6 | 2.59 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 102 | | 30-150 | A |
| Decachlorobiphenyl | 107 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 100 | | 30-150 | B |
| Decachlorobiphenyl | 108 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
Client ID: SB008 (0-2)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:25
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 21:48
Analyst: JW
Percent Solids: 91%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.8 | 4.05 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.8 | 5.44 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.8 | 3.52 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.8 | 4.38 | 1 | A |
| Aroclor 1248 | 51.1 | | ug/kg | 35.8 | 4.01 | 1 | B |
| Aroclor 1254 | 75.9 | | ug/kg | 35.8 | 2.92 | 1 | B |
| Aroclor 1260 | 42.5 | | ug/kg | 35.8 | 3.73 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 35.8 | 2.94 | 1 | A |
| Aroclor 1268 | 15.6 | J | ug/kg | 35.8 | 2.53 | 1 | A |
| PCBs, Total | 185 | J | ug/kg | 35.8 | 2.53 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | A |
| Decachlorobiphenyl | 98 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 79 | | 30-150 | B |
| Decachlorobiphenyl | 103 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 22:04
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.5 | 4.03 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.5 | 5.41 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.5 | 3.50 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.5 | 4.35 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.5 | 3.98 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.5 | 2.90 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.5 | 3.71 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.5 | 2.92 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.5 | 2.52 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.5 | 2.52 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 90 | | 30-150 | A |
| Decachlorobiphenyl | 93 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 30-150 | B |
| Decachlorobiphenyl | 97 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 22:20
 Analyst: JW
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.7 | 4.16 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.7 | 5.58 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.7 | 3.61 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.7 | 4.49 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.7 | 4.11 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.7 | 2.99 | 1 | A |
| Aroclor 1260 | 68.2 | | ug/kg | 36.7 | 3.83 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 36.7 | 3.01 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.7 | 2.60 | 1 | A |
| PCBs, Total | 68.2 | | ug/kg | 36.7 | 2.60 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | A |
| Decachlorobiphenyl | 98 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 83 | | 30-150 | B |
| Decachlorobiphenyl | 101 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10
Client ID: SB009 (7-9)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:55
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 22:36
Analyst: JW
Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.9 | 4.18 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.9 | 5.61 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.9 | 3.63 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.9 | 4.51 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.9 | 4.14 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.9 | 3.01 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 36.9 | 3.85 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.9 | 3.03 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 36.9 | 2.61 | 1 | A |
| PCBs, Total | ND | | ug/kg | 36.9 | 2.61 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 30-150 | A |
| Decachlorobiphenyl | 102 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 30-150 | B |
| Decachlorobiphenyl | 103 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
Client ID: SB010 (0-2)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:05
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 22:52
Analyst: JW
Percent Solids: 80%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 40.6 | 4.60 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 40.6 | 6.18 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 40.6 | 3.99 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 40.6 | 4.97 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 40.6 | 4.55 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 40.6 | 3.31 | 1 | A |
| Aroclor 1260 | 39.6 | J | ug/kg | 40.6 | 4.24 | 1 | B |
| Aroclor 1262 | ND | | ug/kg | 40.6 | 3.34 | 1 | A |
| Aroclor 1268 | 17.3 | J | ug/kg | 40.6 | 2.87 | 1 | A |
| PCBs, Total | 56.9 | J | ug/kg | 40.6 | 2.87 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 79 | | 30-150 | A |
| Decachlorobiphenyl | 102 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 78 | | 30-150 | B |
| Decachlorobiphenyl | 115 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/22/17 23:08
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.7 | 4.05 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.7 | 5.44 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.7 | 3.52 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.7 | 4.37 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.7 | 4.01 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.7 | 2.92 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.7 | 3.73 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.7 | 2.94 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.7 | 2.53 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.7 | 2.53 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | A |
| Decachlorobiphenyl | 100 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 97 | | 30-150 | B |
| Decachlorobiphenyl | 104 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
Client ID: SB011 (0-2)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:20
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 08:36
Cleanup Method: EPA 3665A
Cleanup Date: 12/21/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/22/17 23:24
Analyst: JW
Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.5 | 4.02 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.5 | 5.40 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.5 | 3.49 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.5 | 4.34 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.5 | 3.98 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.5 | 2.90 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.5 | 3.70 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.5 | 2.92 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.5 | 2.51 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.5 | 2.51 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 30-150 | A |
| Decachlorobiphenyl | 106 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 30-150 | B |
| Decachlorobiphenyl | 123 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
Client ID: SB011 (5-7)
Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:25
Date Received: 12/14/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 12/21/17 21:39
Cleanup Method: EPA 3665A
Cleanup Date: 12/22/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 12/24/17 15:41
Analyst: JW
Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.5 | 4.03 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.5 | 5.41 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.5 | 3.50 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.5 | 4.35 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.5 | 3.99 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.5 | 2.90 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.5 | 3.71 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.5 | 2.92 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.5 | 2.52 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.5 | 2.52 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | A |
| Decachlorobiphenyl | 64 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | B |
| Decachlorobiphenyl | 77 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 21:39
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/22/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/26/17 06:18
 Analyst: TQ
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.6 | 4.15 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.6 | 5.58 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.6 | 3.60 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.6 | 4.48 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 36.6 | 4.11 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 36.6 | 2.99 | 1 | A |
| Aroclor 1260 | 27.7 | J | ug/kg | 36.6 | 3.82 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.6 | 3.01 | 1 | A |
| Aroclor 1268 | 7.53 | J | ug/kg | 36.6 | 2.59 | 1 | A |
| PCBs, Total | 35.2 | J | ug/kg | 36.6 | 2.59 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | A |
| Decachlorobiphenyl | 71 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 61 | | 30-150 | B |
| Decachlorobiphenyl | 56 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 21:39
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/22/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/26/17 05:20
 Analyst: JW
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 35.5 | 4.03 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 35.5 | 5.40 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 35.5 | 3.49 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 35.5 | 4.34 | 1 | A |
| Aroclor 1248 | ND | | ug/kg | 35.5 | 3.98 | 1 | A |
| Aroclor 1254 | ND | | ug/kg | 35.5 | 2.90 | 1 | A |
| Aroclor 1260 | ND | | ug/kg | 35.5 | 3.71 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 35.5 | 2.92 | 1 | A |
| Aroclor 1268 | ND | | ug/kg | 35.5 | 2.51 | 1 | A |
| PCBs, Total | ND | | ug/kg | 35.5 | 2.51 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 79 | | 30-150 | A |
| Decachlorobiphenyl | 70 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | B |
| Decachlorobiphenyl | 74 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17
 Client ID: DUP002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 21:39
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/22/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 12/26/17 05:35
 Analyst: TQ
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|------|------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 36.4 | 4.13 | 1 | A |
| Aroclor 1221 | ND | | ug/kg | 36.4 | 5.54 | 1 | A |
| Aroclor 1232 | ND | | ug/kg | 36.4 | 3.58 | 1 | A |
| Aroclor 1242 | ND | | ug/kg | 36.4 | 4.46 | 1 | A |
| Aroclor 1248 | 28.1 | J | ug/kg | 36.4 | 4.09 | 1 | B |
| Aroclor 1254 | 27.7 | J | ug/kg | 36.4 | 2.97 | 1 | A |
| Aroclor 1260 | 20.3 | J | ug/kg | 36.4 | 3.80 | 1 | A |
| Aroclor 1262 | ND | | ug/kg | 36.4 | 2.99 | 1 | A |
| Aroclor 1268 | 12.0 | J | ug/kg | 36.4 | 2.58 | 1 | A |
| PCBs, Total | 88.1 | J | ug/kg | 36.4 | 2.58 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | A |
| Decachlorobiphenyl | 90 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 83 | | 30-150 | B |
| Decachlorobiphenyl | 85 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/19/17 17:24
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/21/17

Matrix: Water
 Analytical Method: 1,8082A
 Analytical Date: 12/21/17 14:54
 Analyst: HT

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|---|--------|-----------|-------|-------|-------|-----------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab | | | | | | | |
| Aroclor 1016 | ND | | ug/l | 0.083 | 0.020 | 1 | A |
| Aroclor 1221 | ND | | ug/l | 0.083 | 0.032 | 1 | A |
| Aroclor 1232 | ND | | ug/l | 0.083 | 0.027 | 1 | A |
| Aroclor 1242 | ND | | ug/l | 0.083 | 0.030 | 1 | A |
| Aroclor 1248 | ND | | ug/l | 0.083 | 0.023 | 1 | A |
| Aroclor 1254 | ND | | ug/l | 0.083 | 0.035 | 1 | A |
| Aroclor 1260 | 0.039 | J | ug/l | 0.083 | 0.020 | 1 | A |
| Aroclor 1262 | ND | | ug/l | 0.083 | 0.017 | 1 | A |
| Aroclor 1268 | ND | | ug/l | 0.083 | 0.027 | 1 | A |
| PCBs, Total | 0.039 | J | ug/l | 0.083 | 0.017 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 30-150 | A |
| Decachlorobiphenyl | 60 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 71 | | 30-150 | B |
| Decachlorobiphenyl | 71 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
Analytical Date: 12/20/17 14:33
Analyst: WR

Extraction Method: EPA 3510C
Extraction Date: 12/19/17 17:24
Cleanup Method: EPA 3665A
Cleanup Date: 12/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/20/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|-------|-------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 18 Batch: WG1074537-1 | | | | | | |
| Aroclor 1016 | ND | | ug/l | 0.083 | 0.020 | A |
| Aroclor 1221 | ND | | ug/l | 0.083 | 0.032 | A |
| Aroclor 1232 | ND | | ug/l | 0.083 | 0.027 | A |
| Aroclor 1242 | ND | | ug/l | 0.083 | 0.030 | A |
| Aroclor 1248 | ND | | ug/l | 0.083 | 0.023 | A |
| Aroclor 1254 | ND | | ug/l | 0.083 | 0.035 | A |
| Aroclor 1262 | ND | | ug/l | 0.083 | 0.017 | A |
| Aroclor 1268 | ND | | ug/l | 0.083 | 0.027 | A |
| Aroclor 1260 | 0.063 | J | ug/l | 0.083 | 0.020 | B |
| PCBs, Total | 0.063 | J | ug/l | 0.083 | 0.017 | B |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|-----------|-----------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 74 | | 30-150 | A |
| Decachlorobiphenyl | 50 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 30-150 | B |
| Decachlorobiphenyl | 65 | | 30-150 | B |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
 Analytical Date: 12/22/17 15:46
 Analyst: JW

Extraction Method: EPA 3546
 Extraction Date: 12/21/17 08:36
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/21/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/22/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|------|------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-13 Batch: WG1075307-1 | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 32.0 | 3.63 | A |
| Aroclor 1221 | ND | | ug/kg | 32.0 | 4.87 | A |
| Aroclor 1232 | ND | | ug/kg | 32.0 | 3.15 | A |
| Aroclor 1242 | ND | | ug/kg | 32.0 | 3.92 | A |
| Aroclor 1248 | ND | | ug/kg | 32.0 | 3.59 | A |
| Aroclor 1254 | ND | | ug/kg | 32.0 | 2.61 | A |
| Aroclor 1260 | ND | | ug/kg | 32.0 | 3.34 | A |
| Aroclor 1262 | ND | | ug/kg | 32.0 | 2.63 | A |
| Aroclor 1268 | ND | | ug/kg | 32.0 | 2.26 | A |
| PCBs, Total | ND | | ug/kg | 32.0 | 2.26 | A |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|-----------|-----------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 79 | | 30-150 | A |
| Decachlorobiphenyl | 78 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 85 | | 30-150 | B |
| Decachlorobiphenyl | 80 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
Analytical Date: 12/24/17 15:55
Analyst: JW

Extraction Method: EPA 3546
Extraction Date: 12/21/17 21:39
Cleanup Method: EPA 3665A
Cleanup Date: 12/22/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/22/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|------|------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 14-17 Batch: WG1075629-1 | | | | | | |
| Aroclor 1016 | ND | | ug/kg | 32.0 | 3.63 | A |
| Aroclor 1221 | ND | | ug/kg | 32.0 | 4.87 | A |
| Aroclor 1232 | ND | | ug/kg | 32.0 | 3.15 | A |
| Aroclor 1242 | ND | | ug/kg | 32.0 | 3.92 | A |
| Aroclor 1248 | ND | | ug/kg | 32.0 | 3.59 | A |
| Aroclor 1254 | ND | | ug/kg | 32.0 | 2.61 | A |
| Aroclor 1260 | ND | | ug/kg | 32.0 | 3.34 | A |
| Aroclor 1262 | ND | | ug/kg | 32.0 | 2.63 | A |
| Aroclor 1268 | ND | | ug/kg | 32.0 | 2.27 | A |
| PCBs, Total | ND | | ug/kg | 32.0 | 2.27 | A |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|-----------|-----------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 90 | | 30-150 | A |
| Decachlorobiphenyl | 82 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 92 | | 30-150 | B |
| Decachlorobiphenyl | 88 | | 30-150 | B |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 18 Batch: WG1074537-2 WG1074537-3 | | | | | | | | | |
| Aroclor 1016 | 89 | | 80 | | 40-140 | 11 | | 50 | A |
| Aroclor 1260 | 83 | | 79 | | 40-140 | 4 | | 50 | A |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 87 | | 81 | | 30-150 | A |
| Decachlorobiphenyl | 67 | | 92 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 81 | | 76 | | 30-150 | B |
| Decachlorobiphenyl | 68 | | 89 | | 30-150 | B |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-13 Batch: WG1075307-2 WG1075307-3 | | | | | | | | | |
| Aroclor 1016 | 85 | | 86 | | 40-140 | 1 | | 50 | A |
| Aroclor 1260 | 99 | | 88 | | 40-140 | 12 | | 50 | A |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 98 | | 99 | | 30-150 | A |
| Decachlorobiphenyl | 103 | | 103 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 93 | | 96 | | 30-150 | B |
| Decachlorobiphenyl | 99 | | 101 | | 30-150 | B |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 14-17 Batch: WG1075629-2 WG1075629-3 | | | | | | | | | |
| Aroclor 1016 | 85 | | 76 | | 40-140 | 11 | | 50 | A |
| Aroclor 1260 | 80 | | 74 | | 40-140 | 8 | | 50 | A |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 80 | | 30-150 | A |
| Decachlorobiphenyl | 74 | | 71 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 90 | | 78 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 79 | | 30-150 | B |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|---------------|
| Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075307-4 WG1075307-5 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | | |
| Aroclor 1016 | ND | 231 | 173 | 75 | | 172 | 72 | | 40-140 | 1 | | 50 | A |
| Aroclor 1260 | 21.3J | 231 | 175 | 76 | | 178 | 75 | | 40-140 | 2 | | 50 | B |

| Surrogate | MS | | MSD | | Acceptance Criteria | Column |
|------------------------------|-------------------|------------------|-------------------|------------------|----------------------------|---------------|
| | % Recovery | Qualifier | % Recovery | Qualifier | | |
| 2,4,5,6-Tetrachloro-m-xylene | 81 | | 75 | | 30-150 | A |
| Decachlorobiphenyl | 66 | | 64 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 72 | | 68 | | 30-150 | B |
| Decachlorobiphenyl | 84 | | 82 | | 30-150 | B |

PESTICIDES

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
 Client ID: SB005 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:30
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 16:42
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.74 | 0.341 | 1 | A |
| Lindane | ND | | ug/kg | 0.726 | 0.324 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.726 | 0.206 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.74 | 0.660 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.871 | 0.390 | 1 | A |
| Aldrin | ND | | ug/kg | 1.74 | 0.613 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.26 | 0.980 | 1 | A |
| Endrin | ND | | ug/kg | 0.726 | 0.298 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.18 | 0.762 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.74 | 0.448 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.09 | 0.544 | 1 | A |
| 4,4'-DDE | 9.75 | | ug/kg | 1.74 | 0.403 | 1 | A |
| 4,4'-DDD | 24.6 | | ug/kg | 1.74 | 0.621 | 1 | B |
| 4,4'-DDT | 12.7 | P | ug/kg | 3.26 | 1.40 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.74 | 0.411 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.74 | 0.582 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.726 | 0.345 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.26 | 1.02 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.6 | 9.14 | 1 | A |
| cis-Chlordane | 27.9 | | ug/kg | 2.18 | 0.607 | 1 | A |
| trans-Chlordane | 21.8 | PI | ug/kg | 2.18 | 0.575 | 1 | A |
| Chlordane | 128 | | ug/kg | 14.2 | 5.77 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 78 | | 30-150 | B |
| Decachlorobiphenyl | 164 | Q | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 93 | | 30-150 | A |
| Decachlorobiphenyl | 149 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 16:54
 Analyst: JW
 Percent Solids: 84%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.81 | 0.354 | 1 | A |
| Lindane | ND | | ug/kg | 0.754 | 0.337 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.754 | 0.214 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.81 | 0.686 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.904 | 0.406 | 1 | A |
| Aldrin | ND | | ug/kg | 1.81 | 0.637 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.39 | 1.02 | 1 | A |
| Endrin | ND | | ug/kg | 0.754 | 0.309 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.26 | 0.792 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.81 | 0.466 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.13 | 0.565 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.81 | 0.418 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.81 | 0.645 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.39 | 1.45 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.81 | 0.427 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.81 | 0.604 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.754 | 0.359 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.39 | 1.06 | 1 | A |
| Toxaphene | ND | | ug/kg | 33.9 | 9.50 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.26 | 0.630 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.26 | 0.597 | 1 | A |
| Chlordane | ND | | ug/kg | 14.7 | 5.99 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | B |
| Decachlorobiphenyl | 82 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | A |
| Decachlorobiphenyl | 71 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/22/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/26/17 14:26
 Analyst: CD
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | 1.56 | J | ug/kg | 1.81 | 0.354 | 1 | A |
| Lindane | ND | | ug/kg | 0.753 | 0.337 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.753 | 0.214 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.81 | 0.685 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.904 | 0.405 | 1 | A |
| Aldrin | ND | | ug/kg | 1.81 | 0.636 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.39 | 1.02 | 1 | A |
| Endrin | ND | | ug/kg | 0.753 | 0.309 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.26 | 0.791 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.81 | 0.465 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.13 | 0.565 | 1 | A |
| 4,4'-DDE | 5.60 | P | ug/kg | 1.81 | 0.418 | 1 | A |
| 4,4'-DDD | 8.75 | | ug/kg | 1.81 | 0.645 | 1 | B |
| 4,4'-DDT | ND | | ug/kg | 3.39 | 1.45 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.81 | 0.427 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.81 | 0.604 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.753 | 0.358 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.39 | 1.05 | 1 | A |
| Toxaphene | ND | | ug/kg | 33.9 | 9.49 | 1 | A |
| cis-Chlordane | 1.10 | J | ug/kg | 2.26 | 0.630 | 1 | A |
| trans-Chlordane | 0.910 | JPI | ug/kg | 2.26 | 0.596 | 1 | B |
| Chlordane | ND | | ug/kg | 14.7 | 5.99 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 133 | | 30-150 | B |
| Decachlorobiphenyl | 174 | Q | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 123 | | 30-150 | A |
| Decachlorobiphenyl | 173 | Q | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:07
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.73 | 0.339 | 1 | A |
| Lindane | ND | | ug/kg | 0.722 | 0.323 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.722 | 0.205 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.73 | 0.657 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.866 | 0.388 | 1 | A |
| Aldrin | ND | | ug/kg | 1.73 | 0.610 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.25 | 0.974 | 1 | A |
| Endrin | ND | | ug/kg | 0.722 | 0.296 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.16 | 0.758 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.73 | 0.446 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.08 | 0.541 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.73 | 0.401 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.73 | 0.618 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.25 | 1.39 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.73 | 0.409 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.73 | 0.579 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.722 | 0.344 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.25 | 1.01 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.5 | 9.10 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.16 | 0.604 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.16 | 0.572 | 1 | A |
| Chlordane | ND | | ug/kg | 14.1 | 5.74 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 87 | | 30-150 | B |
| Decachlorobiphenyl | 92 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 91 | | 30-150 | A |
| Decachlorobiphenyl | 80 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:19
 Analyst: JW
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.84 | 0.361 | 1 | A |
| Lindane | ND | | ug/kg | 0.768 | 0.343 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.768 | 0.218 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.84 | 0.699 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.921 | 0.413 | 1 | A |
| Aldrin | ND | | ug/kg | 1.84 | 0.649 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.46 | 1.04 | 1 | A |
| Endrin | ND | | ug/kg | 0.768 | 0.315 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.30 | 0.806 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.84 | 0.474 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.15 | 0.576 | 1 | A |
| 4,4'-DDE | 9.23 | | ug/kg | 1.84 | 0.426 | 1 | A |
| 4,4'-DDD | 10.7 | | ug/kg | 1.84 | 0.657 | 1 | A |
| 4,4'-DDT | 10.9 | | ug/kg | 3.46 | 1.48 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.84 | 0.435 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.84 | 0.616 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.768 | 0.366 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.46 | 1.08 | 1 | A |
| Toxaphene | ND | | ug/kg | 34.6 | 9.68 | 1 | A |
| cis-Chlordane | 8.02 | P | ug/kg | 2.30 | 0.642 | 1 | A |
| trans-Chlordane | 8.84 | PI | ug/kg | 2.30 | 0.608 | 1 | A |
| Chlordane | 56.9 | | ug/kg | 15.0 | 6.10 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 70 | | 30-150 | B |
| Decachlorobiphenyl | 102 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | A |
| Decachlorobiphenyl | 104 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06
 Client ID: SB007 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:05
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:31
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.73 | 0.338 | 1 | A |
| Lindane | ND | | ug/kg | 0.720 | 0.322 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.720 | 0.204 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.73 | 0.655 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.864 | 0.387 | 1 | A |
| Aldrin | ND | | ug/kg | 1.73 | 0.608 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.24 | 0.972 | 1 | A |
| Endrin | ND | | ug/kg | 0.720 | 0.295 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.16 | 0.756 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.73 | 0.445 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.08 | 0.540 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.73 | 0.399 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.73 | 0.616 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.24 | 1.39 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.73 | 0.408 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.73 | 0.577 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.720 | 0.343 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.24 | 1.01 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.4 | 9.07 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.16 | 0.602 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.16 | 0.570 | 1 | A |
| Chlordane | ND | | ug/kg | 14.0 | 5.72 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 30-150 | B |
| Decachlorobiphenyl | 99 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 92 | | 30-150 | A |
| Decachlorobiphenyl | 76 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:44
 Analyst: JW
 Percent Solids: 91%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.68 | 0.329 | 1 | A |
| Lindane | ND | | ug/kg | 0.700 | 0.313 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.700 | 0.199 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.68 | 0.637 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.840 | 0.377 | 1 | A |
| Aldrin | ND | | ug/kg | 1.68 | 0.592 | 1 | A |
| Heptachlor epoxide | 3.28 | PI | ug/kg | 3.15 | 0.945 | 1 | A |
| Endrin | ND | | ug/kg | 0.700 | 0.287 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.10 | 0.735 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.68 | 0.433 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.05 | 0.525 | 1 | A |
| 4,4'-DDE | 61.9 | | ug/kg | 1.68 | 0.388 | 1 | A |
| 4,4'-DDD | 8.82 | | ug/kg | 1.68 | 0.599 | 1 | B |
| 4,4'-DDT | 60.3 | | ug/kg | 3.15 | 1.35 | 1 | B |
| Endosulfan I | ND | | ug/kg | 1.68 | 0.397 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.68 | 0.562 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.700 | 0.333 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.15 | 0.980 | 1 | A |
| Toxaphene | ND | | ug/kg | 31.5 | 8.82 | 1 | A |
| cis-Chlordane | 11.8 | | ug/kg | 2.10 | 0.585 | 1 | A |
| trans-Chlordane | 11.3 | P | ug/kg | 2.10 | 0.554 | 1 | A |
| Chlordane | 55.2 | | ug/kg | 13.6 | 5.57 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 96 | | 30-150 | B |
| Decachlorobiphenyl | 143 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 100 | | 30-150 | A |
| Decachlorobiphenyl | 118 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:56
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.72 | 0.336 | 1 | A |
| Lindane | ND | | ug/kg | 0.716 | 0.320 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.716 | 0.203 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.72 | 0.651 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.859 | 0.385 | 1 | A |
| Aldrin | ND | | ug/kg | 1.72 | 0.605 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.22 | 0.966 | 1 | A |
| Endrin | ND | | ug/kg | 0.716 | 0.294 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.15 | 0.752 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.72 | 0.442 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.07 | 0.537 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.72 | 0.397 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.72 | 0.613 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.22 | 1.38 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.72 | 0.406 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.72 | 0.574 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.716 | 0.341 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.22 | 1.00 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.2 | 9.02 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.15 | 0.598 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.15 | 0.567 | 1 | A |
| Chlordane | ND | | ug/kg | 14.0 | 5.69 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 92 | | 30-150 | B |
| Decachlorobiphenyl | 91 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 93 | | 30-150 | A |
| Decachlorobiphenyl | 81 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 18:09
 Analyst: JW
 Percent Solids: 86%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.77 | 0.348 | 1 | A |
| Lindane | ND | | ug/kg | 0.739 | 0.330 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.739 | 0.210 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.77 | 0.673 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.887 | 0.398 | 1 | A |
| Aldrin | ND | | ug/kg | 1.77 | 0.625 | 1 | A |
| Heptachlor epoxide | 2.11 | J | ug/kg | 3.33 | 0.998 | 1 | A |
| Endrin | ND | | ug/kg | 0.739 | 0.303 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.22 | 0.776 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.77 | 0.457 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.11 | 0.555 | 1 | A |
| 4,4'-DDE | 3.10 | P | ug/kg | 1.77 | 0.410 | 1 | A |
| 4,4'-DDD | 3.47 | | ug/kg | 1.77 | 0.633 | 1 | A |
| 4,4'-DDT | 12.4 | | ug/kg | 3.33 | 1.43 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.77 | 0.419 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.77 | 0.593 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.739 | 0.352 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.33 | 1.04 | 1 | A |
| Toxaphene | ND | | ug/kg | 33.3 | 9.32 | 1 | A |
| cis-Chlordane | 2.18 | J | ug/kg | 2.22 | 0.618 | 1 | A |
| trans-Chlordane | 3.57 | PI | ug/kg | 2.22 | 0.586 | 1 | A |
| Chlordane | 47.4 | P | ug/kg | 14.4 | 5.88 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 85 | | 30-150 | B |
| Decachlorobiphenyl | 104 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 101 | | 30-150 | A |
| Decachlorobiphenyl | 101 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10
 Client ID: SB009 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 10:55
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 18:21
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.74 | 0.341 | 1 | A |
| Lindane | ND | | ug/kg | 0.725 | 0.324 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.725 | 0.206 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.74 | 0.660 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.870 | 0.390 | 1 | A |
| Aldrin | ND | | ug/kg | 1.74 | 0.613 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.26 | 0.979 | 1 | A |
| Endrin | ND | | ug/kg | 0.725 | 0.297 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.18 | 0.762 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.74 | 0.448 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.09 | 0.544 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.74 | 0.402 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.74 | 0.621 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.26 | 1.40 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.74 | 0.411 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.74 | 0.582 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.725 | 0.345 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.26 | 1.02 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.6 | 9.14 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.18 | 0.606 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.18 | 0.574 | 1 | A |
| Chlordane | ND | | ug/kg | 14.1 | 5.77 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 87 | | 30-150 | B |
| Decachlorobiphenyl | 96 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | A |
| Decachlorobiphenyl | 76 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
 Client ID: SB010 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:05
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 18:33
 Analyst: JW
 Percent Solids: 80%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 2.00 | 0.391 | 1 | A |
| Lindane | ND | | ug/kg | 0.832 | 0.372 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.832 | 0.236 | 1 | A |
| Beta-BHC | ND | | ug/kg | 2.00 | 0.758 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.999 | 0.448 | 1 | A |
| Aldrin | ND | | ug/kg | 2.00 | 0.703 | 1 | A |
| Heptachlor epoxide | 2.54 | J | ug/kg | 3.75 | 1.12 | 1 | A |
| Endrin | ND | | ug/kg | 0.832 | 0.341 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.50 | 0.874 | 1 | A |
| Endrin ketone | ND | | ug/kg | 2.00 | 0.514 | 1 | A |
| Dieldrin | 54.3 | | ug/kg | 1.25 | 0.624 | 1 | B |
| 4,4'-DDE | 13.2 | | ug/kg | 2.00 | 0.462 | 1 | A |
| 4,4'-DDD | 1.89 | JPI | ug/kg | 2.00 | 0.713 | 1 | A |
| 4,4'-DDT | 62.0 | | ug/kg | 3.75 | 1.61 | 1 | A |
| Endosulfan I | ND | | ug/kg | 2.00 | 0.472 | 1 | A |
| Endosulfan II | ND | | ug/kg | 2.00 | 0.668 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.832 | 0.396 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.75 | 1.16 | 1 | A |
| Toxaphene | ND | | ug/kg | 37.5 | 10.5 | 1 | A |
| cis-Chlordane | 14.2 | P | ug/kg | 2.50 | 0.696 | 1 | A |
| trans-Chlordane | 11.3 | P | ug/kg | 2.50 | 0.659 | 1 | A |
| Chlordane | 61.0 | | ug/kg | 16.2 | 6.62 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 30-150 | B |
| Decachlorobiphenyl | 102 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 99 | | 30-150 | A |
| Decachlorobiphenyl | 90 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 18:46
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.75 | 0.342 | 1 | A |
| Lindane | ND | | ug/kg | 0.728 | 0.325 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.728 | 0.207 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.75 | 0.662 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.874 | 0.392 | 1 | A |
| Aldrin | ND | | ug/kg | 1.75 | 0.615 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.28 | 0.983 | 1 | A |
| Endrin | ND | | ug/kg | 0.728 | 0.298 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.18 | 0.764 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.75 | 0.450 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.09 | 0.546 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.75 | 0.404 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.75 | 0.623 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.28 | 1.40 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.75 | 0.413 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.75 | 0.584 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.728 | 0.346 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.28 | 1.02 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.8 | 9.17 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.18 | 0.609 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.18 | 0.577 | 1 | A |
| Chlordane | ND | | ug/kg | 14.2 | 5.79 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 77 | | 30-150 | B |
| Decachlorobiphenyl | 67 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 75 | | 30-150 | A |
| Decachlorobiphenyl | 55 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
 Client ID: SB011 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:20
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 18:58
 Analyst: JW
 Percent Solids: 89%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.73 | 0.338 | 1 | A |
| Lindane | ND | | ug/kg | 0.720 | 0.322 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.720 | 0.204 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.73 | 0.655 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.864 | 0.387 | 1 | A |
| Aldrin | ND | | ug/kg | 1.73 | 0.608 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.24 | 0.972 | 1 | A |
| Endrin | ND | | ug/kg | 0.720 | 0.295 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.16 | 0.756 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.73 | 0.445 | 1 | A |
| Dieldrin | 7.33 | | ug/kg | 1.08 | 0.540 | 1 | B |
| 4,4'-DDE | 4.04 | | ug/kg | 1.73 | 0.400 | 1 | A |
| 4,4'-DDD | 3.48 | | ug/kg | 1.73 | 0.616 | 1 | B |
| 4,4'-DDT | 25.3 | | ug/kg | 3.24 | 1.39 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.73 | 0.408 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.73 | 0.578 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.720 | 0.343 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.24 | 1.01 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.4 | 9.07 | 1 | A |
| cis-Chlordane | 2.05 | J | ug/kg | 2.16 | 0.602 | 1 | A |
| trans-Chlordane | 2.52 | PI | ug/kg | 2.16 | 0.570 | 1 | A |
| Chlordane | 12.0 | J | ug/kg | 14.0 | 5.72 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 80 | | 30-150 | B |
| Decachlorobiphenyl | 107 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 30-150 | A |
| Decachlorobiphenyl | 80 | | 30-150 | A |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
 Client ID: SB011 (5-7)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:25
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 22:46
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:05
 Analyst: JW
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.68 | 0.330 | 1 | A |
| Lindane | ND | | ug/kg | 0.702 | 0.314 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.702 | 0.199 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.68 | 0.639 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.843 | 0.378 | 1 | A |
| Aldrin | ND | | ug/kg | 1.68 | 0.593 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.16 | 0.948 | 1 | A |
| Endrin | ND | | ug/kg | 0.702 | 0.288 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.11 | 0.737 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.68 | 0.434 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.05 | 0.527 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.68 | 0.390 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.68 | 0.601 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.16 | 1.36 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.68 | 0.398 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.68 | 0.563 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.702 | 0.334 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.16 | 0.983 | 1 | A |
| Toxaphene | ND | | ug/kg | 31.6 | 8.85 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.11 | 0.587 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.11 | 0.556 | 1 | A |
| Chlordane | ND | | ug/kg | 13.7 | 5.58 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 80 | | 30-150 | B |
| Decachlorobiphenyl | 79 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 86 | | 30-150 | A |
| Decachlorobiphenyl | 68 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 22:46
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:18
 Analyst: JW
 Percent Solids: 88%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.72 | 0.338 | 1 | A |
| Lindane | ND | | ug/kg | 0.719 | 0.321 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.719 | 0.204 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.72 | 0.654 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.862 | 0.387 | 1 | A |
| Aldrin | ND | | ug/kg | 1.72 | 0.607 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.23 | 0.970 | 1 | A |
| Endrin | ND | | ug/kg | 0.719 | 0.295 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.16 | 0.755 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.72 | 0.444 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.08 | 0.539 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.72 | 0.399 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.72 | 0.615 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.23 | 1.39 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.72 | 0.408 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.72 | 0.576 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.719 | 0.342 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.23 | 1.01 | 1 | A |
| Toxaphene | ND | | ug/kg | 32.3 | 9.06 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.16 | 0.601 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.16 | 0.569 | 1 | A |
| Chlordane | ND | | ug/kg | 14.0 | 5.71 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 80 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 86 | | 30-150 | A |
| Decachlorobiphenyl | 77 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 22:46
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:31
 Analyst: JW
 Percent Solids: 92%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.70 | 0.332 | 1 | A |
| Lindane | ND | | ug/kg | 0.707 | 0.316 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.707 | 0.201 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.70 | 0.643 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.848 | 0.380 | 1 | A |
| Aldrin | ND | | ug/kg | 1.70 | 0.597 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.18 | 0.954 | 1 | A |
| Endrin | ND | | ug/kg | 0.707 | 0.290 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.12 | 0.742 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.70 | 0.437 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.06 | 0.530 | 1 | A |
| 4,4'-DDE | ND | | ug/kg | 1.70 | 0.392 | 1 | A |
| 4,4'-DDD | ND | | ug/kg | 1.70 | 0.605 | 1 | A |
| 4,4'-DDT | ND | | ug/kg | 3.18 | 1.36 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.70 | 0.401 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.70 | 0.567 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.707 | 0.336 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.18 | 0.990 | 1 | A |
| Toxaphene | ND | | ug/kg | 31.8 | 8.91 | 1 | A |
| cis-Chlordane | ND | | ug/kg | 2.12 | 0.591 | 1 | A |
| trans-Chlordane | ND | | ug/kg | 2.12 | 0.560 | 1 | A |
| Chlordane | ND | | ug/kg | 13.8 | 5.62 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 85 | | 30-150 | B |
| Decachlorobiphenyl | 72 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 30-150 | A |
| Decachlorobiphenyl | 57 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17
 Client ID: DUP002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 12/21/17 22:46
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 12/24/17 17:44
 Analyst: JW
 Percent Solids: 87%

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.80 | 0.352 | 1 | A |
| Lindane | ND | | ug/kg | 0.748 | 0.335 | 1 | A |
| Alpha-BHC | ND | | ug/kg | 0.748 | 0.212 | 1 | A |
| Beta-BHC | ND | | ug/kg | 1.80 | 0.681 | 1 | A |
| Heptachlor | ND | | ug/kg | 0.898 | 0.403 | 1 | A |
| Aldrin | ND | | ug/kg | 1.80 | 0.632 | 1 | A |
| Heptachlor epoxide | ND | | ug/kg | 3.37 | 1.01 | 1 | A |
| Endrin | ND | | ug/kg | 0.748 | 0.307 | 1 | A |
| Endrin aldehyde | ND | | ug/kg | 2.24 | 0.786 | 1 | A |
| Endrin ketone | ND | | ug/kg | 1.80 | 0.463 | 1 | A |
| Dieldrin | ND | | ug/kg | 1.12 | 0.561 | 1 | A |
| 4,4'-DDE | 4.73 | P | ug/kg | 1.80 | 0.415 | 1 | A |
| 4,4'-DDD | 10.4 | | ug/kg | 1.80 | 0.641 | 1 | B |
| 4,4'-DDT | 4.92 | | ug/kg | 3.37 | 1.44 | 1 | A |
| Endosulfan I | ND | | ug/kg | 1.80 | 0.424 | 1 | A |
| Endosulfan II | ND | | ug/kg | 1.80 | 0.600 | 1 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.748 | 0.356 | 1 | A |
| Methoxychlor | ND | | ug/kg | 3.37 | 1.05 | 1 | A |
| Toxaphene | ND | | ug/kg | 33.7 | 9.43 | 1 | A |
| cis-Chlordane | 3.08 | | ug/kg | 2.24 | 0.626 | 1 | B |
| trans-Chlordane | 3.09 | PI | ug/kg | 2.24 | 0.593 | 1 | A |
| Chlordane | 63.4 | | ug/kg | 14.6 | 5.95 | 1 | B |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 139 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 84 | | 30-150 | A |
| Decachlorobiphenyl | 74 | | 30-150 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 12/20/17 01:50

Matrix: Water
 Analytical Method: 1,8081B
 Analytical Date: 12/20/17 16:02
 Analyst: KEG

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Column |
|--|--------|-----------|-------|-------|-------|-----------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab | | | | | | | |
| Delta-BHC | ND | | ug/l | 0.020 | 0.005 | 1 | A |
| Lindane | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Alpha-BHC | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Beta-BHC | ND | | ug/l | 0.020 | 0.006 | 1 | A |
| Heptachlor | ND | | ug/l | 0.020 | 0.003 | 1 | A |
| Aldrin | ND | | ug/l | 0.020 | 0.002 | 1 | A |
| Heptachlor epoxide | ND | | ug/l | 0.020 | 0.004 | 1 | A |
| Endrin | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| Endrin aldehyde | ND | | ug/l | 0.040 | 0.008 | 1 | A |
| Endrin ketone | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Dieldrin | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| 4,4'-DDE | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| 4,4'-DDD | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| 4,4'-DDT | ND | | ug/l | 0.040 | 0.004 | 1 | A |
| Endosulfan I | ND | | ug/l | 0.020 | 0.003 | 1 | A |
| Endosulfan II | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Endosulfan sulfate | ND | | ug/l | 0.040 | 0.005 | 1 | A |
| Methoxychlor | ND | | ug/l | 0.200 | 0.007 | 1 | A |
| Toxaphene | ND | | ug/l | 0.200 | 0.063 | 1 | A |
| cis-Chlordane | ND | | ug/l | 0.020 | 0.007 | 1 | A |
| trans-Chlordane | ND | | ug/l | 0.020 | 0.006 | 1 | A |
| Chlordane | ND | | ug/l | 0.200 | 0.046 | 1 | A |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | Column |
|------------------------------|------------|-----------|---------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 115 | | 30-150 | A |
| Decachlorobiphenyl | 107 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 114 | | 30-150 | B |
| Decachlorobiphenyl | 104 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 12/20/17 12:53
Analyst: KEG

Extraction Method: EPA 3510C
Extraction Date: 12/20/17 01:50

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|-------|-------|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 18 Batch: WG1074698-1 | | | | | | |
| Delta-BHC | ND | | ug/l | 0.020 | 0.005 | A |
| Lindane | ND | | ug/l | 0.020 | 0.004 | A |
| Alpha-BHC | ND | | ug/l | 0.020 | 0.004 | A |
| Beta-BHC | ND | | ug/l | 0.020 | 0.006 | A |
| Heptachlor | ND | | ug/l | 0.020 | 0.003 | A |
| Aldrin | ND | | ug/l | 0.020 | 0.002 | A |
| Heptachlor epoxide | ND | | ug/l | 0.020 | 0.004 | A |
| Endrin | ND | | ug/l | 0.040 | 0.004 | A |
| Endrin aldehyde | ND | | ug/l | 0.040 | 0.008 | A |
| Endrin ketone | ND | | ug/l | 0.040 | 0.005 | A |
| Dieldrin | ND | | ug/l | 0.040 | 0.004 | A |
| 4,4'-DDE | ND | | ug/l | 0.040 | 0.004 | A |
| 4,4'-DDD | ND | | ug/l | 0.040 | 0.005 | A |
| 4,4'-DDT | ND | | ug/l | 0.040 | 0.004 | A |
| Endosulfan I | ND | | ug/l | 0.020 | 0.003 | A |
| Endosulfan II | ND | | ug/l | 0.040 | 0.005 | A |
| Endosulfan sulfate | ND | | ug/l | 0.040 | 0.005 | A |
| Methoxychlor | ND | | ug/l | 0.200 | 0.007 | A |
| Toxaphene | ND | | ug/l | 0.200 | 0.063 | A |
| cis-Chlordane | ND | | ug/l | 0.020 | 0.007 | A |
| trans-Chlordane | ND | | ug/l | 0.020 | 0.006 | A |
| Chlordane | ND | | ug/l | 0.200 | 0.046 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
 Analytical Date: 12/20/17 12:53
 Analyst: KEG

Extraction Method: EPA 3510C
 Extraction Date: 12/20/17 01:50

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|--|--------|-----------|-------|----|-----|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 18 Batch: WG1074698-1 | | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance | |
|------------------------------|-----------|-----------|------------|--------|
| | | | Criteria | Column |
| 2,4,5,6-Tetrachloro-m-xylene | 94 | | 30-150 | A |
| Decachlorobiphenyl | 118 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 96 | | 30-150 | B |
| Decachlorobiphenyl | 107 | | 30-150 | B |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 12/22/17 14:18
Analyst: KEG

Extraction Method: EPA 3546
Extraction Date: 12/21/17 07:54
Cleanup Method: EPA 3620B
Cleanup Date: 12/22/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|-------|-------|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-13 Batch: WG1075287-1 | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.56 | 0.305 | A |
| Lindane | ND | | ug/kg | 0.650 | 0.290 | A |
| Alpha-BHC | ND | | ug/kg | 0.650 | 0.184 | A |
| Beta-BHC | ND | | ug/kg | 1.56 | 0.591 | A |
| Heptachlor | ND | | ug/kg | 0.780 | 0.350 | A |
| Aldrin | ND | | ug/kg | 1.56 | 0.549 | A |
| Heptachlor epoxide | ND | | ug/kg | 2.92 | 0.877 | A |
| Endrin | ND | | ug/kg | 0.650 | 0.266 | A |
| Endrin aldehyde | ND | | ug/kg | 1.95 | 0.682 | A |
| Endrin ketone | ND | | ug/kg | 1.56 | 0.402 | A |
| Dieldrin | ND | | ug/kg | 0.975 | 0.487 | A |
| 4,4'-DDE | ND | | ug/kg | 1.56 | 0.361 | A |
| 4,4'-DDD | ND | | ug/kg | 1.56 | 0.556 | A |
| 4,4'-DDT | ND | | ug/kg | 2.92 | 1.25 | A |
| Endosulfan I | ND | | ug/kg | 1.56 | 0.368 | A |
| Endosulfan II | ND | | ug/kg | 1.56 | 0.521 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.650 | 0.309 | A |
| Methoxychlor | ND | | ug/kg | 2.92 | 0.910 | A |
| Toxaphene | ND | | ug/kg | 29.2 | 8.19 | A |
| cis-Chlordane | ND | | ug/kg | 1.95 | 0.543 | A |
| trans-Chlordane | ND | | ug/kg | 1.95 | 0.515 | A |
| Chlordane | ND | | ug/kg | 12.7 | 5.16 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081B
 Analytical Date: 12/22/17 14:18
 Analyst: KEG

Extraction Method: EPA 3546
 Extraction Date: 12/21/17 07:54
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/22/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|----|-----|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-13 Batch: WG1075287-1 | | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance | |
|------------------------------|-----------|-----------|------------|--------|
| | | | Criteria | Column |
| 2,4,5,6-Tetrachloro-m-xylene | 92 | | 30-150 | B |
| Decachlorobiphenyl | 103 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 107 | | 30-150 | A |
| Decachlorobiphenyl | 115 | | 30-150 | A |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 12/24/17 16:27
Analyst: JW

Extraction Method: EPA 3546
Extraction Date: 12/21/17 22:46
Cleanup Method: EPA 3620B
Cleanup Date: 12/23/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|-------|-------|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 14-17 Batch: WG1075638-1 | | | | | | |
| Delta-BHC | ND | | ug/kg | 1.57 | 0.307 | A |
| Lindane | ND | | ug/kg | 0.653 | 0.292 | A |
| Alpha-BHC | ND | | ug/kg | 0.653 | 0.185 | A |
| Beta-BHC | ND | | ug/kg | 1.57 | 0.594 | A |
| Heptachlor | ND | | ug/kg | 0.783 | 0.351 | A |
| Aldrin | ND | | ug/kg | 1.57 | 0.552 | A |
| Heptachlor epoxide | ND | | ug/kg | 2.94 | 0.881 | A |
| Endrin | ND | | ug/kg | 0.653 | 0.268 | A |
| Endrin aldehyde | ND | | ug/kg | 1.96 | 0.685 | A |
| Endrin ketone | ND | | ug/kg | 1.57 | 0.403 | A |
| Dieldrin | ND | | ug/kg | 0.979 | 0.490 | A |
| 4,4'-DDE | ND | | ug/kg | 1.57 | 0.362 | A |
| 4,4'-DDD | ND | | ug/kg | 1.57 | 0.559 | A |
| 4,4'-DDT | ND | | ug/kg | 2.94 | 1.26 | A |
| Endosulfan I | ND | | ug/kg | 1.57 | 0.370 | A |
| Endosulfan II | ND | | ug/kg | 1.57 | 0.523 | A |
| Endosulfan sulfate | ND | | ug/kg | 0.653 | 0.311 | A |
| Methoxychlor | ND | | ug/kg | 2.94 | 0.914 | A |
| Toxaphene | ND | | ug/kg | 29.4 | 8.22 | A |
| cis-Chlordane | ND | | ug/kg | 1.96 | 0.546 | A |
| trans-Chlordane | ND | | ug/kg | 1.96 | 0.517 | A |
| Chlordane | ND | | ug/kg | 12.7 | 5.19 | A |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081B
 Analytical Date: 12/24/17 16:27
 Analyst: JW

Extraction Method: EPA 3546
 Extraction Date: 12/21/17 22:46
 Cleanup Method: EPA 3620B
 Cleanup Date: 12/23/17

| Parameter | Result | Qualifier | Units | RL | MDL | Column |
|---|--------|-----------|-------|----|-----|--------|
| Organochlorine Pesticides by GC - Westborough Lab for sample(s): 14-17 Batch: WG1075638-1 | | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance | |
|------------------------------|-----------|-----------|------------|--------|
| | | | Criteria | Column |
| 2,4,5,6-Tetrachloro-m-xylene | 96 | | 30-150 | B |
| Decachlorobiphenyl | 92 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 101 | | 30-150 | A |
| Decachlorobiphenyl | 82 | | 30-150 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 18 Batch: WG1074698-2 WG1074698-3 | | | | | | | | | |
| Delta-BHC | 115 | | 117 | | 30-150 | 2 | | 20 | A |
| Lindane | 109 | | 109 | | 30-150 | 0 | | 20 | A |
| Alpha-BHC | 109 | | 110 | | 30-150 | 1 | | 20 | A |
| Beta-BHC | 114 | | 114 | | 30-150 | 0 | | 20 | A |
| Heptachlor | 103 | | 105 | | 30-150 | 2 | | 20 | A |
| Aldrin | 109 | | 110 | | 30-150 | 1 | | 20 | A |
| Heptachlor epoxide | 119 | | 123 | | 30-150 | 3 | | 20 | A |
| Endrin | 110 | | 116 | | 30-150 | 5 | | 20 | A |
| Endrin aldehyde | 111 | | 111 | | 30-150 | 0 | | 20 | A |
| Endrin ketone | 123 | | 124 | | 30-150 | 1 | | 20 | A |
| Dieldrin | 120 | | 120 | | 30-150 | 0 | | 20 | A |
| 4,4'-DDE | 112 | | 115 | | 30-150 | 3 | | 20 | A |
| 4,4'-DDD | 110 | | 112 | | 30-150 | 2 | | 20 | A |
| 4,4'-DDT | 112 | | 112 | | 30-150 | 0 | | 20 | A |
| Endosulfan I | 116 | | 118 | | 30-150 | 2 | | 20 | A |
| Endosulfan II | 115 | | 119 | | 30-150 | 3 | | 20 | A |
| Endosulfan sulfate | 119 | | 124 | | 30-150 | 4 | | 20 | A |
| Methoxychlor | 117 | | 126 | | 30-150 | 7 | | 20 | A |
| cis-Chlordane | 112 | | 116 | | 30-150 | 4 | | 20 | A |
| trans-Chlordane | 117 | | 118 | | 30-150 | 1 | | 20 | A |

Lab Control Sample Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>%Recovery</i> Limits | <i>RPD</i> | <i>Qual</i> | <i>RPD</i> Limits |
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|
|-----------|-------------------------|-------------|--------------------------|-------------|----------------------------|------------|-------------|----------------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 18 Batch: WG1074698-2 WG1074698-3

| <i>Surrogate</i> | <i>LCS</i> %Recovery | <i>Qual</i> | <i>LCSD</i> %Recovery | <i>Qual</i> | <i>Acceptance</i> Criteria | <i>Column</i> |
|------------------------------|-------------------------|-------------|--------------------------|-------------|-------------------------------|---------------|
| 2,4,5,6-Tetrachloro-m-xylene | 88 | | 89 | | 30-150 | A |
| Decachlorobiphenyl | 99 | | 105 | | 30-150 | A |
| 2,4,5,6-Tetrachloro-m-xylene | 89 | | 91 | | 30-150 | B |
| Decachlorobiphenyl | 91 | | 97 | | 30-150 | B |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-13 Batch: WG1075287-2 WG1075287-3 | | | | | | | | | |
| Delta-BHC | 107 | | 127 | | 30-150 | 17 | | 30 | A |
| Lindane | 98 | | 114 | | 30-150 | 15 | | 30 | A |
| Alpha-BHC | 105 | | 124 | | 30-150 | 17 | | 30 | A |
| Beta-BHC | 100 | | 117 | | 30-150 | 16 | | 30 | A |
| Heptachlor | 106 | | 123 | | 30-150 | 15 | | 30 | A |
| Aldrin | 100 | | 116 | | 30-150 | 15 | | 30 | A |
| Heptachlor epoxide | 103 | | 120 | | 30-150 | 15 | | 30 | A |
| Endrin | 104 | | 122 | | 30-150 | 16 | | 30 | A |
| Endrin aldehyde | 102 | | 115 | | 30-150 | 12 | | 30 | A |
| Endrin ketone | 113 | | 130 | | 30-150 | 14 | | 30 | A |
| Dieldrin | 114 | | 131 | | 30-150 | 14 | | 30 | A |
| 4,4'-DDE | 102 | | 119 | | 30-150 | 15 | | 30 | A |
| 4,4'-DDD | 102 | | 117 | | 30-150 | 14 | | 30 | A |
| 4,4'-DDT | 116 | | 136 | | 30-150 | 16 | | 30 | A |
| Endosulfan I | 102 | | 118 | | 30-150 | 15 | | 30 | A |
| Endosulfan II | 106 | | 123 | | 30-150 | 15 | | 30 | A |
| Endosulfan sulfate | 81 | | 90 | | 30-150 | 11 | | 30 | A |
| Methoxychlor | 111 | | 129 | | 30-150 | 15 | | 30 | A |
| cis-Chlordane | 90 | | 102 | | 30-150 | 13 | | 30 | A |
| trans-Chlordane | 84 | | 98 | | 30-150 | 15 | | 30 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-13 Batch: WG1075287-2 WG1075287-3

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 82 | | 96 | | 30-150 | B |
| Decachlorobiphenyl | 87 | | 104 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 105 | | 124 | | 30-150 | A |
| Decachlorobiphenyl | 118 | | 139 | | 30-150 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits | Column |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|--------|
| Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 14-17 Batch: WG1075638-2 WG1075638-3 | | | | | | | | | |
| Delta-BHC | 95 | | 95 | | 30-150 | 0 | | 30 | A |
| Lindane | 92 | | 90 | | 30-150 | 2 | | 30 | A |
| Alpha-BHC | 104 | | 102 | | 30-150 | 2 | | 30 | A |
| Beta-BHC | 91 | | 87 | | 30-150 | 4 | | 30 | A |
| Heptachlor | 99 | | 99 | | 30-150 | 0 | | 30 | A |
| Aldrin | 101 | | 98 | | 30-150 | 3 | | 30 | A |
| Heptachlor epoxide | 83 | | 78 | | 30-150 | 6 | | 30 | A |
| Endrin | 88 | | 86 | | 30-150 | 2 | | 30 | A |
| Endrin aldehyde | 52 | | 56 | | 30-150 | 7 | | 30 | A |
| Endrin ketone | 64 | | 70 | | 30-150 | 9 | | 30 | A |
| Dieldrin | 100 | | 98 | | 30-150 | 2 | | 30 | A |
| 4,4'-DDE | 108 | | 103 | | 30-150 | 5 | | 30 | A |
| 4,4'-DDD | 90 | | 91 | | 30-150 | 1 | | 30 | A |
| 4,4'-DDT | 94 | | 93 | | 30-150 | 1 | | 30 | A |
| Endosulfan I | 95 | | 92 | | 30-150 | 3 | | 30 | A |
| Endosulfan II | 79 | | 82 | | 30-150 | 4 | | 30 | A |
| Endosulfan sulfate | 54 | | 60 | | 30-150 | 11 | | 30 | A |
| Methoxychlor | 70 | | 72 | | 30-150 | 3 | | 30 | A |
| cis-Chlordane | 83 | | 81 | | 30-150 | 2 | | 30 | A |
| trans-Chlordane | 84 | | 78 | | 30-150 | 7 | | 30 | A |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|
|-----------|------------------|------|-------------------|------|---------------------|-----|------|---------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 14-17 Batch: WG1075638-2 WG1075638-3

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria | Column |
|------------------------------|------------------|------|-------------------|------|------------------------|--------|
| 2,4,5,6-Tetrachloro-m-xylene | 93 | | 87 | | 30-150 | B |
| Decachlorobiphenyl | 86 | | 81 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 95 | | 92 | | 30-150 | A |
| Decachlorobiphenyl | 76 | | 72 | | 30-150 | A |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| <i>Parameter</i> | <i>Native Sample</i> | <i>MS Added</i> | <i>MS Found</i> | <i>MS %Recovery</i> | <i>Qual</i> | <i>MSD Found</i> | <i>MSD %Recovery</i> | <i>Qual</i> | <i>Recovery Limits</i> | <i>RPD</i> | <i>Qual</i> | <i>RPD Limits</i> | <i>Column</i> |
|--|----------------------|-----------------|-----------------|---------------------|-------------|------------------|----------------------|-------------|------------------------|------------|-------------|-------------------|---------------|
| Organochlorine Pesticides by GC - Westborough Lab ID: SB006 (0-2) Associated sample(s): 01-13 QC Batch ID: WG1075287-4 WG1075287-5 QC Sample: L1746315-03 Client | | | | | | | | | | | | | |
| Delta-BHC | 1.56J | 37 | 37.0 | 100 | | 39.7 | 106 | | 30-150 | 7 | | 50 | A |
| Lindane | ND | 37 | 34.8 | 94 | | 37.4 | 100 | | 30-150 | 7 | | 50 | A |
| Alpha-BHC | ND | 37 | 38.3 | 104 | | 40.0 | 106 | | 30-150 | 4 | | 50 | A |
| Beta-BHC | ND | 37 | 44.0 | 119 | | 46.0 | 122 | | 30-150 | 4 | | 50 | A |
| Heptachlor | ND | 37 | 27.6 | 75 | | 29.1 | 78 | | 30-150 | 5 | | 50 | A |
| Aldrin | ND | 37 | 35.2 | 95 | | 37.4 | 100 | | 30-150 | 6 | | 50 | A |
| Heptachlor epoxide | ND | 37 | 33.2 | 90 | | 37.5 | 100 | | 30-150 | 12 | | 50 | A |
| Endrin | ND | 37 | 41.6 | 112 | | 42.9 | 114 | | 30-150 | 3 | | 50 | A |
| Endrin aldehyde | ND | 37 | 31.9 | 86 | | 33.4 | 89 | | 30-150 | 5 | | 50 | A |
| Endrin ketone | ND | 37 | 33.8 | 91 | | 37.3 | 99 | | 30-150 | 10 | | 50 | A |
| Dieldrin | ND | 37 | 36.6 | 99 | | 38.8 | 103 | | 30-150 | 6 | | 50 | A |
| 4,4'-DDE | 5.60 | 37 | 36.2 | 83 | | 39.2 | 90 | | 30-150 | 8 | | 50 | A |
| 4,4'-DDD | 8.75 | 37 | 40.9 | 87 | | 42.5 | 90 | | 30-150 | 4 | | 50 | B |
| 4,4'-DDT | ND | 37 | 39.2 | 106 | | 44.1 | 117 | | 30-150 | 12 | | 50 | A |
| Endosulfan I | ND | 37 | 34.9 | 94 | | 37.7 | 100 | | 30-150 | 8 | | 50 | A |
| Endosulfan II | ND | 37 | 34.2 | 93 | | 38.5 | 103 | | 30-150 | 12 | | 50 | A |
| Endosulfan sulfate | ND | 37 | 30.1 | 81 | | 31.6 | 84 | | 30-150 | 5 | | 50 | A |
| Methoxychlor | ND | 37 | 35.1 | 95 | | 37.1 | 99 | | 30-150 | 6 | | 50 | A |
| cis-Chlordane | 1.10J | 37 | 36.8 | 100 | | 35.2 | 94 | | 30-150 | 4 | | 50 | A |
| trans-Chlordane | 0.910J | 37 | 31.3 | 85 | | 30.0 | 80 | | 30-150 | 4 | | 50 | B |

Matrix Spike Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|
|------------------|--------------------------|---------------------|---------------------|-------------------------|-------------|----------------------|--------------------------|-------------|----------------------------|------------|-------------|-----------------------|

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1075287-4 WG1075287-5 QC Sample: L1746315-03 Client ID: SB006 (0-2)

| Surrogate | MS | | MSD | | Acceptance Criteria | Column |
|------------------------------|-------------------|------------------|-------------------|------------------|--------------------------------|---------------|
| | % Recovery | Qualifier | % Recovery | Qualifier | | |
| 2,4,5,6-Tetrachloro-m-xylene | 113 | | 116 | | 30-150 | B |
| Decachlorobiphenyl | 141 | | 138 | | 30-150 | B |
| 2,4,5,6-Tetrachloro-m-xylene | 102 | | 102 | | 30-150 | A |
| Decachlorobiphenyl | 148 | | 147 | | 30-150 | A |

METALS

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
 Client ID: SB005 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 12/14/17 09:30
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 2090 | | mg/kg | 8.98 | 2.42 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Antimony, Total | 0.359 | J | mg/kg | 4.49 | 0.341 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 6.40 | | mg/kg | 0.898 | 0.187 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Barium, Total | 123 | | mg/kg | 0.898 | 0.156 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Beryllium, Total | 0.242 | J | mg/kg | 0.449 | 0.030 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Cadmium, Total | 0.171 | J | mg/kg | 0.898 | 0.088 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Calcium, Total | 1680 | | mg/kg | 8.98 | 3.14 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Chromium, Total | 4.54 | | mg/kg | 0.898 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Cobalt, Total | 2.75 | | mg/kg | 1.80 | 0.149 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Copper, Total | 28.4 | | mg/kg | 0.898 | 0.232 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Iron, Total | 3060 | | mg/kg | 4.49 | 0.811 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 34.9 | | mg/kg | 4.49 | 0.241 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Magnesium, Total | 238 | | mg/kg | 8.98 | 1.38 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Manganese, Total | 20.7 | | mg/kg | 0.898 | 0.143 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Mercury, Total | 0.12 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:05 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 8.15 | | mg/kg | 2.24 | 0.217 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Potassium, Total | 187 | J | mg/kg | 224 | 12.9 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Selenium, Total | 0.260 | J | mg/kg | 1.80 | 0.232 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Silver, Total | ND | | mg/kg | 0.898 | 0.254 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Sodium, Total | 89.3 | J | mg/kg | 180 | 2.83 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Thallium, Total | ND | | mg/kg | 1.80 | 0.283 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Vanadium, Total | 11.8 | | mg/kg | 0.898 | 0.182 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |
| Zinc, Total | 126 | | mg/kg | 4.49 | 0.263 | 2 | 12/21/17 22:23 | 12/22/17 16:46 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 84%

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 12200 | | mg/kg | 9.41 | 2.54 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Antimony, Total | ND | | mg/kg | 4.70 | 0.358 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 2.99 | | mg/kg | 0.941 | 0.196 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Barium, Total | 39.5 | | mg/kg | 0.941 | 0.164 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Beryllium, Total | 0.254 | J | mg/kg | 0.470 | 0.031 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Cadmium, Total | ND | | mg/kg | 0.941 | 0.092 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Calcium, Total | 1200 | | mg/kg | 9.41 | 3.29 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Chromium, Total | 19.4 | | mg/kg | 0.941 | 0.090 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Cobalt, Total | 5.98 | | mg/kg | 1.88 | 0.156 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Copper, Total | 13.6 | | mg/kg | 0.941 | 0.243 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Iron, Total | 14700 | | mg/kg | 4.70 | 0.850 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 11.6 | | mg/kg | 4.70 | 0.252 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Magnesium, Total | 2690 | | mg/kg | 9.41 | 1.45 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Manganese, Total | 172 | | mg/kg | 0.941 | 0.150 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Mercury, Total | ND | | mg/kg | 0.08 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:07 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 11.2 | | mg/kg | 2.35 | 0.228 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Potassium, Total | 476 | | mg/kg | 235 | 13.6 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Selenium, Total | 0.499 | J | mg/kg | 1.88 | 0.243 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Silver, Total | ND | | mg/kg | 0.941 | 0.266 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Sodium, Total | 9.64 | J | mg/kg | 188 | 2.96 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Thallium, Total | ND | | mg/kg | 1.88 | 0.296 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Vanadium, Total | 32.4 | | mg/kg | 0.941 | 0.191 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |
| Zinc, Total | 34.9 | | mg/kg | 4.70 | 0.276 | 2 | 12/21/17 22:23 | 12/22/17 16:51 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 87%

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 10800 | | mg/kg | 8.68 | 2.34 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 2.29 | J | mg/kg | 4.34 | 0.330 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 5.22 | | mg/kg | 0.868 | 0.181 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 225 | | mg/kg | 0.868 | 0.151 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.486 | | mg/kg | 0.434 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 0.799 | J | mg/kg | 0.868 | 0.085 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 2790 | | mg/kg | 8.68 | 3.04 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 24.9 | | mg/kg | 0.868 | 0.083 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 8.17 | | mg/kg | 1.74 | 0.144 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 84.5 | | mg/kg | 0.868 | 0.224 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 20800 | | mg/kg | 4.34 | 0.784 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 420 | | mg/kg | 4.34 | 0.233 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 2910 | | mg/kg | 8.68 | 1.34 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 681 | | mg/kg | 0.868 | 0.138 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.45 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 18:55 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 15.0 | | mg/kg | 2.17 | 0.210 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1050 | | mg/kg | 217 | 12.5 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 1.02 | J | mg/kg | 1.74 | 0.224 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.868 | 0.246 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 38.1 | J | mg/kg | 174 | 2.74 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.74 | 0.274 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 32.5 | | mg/kg | 0.868 | 0.176 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 378 | | mg/kg | 4.34 | 0.254 | 2 | 12/21/17 22:23 | 12/22/17 18:17 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 10600 | | mg/kg | 8.99 | 2.43 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Antimony, Total | 0.387 | J | mg/kg | 4.50 | 0.342 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 1.79 | | mg/kg | 0.899 | 0.187 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Barium, Total | 76.6 | | mg/kg | 0.899 | 0.156 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Beryllium, Total | 0.683 | | mg/kg | 0.450 | 0.030 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Cadmium, Total | 0.126 | J | mg/kg | 0.899 | 0.088 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Calcium, Total | 1520 | | mg/kg | 8.99 | 3.15 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Chromium, Total | 25.8 | | mg/kg | 0.899 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Cobalt, Total | 11.7 | | mg/kg | 1.80 | 0.149 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Copper, Total | 22.8 | | mg/kg | 0.899 | 0.232 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Iron, Total | 21300 | | mg/kg | 4.50 | 0.812 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 9.41 | | mg/kg | 4.50 | 0.241 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Magnesium, Total | 4580 | | mg/kg | 8.99 | 1.38 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Manganese, Total | 552 | | mg/kg | 0.899 | 0.143 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Mercury, Total | 0.02 | J | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:09 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 17.9 | | mg/kg | 2.25 | 0.218 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Potassium, Total | 1700 | | mg/kg | 225 | 12.9 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Selenium, Total | 0.558 | J | mg/kg | 1.80 | 0.232 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Silver, Total | ND | | mg/kg | 0.899 | 0.254 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Sodium, Total | 59.3 | J | mg/kg | 180 | 2.83 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Thallium, Total | ND | | mg/kg | 1.80 | 0.283 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Vanadium, Total | 35.1 | | mg/kg | 0.899 | 0.182 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |
| Zinc, Total | 58.9 | | mg/kg | 4.50 | 0.263 | 2 | 12/21/17 22:23 | 12/22/17 16:56 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 86%

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 4750 | | mg/kg | 9.12 | 2.46 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Antimony, Total | 6.50 | | mg/kg | 4.56 | 0.346 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 19.6 | | mg/kg | 0.912 | 0.190 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Barium, Total | 160 | | mg/kg | 0.912 | 0.159 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Beryllium, Total | 1.50 | | mg/kg | 0.456 | 0.030 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Cadmium, Total | 10.7 | | mg/kg | 0.912 | 0.089 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Calcium, Total | 4000 | | mg/kg | 9.12 | 3.19 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Chromium, Total | 79.1 | | mg/kg | 0.912 | 0.088 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Cobalt, Total | 21.8 | | mg/kg | 1.82 | 0.151 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Copper, Total | 263 | | mg/kg | 0.912 | 0.235 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Iron, Total | 36300 | | mg/kg | 4.56 | 0.823 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 385 | | mg/kg | 4.56 | 0.244 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Magnesium, Total | 1000 | | mg/kg | 9.12 | 1.40 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Manganese, Total | 255 | | mg/kg | 0.912 | 0.145 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Mercury, Total | 0.11 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:14 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 109 | | mg/kg | 2.28 | 0.221 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Potassium, Total | 408 | | mg/kg | 228 | 13.1 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Selenium, Total | 2.42 | | mg/kg | 1.82 | 0.235 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Silver, Total | ND | | mg/kg | 0.912 | 0.258 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Sodium, Total | 217 | | mg/kg | 182 | 2.87 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Thallium, Total | ND | | mg/kg | 1.82 | 0.287 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Vanadium, Total | 24.3 | | mg/kg | 0.912 | 0.185 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |
| Zinc, Total | 809 | | mg/kg | 4.56 | 0.267 | 2 | 12/21/17 22:23 | 12/22/17 17:00 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06
 Client ID: SB007 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 89%

Date Collected: 12/14/17 10:05
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 9090 | | mg/kg | 8.60 | 2.32 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Antimony, Total | ND | | mg/kg | 4.30 | 0.327 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 0.740 | J | mg/kg | 0.860 | 0.179 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Barium, Total | 81.0 | | mg/kg | 0.860 | 0.150 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Beryllium, Total | 0.645 | | mg/kg | 0.430 | 0.028 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Cadmium, Total | 0.163 | J | mg/kg | 0.860 | 0.084 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Calcium, Total | 1310 | | mg/kg | 8.60 | 3.01 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Chromium, Total | 23.9 | | mg/kg | 0.860 | 0.083 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Cobalt, Total | 13.7 | | mg/kg | 1.72 | 0.143 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Copper, Total | 22.7 | | mg/kg | 0.860 | 0.222 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Iron, Total | 20800 | | mg/kg | 4.30 | 0.777 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 3.90 | J | mg/kg | 4.30 | 0.230 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Magnesium, Total | 4220 | | mg/kg | 8.60 | 1.32 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Manganese, Total | 628 | | mg/kg | 0.860 | 0.137 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:16 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 18.6 | | mg/kg | 2.15 | 0.208 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Potassium, Total | 2160 | | mg/kg | 215 | 12.4 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Selenium, Total | 0.422 | J | mg/kg | 1.72 | 0.222 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Silver, Total | ND | | mg/kg | 0.860 | 0.243 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Sodium, Total | 31.4 | J | mg/kg | 172 | 2.71 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Thallium, Total | ND | | mg/kg | 1.72 | 0.271 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Vanadium, Total | 33.8 | | mg/kg | 0.860 | 0.175 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |
| Zinc, Total | 50.5 | | mg/kg | 4.30 | 0.252 | 2 | 12/21/17 22:23 | 12/22/17 17:05 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 91%

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 10200 | | mg/kg | 8.66 | 2.34 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 1.63 | J | mg/kg | 4.33 | 0.329 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 2.54 | | mg/kg | 0.866 | 0.180 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 284 | | mg/kg | 0.866 | 0.151 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.442 | | mg/kg | 0.433 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 0.277 | J | mg/kg | 0.866 | 0.085 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 3480 | | mg/kg | 8.66 | 3.03 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 21.1 | | mg/kg | 0.866 | 0.083 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 8.11 | | mg/kg | 1.73 | 0.144 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 40.5 | | mg/kg | 0.866 | 0.223 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 14900 | | mg/kg | 4.33 | 0.782 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 186 | | mg/kg | 4.33 | 0.232 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3350 | | mg/kg | 8.66 | 1.33 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 392 | | mg/kg | 0.866 | 0.138 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.06 | J | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:18 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 14.4 | | mg/kg | 2.16 | 0.210 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1270 | | mg/kg | 216 | 12.5 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.459 | J | mg/kg | 1.73 | 0.223 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.866 | 0.245 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 36.9 | J | mg/kg | 173 | 2.73 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.73 | 0.273 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 27.4 | | mg/kg | 0.866 | 0.176 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 273 | | mg/kg | 4.33 | 0.254 | 2 | 12/21/17 22:23 | 12/22/17 17:10 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08
 Client ID: SB008 (10-12)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 89%

Date Collected: 12/14/17 10:30
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 12200 | | mg/kg | 8.94 | 2.42 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.47 | 0.340 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.680 | J | mg/kg | 0.894 | 0.186 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 58.8 | | mg/kg | 0.894 | 0.156 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.814 | | mg/kg | 0.447 | 0.030 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 0.125 | J | mg/kg | 0.894 | 0.088 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1100 | | mg/kg | 8.94 | 3.13 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 42.8 | | mg/kg | 0.894 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 14.6 | | mg/kg | 1.79 | 0.148 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 25.0 | | mg/kg | 0.894 | 0.231 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 24900 | | mg/kg | 4.47 | 0.808 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 4.28 | J | mg/kg | 4.47 | 0.240 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4920 | | mg/kg | 8.94 | 1.38 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 631 | | mg/kg | 0.894 | 0.142 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:20 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 17.2 | | mg/kg | 2.24 | 0.216 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1760 | | mg/kg | 224 | 12.9 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.572 | J | mg/kg | 1.79 | 0.231 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.894 | 0.253 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 8.58 | J | mg/kg | 179 | 2.82 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.79 | 0.282 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 44.6 | | mg/kg | 0.894 | 0.182 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 68.2 | | mg/kg | 4.47 | 0.262 | 2 | 12/21/17 22:23 | 12/22/17 17:14 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 86%

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 10100 | | mg/kg | 8.89 | 2.40 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 26.3 | J | mg/kg | 44.5 | 3.38 | 20 | 12/21/17 22:23 | 12/26/17 13:28 | EPA 3050B | 1,6010C | PS |
| Arsenic, Total | 6.63 | | mg/kg | 0.889 | 0.185 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 322 | | mg/kg | 0.889 | 0.155 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.427 | J | mg/kg | 0.445 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 1.42 | | mg/kg | 0.889 | 0.087 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 8800 | | mg/kg | 8.89 | 3.11 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 26.1 | | mg/kg | 0.889 | 0.085 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 7.82 | | mg/kg | 1.78 | 0.148 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 120 | | mg/kg | 0.889 | 0.229 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 18700 | | mg/kg | 4.45 | 0.803 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 624 | | mg/kg | 4.45 | 0.238 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 2860 | | mg/kg | 8.89 | 1.37 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 320 | | mg/kg | 0.889 | 0.141 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 1.1 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:21 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 23.6 | | mg/kg | 2.22 | 0.215 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 944 | | mg/kg | 222 | 12.8 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.640 | J | mg/kg | 1.78 | 0.229 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Silver, Total | 2.11 | | mg/kg | 0.889 | 0.252 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 30.4 | J | mg/kg | 178 | 2.80 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.78 | 0.280 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 29.3 | | mg/kg | 0.889 | 0.180 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 714 | | mg/kg | 4.45 | 0.260 | 2 | 12/21/17 22:23 | 12/22/17 18:40 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10
 Client ID: SB009 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 12/14/17 10:55
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 10900 | | mg/kg | 8.80 | 2.37 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 0.387 | J | mg/kg | 4.40 | 0.334 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.686 | J | mg/kg | 0.880 | 0.183 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 67.0 | | mg/kg | 0.880 | 0.153 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.378 | J | mg/kg | 0.440 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.880 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 2680 | | mg/kg | 8.80 | 3.08 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 16.2 | | mg/kg | 0.880 | 0.084 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 21.5 | | mg/kg | 1.76 | 0.146 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 133 | | mg/kg | 0.880 | 0.227 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 23100 | | mg/kg | 4.40 | 0.794 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 6.85 | | mg/kg | 4.40 | 0.236 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 14000 | | mg/kg | 8.80 | 1.35 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 408 | | mg/kg | 0.880 | 0.140 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.12 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:23 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 85.6 | | mg/kg | 2.20 | 0.213 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1300 | | mg/kg | 220 | 12.7 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.554 | J | mg/kg | 1.76 | 0.227 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.880 | 0.249 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 307 | | mg/kg | 176 | 2.77 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.76 | 0.277 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 27.8 | | mg/kg | 0.880 | 0.178 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 51.0 | | mg/kg | 4.40 | 0.258 | 2 | 12/21/17 22:23 | 12/22/17 18:45 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
 Client ID: SB010 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 80%

Date Collected: 12/14/17 11:05
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 19400 | | mg/kg | 10.0 | 2.71 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 9.39 | | mg/kg | 5.02 | 0.382 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 4.96 | | mg/kg | 1.00 | 0.209 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 650 | | mg/kg | 1.00 | 0.175 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 15.8 | | mg/kg | 0.502 | 0.033 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 6.53 | | mg/kg | 1.00 | 0.099 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 17000 | | mg/kg | 10.0 | 3.52 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 668 | | mg/kg | 1.00 | 0.097 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 451 | | mg/kg | 2.01 | 0.167 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 2160 | | mg/kg | 1.00 | 0.259 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 111000 | | mg/kg | 50.2 | 9.08 | 20 | 12/21/17 22:23 | 12/26/17 13:33 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 1770 | | mg/kg | 5.02 | 0.269 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4410 | | mg/kg | 10.0 | 1.55 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 641 | | mg/kg | 1.00 | 0.160 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.09 | | mg/kg | 0.08 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:25 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 1020 | | mg/kg | 2.51 | 0.243 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 1380 | | mg/kg | 251 | 14.5 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 9.68 | | mg/kg | 2.01 | 0.259 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Silver, Total | 1.02 | | mg/kg | 1.00 | 0.284 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 4600 | | mg/kg | 201 | 3.16 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | 2.72 | | mg/kg | 2.01 | 0.316 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 36.8 | | mg/kg | 1.00 | 0.204 | 2 | 12/21/17 22:23 | 12/22/17 19:03 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 8000 | | mg/kg | 50.2 | 2.94 | 20 | 12/21/17 22:23 | 12/26/17 13:33 | EPA 3050B | 1,6010C | PS |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 89%

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 12600 | | mg/kg | 8.79 | 2.37 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.39 | 0.334 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.650 | J | mg/kg | 0.879 | 0.183 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 98.7 | | mg/kg | 0.879 | 0.153 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.545 | | mg/kg | 0.439 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.879 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1160 | | mg/kg | 8.79 | 3.08 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 29.9 | | mg/kg | 0.879 | 0.084 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 17.7 | | mg/kg | 1.76 | 0.146 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 39.7 | | mg/kg | 0.879 | 0.227 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 21400 | | mg/kg | 4.39 | 0.794 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 12.7 | | mg/kg | 4.39 | 0.236 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4840 | | mg/kg | 8.79 | 1.35 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 400 | | mg/kg | 0.879 | 0.140 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:27 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 21.9 | | mg/kg | 2.20 | 0.213 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 5270 | | mg/kg | 220 | 12.6 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.395 | J | mg/kg | 1.76 | 0.227 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.879 | 0.249 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 42.8 | J | mg/kg | 176 | 2.77 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.76 | 0.277 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 38.6 | | mg/kg | 0.879 | 0.178 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 81.9 | | mg/kg | 4.39 | 0.257 | 2 | 12/21/17 22:23 | 12/22/17 19:09 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
 Client ID: SB011 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 89%

Date Collected: 12/14/17 11:20
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 19800 | | mg/kg | 8.48 | 2.29 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 9.42 | | mg/kg | 4.24 | 0.322 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 9.34 | | mg/kg | 0.848 | 0.176 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 418 | | mg/kg | 0.848 | 0.147 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 5.46 | | mg/kg | 0.424 | 0.028 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 4.79 | | mg/kg | 0.848 | 0.083 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 13300 | | mg/kg | 8.48 | 2.97 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 341 | | mg/kg | 0.848 | 0.081 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 111 | | mg/kg | 1.70 | 0.141 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 721 | | mg/kg | 0.848 | 0.219 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 68100 | | mg/kg | 42.4 | 7.65 | 20 | 12/21/17 22:23 | 12/26/17 13:37 | EPA 3050B | 1,6010C | PS |
| Lead, Total | 986 | | mg/kg | 4.24 | 0.227 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3730 | | mg/kg | 8.48 | 1.30 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 358 | | mg/kg | 0.848 | 0.135 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.08 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:29 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 341 | | mg/kg | 2.12 | 0.205 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 3820 | | mg/kg | 212 | 12.2 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 2.34 | | mg/kg | 1.70 | 0.219 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.848 | 0.240 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 1420 | | mg/kg | 170 | 2.67 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | 0.695 | J | mg/kg | 1.70 | 0.267 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 39.6 | | mg/kg | 0.848 | 0.172 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 2110 | | mg/kg | 4.24 | 0.248 | 2 | 12/21/17 22:23 | 12/22/17 19:13 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
 Client ID: SB011 (5-7)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 92%

Date Collected: 12/14/17 11:25
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 11700 | | mg/kg | 8.71 | 2.35 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.36 | 0.331 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.488 | J | mg/kg | 0.871 | 0.181 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 95.1 | | mg/kg | 0.871 | 0.152 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.470 | | mg/kg | 0.436 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | ND | | mg/kg | 0.871 | 0.085 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 1060 | | mg/kg | 8.71 | 3.05 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 20.5 | | mg/kg | 0.871 | 0.084 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 12.7 | | mg/kg | 1.74 | 0.145 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 26.5 | | mg/kg | 0.871 | 0.225 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 18900 | | mg/kg | 4.36 | 0.787 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 4.44 | | mg/kg | 4.36 | 0.234 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4890 | | mg/kg | 8.71 | 1.34 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 329 | | mg/kg | 0.871 | 0.138 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.01 | 1 | 12/21/17 08:10 | 12/21/17 19:31 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 18.8 | | mg/kg | 2.18 | 0.211 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 5660 | | mg/kg | 218 | 12.5 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.488 | J | mg/kg | 1.74 | 0.225 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.871 | 0.247 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 23.8 | J | mg/kg | 174 | 2.74 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.74 | 0.274 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 34.1 | | mg/kg | 0.871 | 0.177 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 49.0 | | mg/kg | 4.36 | 0.255 | 2 | 12/21/17 22:23 | 12/22/17 19:18 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 16600 | | mg/kg | 8.75 | 2.36 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 0.918 | J | mg/kg | 4.37 | 0.332 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 2.80 | | mg/kg | 0.875 | 0.182 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 144 | | mg/kg | 0.875 | 0.152 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.726 | | mg/kg | 0.437 | 0.029 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 0.262 | J | mg/kg | 0.875 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 3590 | | mg/kg | 8.75 | 3.06 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 25.1 | | mg/kg | 0.875 | 0.084 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 9.12 | | mg/kg | 1.75 | 0.145 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 24.4 | | mg/kg | 0.875 | 0.226 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 17300 | | mg/kg | 4.37 | 0.790 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 82.6 | | mg/kg | 4.37 | 0.234 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 3790 | | mg/kg | 8.75 | 1.35 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 604 | | mg/kg | 0.875 | 0.139 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.24 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:36 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 15.7 | | mg/kg | 2.19 | 0.212 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 972 | | mg/kg | 219 | 12.6 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.551 | J | mg/kg | 1.75 | 0.226 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.875 | 0.248 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 85.4 | J | mg/kg | 175 | 2.76 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.75 | 0.276 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 33.5 | | mg/kg | 0.875 | 0.178 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 114 | | mg/kg | 4.37 | 0.256 | 2 | 12/21/17 22:23 | 12/22/17 19:23 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 92%

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 23800 | | mg/kg | 8.24 | 2.22 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | ND | | mg/kg | 4.12 | 0.313 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 0.346 | J | mg/kg | 0.824 | 0.171 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 204 | | mg/kg | 0.824 | 0.143 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.767 | | mg/kg | 0.412 | 0.027 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 0.124 | J | mg/kg | 0.824 | 0.081 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 2140 | | mg/kg | 8.24 | 2.88 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 36.7 | | mg/kg | 0.824 | 0.079 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 28.6 | | mg/kg | 1.65 | 0.137 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 57.1 | | mg/kg | 0.824 | 0.213 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 32200 | | mg/kg | 4.12 | 0.744 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 5.05 | | mg/kg | 4.12 | 0.221 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 12200 | | mg/kg | 8.24 | 1.27 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 579 | | mg/kg | 0.824 | 0.131 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | ND | | mg/kg | 0.07 | 0.01 | 1 | 12/21/17 08:10 | 12/21/17 19:38 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 50.2 | | mg/kg | 2.06 | 0.200 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 12100 | | mg/kg | 206 | 11.9 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 0.717 | J | mg/kg | 1.65 | 0.213 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.824 | 0.233 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 168 | | mg/kg | 165 | 2.60 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.65 | 0.260 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 60.6 | | mg/kg | 0.824 | 0.167 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 117 | | mg/kg | 4.12 | 0.242 | 2 | 12/21/17 22:23 | 12/22/17 19:27 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17
 Client ID: DUP002
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil
 Percent Solids: 87%

Date Collected: 12/14/17 00:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | 12700 | | mg/kg | 8.97 | 2.42 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Antimony, Total | 3.33 | J | mg/kg | 4.49 | 0.341 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Arsenic, Total | 7.20 | | mg/kg | 0.897 | 0.187 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Barium, Total | 428 | | mg/kg | 0.897 | 0.156 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Beryllium, Total | 0.601 | | mg/kg | 0.449 | 0.030 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Cadmium, Total | 1.97 | | mg/kg | 0.897 | 0.088 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Calcium, Total | 7750 | | mg/kg | 8.97 | 3.14 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Chromium, Total | 37.1 | | mg/kg | 0.897 | 0.086 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Cobalt, Total | 12.8 | | mg/kg | 1.79 | 0.149 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Copper, Total | 119 | | mg/kg | 0.897 | 0.231 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Iron, Total | 29500 | | mg/kg | 4.49 | 0.810 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Lead, Total | 477 | | mg/kg | 4.49 | 0.240 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Magnesium, Total | 4300 | | mg/kg | 8.97 | 1.38 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Manganese, Total | 693 | | mg/kg | 0.897 | 0.143 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Mercury, Total | 0.56 | | mg/kg | 0.07 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 19:40 | EPA 7471B | 1,7471B | EA |
| Nickel, Total | 31.8 | | mg/kg | 2.24 | 0.217 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Potassium, Total | 2850 | | mg/kg | 224 | 12.9 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Selenium, Total | 1.02 | J | mg/kg | 1.79 | 0.231 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Silver, Total | ND | | mg/kg | 0.897 | 0.254 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Sodium, Total | 122 | J | mg/kg | 179 | 2.83 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Thallium, Total | ND | | mg/kg | 1.79 | 0.283 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Vanadium, Total | 38.1 | | mg/kg | 0.897 | 0.182 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |
| Zinc, Total | 662 | | mg/kg | 4.49 | 0.263 | 2 | 12/21/17 22:23 | 12/22/17 19:32 | EPA 3050B | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-18
 Client ID: FIELDBLANK002
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Water

Date Collected: 12/14/17 12:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|---------|---------|-----------------|----------------|----------------|-------------|-------------------|---------|
| Total Metals - Mansfield Lab | | | | | | | | | | | |
| Aluminum, Total | ND | | mg/l | 0.100 | 0.032 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Antimony, Total | ND | | mg/l | 0.050 | 0.007 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Arsenic, Total | ND | | mg/l | 0.005 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Barium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Beryllium, Total | ND | | mg/l | 0.005 | 0.001 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Cadmium, Total | ND | | mg/l | 0.005 | 0.001 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Calcium, Total | ND | | mg/l | 0.100 | 0.035 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Chromium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Cobalt, Total | ND | | mg/l | 0.020 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Copper, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Iron, Total | ND | | mg/l | 0.050 | 0.009 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Lead, Total | ND | | mg/l | 0.010 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Magnesium, Total | ND | | mg/l | 0.100 | 0.015 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Manganese, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 12/20/17 16:39 | 12/21/17 21:59 | EPA 7470A | 1,7470A | EA |
| Nickel, Total | ND | | mg/l | 0.025 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Potassium, Total | ND | | mg/l | 2.50 | 0.237 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Selenium, Total | ND | | mg/l | 0.010 | 0.004 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Silver, Total | ND | | mg/l | 0.007 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Sodium, Total | ND | | mg/l | 2.00 | 0.120 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Thallium, Total | ND | | mg/l | 0.020 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Vanadium, Total | ND | | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |
| Zinc, Total | ND | | mg/l | 0.050 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 16:47 | EPA 3005A | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|---------|---------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 18 Batch: WG1075054-1 | | | | | | | | | |
| Mercury, Total | ND | mg/l | 0.00020 | 0.00006 | 1 | 12/20/17 16:39 | 12/21/17 21:50 | 1,7470A | EA |

Prep Information

Digestion Method: EPA 7470A

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|--|------------------|-------|------|------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 01-17 Batch: WG1075214-1 | | | | | | | | | |
| Mercury, Total | ND | mg/kg | 0.08 | 0.02 | 1 | 12/21/17 08:10 | 12/21/17 18:52 | 1,7471B | EA |

Prep Information

Digestion Method: EPA 7471B

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|-------|-------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 18 Batch: WG1075504-1 | | | | | | | | | |
| Aluminum, Total | ND | mg/l | 0.100 | 0.032 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Antimony, Total | ND | mg/l | 0.050 | 0.007 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Arsenic, Total | ND | mg/l | 0.005 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Barium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Beryllium, Total | ND | mg/l | 0.005 | 0.001 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Cadmium, Total | ND | mg/l | 0.005 | 0.001 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Calcium, Total | ND | mg/l | 0.100 | 0.035 | 1 | 12/21/17 15:45 | 12/22/17 16:43 | 1,6010C | AB |
| Chromium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Cobalt, Total | ND | mg/l | 0.020 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Copper, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Iron, Total | ND | mg/l | 0.050 | 0.009 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Lead, Total | ND | mg/l | 0.010 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Magnesium, Total | ND | mg/l | 0.100 | 0.015 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Manganese, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Nickel, Total | ND | mg/l | 0.025 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Potassium, Total | ND | mg/l | 2.50 | 0.237 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

| | | | | | | | | | |
|-----------------|----|------|-------|-------|---|----------------|----------------|---------|----|
| Selenium, Total | ND | mg/l | 0.010 | 0.004 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Silver, Total | ND | mg/l | 0.007 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Sodium, Total | ND | mg/l | 2.00 | 0.120 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Thallium, Total | ND | mg/l | 0.020 | 0.003 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Vanadium, Total | ND | mg/l | 0.010 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |
| Zinc, Total | ND | mg/l | 0.050 | 0.002 | 1 | 12/21/17 15:45 | 12/22/17 14:54 | 1,6010C | AB |

Prep Information

Digestion Method: EPA 3005A

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|---|------------------|-------|-------|-------|-----------------|----------------|----------------|-------------------|---------|
| Total Metals - Mansfield Lab for sample(s): 01-17 Batch: WG1075583-1 | | | | | | | | | |
| Aluminum, Total | ND | mg/kg | 4.00 | 1.08 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Antimony, Total | ND | mg/kg | 2.00 | 0.152 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Arsenic, Total | ND | mg/kg | 0.400 | 0.083 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Barium, Total | ND | mg/kg | 0.400 | 0.070 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Beryllium, Total | ND | mg/kg | 0.200 | 0.013 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Cadmium, Total | ND | mg/kg | 0.400 | 0.039 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Calcium, Total | ND | mg/kg | 4.00 | 1.40 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Chromium, Total | ND | mg/kg | 0.400 | 0.038 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Cobalt, Total | ND | mg/kg | 0.800 | 0.066 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Copper, Total | ND | mg/kg | 0.400 | 0.103 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Iron, Total | ND | mg/kg | 2.00 | 0.361 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Lead, Total | ND | mg/kg | 2.00 | 0.107 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Magnesium, Total | ND | mg/kg | 4.00 | 0.616 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Manganese, Total | ND | mg/kg | 0.400 | 0.064 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Nickel, Total | ND | mg/kg | 1.00 | 0.097 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Potassium, Total | ND | mg/kg | 100 | 5.76 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Selenium, Total | ND | mg/kg | 0.800 | 0.103 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Silver, Total | ND | mg/kg | 0.400 | 0.113 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Sodium, Total | ND | mg/kg | 80.0 | 1.26 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Thallium, Total | ND | mg/kg | 0.800 | 0.126 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Vanadium, Total | ND | mg/kg | 0.400 | 0.081 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |
| Zinc, Total | ND | mg/kg | 2.00 | 0.117 | 1 | 12/21/17 22:23 | 12/22/17 18:07 | 1,6010C | AB |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3050B

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 Batch: WG1075054-2 | | | | | | | | |
| Mercury, Total | 103 | | - | | 80-120 | - | | |
| Total Metals - Mansfield Lab Associated sample(s): 01-17 Batch: WG1075214-2 SRM Lot Number: D098-540 | | | | | | | | |
| Mercury, Total | 117 | | - | | 50-149 | - | | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 Batch: WG1075504-2 | | | | | |
| Aluminum, Total | 102 | - | 80-120 | - | |
| Antimony, Total | 99 | - | 80-120 | - | |
| Arsenic, Total | 103 | - | 80-120 | - | |
| Barium, Total | 98 | - | 80-120 | - | |
| Beryllium, Total | 101 | - | 80-120 | - | |
| Cadmium, Total | 100 | - | 80-120 | - | |
| Calcium, Total | 99 | - | 80-120 | - | |
| Chromium, Total | 98 | - | 80-120 | - | |
| Cobalt, Total | 97 | - | 80-120 | - | |
| Copper, Total | 94 | - | 80-120 | - | |
| Iron, Total | 96 | - | 80-120 | - | |
| Lead, Total | 103 | - | 80-120 | - | |
| Magnesium, Total | 100 | - | 80-120 | - | |
| Manganese, Total | 96 | - | 80-120 | - | |
| Nickel, Total | 97 | - | 80-120 | - | |
| Potassium, Total | 95 | - | 80-120 | - | |
| Selenium, Total | 106 | - | 80-120 | - | |
| Silver, Total | 99 | - | 80-120 | - | |
| Sodium, Total | 96 | - | 80-120 | - | |
| Thallium, Total | 98 | - | 80-120 | - | |
| Vanadium, Total | 98 | - | 80-120 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 Batch: WG1075504-2 | | | | | |
| Zinc, Total | 102 | - | 80-120 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-17 Batch: WG1075583-2 SRM Lot Number: D098-540 | | | | | |
| Aluminum, Total | 74 | - | 47-153 | - | |
| Antimony, Total | 158 | - | 6-194 | - | |
| Arsenic, Total | 99 | - | 83-117 | - | |
| Barium, Total | 95 | - | 82-118 | - | |
| Beryllium, Total | 91 | - | 83-117 | - | |
| Cadmium, Total | 92 | - | 82-117 | - | |
| Calcium, Total | 86 | - | 81-118 | - | |
| Chromium, Total | 94 | - | 83-119 | - | |
| Cobalt, Total | 92 | - | 84-116 | - | |
| Copper, Total | 96 | - | 84-116 | - | |
| Iron, Total | 86 | - | 60-140 | - | |
| Lead, Total | 91 | - | 82-117 | - | |
| Magnesium, Total | 85 | - | 76-124 | - | |
| Manganese, Total | 90 | - | 82-118 | - | |
| Nickel, Total | 91 | - | 82-117 | - | |
| Potassium, Total | 85 | - | 69-131 | - | |
| Selenium, Total | 100 | - | 78-121 | - | |
| Silver, Total | 100 | - | 80-120 | - | |
| Sodium, Total | 88 | - | 74-126 | - | |
| Thallium, Total | 93 | - | 80-119 | - | |
| Vanadium, Total | 97 | - | 79-121 | - | |

Lab Control Sample Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | LCS %Recovery | LCSD %Recovery | %Recovery Limits | RPD | RPD Limits |
|--|------------------|-------------------|---------------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-17 Batch: WG1075583-2 SRM Lot Number: D098-540 | | | | | |
| Zinc, Total | 92 | - | 81-119 | - | |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|---------------|----------|----------|--------------|------|-----------|---------------|------|-----------------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 QC Batch ID: WG1075054-3 QC Sample: L1746804-02 Client ID: MS Sample | | | | | | | | | | | | |
| Mercury, Total | ND | 0.005 | 0.00224 | 45 | Q | - | - | | 75-125 | - | | 20 |
| Total Metals - Mansfield Lab Associated sample(s): 01-17 QC Batch ID: WG1075214-3 WG1075214-4 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| Mercury, Total | 0.45 | 0.145 | 0.68 | 159 | Q | 0.59 | 95 | | 80-120 | 14 | | 20 |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|---|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 QC Batch ID: WG1075504-3 QC Sample: L1746277-01 Client ID: MS Sample | | | | | | | | | |
| Aluminum, Total | ND | 2 | 2.08 | 104 | - | - | 75-125 | - | 20 |
| Antimony, Total | ND | 0.5 | 0.512 | 102 | - | - | 75-125 | - | 20 |
| Arsenic, Total | ND | 0.12 | 0.127 | 106 | - | - | 75-125 | - | 20 |
| Barium, Total | 0.002J | 2 | 2.01 | 100 | - | - | 75-125 | - | 20 |
| Beryllium, Total | ND | 0.05 | 0.052 | 104 | - | - | 75-125 | - | 20 |
| Cadmium, Total | ND | 0.051 | 0.053 | 103 | - | - | 75-125 | - | 20 |
| Calcium, Total | 0.561 | 10 | 10.3 | 97 | - | - | 75-125 | - | 20 |
| Chromium, Total | 0.057 | 0.2 | 0.201 | 72 | Q | - | 75-125 | - | 20 |
| Cobalt, Total | 0.002J | 0.5 | 0.498 | 100 | - | - | 75-125 | - | 20 |
| Copper, Total | 0.195 | 0.25 | 0.277 | 33 | Q | - | 75-125 | - | 20 |
| Iron, Total | 0.201 | 1 | 1.06 | 86 | - | - | 75-125 | - | 20 |
| Lead, Total | 0.004J | 0.51 | 0.538 | 105 | - | - | 75-125 | - | 20 |
| Magnesium, Total | 0.027J | 10 | 10.2 | 102 | - | - | 75-125 | - | 20 |
| Manganese, Total | 0.007J | 0.5 | 0.493 | 99 | - | - | 75-125 | - | 20 |
| Nickel, Total | 0.177 | 0.5 | 0.646 | 94 | - | - | 75-125 | - | 20 |
| Potassium, Total | ND | 10 | 9.67 | 97 | - | - | 75-125 | - | 20 |
| Selenium, Total | ND | 0.12 | 0.131 | 109 | - | - | 75-125 | - | 20 |
| Silver, Total | ND | 0.05 | 0.050 | 100 | - | - | 75-125 | - | 20 |
| Sodium, Total | 146. | 10 | 10.7 | 0 | Q | - | 75-125 | - | 20 |
| Thallium, Total | ND | 0.12 | 0.122 | 102 | - | - | 75-125 | - | 20 |
| Vanadium, Total | ND | 0.5 | 0.497 | 99 | - | - | 75-125 | - | 20 |

Matrix Spike Analysis
Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|---|----------------------|-----------------|-----------------|---------------------|------------------|----------------------|------------------------|------------|-------------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 QC Batch ID: WG1075504-3 QC Sample: L1746277-01 Client ID: MS Sample | | | | | | | | | |
| Zinc, Total | 0.007J | 0.5 | 0.535 | 107 | - | - | 75-125 | - | 20 |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits | | | |
|---|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|----|---|----|
| Total Metals - Mansfield Lab Associated sample(s): 01-17 QC Batch ID: WG1075583-3 WG1075583-4 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | | | | |
| Aluminum, Total | 10800 | 180 | 11800 | 557 | Q | 8200 | 0 | Q | 75-125 | 36 | Q | 20 |
| Antimony, Total | 2.29J | 44.9 | 37.4 | 83 | | 38.4 | 84 | | 75-125 | 3 | | 20 |
| Arsenic, Total | 5.22 | 10.8 | 14.2 | 83 | | 13.4 | 74 | Q | 75-125 | 6 | | 20 |
| Barium, Total | 225. | 180 | 410 | 103 | | 344 | 65 | Q | 75-125 | 18 | | 20 |
| Beryllium, Total | 0.486 | 4.49 | 4.04 | 79 | | 3.96 | 76 | | 75-125 | 2 | | 20 |
| Cadmium, Total | 0.799J | 4.58 | 4.32 | 94 | | 4.21 | 90 | | 75-125 | 3 | | 20 |
| Calcium, Total | 2790 | 898 | 5250 | 274 | Q | 4680 | 207 | Q | 75-125 | 11 | | 20 |
| Chromium, Total | 24.9 | 18 | 39.4 | 81 | | 31.2 | 34 | Q | 75-125 | 23 | Q | 20 |
| Cobalt, Total | 8.17 | 44.9 | 42.1 | 76 | | 41.4 | 73 | Q | 75-125 | 2 | | 20 |
| Copper, Total | 84.5 | 22.4 | 95.6 | 49 | Q | 135 | 221 | Q | 75-125 | 34 | Q | 20 |
| Iron, Total | 20800 | 89.8 | 18500 | 0 | Q | 13700 | 0 | Q | 75-125 | 30 | Q | 20 |
| Lead, Total | 420. | 45.8 | 919 | 1090 | Q | 419 | 0 | Q | 75-125 | 75 | Q | 20 |
| Magnesium, Total | 2910 | 898 | 3870 | 107 | | 3040 | 14 | Q | 75-125 | 24 | Q | 20 |
| Manganese, Total | 681. | 44.9 | 386 | 0 | Q | 316 | 0 | Q | 75-125 | 20 | | 20 |
| Nickel, Total | 15.0 | 44.9 | 49.5 | 77 | | 48.0 | 72 | Q | 75-125 | 3 | | 20 |
| Potassium, Total | 1050 | 898 | 2000 | 106 | | 1900 | 93 | | 75-125 | 5 | | 20 |
| Selenium, Total | 1.02J | 10.8 | 9.60 | 89 | | 9.77 | 89 | | 75-125 | 2 | | 20 |
| Silver, Total | ND | 26.9 | 24.6 | 91 | | 24.6 | 90 | | 75-125 | 0 | | 20 |
| Sodium, Total | 38.1J | 898 | 911 | 101 | | 892 | 98 | | 75-125 | 2 | | 20 |
| Thallium, Total | ND | 10.8 | 7.72 | 72 | Q | 8.30 | 76 | | 75-125 | 7 | | 20 |
| Vanadium, Total | 32.5 | 44.9 | 68.0 | 79 | | 61.1 | 62 | Q | 75-125 | 11 | | 20 |

Matrix Spike Analysis Batch Quality Control

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Found | MSD %Recovery | Recovery Limits | RPD | RPD Limits |
|---|---------------|----------|----------|--------------|-----------|---------------|-----------------|-----|------------|
| Total Metals - Mansfield Lab Associated sample(s): 01-17 QC Batch ID: WG1075583-3 WG1075583-4 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | | | | |
| Zinc, Total | 378. | 44.9 | 432 | 120 | 304 | 0 | Q 75-125 | 35 | Q 20 |

Lab Duplicate Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|--|---------------|------------------|-------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample(s): 18 QC Batch ID: WG1075054-4 QC Sample: L1746804-02 Client ID: DUP Sample | | | | | | |
| Mercury, Total | ND | ND | mg/l | NC | | 20 |
| Total Metals - Mansfield Lab Associated sample(s): 18 QC Batch ID: WG1075504-4 QC Sample: L1746277-01 Client ID: DUP Sample | | | | | | |
| Arsenic, Total | ND | ND | mg/l | NC | | 20 |
| Barium, Total | 0.002J | 0.002J | mg/l | NC | | 20 |
| Cadmium, Total | ND | ND | mg/l | NC | | 20 |
| Chromium, Total | 0.057 | 0.004J | mg/l | NC | | 20 |
| Lead, Total | 0.004J | ND | mg/l | NC | | 20 |
| Selenium, Total | ND | ND | mg/l | NC | | 20 |
| Silver, Total | ND | ND | mg/l | NC | | 20 |

INORGANICS & MISCELLANEOUS

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-01
 Client ID: SB005 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 09:30
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.0 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-02
 Client ID: SB005 (3-5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 09:35
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 83.8 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-03
 Client ID: SB006 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 09:45
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.5 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-04
 Client ID: SB006 (7.5-9.5)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 09:50
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.4 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-05
 Client ID: SB007 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 10:00
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.3 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-06

Date Collected: 12/14/17 10:05

Client ID: SB007 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.6 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-07
 Client ID: SB008 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 10:25
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 90.8 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-08

Date Collected: 12/14/17 10:30

Client ID: SB008 (10-12)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.8 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-09
 Client ID: SB009 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 10:50
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.3 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-10

Date Collected: 12/14/17 10:55

Client ID: SB009 (7-9)

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.2 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-11
 Client ID: SB010 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:05
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 79.6 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-12
 Client ID: SB010 (7-9)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:10
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.9 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-13
 Client ID: SB011 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:20
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.9 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-14
 Client ID: SB011 (5-7)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:25
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 91.8 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-15
 Client ID: SB012 (0-2)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:40
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 88.0 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-16
 Client ID: SB012 (6-8)
 Sample Location: 718 E. 212TH STREET, BRONX, NY
 Matrix: Soil

Date Collected: 12/14/17 11:45
 Date Received: 12/14/17
 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 92.1 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

SAMPLE RESULTS

Lab ID: L1746315-17

Date Collected: 12/14/17 00:00

Client ID: DUP002

Date Received: 12/14/17

Sample Location: 718 E. 212TH STREET, BRONX, NY

Field Prep: Not Specified

Matrix: Soil

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|-------------------------------------|--------|-----------|-------|-------|-----|-----------------|---------------|----------------|-------------------|---------|
| General Chemistry - Westborough Lab | | | | | | | | | | |
| Solids, Total | 86.8 | | % | 0.100 | NA | 1 | - | 12/20/17 12:53 | 121,2540G | RI |



Lab Duplicate Analysis

Batch Quality Control

Project Name: BBU1702

Project Number: BBU1702

Lab Number: L1746315

Report Date: 12/26/17

| Parameter | Native Sample | Duplicate Sample | Units | RPD | Qual | RPD Limits |
|--|---------------|------------------|-------|-----|------|------------|
| General Chemistry - Westborough Lab Associated sample(s): 01-17 QC Batch ID: WG1074892-1 QC Sample: L1746315-03 Client ID: SB006 (0-2) | | | | | | |
| Solids, Total | 86.5 | 86.0 | % | 1 | | 20 |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

| Cooler | Custody Seal |
|--------|--------------|
| A | Absent |
| B | Absent |
| C | Absent |

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1746315-01A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-01B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-01C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-01D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-01E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-01F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-02A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-02B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-02C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-02D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-02E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-02F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-03A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-03A1 | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-03A2 | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |

Project Name: BBU1702
Project Number: BBU1702

Serial_No: 12261718:29
Lab Number: L1746315
Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|--|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--|
| L1746315-03B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03B1 | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03B2 | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03C1 | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03C2 | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-03D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-03D1 | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-03D2 | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-03E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-03E1 | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-03E2 | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-03F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-03F1 | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-03F2 | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-04A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-04B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-04C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-04D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1746315-04E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-04F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-05A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-05B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-05C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-05D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-05E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-05F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-06A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-06B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-06C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-06D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-06E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-06F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-07A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260H(14),NYTCL-8260HLW(14) |
| L1746315-07B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260H(14),NYTCL-8260HLW(14) |
| L1746315-07C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260H(14),NYTCL-8260HLW(14) |
| L1746315-07D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1746315-07E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-07F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-08A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-08B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-08C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-08D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-08E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-08F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-09A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-09B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-09C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-09D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |
| L1746315-09E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-09F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-10A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-10B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-10C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-10D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |

Project Name: BBU1702
Project Number: BBU1702

Serial_No: 12261718:29
Lab Number: L1746315
Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|--|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--|
| L1746315-10E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-10F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-11A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-11B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-11C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-11D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |
| L1746315-11E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-11F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-12A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-12B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-12C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-12D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |
| L1746315-12E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-12F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-13A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-13B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-13C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-13D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1746315-13E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-13F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-14A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-14B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-14C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-14D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |
| L1746315-14E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-14F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-15A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-15B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-15C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-15D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |
| L1746315-15E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-15F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-16A | Vial MeOH preserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-16B | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-16C | Vial water preserved | B | NA | | 4.2 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-16D | Plastic 2oz unpreserved for TS | B | NA | | 4.2 | Y | Absent | | TS(7) |

Project Name: BBU1702

Lab Number: L1746315

Project Number: BBU1702

Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|--------------|--|--------|------------|----------|------------|------|--------|------------------|--|
| L1746315-16E | Metals Only-Glass 60mL/2oz unpreserved | B | NA | | 4.2 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-16F | Glass 250ml/8oz unpreserved | B | NA | | 4.2 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-17A | Vial MeOH preserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8260HLW(14) |
| L1746315-17B | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-17C | Vial water preserved | C | NA | | 2.7 | Y | Absent | 15-DEC-17 08:53 | NYTCL-8260HLW(14) |
| L1746315-17D | Plastic 2oz unpreserved for TS | C | NA | | 2.7 | Y | Absent | | TS(7) |
| L1746315-17E | Metals Only-Glass 60mL/2oz unpreserved | C | NA | | 2.7 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-17F | Glass 250ml/8oz unpreserved | C | NA | | 2.7 | Y | Absent | | NYTCL-8270(14),NYTCL-8081(14),NYTCL-8082(14) |
| L1746315-18A | Plastic 250ml HNO3 preserved | A | <2 | <2 | 3.6 | Y | Absent | | BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180) |
| L1746315-18B | Plastic 250ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | HOLD-METAL(180) |
| L1746315-18C | Amber 500ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8081(7) |
| L1746315-18D | Amber 500ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8081(7) |
| L1746315-18E | Amber 1000ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8082-1200ML(7) |
| L1746315-18F | Amber 1000ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8082-1200ML(7) |
| L1746315-18G | Amber 1000ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8270(7) |
| L1746315-18H | Amber 1000ml unpreserved | A | 7 | 7 | 3.6 | Y | Absent | | NYTCL-8270(7) |
| L1746315-18I | Vial HCl preserved | A | NA | | 3.6 | Y | Absent | | NYTCL-8260(14) |
| L1746315-18J | Vial HCl preserved | A | NA | | 3.6 | Y | Absent | | NYTCL-8260(14) |
| L1746315-18K | Vial HCl preserved | A | NA | | 3.6 | Y | Absent | | NYTCL-8260(14) |
| L1746315-18X | Plastic 250ml HNO3 preserved Filtrates | A | NA | | 3.6 | Y | Absent | | HOLD-METAL(180) |

Project Name: BBU1702

Project Number: BBU1702

Serial_No:12261718:29

Lab Number: L1746315

Report Date: 12/26/17

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-----------------------|---------------------|-----------------------|-------------|-------------|-----------------------------|--------------------|
| L1746315-19A | Vial HCl preserved | A | NA | | 3.6 | Y | Absent | | NYTCL-8260(14) |
| L1746315-19B | Vial HCl preserved | A | NA | | 3.6 | Y | Absent | | NYTCL-8260(14) |

Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

GLOSSARY

Acronyms

| | |
|----------|---|
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: DU Report with 'J' Qualifiers



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: BBU1702
Project Number: BBU1702

Lab Number: L1746315
Report Date: 12/26/17

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water


EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.


EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.



EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

|  NEW YORK CHAIN OF CUSTODY | Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105 | Page 1 of 3 | Date Rec'd in Lab 12/15/17 | ALPHA Job # 1796315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|----------------------------------|---|-----------|--|--------------------|--|--------------------|------------|-------------|-------------------|-------------|-------------------------|--------------|------------|-------------|-------------------|-------------|-------------------------|--------------|---|----|---|---|---|---|---|--|----|------------|--|------|--|--|--|--|--|--|--|--|----|------------|--|------|--|--|--|--|--|--|--|--|----|---------------|--|--|--|--|--|--|--|--|--|--|----|----------------|--|--|--|--|--|--|--|--|--|--|----|----------------|--|------|--|--|--|--|--|--|--|--|----|------------|--|------|--|--|--|--|--|--|--|--|----|------------|--|------|--|--|--|--|--|--|--|--|----|------------|--|------|--|--|--|--|--|--|--|--|----|--------------|--|------|--|--|--|--|--|--|--|--|--------------------------|
| | Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3289 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Information Project Name: Project Location: 718 E. 212th Street, Bronx, NY Project # BBU1702 (Use Project name as Project #) <input checked="" type="checkbox"/> | | Deliverables <input checked="" type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other | | Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Client Information Client: PWGC Address: 630 Johnson Ave Bohemia, NY 11716 Phone: 631-589-6353 Fax: _____ Email: thomas@pwgrosser.com | | Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge | | Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| These samples have been previously analyzed by Alpha <input type="checkbox"/> Other project specific requirements/comments: | | ANALYSIS | | Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Please specify Metals or TAL. | | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th rowspan="2">VOC (8260)</th> <th rowspan="2">SVOC (8270)</th> <th rowspan="2">Pesticides (8081)</th> <th rowspan="2">PCBs (8082)</th> <th rowspan="2">TAL Metals (6010, 7471)</th> <th rowspan="2">Total Bottle</th> </tr> <tr> <th>Date</th> <th>Time</th> </tr> <tr> <td>16315-01</td> <td>SB005(0-2)</td> <td>12-14-17</td> <td>0930</td> <td>S</td> <td>KC</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>02</td> <td>SB005(3-5)</td> <td></td> <td>0935</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>03</td> <td>SB006(0-2)</td> <td></td> <td>0945</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>03</td> <td>SB006(0-2) MS</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>03</td> <td>SB006(0-2) MSN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>04</td> <td>SB006(7.5-9.5)</td> <td></td> <td>0950</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>05</td> <td>SB007(0-2)</td> <td></td> <td>1000</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>06</td> <td>SB007(7-9)</td> <td></td> <td>1005</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>07</td> <td>SB008(0-2)</td> <td></td> <td>1025</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>08</td> <td>SB008(10-12)</td> <td></td> <td>1030</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCBs (8082) | TAL Metals (6010, 7471) | Total Bottle | Date | Time | 16315-01 | SB005(0-2) | 12-14-17 | 0930 | S | KC | X | X | X | X | X | | 02 | SB005(3-5) | | 0935 | | | | | | | | | 03 | SB006(0-2) | | 0945 | | | | | | | | | 03 | SB006(0-2) MS | | | | | | | | | | | 03 | SB006(0-2) MSN | | | | | | | | | | | 04 | SB006(7.5-9.5) | | 0950 | | | | | | | | | 05 | SB007(0-2) | | 1000 | | | | | | | | | 06 | SB007(7-9) | | 1005 | | | | | | | | | 07 | SB008(0-2) | | 1025 | | | | | | | | | 08 | SB008(10-12) | | 1030 | | | | | | | | | Sample Specific Comments |
| ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | | | Sample Matrix | Sampler's Initials | | | | | | | | | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCBs (8082) | TAL Metals (6010, 7471) | Total Bottle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Date | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16315-01 | SB005(0-2) | 12-14-17 | 0930 | S | KC | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 02 | SB005(3-5) | | 0935 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03 | SB006(0-2) | | 0945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03 | SB006(0-2) MS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03 | SB006(0-2) MSN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 04 | SB006(7.5-9.5) | | 0950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 05 | SB007(0-2) | | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 06 | SB007(7-9) | | 1005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 07 | SB008(0-2) | | 1025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 08 | SB008(10-12) | | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | | Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle | | Westboro: Certification No: MA935 Mansfield: Certification No: MA015 | | Container Type: O A A A A Preservative: O A A A A | | Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished By: [Signature] Date/Time: 12/14 2017 0300 | | Received By: [Signature] Date/Time: 12/14 1702 | | Relinquished By: [Signature] Date/Time: 12/15/17 0300 | | Received By: [Signature] Date/Time: 12/15/17 0300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288 | Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105 | Page 2 of 3 | Date Rec'd in Lab 12/15/17 | ALPHA Job # L1746315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|----------------|---|-------------------------|---|-------------|-------------------|------------|-------------------|--------------------|--------------------|--------------------------|--|--|--|--------------------------|------|------|------------|-------------|-------------------|------------|-------------------|----------|-------------|----------|------|---|----|---|---|---|---|---|--|--------------------|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|-------------|--|------|--|--|--|--|--|--|--|--|----|--------|--|----|--|--|--|--|--|--|--|--|----|----------------|--|------|----|--|--|--|--|--|--|--|
| | | Project Information Project Name: _____ Project Location: 718 E. 212th St, Bronx, NY Project # BBU1702 (Use Project name as Project #) <input checked="" type="checkbox"/> | | Deliverables <input checked="" type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other | | Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Client Information Client: PWC Address: 630 Johnson Ave Bohemia, NY 11716 Phone: 631-584-6353 Fax: _____ Email: thomas.m@pwcrosser.com | | Project Manager: Thomas Melia ALPHAQuote #: _____ Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: _____ Rush (only if pre approved) <input type="checkbox"/> # of Days: _____ | | Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge | | Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| These samples have been previously analyzed by Alpha <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other project specific requirements/comments: _____ _____ Please specify Metals or TAL. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANALYSIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th colspan="5"></th> <th rowspan="2">Sample Specific Comments</th> </tr> <tr> <th>Date</th> <th>Time</th> <th>VOC (8260)</th> <th>SVOC (8270)</th> <th>Pesticides (8081)</th> <th>PCB (8082)</th> <th>TAL Metals (7471)</th> </tr> </thead> <tbody> <tr> <td>46315-09</td> <td>SB009 (0-2)</td> <td>12-14-17</td> <td>1050</td> <td>S</td> <td>KC</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td rowspan="18" style="text-align: center; vertical-align: middle;"> Total Bottles 6 </td> </tr> <tr> <td>10</td> <td>SB009 (7-9)</td> <td></td> <td>1055</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td>SB010 (0-2)</td> <td></td> <td>1105</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>SB010 (7-9)</td> <td></td> <td>1110</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>SB011 (0-2)</td> <td></td> <td>1120</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td>SB011 (5-7)</td> <td></td> <td>1125</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td>SB012 (0-2)</td> <td></td> <td>1140</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>SB012 (6-8)</td> <td></td> <td>1145</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td>DUP002</td> <td></td> <td>XX</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td>Field Blank002</td> <td></td> <td>1200</td> <td>WT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | | | | | | Sample Specific Comments | Date | Time | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCB (8082) | TAL Metals (7471) | 46315-09 | SB009 (0-2) | 12-14-17 | 1050 | S | KC | X | X | X | X | X | | Total Bottles 6 | 10 | SB009 (7-9) | | 1055 | | | | | | | | | 11 | SB010 (0-2) | | 1105 | | | | | | | | | 12 | SB010 (7-9) | | 1110 | | | | | | | | | 13 | SB011 (0-2) | | 1120 | | | | | | | | | 14 | SB011 (5-7) | | 1125 | | | | | | | | | 15 | SB012 (0-2) | | 1140 | | | | | | | | | 16 | SB012 (6-8) | | 1145 | | | | | | | | | 17 | DUP002 | | XX | | | | | | | | | 18 | Field Blank002 | | 1200 | WT | | | | | | | |
| ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | | | | | | | | Sample Specific Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Date | Time | | | VOC (8260) | SVOC (8270) | Pesticides (8081) | PCB (8082) | TAL Metals (7471) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46315-09 | SB009 (0-2) | 12-14-17 | 1050 | S | KC | X | X | X | X | X | | Total Bottles 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | SB009 (7-9) | | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | SB010 (0-2) | | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | SB010 (7-9) | | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | SB011 (0-2) | | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 | SB011 (5-7) | | 1125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | SB012 (0-2) | | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | SB012 (6-8) | | 1145 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | DUP002 | | XX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18 | Field Blank002 | | 1200 | WT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | | Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle | | Westboro: Certification No: MA935 Mansfield: Certification No: MA015 | | Container Type: O A A A A Preservative: O A A A A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished By: <i>[Signature]</i> Date/Time: 12/14 2054 3 10/15 6300 | | Received By: <i>[Signature]</i> Date/Time: 12/14 1702 2300 12/15/17 0300 | | Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|--|---|-----------------------|---|-------------------------------|---|--|--|--|--------------|--|
|  NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | NEW YORK CHAIN OF CUSTODY Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288 | Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105 | Page 3 of 3 | Date Rec'd in Lab 12/15/17 | ALPHA Job # U746315 | | | | | | |
| | | Project Information Project Name: _____ Project Location: 718 E. 212th St, Bronx, NY Project # BBU1702 (Use Project name as Project #) <input checked="" type="checkbox"/> | | Deliverables <input checked="" type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other | | Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # _____ | | | | | |
| Client Information Client: PWGC Address: 630 Johnson Ave Bohemia, NY 11716 Phone: 631-589-6353 Fax: _____ Email: thomas.mfo@pwgrassers.com | | Project Manager: Thomas Melia ALPHAQuote #: _____ Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: _____ Rush (only if pre approved) <input type="checkbox"/> # of Days: _____ | | Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge | | Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other: _____ | | | | | |
| These samples have been previously analyzed by Alpha <input type="checkbox"/> | | | | | | ANALYSIS | | Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please Specify below) | | Total Bottle | |
| Other project specific requirements/comments: _____ Please specify Metals or TAL. | | | | | | VOC (8260) | | Sample Specific Comments _____ | | | |
| ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | | | | | | |
| | | Date | Time | | | | | | | | |
| 46315 19 | Trip Blank | XX | XX | WT | XX | X | | | | | |
|  | | | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | | Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle | | Westboro: Certification No: MA935 Mansfield: Certification No: MA015 | | Container Type A Preservative V | | Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.) | | | |
| Relinquished By: | | Date/Time | | Received By: | | Date/Time | | | | | |
| <i>Thomas Melia</i> | | 12/14 2014 | | <i>Renek Jakson</i> | | 12/14 1702 | | | | | |
| <i>3/22/15</i> | | 0300 | | <i>Cog</i> | | 2200 | | | | | |
| | | | | | | 12/15/17 0300 | | | | | |




APPENDIX C

DATA USABILITY SUMMARY REPORT

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



LABORATORY DATA CONSULTANTS, INC.

2701 Loker Ave. West, Suite 220, Carlsbad, CA 92010 Bus: 760-827-1100 Fax: 760-827-1099

P.W. Grosser Consulting
630 Johnson Ave, Suite 7
Bohemia, NY 11716
ATTN: Mr. Thomas Melia

September 21, 2018

SUBJECT: Williamsbridge Gardens, Data Usability Summary Report

Dear Mr. Melia,

Enclosed are the final validation reports for the fractions listed below. These SDGs were received on September 7, 2018. Attachment 1 is a summary of the samples that were reviewed for each analysis.

LDC Project #43079:

| <u>SDG #</u> | <u>Fraction</u> |
|--------------------------------|---|
| L1745804, L1745989 L1746315 | Volatiles, Semivolatiles, Chlorinated Pesticides, Polychlorinated Biphenyls, Metals |

The data validation was performed under modified Category B guidelines using quality control summaries provided by the laboratory. The analyses were validated using the following documents, as applicable to each method:

- USEPA Region 2 Standard Operating Procedure for Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry, SOP HW-24, Revision 4; October 2014
- USEPA Region 2 Analysis of Volatile Organic Compounds in Air Contained Canisters, SOP HW-31, Revision 6; September 2016
- USEPA Region 2 Standard Operating Procedure for Semivolatile Data Validation, SOP HW-35A, Revision1; September 2016
- USEPA Region 2 Standard Operating Procedure for Validating Pesticide Compounds, Organochlorine Pesticides by Gas Chromatography SW-846 Method 8081B, SOP HW-44, Revision 1; October 2006
- USEPA Region 2 Standard Operating Procedure for Validating PCB Compounds, PCBs by Gas Chromatography SW-846 Method 8082A, SOP HW-45, Revision 1; October 2006
- USEPA Region 2 Standard Operating Procedure for the Evaluation of Metals for the Contract Laboratory Program, SOP HW-2a/c, Revision 15; December 2012
- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data review, EPA 540-R-2017-002; January 2017
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review; EPA 540-R-2017-001; January 2017

Please feel free to contact us if you have any questions.

Sincerely,

Christina Rink
Project Manager/Senior Chemist

Site: Williamsbridge Gardens
Laboratory: Alpha Analytical, Inc.
Report No.: L1745804
Reviewer: Felomina Tanguilig and Christina Rink/Laboratory Data Consultants for P.W. Grosser Consulting
Date: September 20, 2018

Samples Reviewed and Evaluation Summary

| FIELD ID | LAB ID | FRACTIONS VALIDATED |
|----------------|----------------|---------------------------|
| SB002 (7-9) | L1745804-04 | VOC, SVOC, Pesticide, PCB |
| SB002 (7-9)MS | L1745804-04MS | VOC, SVOC, Pesticide, PCB |
| SB002 (7-9)MSD | L1745804-04MSD | VOC, SVOC, Pesticide, PCB |

Associated QC Samples(s):

Field/Trip Blanks: Trip Blank, Field Blank 001
Field Duplicate pair: None Associated

The above-listed soil samples were collected on December 11, 2017 and were analyzed for volatile organic compounds (VOCs) by SW-846 method 8260C, semivolatile organic compounds (SVOCs) by SW-846 method 8270D, chlorinated pesticides by SW-846 method 8081B, and polychlorinated biphenyls (PCBs) by SW-846 method 8082A. The data validation was performed in accordance with the USEPA Region 2 *Standard Operating Procedure for Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry*, SOP HW-24, Revision 4 (October 2014), the USEPA Region 2 *Standard Operating Procedure for Semivolatile Data Validation*, SOP HW-35A, Revision 1 (September 2016), the USEPA Region 2 *Standard Operating Procedure for Validating Pesticide Compounds, Organochlorine Pesticides by Gas Chromatography SW-846 Method 8081B*, SOP HW-44, Revision 1 (October 2006), the USEPA Region 2 *Standard Operating Procedure for Validating PCB Compounds, PCBs by Gas Chromatography SW-846 Method 8082A*, SOP HW-45, Revision 1 (October 2006), and the USEPA *Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*, EPA 540-R-2017-002 (January 2017), modified as necessary to accommodate the non-CLP methodologies used.

The organic data were evaluated based on the following parameters:

- Data Completeness
- Holding Times and Sample Preservation
- Gas Chromatography/Mass Spectrometry (GC/MS) Tunes
- GC/Electron Capture Detector (GC/ECD) Instrument Performance Checks
- Initial and Continuing Calibrations
- Blanks
- Surrogate Recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- Laboratory Control Sample (LCS) Results
- Internal Standards
- Moisture Content
- Field Duplicate Results
- Quantitation Limits and Data Assessment
- Sample Quantitation and Compound Identification

Overall Evaluation of Data and Potential Usability Issues

All results are usable as reported or usable with minor qualification due to sample matrix or laboratory quality control outliers with the exception listed below.

The SVOC nondetect results for benzoic acid in sample SB002 (7-9) were rejected (R) due to severely low MS/MSD and LCS/LCSD percent recoveries. The results are not usable for project objectives, which may have a major impact on the data usability.

The validation findings were based on the following information.

Data Completeness

The data package was complete as defined under the requirements for the NYSDEC ASP category B laboratory deliverables.

Holding Times and Sample Preservation

All technical holding time requirements were met.

GC/MS Tunes

VOC and SVOC

All criteria were met.

GC/ECD Instrument Performance Checks**Pesticide and PCB**

All criteria were met.

Initial and Continuing Calibrations**VOC**

Initial calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | RRF (Limits) | Associated Samples | | Validation Action |
|----------|--------------------|-------------|------------------------|--------------------|---|-------------------|
| 12/19/17 | ICAL-VOAIII-171229 | 1,4-Dioxane | 0.002 (≥ 0.005) | SB002 (7-9) | + | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 20; estimate (J/UJ) positive and nondetect results.
 XX = Continuing calibration (CC) percent difference (%D) > 20; estimate (J/UJ) positive and nondetect results.
 SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
 + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The 1,4-dioxane result was estimated due to response factor exceedance. The bias cannot be determined. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

| Date | Instrument ID | Compound | ICV %D | Associated Samples | | Validation Action |
|----------|---------------|-------------------------|--------|--------------------|----|-------------------|
| 12/19/17 | ICV-VOAIII | Dichlorodifluoromethane | 34.1 | SB002 (7-9) | SS | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 20; estimate (J/UJ) positive and nondetect results.
 XX = Continuing calibration (CC) percent difference (%D) > 20; estimate (J/UJ) positive and nondetect results.
 SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
 + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The dichlorodifluoromethane result was estimated due to second source verification exceedance. The bias cannot be determined. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

Continuing calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | RRF (Limits) | Associated Samples | | Validation Action |
|----------|---------------|-------------|----------------|--------------------|---|-------------------|
| 12/20/17 | CCV-VOAIII | 1,4-Dioxane | 0.002 (≥0.005) | SB002 (7-9) | + | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 20; estimate (J/UJ) positive and nondetect results.
- XX = Continuing calibration (CC) percent difference (%D) > 20; estimate (J/UJ) positive and nondetect results.
- SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
- + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The 1,4-dioxane result was estimated due to response factor exceedance. The bias cannot be determined. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

SVOC, Pesticide, and PCB

All criteria were met.

Blanks

VOC

Contamination was detected in the associated VOC method blank samples. The presence of blank contamination indicates that false positives may exist for these compounds in the associated samples. Action Levels (ALs) were established at <2x RL (for common contaminants) and <RL (for other contaminants) of the concentrations detected. The following table summarizes the contamination detected.

| Blank ID | Compound | Level Detected | Action Level | Associated Samples |
|------------------|--------------|----------------|--------------|--------------------|
| WG1075119-5Blank | Bromomethane | 2.7 ug/Kg | RL | SB002 (7-9) |

Sample results were qualified as follows:

- If sample concentration was < the reporting limit (RL) and ≤ the Action Level, qualify the result as a nondetect (U) at the RL.
- If sample concentration was > the RL and ≤ the Action Level, qualify the result as not detected (U) at the reported concentration.
- If the sample concentration was > the RL and > the Action Level, qualification of the data was not required.

No samples were qualified since the associated sample results were nondetect.

No positive results were found in the trip blank sample Trip Blank and field blank sample Field Blank 001 for VOC analysis.

SVOC, Pesticide, and PCB

Contamination was not detected in the method blanks.

No positive results were found in the field blank sample Field Blank 001 for SVOC, pesticide, and PCB analyses.

Surrogate Recoveries

All criteria were met.

MS/MSD Results

VOC

MS/MSD analyses were performed on sample SB002 (7-9) for VOC analysis. The following table lists the compounds recovered outside of control limits in the MS/MSD analyses and the resulting actions.

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|----------------------------|-------------------|--------------------|-----------------|-----------------|-------------------|
| Tetrachloroethene | - | 67 (70-130) | - | SB002 (7-9) | UJ nondetects |
| Chlorobenzene | 69 (70-130) | 64 (70-130) | - | | UJ nondetects |
| 1,1,2,2-Tetrachloroethane | 69 (70-130) | - | - | | UJ nondetects |
| Ethylbenzene | - | 62 (70-130) | - | | UJ nondetects |
| Chloroethane | - | 31 (50-151) | - | | UJ nondetects |
| 1,2-Dichlorobenzene | 61 (70-130) | 56 (70-130) | - | | UJ nondetects |
| 1,3-Dichlorobenzene | 59 (70-130) | 52 (70-130) | - | | UJ nondetects |
| 1,4-Dichlorobenzene | 57 (70-130) | 50 (70-130) | - | | UJ nondetects |
| m,p-Xylene | 69 (70-130) | 60 (70-130) | - | | UJ nondetects |
| o-Xylene | - | 62 (70-130) | - | | UJ nondetects |
| Styrene | 68 (70-130) | 62 (70-130) | - | | UJ nondetects |
| Vinyl acetate | 46 (70-130) | 28 (70-130) | - | | UJ nondetects |
| 4-Methyl-2-pentanone | 69 (70-130) | - | - | | UJ nondetects |
| 2-Hexanone | 68 (70-130) | - | - | | UJ nondetects |
| Bromobenzene | 66 (70-130) | 61 (70-130) | - | | UJ nondetects |
| n-Butylbenzene | 54 (70-130) | 42 (70-130) | - | | UJ nondetects |
| sec-Butylbenzene | 64 (70-130) | 51 (70-130) | - | | UJ nondetects |
| tert-Butylbenzene | 67 (70-130) | 56 (70-130) | - | | UJ nondetects |
| o-Chlorotoluene | 64 (70-130) | 54 (70-130) | - | | UJ nondetects |
| p-Chlorotoluene | 61 (70-130) | 52 (70-130) | - | | UJ nondetects |
| Hexachlorobutadiene | 50 (67-130) | 37 (67-130) | - | | UJ nondetects |
| Isopropylbenzene | - | 59 (70-130) | - | | UJ nondetects |
| p-Isopropyltoluene | 59 (70-130) | 47 (70-130) | - | | UJ nondetects |
| Naphthalene | 60 (70-130) | 62 (70-130) | - | | UJ nondetects |
| Acrylonitrile | 69 (70-130) | - | - | | UJ nondetects |
| n-Propylbenzene | 64 (70-130) | 52 (70-130) | - | | UJ nondetects |
| 1,2,3-Trichlorobenzene | 55 (70-130) | 51 (70-130) | - | | UJ nondetects |
| 1,2,4-Trichlorobenzene | 51 (70-130) | 47 (70-130) | - | | UJ nondetects |
| 1,3,5-Trimethylbenzene | 64 (70-130) | 54 (70-130) | - | | UJ nondetects |
| 1,2,4-Trimethylbenzene | 62 (70-130) | 52 (70-130) | - | | UJ nondetects |
| p-Diethylbenzene | 54 (70-130) | 43 (70-130) | - | UJ nondetects | |
| p-Ethyltoluene | 62 (70-130) | 50 (70-130) | - | UJ nondetects | |
| 1,2,4,5-Tetramethylbenzene | 56 (70-130) | 48 (70-130) | - | UJ nondetects | |

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|---------------------|----------------|-----------------|--------------|-----------------|-------------------|
| Chloroethane | - | - | 99 (≤30) | SB002 (7-9) | None |
| Vinyl acetate | - | - | 51 (≤30) | | |
| Hexachlorobutadiene | - | - | 33 (≤30) | | |

- Within control limits

The results listed above may be biased low due to low MS/MSD percent recoveries. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

Validation action was not required for chloroethane, vinyl acetate, and hexachlorobutadiene due to MS/MSD relative percent difference exceedances as positive results only are affected and these compounds were not detected in the associated sample.

SVOC

MS/MSD analyses were performed on sample SB002 (7-9) for SVOC analysis. The following table lists the compounds recovered outside of control limits in the MS/MSD analyses and the resulting actions.

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|-------------------|----------------|-----------------|--------------|-----------------|-------------------|
| Pentachlorophenol | - | 110 (17-109) | - | SB002 (7-9) | None |
| Benzoic acid | 0 (10-110) | 0 (10-110) | - | SB002 (7-9) | R nondetects |

- Within control limits

Validation action was not required for pentachlorophenol due to high MS/MSD percent recovery as positive results only are affected and this compound was not detected in the associated sample.

The SVOC nondetect result for benzoic acid in sample SB002 (7-9) was rejected (R) due to low MS/MSD percent recovery. The result is not usable for project objectives, which may have a major impact on the data usability.

Pesticide and PCB

All criteria were met.

LCS Results

VOC, Pesticide, and PCB

All criteria were met.

SVOC

The following table lists the compounds recovered outside of control limits in the SVOC analysis and the resulting validation actions.

| LCS ID | Compound | LCS %R (Limits) | LCS/D %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|--------------------|-------------------|-----------------|-------------------|--------------|-----------------|-------------------|
| WG1073744-2/3LCS/D | p-Chloro-m-cresol | 105 (26-103) | - | - | SB002 (7-9) | None |
| WG1073744-2/3LCS/D | Benzoic acid | 0 (10-110) | 0 (10-110) | - | SB002 (7-9) | R nondetects |

- Within control limits

Validation action was not required for p-chloro-m-cresol due to high LCS/LCSD percent recovery as positive results only are affected and this compound was not detected in the associated sample.

The SVOC nondetect result for benzoic acid in sample SB002 (7-9) was rejected (R) due to low LCS/LCSD percent recovery. The result is not usable for project objectives, which may have a major impact on the data usability.

Internal Standards

All criteria were met.

Field Duplicate Results

A field duplicate pair was not associated with this sample set. Validation action was not required on this basis.

Quantitation Limits and Data Assessment

Results were reported which were below the reporting limit (RL) and above the method detection limit (MDL) in the pesticide analysis. These results were qualified as estimated (J) by the laboratory.

No results were reported below the reporting limit (RL) and above the method detection limit (MDL) in the VOC, SVOC, and PCB analyses.

Dilutions were not required for VOC, SVOC, pesticide and PCB analyses.

Sample Quantitation and Compound Identification

Calculations were spot-checked; no discrepancies were noted.

The following table lists the GC dual column RPDs for pesticide analysis which were outside the control limit of 40% and the resulting actions. The direction of the bias cannot be determined from this nonconformance. All results are usable as estimated values (J).

| Sample | Compound | RPD (%) | Validation Actions |
|-------------|-----------|---------|--------------------|
| SB002 (7-9) | delta-BHC | 92 | J detects |

DATA VALIDATION QUALIFIERS

- U - The analyte was analyzed for, but due to blank contamination was flagged as nondetect (U). The result is usable as a nondetect.
- J - Data are flagged (J) when a QC analysis fails outside the primary acceptance limits. The qualified “J” data are not excluded from further review or consideration. However, only one flag (J) is applied to a sample result, even though several associated QC analyses may fail. The ‘J’ data may be biased high or low or the direction of the bias may be indeterminable.
- UJ - The analyte was not detected above the reported sample quantitation limit. Data are flagged (UJ) when a QC analysis fails outside the primary acceptance limits. The qualified “UJ” data are not excluded from further review or consideration. However, only one flag is applied to a sample result, even though several associated QC analyses may fail. The ‘UJ’ data may be biased low.
- JN - The analysis indicates the presence of a compound that has been “tentatively identified” (N) and the associated numerical value represents its approximate (J) concentration.
- R - Data rejected (R) on the basis of an unacceptable QC analysis should be excluded from further review or consideration. Data are rejected when associated QC analysis results exceed the expanded control limits of the QC criteria. The rejected data are known to contain significant errors based on documented information. The data user must not use the rejected data to make environmental decisions. The presence or absence of the analyte cannot be verified.

Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V11171220A23
 Sample Amount : 5.0 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/20/17 16:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA111
 GC Column : RTX-VMS
 %Solids : 89
 Injection Volume : N/A

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|----------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 11 | 1.8 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 1.7 | 0.30 | U |
| 67-66-3 | Chloroform | ND | 1.7 | 0.42 | U |
| 56-23-5 | Carbon tetrachloride | ND | 1.1 | 0.39 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 3.9 | 0.26 | U |
| 124-48-1 | Dibromochloromethane | ND | 1.1 | 0.20 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.7 | 0.35 | U |
| 127-18-4 | Tetrachloroethene | ND | 1.1 | 0.34 | U |
| 108-90-7 | Chlorobenzene | ND | 1.1 | 0.39 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 5.6 | 0.47 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 1.1 | 0.28 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 1.1 | 0.39 | U |
| 75-27-4 | Bromodichloromethane | ND | 1.1 | 0.34 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 1.1 | 0.23 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 1.1 | 0.26 | U |
| 542-75-6 | 1,3-Dichloropropene, Total | ND | 1.1 | 0.23 | U |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.6 | 0.37 | U |
| 75-25-2 | Bromoform | ND | 4.5 | 0.26 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 1.1 | 0.33 | U |
| 71-43-2 | Benzene | ND | 1.1 | 0.22 | U |
| 108-88-3 | Toluene | ND | 1.7 | 0.22 | U |
| 100-41-4 | Ethylbenzene | ND | 1.1 | 0.19 | U |
| 74-87-3 | Chloromethane | ND | 5.6 | 0.49 | U |
| 74-83-9 | Bromomethane | ND | 2.2 | 0.38 | U |
| 75-01-4 | Vinyl chloride | ND | 2.2 | 0.35 | U |
| 75-00-3 | Chloroethane | ND | 2.2 | 0.35 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 1.1 | 0.42 | U |



SEP 21 2010

Initials: ER

Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V11171220A23
 Sample Amount : 5.0 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/20/17 16:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA111
 GC Column : RTX-VMS
 %Solids : 89
 Injection Volume : N/A

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 1.7 | 0.27 | U U |
| 79-01-6 | Trichloroethene | ND | 1.1 | 0.34 | U U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.6 | 0.20 | U UJ |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.6 | 0.24 | U UJ |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.6 | 0.20 | U UJ |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.2 | 0.17 | U U |
| 179601-23-1 | p/m-Xylene | ND | 2.2 | 0.39 | U UJ |
| 95-47-6 | o-Xylene | ND | 2.2 | 0.38 | U UJ |
| 1330-20-7 | Xylenes, Total | ND | 2.2 | 0.38 | U U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 1.1 | 0.38 | U |
| 540-59-0 | 1,2-Dichloroethene, Total | ND | 1.1 | 0.27 | U |
| 74-95-3 | Dibromomethane | ND | 11 | 0.27 | U ↓ |
| 100-42-5 | Styrene | ND | 2.2 | 0.45 | U UJ |
| 75-71-8 | Dichlorodifluoromethane | ND | 11 | 0.56 | U UJ |
| 67-64-1 | Acetone | ND | 11 | 2.6 | U U |
| 75-15-0 | Carbon disulfide | ND | 11 | 1.2 | U ↓ |
| 78-93-3 | 2-Butanone | ND | 11 | 0.77 | U ↓ |
| 108-05-4 | Vinyl acetate | ND | 11 | 0.17 | U UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 11 | 0.27 | U UJ |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 11 | 0.20 | U U |
| 591-78-6 | 2-Hexanone | ND | 11 | 0.75 | U UJ |
| 74-97-5 | Bromochloromethane | ND | 5.6 | 0.40 | U U |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.6 | 0.50 | U ↓ |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.5 | 0.22 | U ↓ |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.6 | 0.20 | U ↓ |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 1.1 | 0.36 | U ↓ |
| 108-86-1 | Bromobenzene | ND | 5.6 | 0.24 | U UJ |



Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V11171220A23
 Sample Amount : 5.0 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/20/17 16:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA111
 GC Column : RTX-VMS
 %Solids : 89
 Injection Volume : N/A

| CAS NO. | Parameter | Results | ug/Kg | | Qualifier |
|----------|-----------------------------|---------|-------|------|-----------|
| | | | RL | MDL | |
| 104-51-8 | n-Butylbenzene | ND | 1.1 | 0.26 | U |
| 135-98-8 | sec-Butylbenzene | ND | 1.1 | 0.24 | U |
| 98-06-6 | tert-Butylbenzene | ND | 5.6 | 0.28 | U |
| 95-49-8 | o-Chlorotoluene | ND | 5.6 | 0.25 | U |
| 106-43-4 | p-Chlorotoluene | ND | 5.6 | 0.20 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.6 | 0.44 | U |
| 87-68-3 | Hexachlorobutadiene | ND | 5.6 | 0.39 | U |
| 98-82-8 | Isopropylbenzene | ND | 1.1 | 0.22 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 1.1 | 0.23 | U |
| 91-20-3 | Naphthalene | ND | 5.6 | 0.15 | U |
| 107-13-1 | Acrylonitrile | ND | 11 | 0.58 | U |
| 103-65-1 | n-Propylbenzene | ND | 1.1 | 0.24 | U |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.6 | 0.28 | U |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.6 | 0.24 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.6 | 0.18 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.6 | 0.21 | U |
| 123-91-1 | 1,4-Dioxane | ND | 45 | 16. | U |
| 105-05-5 | p-Diethylbenzene | ND | 4.5 | 4.5 | U |
| 622-96-8 | p-Ethyltoluene | ND | 4.5 | 0.26 | U |
| 95-93-2 | 1,2,4,5-Tetramethylbenzene | ND | 4.5 | 0.18 | U |
| 60-29-7 | Ethyl ether | ND | 5.6 | 0.29 | U |
| 110-57-6 | trans-1,4-Dichloro-2-butene | ND | 5.6 | 0.44 | U |

SEP 21 2018



Form 1

SemiVolatile Organics

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX,
 Sample Matrix : SOIL
 Analytical Method : 1,8270D
 Lab File ID : 45804-04
 Sample Amount : 30.16 g
 Extraction Method : EPA 3546
 Extract Volume : 1000 uL
 GPC Cleanup : N

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/19/17 17:41
 Date Extracted : 12/18/17
 Dilution Factor : 1
 Analyst : EK
 Instrument ID : SV112
 GC Column : RTX5-MS
 %Solids : 89
 Injection Volume : 1 uL

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-----------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 83-32-9 | Acenaphthene | ND | 150 | 19. | U |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 190 | 21. | U |
| 118-74-1 | Hexachlorobenzene | ND | 110 | 21. | U |
| 111-44-4 | Bis(2-chloroethyl)ether | ND | 170 | 25. | U |
| 91-58-7 | 2-Chloronaphthalene | ND | 190 | 18. | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 190 | 33. | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 190 | 32. | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 190 | 32. | U |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 190 | 49. | U |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 190 | 37. | U |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 190 | 32. | U |
| 206-44-0 | Fluoranthene | ND | 110 | 21. | U |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 190 | 20. | U |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 190 | 28. | U |
| 108-60-1 | Bis(2-chloroisopropyl)ether | ND | 220 | 32. | U |
| 111-91-1 | Bis(2-chloroethoxy)methane | ND | 200 | 19. | U |
| 87-68-3 | Hexachlorobutadiene | ND | 190 | 27. | U |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 530 | 170 | U |
| 67-72-1 | Hexachloroethane | ND | 150 | 30. | U |
| 78-59-1 | Isophorone | ND | 170 | 24. | U |
| 91-20-3 | Naphthalene | ND | 190 | 23. | U |
| 98-95-3 | Nitrobenzene | ND | 170 | 28. | U |
| 86-30-6 | NDPA/DPA | ND | 150 | 21. | U |
| 621-64-7 | n-Nitrosodi-n-propylamine | ND | 190 | 29. | U |

SEP 21 2018



Form 1

SemiVolatile Organics

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX,
 Sample Matrix : SOIL
 Analytical Method : 1,8270D
 Lab File ID : 45804-04
 Sample Amount : 30.16 g
 Extraction Method : EPA 3546
 Extract Volume : 1000 uL
 GPC Cleanup : N

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/19/17 17:41
 Date Extracted : 12/18/17
 Dilution Factor : 1
 Analyst : EK
 Instrument ID : SV112
 GC Column : RTX5-MS
 %Solids : 89
 Injection Volume : 1 uL

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|----------|----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 117-81-7 | Bis(2-ethylhexyl)phthalate | ND | 190 | 64. | U |
| 85-68-7 | Butyl benzyl phthalate | ND | 190 | 47. | U |
| 84-74-2 | Di-n-butylphthalate | ND | 190 | 35. | U |
| 117-84-0 | Di-n-octylphthalate | ND | 190 | 63. | U |
| 84-66-2 | Diethyl phthalate | ND | 190 | 17. | U |
| 131-11-3 | Dimethyl phthalate | ND | 190 | 39. | U |
| 56-55-3 | Benzo(a)anthracene | ND | 110 | 21. | U |
| 50-32-8 | Benzo(a)pyrene | ND | 150 | 45. | U |
| 205-99-2 | Benzo(b)fluoranthene | ND | 110 | 31. | U |
| 207-08-9 | Benzo(k)fluoranthene | ND | 110 | 30. | U |
| 218-01-9 | Chrysene | ND | 110 | 19. | U |
| 208-96-8 | Acenaphthylene | ND | 150 | 29. | U |
| 120-12-7 | Anthracene | ND | 110 | 36. | U |
| 191-24-2 | Benzo(ghi)perylene | ND | 150 | 22. | U |
| 86-73-7 | Fluorene | ND | 190 | 18. | U |
| 85-01-8 | Phenanthrene | ND | 110 | 23. | U |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 110 | 22. | U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 150 | 26. | U |
| 129-00-0 | Pyrene | ND | 110 | 18. | U |
| 92-52-4 | Biphenyl | ND | 420 | 43. | U |
| 106-47-8 | 4-Chloroaniline | ND | 190 | 34. | U |
| 88-74-4 | 2-Nitroaniline | ND | 190 | 36. | U |
| 99-09-2 | 3-Nitroaniline | ND | 190 | 35. | U |
| 100-01-6 | 4-Nitroaniline | ND | 190 | 77. | U |

SEP 21 2018



Form 1

SemiVolatile Organics

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX,
 Sample Matrix : SOIL
 Analytical Method : 1,8270D
 Lab File ID : 45804-04
 Sample Amount : 30.16 g
 Extraction Method : EPA 3546
 Extract Volume : 1000 uL
 GPC Cleanup : N

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/19/17 17:41
 Date Extracted : 12/18/17
 Dilution Factor : 1
 Analyst : EK
 Instrument ID : SV112
 GC Column : RTX5-MS
 %Solids : 89
 Injection Volume : 1 uL

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-------------------|-------------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 132-64-9 | Dibenzofuran | ND | 190 | 18. | U ✓ |
| 91-57-6 | 2-Methylnaphthalene | ND | 220 | 22. | U |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | ND | 190 | 19. | U |
| 98-86-2 | Acetophenone | ND | 190 | 23. | U |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 110 | 35. | U |
| 59-50-7 | p-Chloro-m-cresol | ND | 190 | 28. | U |
| 95-57-8 | 2-Chlorophenol | ND | 190 | 22. | U |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 30. | U |
| 105-67-9 | 2,4-Dimethylphenol | ND | 190 | 61. | U |
| 88-75-5 | 2-Nitrophenol | ND | 400 | 70. | U |
| 100-02-7 | 4-Nitrophenol | ND | 260 | 76. | U |
| 51-28-5 | 2,4-Dinitrophenol | ND | 890 | 87. | U |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 480 | 89. | U |
| 87-86-5 | Pentachlorophenol | ND | 150 | 41. | U |
| 108-95-2 | Phenol | ND | 190 | 28. | U |
| 95-48-7 | 2-Methylphenol | ND | 190 | 29. | U |
| 108-39-4/106-44-5 | 3-Methylphenol/4-Methylphenol | ND | 270 | 29. | U |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 190 | 36. | U ✓ |
| 65-85-0 | Benzoic Acid | ND | 600 | 190 | U R |
| 100-51-6 | Benzyl Alcohol | ND | 190 | 57. | U ✓ |
| 86-74-8 | Carbazole | ND | 190 | 18. | U ✓ |

SEP 21 2018



Form 1 GC Organics

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1745804-04
 Client ID : SB002 (7-9)
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8081B
 Lab File ID : 10171220a-11
 Sample Amount : 15.43 g
 Extraction Method : EPA 3546
 Extract Volume : 1000 uL
 GPC Cleanup : N
 Sulfur Cleanup : N

Lab Number : L1745804
 Project Number : BBU1702
 Date Collected : 12/11/17 09:50
 Date Received : 12/12/17
 Date Analyzed : 12/20/17 07:46
 Date Extracted : 12/18/17
 Dilution Factor : 1
 Analyst : JW
 Instrument ID : PEST10
 GC Column : CLPPesticides
 %Solids : 89
 Injection Volume : 1 uL

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|--------------------|---------|-------|-------|-----------|
| | | Results | RL | MDL | |
| 58-89-9 | Lindane | ND | 0.727 | 0.325 | U |
| 319-84-6 | Alpha-BHC | ND | 0.727 | 0.206 | U |
| 319-85-7 | Beta-BHC | ND | 1.74 | 0.662 | U |
| 76-44-8 | Heptachlor | ND | 0.873 | 0.391 | U |
| 309-00-2 | Aldrin | ND | 1.74 | 0.615 | U |
| 1024-57-3 | Heptachlor epoxide | ND | 3.27 | 0.982 | U |
| 72-20-8 | Endrin | ND | 0.727 | 0.298 | U |
| 7421-93-4 | Endrin aldehyde | ND | 2.18 | 0.764 | U |
| 53494-70-5 | Endrin ketone | ND | 1.74 | 0.450 | U |
| 60-57-1 | Dieldrin | ND | 1.09 | 0.546 | U |
| 72-55-9 | 4,4'-DDE | ND | 1.74 | 0.404 | U |
| 72-54-8 | 4,4'-DDD | ND | 1.74 | 0.623 | U |
| 50-29-3 | 4,4'-DDT | ND | 3.27 | 1.40 | U |
| 959-98-8 | Endosulfan I | ND | 1.74 | 0.412 | U |
| 33213-65-9 | Endosulfan II | ND | 1.74 | 0.583 | U |
| 1031-07-8 | Endosulfan sulfate | ND | 0.727 | 0.346 | U |
| 72-43-5 | Methoxychlor | ND | 3.27 | 1.02 | U |
| 8001-35-2 | Toxaphene | ND | 32.7 | 9.16 | U |
| 5103-71-9 | cis-Chlordane | ND | 2.18 | 0.608 | U |
| 5103-74-2 | trans-Chlordane | ND | 2.18 | 0.576 | U |
| 57-74-9 | Chlordane | ND | 14.2 | 5.78 | U |

SEP 21 2010



Form 1 GC Organics

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1745804 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1745804-04 | Date Collected : 12/11/17 09:50 |
| Client ID : SB002 (7-9) | Date Received : 12/12/17 |
| Sample Location : 718 E. 212TH ST., BRONX, NY | Date Analyzed : 12/20/17 07:46 |
| Sample Matrix : SOIL | Date Extracted : 12/18/17 |
| Analytical Method : 1,8081B | Dilution Factor : 1 |
| Lab File ID : 10171220a-11 | Analyst : JW |
| Sample Amount : 15.43 g | Instrument ID : PEST10 |
| Extraction Method : EPA 3546 | GC Column : CLPPesticidesII |
| Extract Volume : 1000 uL | %Solids : 89 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : N | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|----------|-----------|---------|------|-------|--|
| | | Results | RL | MDL | |
| 319-86-8 | Delta-BHC | 0.986 | 1.74 | 0.342 | J J |

SEP 21 2018

Initials: *ER*



Form 1 GC Organics

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1745804 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1745804-04 | Date Collected : 12/11/17 09:50 |
| Client ID : SB002 (7-9) | Date Received : 12/12/17 |
| Sample Location : 718 E. 212TH ST., BRONX, NY | Date Analyzed : 12/20/17 02:56 |
| Sample Matrix : SOIL | Date Extracted : 12/18/17 |
| Analytical Method : 1,8082A | Dilution Factor : 1 |
| Lab File ID : P2171219a-28 | Analyst : WR |
| Sample Amount : 15.27 g | Instrument ID : PEST2 |
| Extraction Method : EPA 3546 | GC Column : CLP-Pesticide |
| Extract Volume : 1000 uL | %Solids : 89 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : Y | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|--------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 12674-11-2 | Aroclor 1016 | ND | 36.7 | 4.17 | U |
| 11104-28-2 | Aroclor 1221 | ND | 36.7 | 5.59 | U |
| 11141-16-5 | Aroclor 1232 | ND | 36.7 | 3.62 | U |
| 53469-21-9 | Aroclor 1242 | ND | 36.7 | 4.50 | U |
| 12672-29-6 | Aroclor 1248 | ND | 36.7 | 4.12 | U |
| 11097-69-1 | Aroclor 1254 | ND | 36.7 | 3.00 | U |
| 11096-82-5 | Aroclor 1260 | ND | 36.7 | 3.84 | U |
| 37324-23-5 | Aroclor 1262 | ND | 36.7 | 3.02 | U |
| 11100-14-4 | Aroclor 1268 | ND | 36.7 | 2.60 | U |
| 1336-36-3 | PCBs, Total | ND | 36.7 | 2.60 | U |

SEP 21 2018

Initials: *CR*



LDC #: 43079A1

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1745804

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/11/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC/MS Volatiles (EPA SW846 Method 8260C)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|--------|--------------------------------------|
| I. | Sample receipt/Technical holding times | A, Δ | |
| II. | GC/MS Instrument performance check | Δ | |
| III. | Initial calibration/ICV | SW, SW | % RSD ≤ 20, r ² CV ≤ 30 |
| IV. | Continuing calibration | SW | CV ≤ 20 |
| V. | Laboratory Blanks | SW | |
| VI. | Field blanks | ND | FB = Field Blank 001 TB = Trip Blank |
| VII. | Surrogate spikes | Δ | |
| VIII. | Matrix spike/Matrix spike duplicates | SW | |
| IX. | Laboratory control samples | Δ | yes/p |
| X. | Field duplicates | N | |
| XI. | Internal standards | Δ | |
| XII. | Compound quantitation RL/LOQ/LODs | Δ | NO Result < RL > MDL |
| XIII. | Target compound identification | Δ | |
| XIV. | System performance | A | |
| XV. | Overall assessment of data | Δ | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|---|----------------|----------------|--------|----------|
| 1 | SB002 (7-9) | L1745804-04 | Soil | 12/11/17 |
| 2 | SB002 (7-9)MS | L1745804-04MS | Soil | 12/11/17 |
| 3 | SB002 (7-9)MSD | L1745804-04MSD | Soil | 12/11/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |

Notes:

| | | | | | |
|---|-------------------|--|--|--|--|
| 1 | WG1075119-5 Blank | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Method: Volatiles (EPA SW 846 Method 8260C)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was cooler temperature criteria met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| II. GC/MS Instrument performance check | | | | |
| Were the BFB performance results reviewed and found to be within the specified criteria? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all samples analyzed within the 12 hour clock criteria? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent relative standard deviations (%RSD) \leq 20% and relative response factors (RRF) within method criteria? | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of > 0.990 ? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIb. Initial Calibration Verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) $<$ 30%? | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration standard analyzed at least once every 12 hours for each instrument? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) \leq 20% and relative response factors (RRF) within method criteria? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a laboratory blank analyzed at least once every 12 hours for each matrix and concentration? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| VI. Field blanks | | | | |
| Were field blanks were identified in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field blanks? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| VII. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| If the percent recovery (%R) for one or more surrogates was out of QC limits, was a reanalysis performed to confirm samples with %R outside of criteria? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| VIII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

LDC #: 43019A

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: FT
 2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | | <input checked="" type="checkbox"/> | | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | <input checked="" type="checkbox"/> | | | |
| Was an LCS analyzed per analytical batch? | <input checked="" type="checkbox"/> | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | <input checked="" type="checkbox"/> | | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | <input checked="" type="checkbox"/> | | |
| Were target compounds detected in the field duplicates? | | | <input checked="" type="checkbox"/> | |
| XI. Internal standards | | | | |
| Were internal standard area counts within -50% to +100% of the associated calibration standard? | <input checked="" type="checkbox"/> | | | |
| Were retention times within + 30 seconds of the associated calibration standard? | <input checked="" type="checkbox"/> | | | |
| XII. Compound quantitation | | | | |
| Were the correct internal standard (IS), quantitation ion and relative response factor (RRF) used to quantitate the compound? | <input checked="" type="checkbox"/> | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | <input checked="" type="checkbox"/> | | | |
| XIII. Target compound identification | | | | |
| Were relative retention times (RRT's) within + 0.06 RRT units of the standard? | <input checked="" type="checkbox"/> | | | |
| Did compound spectra meet specified EPA "Functional Guidelines" criteria? | <input checked="" type="checkbox"/> | | | |
| Were chromatogram peaks verified and accounted for? | <input checked="" type="checkbox"/> | | | |
| XIV. System performance | | | | |
| System performance was found to be acceptable. | <input checked="" type="checkbox"/> | | | |
| XV. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | <input checked="" type="checkbox"/> | | | |

TARGET COMPOUND WORKSHEET

METHOD: VOA

| | | | | |
|------------------------------|---------------------------------|--|-----------------------------------|----------------------------|
| A. Chloromethane | AA. Tetrachloroethene | AAA. 1,3,5-Trimethylbenzene | AAAA. Ethyl tert-butyl ether | A1. 1,3-Butadiene |
| B. Bromomethane | BB. 1,1,2,2-Tetrachloroethane | BBB. 4-Chlorotoluene | BBBB. tert-Amyl methyl ether | B1. Hexane |
| C. Vinyl chloride | CC. Toluene | CCC. tert-Butylbenzene | CCCC. 1-Chlorohexane | C1. Heptane |
| D. Chloroethane | DD. Chlorobenzene | DDD. 1,2,4-Trimethylbenzene | DDDD. Isopropyl alcohol | D1. Propylene |
| E. Methylene chloride | EE. Ethylbenzene | EEE. sec-Butylbenzene | EEEE. Acetonitrile | E1. Freon 11 |
| F. Acetone | FF. Styrene | FFF. 1,3-Dichlorobenzene | FFFF. Acrolein | F1. Freon 12 |
| G. Carbon disulfide | GG. Xylenes, total | GGG. p-Isopropyltoluene | GGGG. Acrylonitrile | G1. Freon 113 |
| H. 1,1-Dichloroethene | HH. Vinyl acetate | HHH. 1,4-Dichlorobenzene | HHHH. 1,4-Dioxane | H1. Freon 114 |
| I. 1,1-Dichloroethane | II. 2-Chloroethylvinyl ether | III. n-Butylbenzene | IIII. Isobutyl alcohol | I1. 2-Nitropropane |
| J. 1,2-Dichloroethene, total | JJ. Dichlorodifluoromethane | JJJ. 1,2-Dichlorobenzene | JJJJ. Methacrylonitrile | J1. Dimethyl disulfide |
| K. Chloroform | KK. Trichlorofluoromethane | KKK. 1,2,4-Trichlorobenzene | KKKK. Propionitrile | K1. 2,3-Dimethyl pentane |
| L. 1,2-Dichloroethane | LL. Methyl-tert-butyl ether | LLL. Hexachlorobutadiene | LLLL. Ethyl ether | L1. 2,4-Dimethyl pentane |
| M. 2-Butanone | MM. 1,2-Dibromo-3-chloropropane | MMM. Naphthalene | MMMM. Benzyl chloride | M1. 3,3-Dimethyl pentane |
| N. 1,1,1-Trichloroethane | NN. Methyl ethyl ketone | NNN. 1,2,3-Trichlorobenzene | NNNN. Iodomethane | N1. 2-Methylpentane |
| O. Carbon tetrachloride | OO. 2,2-Dichloropropane | OOO. 1,3,5-Trichlorobenzene | OOOO. 1,1-Difluoroethane | O1. 3-Methylpentane |
| P. Bromodichloromethane | PP. Bromochloromethane | PPP. trans-1,2-Dichloroethene | PPPP. Tetrahydrofuran | P1. 3-Ethylpentane |
| Q. 1,2-Dichloropropane | QQ. 1,1-Dichloropropene | QQQ. cis-1,2-Dichloroethene | QQQQ. Methyl acetate | Q1. 2,2-Dimethylpentane |
| R. cis-1,3-Dichloropropene | RR. Dibromomethane | RRR. m,p-Xylenes | RRRR. Ethyl acetate | R1. 2,2,3-Trimethylbutane |
| S. Trichloroethene | SS. 1,3-Dichloropropane | SSS. o-Xylene | SSSS. Cyclohexane | S1. 2,2,4-Trimethylpentane |
| T. Dibromochloromethane | TT. 1,2-Dibromoethane | TTT. 1,1,2-Trichloro-1,2,2-trifluoroethane | TTTT. Methyl cyclohexane | T1. 2-Methylhexane |
| U. 1,1,2-Trichloroethane | UU. 1,1,1,2-Tetrachloroethane | UUU. 1,2-Dichlorotetrafluoroethane | UUUU. Allyl chloride | U1. Nonanal |
| V. Benzene | VV. Isopropylbenzene | VVV. 4-Ethyltoluene | VVVV. Methyl methacrylate | V1. 2-Methylnaphthalene |
| W. trans-1,3-Dichloropropene | WW. Bromobenzene | WWW. Ethanol | WWWW. Ethyl methacrylate | W1. Methanol |
| X. Bromoform | XX. 1,2,3-Trichloropropane | XXX. Di-isopropyl ether | XXXX. cis-1,4-Dichloro-2-butene | X1. 1,2,3-Trimethylbenzene |
| Y. 4-Methyl-2-pentanone | YY. n-Propylbenzene | YYY. tert-Butanol | YYYY. trans-1,4-Dichloro-2-butene | Y1. |
| Z. 2-Hexanone | ZZ. 2-Chlorotoluene | ZZZ. tert-Butyl alcohol | ZZZZ. Pentachloroethane | Z1. |

LDC #: 43079A/

VALIDATION FINDINGS WORKSHEET Initial Calibration

Page: 1 of 1
Reviewer: FT
2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Did the laboratory perform a 5 point calibration prior to sample analysis?
- Y N N/A Were percent relative standard deviations (%RSD) and relative response factors (RRF) within method criteria for all CCC's and SPCC's?
- Y N N/A Was a curve fit used for evaluation? If yes, what was the acceptance criteria used for evaluation? _____
- Y N N/A Did the initial calibration meet the acceptance criteria?
- Y N N/A Were all %RSDs and RRFs within the validation criteria of ≤ 20 %RSD and ≥ 0.05 RRF ?

| # | Date | Standard ID | Compound | Finding %RSD (Limit: 20%) | Finding RRF (Limit: ≥ 0.05) | Associated Samples | Qualifications |
|---|------|---------------------------|----------|------------------------------|--------------------------------------|--------------------|----------------|
| | | ICAL-4H-171229 VOA III | HHHH | | 0.002 (20.005) | All | JMS/A NO |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LDC #: 43079A/

VALIDATION FINDINGS WORKSHEET Initial Calibration Verification

Page: 1 of 1
Reviewer: FT
2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- N N/A Was an initial calibration verification standard analyzed after each ICAL for each instrument?
- N N/A Were all %D within the validation criteria of ≤ 20 %D?

| # | Date | Standard ID | Compound | Finding %D (Limit: $\leq 30.0\%$) | Associated Samples | Qualifications |
|---|--------------------------------|--------------------|-----------|---------------------------------------|--------------------|-------------------------|
| | <u>12/19/17</u> <u>6403</u> | <u>ICV-VOA III</u> | <u>JJ</u> | <u>34.1</u> | <u>Δ11</u> | <u>J/MS/A</u> <u>ND</u> |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

LDC #: 13079A

VALIDATION FINDINGS WORKSHEET Blanks

Page: 1 of 1
Reviewer: FT
2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Was a method blank associated with every sample in this SDG?
- Y N N/A Was a method blank analyzed at least once every 12 hours for each matrix and concentration?
- Y N N/A Was there contamination in the method blanks? If yes, please see the qualifications below.

Blank analysis date: 12/20/17

Conc. units: ug/Kg Associated Samples: All (ND)

| Compound | Blank ID | Sample Identification | | | | | | | |
|----------|--------------------------|-----------------------|--|--|--|--|--|--|--|
| | <u>W41079119-9 Blank</u> | | | | | | | | |
| <u>B</u> | <u>2.7</u> | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Blank analysis date: _____

Conc. units: _____ Associated Samples: _____

| Compound | Blank ID | Sample Identification | | | | | | | |
|----------|----------|-----------------------|--|--|--|--|--|--|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

All results were qualified using the criteria stated below except those circled.

Note: Common contaminants such as Methylene chloride, Acetone, 2-Butanone, Carbon disulfide and TICs that were detected in samples within ten times the associated method blank concentration were qualified as not detected, "U". Other contaminants within five times the method blank concentration were also qualified as not detected, "U".

.LDC #: 43679A/

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

Page: 1 of 1
Reviewer: FT
2nd Reviewer: [Signature]

METHOD : GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water.

Y N N/A Was a MS/MSD analyzed every 20 samples of each matrix?

Y N N/A Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits?

| # | MS/MSD ID | Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Associated Samples | Qualifications |
|---|-----------|--------------------------|----------------|-----------------|--------------|--------------------|--------------------------|
| | 2 & 3 | refer to following pages | () | () | () | 1 | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | All % R = J/W/A all ND |
| | | | () | () | () | | |
| | | | () | () | () | | All % RPD = J/W/A all ND |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |

Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB002 (7-9)
 Lab Sample ID : L1745804-04
 Matrix Spike : WG1075119-6
 Matrix Spike Dup : WG1075119-7

Lab Number : L1745804
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/20/17 16:17
 MS Analysis Date : 12/20/17 16:43
 MSD Analysis Date : 12/20/17 17:09

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|------------------------------|----------------------|---------------------|---------------------|------|------------------------|---------------------|------|-----|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| Methylene chloride | ND | 112 | 85. | 76 | 108 | 85. | 79 | 0 | 70-130 | 30 |
| 1,1-Dichloroethane | ND | 112 | 95. | 85 | 108 | 92. | 86 | 3 | 70-130 | 30 |
| Chloroform | ND | 112 | 90. | 80 | 108 | 87. | 80 | 3 | 70-130 | 30 |
| Carbon tetrachloride | ND | 112 | 100 | 93 | 108 | 97. | 90 | 7 | 70-130 | 30 |
| 1,2-Dichloropropane | ND | 112 | 89. | 80 | 108 | 87. | 81 | 2 | 70-130 | 30 |
| Dibromochloromethane | ND | 112 | 85. | 75 | 108 | 84. | 78 | 0 | 70-130 | 30 |
| 1,1,2-Trichloroethane | ND | 112 | 82. | 73 | 108 | 82. | 76 | 1 | 70-130 | 30 |
| Tetrachloroethene AA | ND | 112 | 86. | 76 | 108 | 72. | 67 Q | 17 | 70-130 | 30 |
| Chlorobenzene DD | ND | 112 | 78. | 69 Q | 108 | 69. | 64 Q | 13 | 70-130 | 30 |
| Trichlorofluoromethane | ND | 112 | 110 | 98 | 108 | 100 | 94 | 8 | 70-139 | 30 |
| 1,2-Dichloroethane | ND | 112 | 83. | 74 | 108 | 84. | 78 | 1 | 70-130 | 30 |
| 1,1,1-Trichloroethane | ND | 112 | 100 | 90 | 108 | 95. | 88 | 6 | 70-130 | 30 |
| Bromodichloromethane | ND | 112 | 88. | 78 | 108 | 86. | 80 | 2 | 70-130 | 30 |
| trans-1,3-Dichloropropene | ND | 112 | 82. | 73 | 108 | 80. | 74 | 3 | 70-130 | 30 |
| cis-1,3-Dichloropropene | ND | 112 | 84. | 75 | 108 | 81. | 75 | 4 | 70-130 | 30 |
| 1,1-Dichloropropene | ND | 112 | 99. | 88 | 108 | 90. | 83 | 9 | 70-130 | 30 |
| Bromoform | ND | 112 | 85. | 76 | 108 | 86. | 79 | 1 | 70-130 | 30 |
| 1,1,2,2-Tetrachloroethane BB | ND | 112 | 78. | 69 Q | 108 | 81. | 75 | 4 | 70-130 | 30 |
| Benzene | ND | 112 | 91. | 81 | 108 | 87. | 80 | 6 | 70-130 | 30 |
| Toluene | ND | 112 | 86. | 76 | 108 | 77. | 71 | 11 | 70-130 | 30 |
| Ethylbenzene EE | ND | 112 | 80. | 71 | 108 | 67. | 62 Q | 17 | 70-130 | 30 |
| Chloromethane | ND | 112 | 100 | 89 | 108 | 100 | 94 | 2 | 52-130 | 30 |
| Bromomethane | ND | 112 | 93. | 83 | 108 | 95. | 88 | 1 | 57-147 | 30 |
| Vinyl chloride | ND | 112 | 110 | 96 | 108 | 110 | 99 | 1 | 67-130 | 30 |

2 + 3
 use lab limits



Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB002 (7-9)
 Lab Sample ID : L1745804-04
 Matrix Spike : WG1075119-6
 Matrix Spike Dup : WG1075119-7

Lab Number : L1745804
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/20/17 16:17
 MS Analysis Date : 12/20/17 16:43
 MSD Analysis Date : 12/20/17 17:09

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|--------------------------|----------------------|---------------------|---------------------|------|------------------------|---------------------|------|------|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| Chloroethane | ND | 112 | 100 | 89 | 108 | 34. | 31 Q | 99 Q | 50-151 | 30 |
| 1,1-Dichloroethene | ND | 112 | 110 | 94 | 108 | 100 | 94 | 4 | 65-135 | 30 |
| trans-1,2-Dichloroethene | ND | 112 | 97. | 87 | 108 | 92. | 85 | 6 | 70-130 | 30 |
| Trichloroethene | ND | 112 | 91. | 81 | 108 | 83. | 77 | 9 | 70-130 | 30 |
| 1,2-Dichlorobenzene | ND | 112 | 68. | 61 Q | 108 | 61. | 56 Q | 12 | 70-130 | 30 |
| 1,3-Dichlorobenzene | ND | 112 | 66. | 59 Q | 108 | 56. | 52 Q | 17 | 70-130 | 30 |
| 1,4-Dichlorobenzene | ND | 112 | 64. | 57 Q | 108 | 54. | 50 Q | 17 | 70-130 | 30 |
| Methyl tert butyl ether | ND | 112 | 83. | 74 | 108 | 87. | 81 | 4 | 66-130 | 30 |
| p/m-Xylene | ND | 224 | 160 | 69 Q | 216 | 130 | 60 Q | 18 | 70-130 | 30 |
| o-Xylene | ND | 224 | 160 | 70 | 216 | 140 | 62 Q | 14 | 70-130 | 30 |
| cis-1,2-Dichloroethene | ND | 112 | 91. | 81 | 108 | 88. | 82 | 3 | 70-130 | 30 |
| Dibromomethane | ND | 112 | 82. | 73 | 108 | 83. | 77 | 1 | 70-130 | 30 |
| Styrene | ND | 224 | 150 | 68 Q | 216 | 130 | 62 Q | 13 | 70-130 | 30 |
| Dichlorodifluoromethane | ND | 112 | 120 | 102 | 108 | 110 | 102 | 4 | 30-146 | 30 |
| Acetone | ND | 112 | 81. | 72 | 108 | 92. | 85 | 13 | 54-140 | 30 |
| Carbon disulfide | ND | 112 | 99. | 88 | 108 | 92. | 85 | 8 | 59-130 | 30 |
| 2-Butanone | ND | 112 | 78. | 70 | 108 | 90. | 83 | 14 | 70-130 | 30 |
| Vinyl acetate | ND | 112 | 52. | 46 Q | 108 | 31. | 28 Q | 51 Q | 70-130 | 30 |
| 4-Methyl-2-pentanone | ND | 112 | 78. | 69 Q | 108 | 83. | 77 | 6 | 70-130 | 30 |
| 1,2,3-Trichloropropane | ND | 112 | 76. | 68 | 108 | 78. | 72 | 2 | 68-130 | 30 |
| 2-Hexanone | ND | 112 | 76. | 68 Q | 108 | 82. | 76 | 7 | 70-130 | 30 |
| Bromochloromethane | ND | 112 | 88. | 78 | 108 | 87. | 80 | 1 | 70-130 | 30 |
| 2,2-Dichloropropane | ND | 112 | 100 | 89 | 108 | 94. | 87 | 6 | 70-130 | 30 |
| 1,2-Dibromoethane | ND | 112 | 80. | 71 | 108 | 80. | 74 | 1 | 70-130 | 30 |



Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB002 (7-9)
 Lab Sample ID : L1745804-04
 Matrix Spike : WG1075119-6
 Matrix Spike Dup : WG1075119-7

Lab Number : L1745804
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/20/17 16:17
 MS Analysis Date : 12/20/17 16:43
 MSD Analysis Date : 12/20/17 17:09

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|---------------------------------------|----------------------|---------------------|---------------------|-------------|------------------------|---------------------|-------------|-------------|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| 1,3-Dichloropropane | ND | 112 | 81. | 72 | 108 | 81. | 75 | 1 | 69-130 | 30 |
| 1,1,1,2-Tetrachloroethane | ND | 112 | 87. | 77 | 108 | 81. | 75 | 7 | 70-130 | 30 |
| Bromobenzene <i>WW</i> | ND | 112 | 74. | <u>66</u> Q | 108 | 66. | <u>61</u> Q | 12 | 70-130 | 30 |
| n-Butylbenzene <i>III</i> | ND | 112 | 61. | <u>54</u> Q | 108 | 45. | <u>42</u> Q | 30 | 70-130 | 30 |
| sec-Butylbenzene <i>EEE</i> | ND | 112 | 72. | <u>64</u> Q | 108 | 55. | <u>51</u> Q | 26 | 70-130 | 30 |
| tert-Butylbenzene <i>CCC</i> | ND | 112 | 76. | <u>67</u> Q | 108 | 60. | <u>56</u> Q | 23 | 70-130 | 30 |
| o-Chlorotoluene | ND | 112 | 72. | <u>64</u> Q | 108 | 59. | <u>54</u> Q | 20 | 70-130 | 30 |
| p-Chlorotoluene | ND | 112 | 68. | <u>61</u> Q | 108 | 56. | <u>52</u> Q | 19 | 70-130 | 30 |
| 1,2-Dibromo-3-chloropropane | ND | 112 | 78. | 69 | 108 | 82. | 76 | 5 | 68-130 | 30 |
| Hexachlorobutadiene <i>LLL</i> | ND | 112 | 56. | <u>50</u> Q | 108 | 40. | <u>37</u> Q | <u>33</u> Q | 67-130 | 30 |
| Isopropylbenzene <i>VV</i> | ND | 112 | 78. | 70 | 108 | 64. | <u>59</u> Q | 21 | 70-130 | 30 |
| p-Isopropyltoluene <i>GGG</i> | ND | 112 | 67. | <u>59</u> Q | 108 | 51. | <u>47</u> Q | 26 | 70-130 | 30 |
| Naphthalene <i>MMM</i> | ND | 112 | 68. | <u>60</u> Q | 108 | 67. | <u>62</u> Q | 1 | 70-130 | 30 |
| Acrylonitrile <i>GGGG</i> | ND | 112 | 78. | <u>69</u> Q | 108 | 83. | 77 | 6 | 70-130 | 30 |
| n-Propylbenzene <i>YY</i> | ND | 112 | 72. | <u>64</u> Q | 108 | 56. | <u>52</u> Q | 24 | 70-130 | 30 |
| 1,2,3-Trichlorobenzene <i>NNN</i> | ND | 112 | 61. | <u>55</u> Q | 108 | 55. | <u>51</u> Q | 11 | 70-130 | 30 |
| 1,2,4-Trichlorobenzene <i>KKK</i> | ND | 112 | 58. | <u>51</u> Q | 108 | 50. | <u>47</u> Q | 14 | 70-130 | 30 |
| 1,3,5-Trimethylbenzene <i>DDD AAA</i> | ND | 112 | 72. | <u>64</u> Q | 108 | 58. | <u>54</u> Q | 21 | 70-130 | 30 |
| 1,2,4-Trimethylbenzene <i>DDD</i> | ND | 112 | 70. | <u>62</u> Q | 108 | 57. | <u>52</u> Q | 20 | 70-130 | 30 |
| 1,4-Dioxane | ND | 5610 | 5500 | 98 | 5400 | 5600 | 104 | 2 | 65-136 | 30 |
| p-Diethylbenzene | ND | 112 | 61. | <u>54</u> Q | 108 | 46. | <u>43</u> Q | 27 | 70-130 | 30 |
| p-Ethyltoluene | ND | 112 | 69. | <u>62</u> Q | 108 | 55. | <u>50</u> Q | 24 | 70-130 | 30 |
| 1,2,4,5-Tetramethylbenzene | ND | 112 | 63. | <u>56</u> Q | 108 | 51. | <u>48</u> Q | 20 | 70-130 | 30 |
| Ethyl ether | ND | 112 | 85. | 76 | 108 | 88. | 81 | 3 | 67-130 | 30 |



Matrix Spike Form 3

Client : P. W. Grosser
Project Name : BBU1702
Client Sample ID : SB002 (7-9)
Lab Sample ID : L1745804-04
Matrix Spike : WG1075119-6
Matrix Spike Dup : WG1075119-7

Lab Number : L1745804
Project Number : BBU1702
Matrix : SOIL
Analysis Date : 12/20/17 16:17
MS Analysis Date : 12/20/17 16:43
MSD Analysis Date : 12/20/17 17:09

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|-----------------------------|----------------------------|---------------------------|---------------------------|----|---------------------------|---------------------------|----|-----|--------------------|--------------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| trans-1,4-Dichloro-2-butene | ND | 112 | 79. | 70 | 108 | 82. | 76 | 4 | 70-130 | 30 |



VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = 100 * (ave. RRF - RRF)/ave. RRF
 $RRF = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF

RRF = continuing calibration RRF

A_x = Area of compound,

A_{is} = Area of associated internal standard

C_x = Concentration of compound,

C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Reference internal Standard) | Average RRF (initial) | Reported RRF (CC) | Recalculated RRF (CC) | Reported %D | Recalculated %D |
|---|-------------|------------------|--|-----------------------|-------------------|-----------------------|-------------|-----------------|
| 1 | cen 064B | 2/20/17 | Y (1st internal standard) | 1.015 | 1.001 | 1.001 | 1.4 | 1.4 |
| | | | CC (2nd internal standard) | 0.826 | 0.815 | 0.815 | 1.3 | 1.3 |
| | | | BB (3rd internal standard) | 0.646 | 0.655 | 0.655 | 1.4 | 1.4 |
| | | | (4th internal standard) | | | | | |
| 2 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |
| 3 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |
| 4 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A1

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: #1

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | 20.0 | 19.343 | 97 | 97 | 0 |
| 1,2-Dichloroethane-d4 | ↓ | 19.513 | 98 | 98 | ↓ |
| Toluene-d8 | ↓ | 19.812 | 99 | 99 | ↓ |
| Bromofluorobenzene | ↓ | 20.372 | 102 | 102 | ↓ |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

LDC #: 43079 A

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer:

METHOD: GC/MS VOA (EPA SW 846 Method 8260B)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * (SSC - SC)/SA

Where: SSC = Spiked sample concentration
 SA = Spike added

SC = Sample concentration

RPD = |MSC - MSC| * 2/(MSC + MSDC)

MSC = Matrix spike concentration

MSDC = Matrix spike duplicate concentration

MS/MSD sample: 243

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike | | Matrix Spike Duplicate | | MS/MSD | |
|--------------------|---------------------|-----|------------------------------|-------------------------------------|---------|------------------|--------|------------------------|--------|----------|--------------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc | Reported | Recalc | Reported | Recalculated |
| 1,1-Dichloroethene | 112 | 108 | ND | 105.83 | 101.525 | 94 | 94 | 94 | 94 | 4 | 4 |
| Trichloroethene | ↓ | ↓ | ↓ | 91.325 | 83.101 | 81 | 81.5 | 77 | 76.9 | 9 | 9 |
| Benzene | ↓ | ↓ | ↓ | 91.447 | 86.538 | 81 | 81.6 | 80 | 80.1 | 6 | 6 |
| Toluene | ↓ | ↓ | ↓ | 85.17 | 76.64 | 76 | 76.5 | 71 | 70.9 | 11 | 11 |
| Chlorobenzene | ↓ | ↓ | ↓ | 77.911 | 68.711 | 69 | 69.5 | 64 | 63.6 | 13 | 13 |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A /

VALIDATION FINDINGS WORKSHEET
Laboratory Control Sample Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: R

METHOD: GC/MS VOA (EPA Method 8260C)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the laboratory control sample and laboratory control sample duplicate (if applicable) were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * SSC/SA

Where: SSC = Spiked sample concentration
 SA = Spike added

RPD = | LCSC - LCSDC | * 2 / (LCSC + LCSDC)

LCSC = Laboratory control sample concentration LCSDC = Laboratory control sample duplicate concentration

LCS ID: WG1075119-3/4

| Compound | Spike Added (ug/kg) | | Spiked Sample Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | |
|--------------------|------------------------|------|--|--------|------------------|---------|------------------|---------|----------|--------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalculated |
| 1,1-Dichloroethene | 20.0 | 20.0 | 20.399 | 20.174 | 102 | 102 | 101 | 101 | 1 | 1 |
| Trichloroethene | ↓ | ↓ | 19.758 | 19.763 | 99 | 99 | 99 | 99 | 0 | 0 |
| Benzene | ↓ | ↓ | 19.731 | 19.645 | 99 | 99 | 98 | 98 | 1 | 1 |
| Toluene | ↓ | ↓ | 19.737 | 19.517 | 99 | 99 | 98 | 98 | 1 | 1 |
| Chlorobenzene | ↓ | ↓ | 19.466 | 19.245 | 97 | 97 | 96 | 96 | 1 | 1 |

Comments: Refer to Laboratory Control Sample findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A)

VALIDATION FINDINGS WORKSHEET Sample Calculation Verification

Page: 1 of 1

Reviewer: FT

2nd reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Y / N / N/A
Y / N / N/A

Were all reported results recalculated and verified for all level IV samples?

Were all recalculated results for detected target compounds agree within 10.0% of the reported results?

$$\text{Concentration} = \frac{(A_x)(I_s)(DF)}{(A_{is})(RRF)(V_o)(\%S)}$$

- A_x = Area of the characteristic ion (EICP) for the compound to be measured
- A_{is} = Area of the characteristic ion (EICP) for the specific internal standard
- I_s = Amount of internal standard added in nanograms (ng)
- RRF = Relative response factor of the calibration standard.
- V_o = Volume or weight of sample pruged in milliliters (ml) or grams (g).
- Df = Dilution factor.
- %S = Percent solids, applicable to soils and solid matrices only.

Example:

Sample I.D. LES, ✓:

$$\text{Conc.} = \frac{(164390)(20)}{(164201)(1.015)}$$

= 19.73

| # | Sample ID | Compound | Reported Concentration (ng/L) | Calculated Concentration (ng/L) | Qualification |
|---|-------------------|----------|-------------------------------|---------------------------------|---------------|
| | WA1075119- LES | ✓ | 19.731 | 19.73 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

LDC #: 43079A2a

VALIDATION COMPLETENESS WORKSHEET

Date: 9/19/18

SDG #: L1745804

Category B

Page: 1 of 1

Laboratory: Alpha Analytical, Inc.

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC/MS Semivolatiles (EPA SW 846 Method 8270D)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-----|-------------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | GC/MS Instrument performance check | Δ | |
| III. | Initial calibration/ICV | A/A | % PSD ≤ 20, r ² 101 ≤ 30 |
| IV. | Continuing calibration | SW | CCV ≤ 20 |
| V. | Laboratory Blanks | A | |
| VI. | Field blanks | ND | FB = Field Blank 001 |
| VII. | Surrogate spikes | Δ | |
| VIII. | Matrix spike/Matrix spike duplicates | SW | |
| IX. | Laboratory control samples | SW | les 10 |
| X. | Field duplicates | N | |
| XI. | Internal standards | Δ | |
| XII. | Compound quantitation RL/LOQ/LODs | Δ | No Results < RL > MDL |
| XIII. | Target compound identification | Δ | |
| XIV. | System performance | Δ | |
| XV. | Overall assessment of data | Δ | |

Note: A = Acceptable
 N = Not provided/applicable
 SW = See worksheet

ND = No compounds detected
 R = Rinsate
 FB = Field blank

D = Duplicate
 TB = Trip blank
 EB = Equipment blank

SB=Source blank
 OTHER:

| | Client ID | Lab ID | Matrix | Date |
|---|----------------|----------------|--------|----------|
| 1 | SB002 (7-9) | L1745804-04 | Soil | 12/11/17 |
| 2 | SB002 (7-9)MS | L1745804-04MS | Soil | 12/11/17 |
| 3 | SB002 (7-9)MSD | L1745804-04MSD | Soil | 12/11/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |

Notes:

| | | | | |
|---------------------|--|--|--|--|
| WG1073744 - 1 Blank | | | | |
| | | | | |
| | | | | |
| | | | | |

Method: Semivolatiles (EPA SW 846 Method 8270D)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | / | | | |
| Was cooler temperature criteria met? | / | | | |
| II. GC/MS Instrument performance check | | | | |
| Were the DFTPP performance results reviewed and found to be within the specified criteria? | / | | | |
| Were all samples analyzed within the 12 hour clock criteria? | / | | | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | / | | | |
| Were all percent relative standard deviations (%RSD) \leq 20% and relative response factors (RRF) within method criteria? | / | | | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of > 0.990 ? | / | | | |
| IIIb. Initial Calibration Verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | / | | | |
| Were all percent differences (%D) \leq 30% or percent recoveries (%R) 70-130%? | / | | | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration standard analyzed at least once every 12 hours for each instrument? | / | | | |
| Were all percent differences (%D) \leq 20% and relative response factors (RRF) within method criteria? | | / | | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | / | | | |
| Was a laboratory blank analyzed at least once every 12 hours for each matrix and concentration? | / | | | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | | / | | |
| VI. Field blanks | | | | |
| Were field blanks were identified in this SDG? | / | | | |
| Were target compounds detected in the field blanks? | | / | | |
| VII. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within QC limits? | / | | | |
| If 2 or more base neutral or acid surrogates were outside QC limits, was a reanalysis performed to confirm %R? | | | / | |
| If any percent recoveries (%R) was less than 10%, was a reanalysis performed to confirm %R ? | | | / | |

VALIDATION FINDINGS CHECKLIST

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| VIII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | / | | | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | / | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | | / | | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | / | | | |
| Was an LCS analyzed per analytical batch? | / | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | | / | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | / | | |
| Were target compounds detected in the field duplicates? | | | / | |
| XI. Internal standards | | | | |
| Were internal standard area counts within -50% to +100% of the associated calibration standard? | / | | | |
| Were retention times within + 30 seconds of the associated calibration standard? | / | | | |
| XII. Compound quantitation | | | | |
| Were the correct internal standard (IS), quantitation ion and relative response factor (RRF) used to quantitate the compound? | / | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | / | | | |
| XIII. Target compound identification | | | | |
| Were relative retention times (RRT's) within + 0.06 RRT units of the standard? | / | | | |
| Did compound spectra meet specified EPA "Functional Guidelines" criteria? | / | | | |
| Were chromatogram peaks verified and accounted for? | / | | | |
| XIV. System performance | | | | |
| System performance was found to be acceptable. | / | | | |
| XV. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | / | | | |

VALIDATION FINDINGS WORKSHEET

METHOD: GC/MS SVOA

| | | | | |
|---------------------------------|---------------------------------|----------------------------------|---|---------------------------------------|
| A. Phenol | AA. 2-Chloronaphthalene | AAA. Butylbenzylphthalate | AAAA. Dibenzothiophene | A1. N-Nitrosodiethylamine |
| B. Bis (2-chloroethyl) ether | BB. 2-Nitroaniline | BBB. 3,3'-Dichlorobenzidine | BBBB. Benzo(a)fluoranthene | B1. N-Nitrosodi-n-butylamine |
| C. 2-Chlorophenol | CC. Dimethylphthalate | CCC. Benzo(a)anthracene | CCCC. Benzo(b)fluorene | C1. N-Nitrosomethylethylamine |
| D. 1,3-Dichlorobenzene | DD. Acenaphthylene | DDD. Chrysene | DDDD. cis/trans-Decalin | D1. N-Nitrosomorpholine |
| E. 1,4-Dichlorobenzene | EE. 2,6-Dinitrotoluene | EEE. Bis(2-ethylhexyl)phthalate | EEEE. Biphenyl | E1. N-Nitrosopyrrolidine |
| F. 1,2-Dichlorobenzene | FF. 3-Nitroaniline | FFF. Di-n-octylphthalate | FFFF. Retene | F1. Phenacetin |
| G. 2-Methylphenol | GG. Acenaphthene | GGG. Benzo(b)fluoranthene | GGGG. C30-Hopane | G1. 2-Acetylamino fluorene |
| H. 2,2'-Oxybis(1-chloropropane) | HH. 2,4-Dinitrophenol | HHH. Benzo(k)fluoranthene | HHHH. 1-Methylphenanthrene | H1. Pronamide |
| I. 4-Methylphenol | II. 4-Nitrophenol | III. Benzo(a)pyrene | IIII. 1,4-Dioxane | I1. Methyl methanesulfonate |
| J. N-Nitroso-di-n-propylamine | JJ. Dibenzofuran | JJJ. Indeno(1,2,3-cd)pyrene | JJJJ. Acetophenone | J1. Ethyl methanesulfonate |
| K. Hexachloroethane | KK. 2,4-Dinitrotoluene | KKK. Dibenz(a,h)anthracene | KKKK. Atrazine | K1. o,o',o''-Triethylphosphorothioate |
| L. Nitrobenzene | LL. Diethylphthalate | LLL. Benzo(g,h,i)perylene | LLLL. Benzaldehyde | L1. n-Phenylene diamine |
| M. Isophorone | MM. 4-Chlorophenyl-phenyl ether | MMM. Bis(2-Chloroisopropyl)ether | MMMM. Caprolactam | M1. 1,4-Naphthoquinone |
| N. 2-Nitrophenol | NN. Fluorene | NNN. Aniline | NNNN. 2,6-Dichlorophenol | N1. N-Nitro-o-toluidine |
| O. 2,4-Dimethylphenol | OO. 4-Nitroaniline | OOO. N-Nitrosodimethylamine | OOOO. 1,2-Diphenylhydrazine | O1. 1,3,5-Trinitrobenzene |
| P. Bis(2-chloroethoxy)methane | PP. 4,6-Dinitro-2-methylphenol | PPP. Benzoic Acid | PPPP. 3-Methylphenol | P1. Pentachlorobenzene |
| Q. 2,4-Dichlorophenol | QQ. N-Nitrosodiphenylamine | QQQ. Benzyl alcohol | QQQQ. 3&4-Methylphenol | Q1. 4-Aminobiphenyl |
| R. 1,2,4-Trichlorobenzene | RR. 4-Bromophenyl-phenylether | RRR. Pyridine | RRRR. 4-Dimethyldibenzothiophene (4MDT) | R1. 2-Naphthylamine |
| S. Naphthalene | SS. Hexachlorobenzene | SSS. Benzidine | SSSS. 2/3-Dimethyldibenzothiophene (4MDT) | S1. Triphenylene |
| T. 4-Chloroaniline | TT. Pentachlorophenol | TTT. 1-Methylnaphthalene | TTTT. 1-Methyldibenzothiophene (1MDT) | T1. Octachlorostyrene |
| U. Hexachlorobutadiene | UU. Phenanthrene | UUU. Benzo(b)thiophene | UUUU. 2,3,4,6-Tetrachlorophenol | U1. Famphur |
| V. 4-Chloro-3-methylphenol | VV. Anthracene | VVV. Benzonaphthothiophene | VVVV. 1,2,4,5-Tetrachlorobenzene | V1. 1,4-phenylenediamine |
| W. 2-Methylnaphthalene | WW. Carbazole | WWW. Benzo(e)pyrene | WWWW. 2-Picoline | W1. Methapyrilene |
| X. Hexachlorocyclopentadiene | XX. Di-n-butylphthalate | XXX. 2,6-Dimethylnaphthalene | XXXX. 3-Methylcholanthrene | X1. Pentachloroethane |
| Y. 2,4,6-Trichlorophenol | YY. Fluoranthene | YYY. 2,3,5-Trimethylnaphthalene | YYYY. a,a-Dimethylphenethylamine | Y1. 3,3'-Dimethylbenzidine |
| Z. 2,4,5-Trichlorophenol | ZZ. Pyrene | ZZZ. Perylene | ZZZZ. Hexachloropropene | Z1. o-Toluidine |

LDC #: 43079 Ada

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GCMS SVOA 8270D

The calibration factors (RRFF), average RRFF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

$RRF = (A_x)(C_{is}) / (A_{is})(C_x)$

average RRF = sum of the RRFs/number of standards

$\%RSD = 100 * (S/X)$

Where:

A_x = Area of compound

C_x = Concentration of compound

S = Standard deviation of the RRFs

X = Mean of the RRFs

A_{is} = Area of associated internal standard

C_{is} = Concentration of internal Standard

| # | Standard ID | Calibration Date | Compound | Reported (RRF 20 std) | Recalculated (RRF 20 std) | Reported Average RRF (Initial) | Recalculated Average RRF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------|-----------------------|---------------------------|--------------------------------|------------------------------------|---------------|-------------------|
| | ICAL | 12/7/2017 | A | 1.773 | 1.773 | 1.696 | 1.696 | 2.92 | 2.92 |
| | BUFFY | | JJJJ | 1.745 | 1.745 | 1.684 | 1.684 | 2.84 | 2.84 |
| | | | S | 1.088 | 1.088 | 1.029 | 1.029 | 8.92 | 8.92 |
| | | | VVVV | 0.298 | 0.298 | 0.288 | 0.288 | 2.57 | 2.57 |
| | | | GG | 1.288 | 1.288 | 1.222 | 1.222 | 7.50 | 7.50 |
| | | | UU | 1.188 | 1.188 | 1.141 | 1.141 | 7.44 | 7.44 |
| | | | DDD | 1.199 | 1.199 | 1.142 | 1.142 | 6.09 | 6.09 |
| | | | JJJ | 1.078 | 1.078 | 1.011 | 1.011 | 13.66 | 13.66 |

LDC #: 43079 A2a

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GCMS SVOA 8270D

The calibration factors (RRFF), average RRFF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

RRF = (Ax)(Cis)/(Ais)(Cx)
 average RRF = sum of the RRFs/number of standards
 %RSD = 100 * (S/X)

Where:

- Ax = Area of compound
- Cx = Concentration of compound
- S = Standard deviation of the RRFs
- X = Mean of the RRFs
- Ais = Area of associated internal standard
- Cis = Concentration of internal Standard

| # | Standard ID | Calibration Date | Compound | Reported (RRF 20 std) | Recalculated (RRF 20 std) | Reported AverageRRF (Initial) | Recalculated Average RRF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------|-----------------------|---------------------------|-------------------------------|------------------------------------|---------------|-------------------|
| | ICAL | 10/18/2017 | A | 1.989 | 1.989 | 1.988 | 1.988 | 5.88 | 5.88 |
| | SV112 | | JJJJ | 2.239 | 2.239 | 2.257 | 2.257 | 5.69 | 5.69 |
| | | | S | 1.084 | 1.084 | 1.080 | 1.080 | 6.70 | 6.70 |
| | | | VVVV | 0.273 | 0.273 | 0.275 | 0.275 | 3.31 | 3.31 |
| | | | GG | 1.332 | 1.332 | 1.335 | 1.335 | 6.77 | 6.77 |
| | | | UU | 1.248 | 1.248 | 1.233 | 1.233 | 7.19 | 7.19 |
| | | | DDD | 1.279 | 1.279 | 1.278 | 1.278 | 5.30 | 5.30 |
| | | | JJJ | 1.249 | 1.249 | 1.201 | 1.201 | 4.45 | 4.45 |

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = 100 * (ave. RRF - RRF)/ave. RRF
 RRF = (A_x)(C_{is})/(A_{is})(C_x)

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound,
 C_x = Concentration of compound,

A_{is} = Area of associated internal standard
 C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Internal Standard) | Average RRF (Initial) | Reported | Recalculated | Reported | Recalculated |
|---|-----------------------------|------------------|------------------------------|-----------------------|----------|--------------|----------|--------------|
| | | | | | RRF (CC) | RRF (CC) | %D | %D |
| 1 | ceV Buffy 10:47 11:12 | 12/18/17 | Δ (1st IS) | 1.696 | 1.340 | 1.340 | 21.0 | 21.0 |
| | | | JJJ (2nd IS) | 1.684 | 1.464 | 1.464 | 13.1 | 13.1 |
| | | | S (3rd IS) | 1.029 | 0.876 | 0.876 | 14.9 | 14.9 |
| | | | VVV (4th IS) | 0.288 | 0.283 | 0.283 | 1.7 | 1.7 |
| | | | GG (5th IS) | 1.222 | 1.015 | 1.015 | 16.9 | 16.9 |
| | | | UU (6th IS) | 1.41 | 0.916 | 0.916 | 19.7 | 19.7 |
| 2 | | | DDD (1st IS) | 1.142 | 0.900 | 0.900 | 20.5 | 20.5 |
| | | | JJJ (2nd IS) | 1.011 | 0.971 | 0.971 | 4.0 | 4.0 |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |
| 3 | | | (1st IS) | | | | | |
| | | | (2nd IS) | | | | | |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = $100 * (\text{ave. RRF} - \text{RRF}) / \text{ave. RRF}$
 $\text{RRF} = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound,
 C_x = Concentration of compound,

A_{is} = Area of associated internal standard
 C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Internal Standard) | Average RRF (Initial) | Reported | Recalculated | Reported | Recalculated |
|---|-----------------------|------------------|------------------------------|-----------------------|----------|--------------|----------|--------------|
| | | | | | RRF (CC) | RRF (CC) | %D | %D |
| 1 | KOV 10:48 11:13 | 12/19/17 | A (1st IS) | 1.988 | 1.756 | 1.756 | 11.7 | 11.7 |
| | | | JJJ (2nd IS) | 2.257 | 2.216 | 2.216 | 1.8 | 1.8 |
| | | | S (3rd IS) | 1.080 | 0.981 | 0.981 | 9.2 | 9.2 |
| | | | VVVV (4th IS) | 0.275 | 0.292 | 0.292 | 6.2 | 6.2 |
| | | | GG (5th IS) | 1.335 | 1.182 | 1.182 | 11.5 | 11.5 |
| | | | UU (6th IS) | 1.233 | 1.095 | 1.095 | 11.2 | 11.2 |
| 2 | | | DDD (1st IS) | 1.278 | 1.156 | 1.156 | 9.5 | 9.5 |
| | | | JJJ (2nd IS) | 1.201 | 1.140 | 1.140 | 5.1 | 5.1 |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |
| 3 | | | (1st IS) | | | | | |
| | | | (2nd IS) | | | | | |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

METHOD: GC/MS Semivolatiles (EPA SW 846 Method 8270D)

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: $SF/SS * 100$

Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: #1

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | 25.0 | 18.274 | 73 | 73 | 0 |
| 2-Fluorobiphenyl | ↓ | 20.469 | 82 | 82 | ↓ |
| Terphenyl-d14 | ↓ | 17.908 | 70 | 70 | ↓ |
| Phenol-d5 | 50.0 | 38.509 | 77 | 77 | ↓ |
| 2-Fluorophenol | ↓ | 38.232 | 76 | 76 | ↓ |
| 2,4,6-Tribromophenol | ↓ | 40.701 | 81 | 81 | ↓ |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | | | | | |
| 2-Fluorobiphenyl | | | | | |
| Terphenyl-d14 | | | | | |
| Phenol-d5 | | | | | |
| 2-Fluorophenol | | | | | |
| 2,4,6-Tribromophenol | | | | | |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | | | | | |
| 2-Fluorobiphenyl | | | | | |
| Terphenyl-d14 | | | | | |
| Phenol-d5 | | | | | |
| 2-Fluorophenol | | | | | |
| 2,4,6-Tribromophenol | | | | | |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

LDC #: 43079A2a

VALIDATION FINDINGS WORKSHEET Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
Reviewer: FT
2nd Reviewer: [Signature]

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = $100 * (SSC - SC) / SA$

Where: SSC = Spiked sample concentration
SA = Spike added

SC = Sample concentration

RPD = $|MSC - MSC| * 2 / (MSC + MSDC)$

MSC = Matrix spike concentration

MSDC = Matrix spike duplicate concentration

MS/MSD samples: 2 & 3

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike | | Matrix Spike Duplicate | | MS/MSD | |
|----------------------------|---------------------|------|------------------------------|-------------------------------------|------|------------------|--------|------------------------|--------|----------|--------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc | Reported | Recalc | Reported | Recalc |
| Phenol | 1490 | 1490 | ND | 1100 | 1100 | 74 | 74 | 74 | 74 | 0 | 0 |
| N-Nitroso-di-n-propylamine | ↓ | ↓ | ↓ | 1100 | 1100 | 74 | 74 | 74 | 74 | 0 | 0 |
| 4-Chloro-3-methylphenol | ↓ | ↓ | ↓ | 1100 | 1200 | 74 | 74 | 81 | 81 | 9 | 9 |
| Acenaphthene | 1490 | 1490 | ↓ | 1100 | 1200 | 74 | 74 | 81 | 81 | 9 | 9 |
| Pentachlorophenol | ↓ | ↓ | ↓ | 1500 | 1600 | 100 | 100 | 110 | 107 | 6 | 6 |
| Pyrene | ↓ | ↓ | ↓ | 1100 | 1200 | 74 | 1100 | 81 | 81 | 9 | 9 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET

Laboratory Control Sample/Laboratory Control Sample Duplicates Results Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the laboratory control sample and laboratory control sample duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * (SC/SA)

Where: SSC = Spike concentration
SA = Spike added

RPD = | LCSC - LCSDC | * 2 / (LCSC + LCSDC)

LCSC = Laboratory control sample concentration LCSDC = Laboratory control sample duplicate concentration

LCS/LCSD samples: WG1073744-2/3 100/10

| Compound | Spike Added (ug/kg) | | Spike Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | |
|----------------------------|---------------------|------|-----------------------------|------|------------------|--------|------------------|--------|----------|--------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc | Reported | Recalc | Reported | Recalculated |
| Phenol | 1300 | 1300 | 1000 | 1100 | 79 | 79 | 83 | 83 | 5 | 5 |
| N-Nitroso-di-n-propylamine | | | 1000 | 1100 | 78 | 78 | 84 | 84 | 7 | 7 |
| 4-Chloro-3-methylphenol | | | 1300 | 1400 | 98 | 98 | 105 | 105 | 7 | 7 |
| Acenaphthene | | | 1100 | 1200 | 82 | 82 | 88 | 88 | 7 | 7 |
| Pentachlorophenol | | | 1100 | 1100 | 82 | 82 | 87 | 87 | 6 | 6 |
| Pyrene | | | 1200 | 1300 | 90 | 90 | 96 | 96 | 6 | 6 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Comments: Refer to Laboratory Control Sample/Laboratory Control Sample Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A3a

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1745804

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/19/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC Chlorinated Pesticides (EPA SW846 Method 8081B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-------|--------------------------------------|
| I. | Sample receipt/Technical holding times | A / Δ | |
| II. | GC Instrument Performance Check | Δ | |
| III. | Initial calibration/ICV | Δ, Δ | % PSD ≤ 20, r ² CV ≤ 20 |
| IV. | Continuing calibration | Δ | cel ≤ 20 |
| V. | Laboratory Blanks | Δ | |
| VI. | Field blanks | ND | FB = Field Blank 001 |
| VII. | Surrogate spikes /15 | A/Δ | |
| VIII. | Matrix spike/Matrix spike duplicates | Δ | |
| IX. | Laboratory control samples | Δ | LCSD |
| X. | Field duplicates | N | |
| XI. | Compound quantitation/RL/LOQ/LODs | SW | Results < RL > MDL = but |
| XII. | Target compound identification | Δ | |
| XIII. | System Performance | Δ | |
| XIV. | Overall assessment of data | Δ | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|----------------|----------------|--------|----------|
| 1 | SB002 (7-9) | L1745804-04 | Soil | 12/11/17 |
| 2 | SB002 (7-9)MS | L1745804-04MS | Soil | 12/11/17 |
| 3 | SB002 (7-9)MSD | L1745804-04MSD | Soil | 12/11/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |

Notes:

| | | | | |
|-------------------|--|--|--|--|
| WG1074141 - Blank | | | | |
| | | | | |
| | | | | |
| | | | | |

Method: Pesticides (EPA SW 846 Method 8081)

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was cooler temperature criteria met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| II. GC/ECD Instrument performance check | | | | |
| Was the instrument performance found to be acceptable? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were Evaluation mix standards analyzed prior to the initial calibration and at beginning of each 12-hour shift? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were endrin and 4,4'-DDT breakdowns $\leq 15\%$ for individual breakdown in the Evaluation mix standards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent relative standard deviations (%RSD) $\leq 20\%$? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of ≥ 0.990 ? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the RT windows properly established? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIb. Initial calibration verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) $\leq 20\%$ or percent recoveries (%R) 80-120%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration analyzed daily? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) $\leq 20\%$ or percent recoveries (%R) 80-120%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all the retention times within the acceptance windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a laboratory blank analyzed for each matrix and concentration? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| VI. Field blanks | | | | |
| Were field blanks identified in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field blanks? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| VII. Surrogate spikes/Internal Standards | | | | |
| Were all surrogate percent recovery (%R) within the QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

LDC #: 43079A30

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: FT
 2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| If the percent recovery (%R) of one or more surrogates was outside QC limits, was a reanalysis performed to confirm %R? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| If any percent recovery (%R) was less than 10 percent, was a reanalysis performed to confirm %R? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were internal standard area counts within $\pm 50\%$ of the average area calculated during calibration? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| VII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was an LCS analyzed per extraction batch? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field duplicates? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| XI. Compound quantitation | | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions, dry weight factors, and clean-up activities applicable to level IV validation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were relative percent difference (RPD) of the results between two columns $\leq 40\%$? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| XII. Target compound identification | | | | |
| Were the retention times of reported detects within the RT windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| XIII. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

VALIDATION FINDINGS WORKSHEET

METHOD: Pesticide/PCBs (EPA SW 846 Method 8081/8082)

| | | | | |
|-----------------------|-----------------------|--------------------|-----------------------|---------------------------|
| A. alpha-BHC | I. Dieldrin | Q. Endrin ketone | Y. Aroclor-1242 | GG. Chlordane |
| B. beta-BHC | J. 4,4'-DDE | R. Endrin aldehyde | Z. Aroclor-1248 | HH. Chlordane (Technical) |
| C. delta-BHC | K. Endrin | S. alpha-Chlordane | AA. Aroclor-1254 | II. Arochlor 1262 |
| D. gamma-BHC | L. Endosulfan II | T. gamma-Chlordane | BB. Aroclor-1260 | JJ. Aroclor 1268 |
| E. Heptachlor | M. 4,4'-DDD | U. Toxaphene | CC. 2,4'-DDD | KK. Oxychlordane |
| F. Aldrin | N. Endosulfan sulfate | V. Aroclor-1016 | DD. 2,4'-DDE | LL. trans-Nonachlor |
| G. Heptachlor epoxide | O. 4,4'-DDT | W. Aroclor-1221 | EE. 2,4'-DDT | MM. cis-Nonachlor |
| H. Endosulfan I | P. Methoxychlor | X. Aroclor-1232 | FF. Hexachlorobenzene | NN. |

Notes: _____

LDC #: 43079A3a

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC X HPLC _____

The calibration factors (CF), average CF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

CF = A/C
 average CF = sum of the CF/number of standards
 %RSD = 100 * (S/X)

Where: A = Area of compound
 C = Concentration of compound
 S = Standard deviation of calibration factors
 X = Mean of calibration factors

| # | Standard ID | Calibration Date | Compound | Reported 4.0 | Recalculated 4.0 | Reported Average CF (Initial) | Recalculated Average CF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------------|-----------------|---------------------|-------------------------------------|---|------------------|----------------------|
| 1 | ICAL | 12/6/2017 | Gamma BHC CLP1 | 1.309 | 1.309 | 1.331 | 1.331 | 10.68 | 1.331 |
| | PEST 10 | | Delta BHC CLP1 | 1.228 | 1.228 | 1.257 | 1.257 | 11.09 | 1.257 |
| | | | Gamma BHC CLP2 | 1.285 | 1.285 | 1.303 | 1.303 | 7.83 | 1.303 |
| | | | Delta BHC CLP2 | 1.203 | 1.203 | 1.271 | 1.271 | 12.55 | 1.271 |

LDC #: 43079A3a

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC Pesticides (EPA SW 846 Method 8081)

Percent difference (%D) = 100 * (N - C)/N

Where: N = Initial Calibration Factor or Nominal Amount (ng)
 C = Calibration Factor from Continuing Calibration Standard or Calculated Amount (ng)

| Standard ID | Calibration Date/Time | Compound | Average CF/ CCV Conc | Reported | Recalculated | Reported | Recalculated |
|-------------|-----------------------|----------------|-------------------------|----------------|----------------|----------|--------------|
| | | | | CF/Conc CCV | CF/Conc CCV | %D | %D |
| dev 5:11 | 12/20/18 | gamma BHC crp1 | 50.00 | 46.911 | 46.911 | 6.2 | 6.2 |
| | | delta BHC ↓ | | 49.183 | 49.183 | 1.6 | 1.6 |
| | | ↓ CLP2 | | 49.203 | 49.203 | 1.6 | 1.6 |
| | | ↓ ↓ | | 47.286 | 47.286 | 5.4 | 5.4 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

METHOD: GC Pesticides (EPA SW 846 Method 8081)

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: $SF/SS * 100$

Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: 1

| Surrogate | Column | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|----------------------|--------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| Tetrachloro-m-xylene | CP1 | 50.0 | 42.816 | 86 | 86 | 0 |
| Tetrachloro-m-xylene | CP2 | ↓ | 43.029 | 86 | 86 | ↓ |
| Decachlorobiphenyl | CP1 | ↓ | 39.357 | 79 | 79 | ↓ |
| Decachlorobiphenyl | CP2 | ↓ | 52.274 | 105 | 105 | ↓ |

Sample ID:

| Surrogate | Column | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|----------------------|--------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| Tetrachloro-m-xylene | | | | | | |
| Tetrachloro-m-xylene | | | | | | |
| Decachlorobiphenyl | | | | | | |
| Decachlorobiphenyl | | | | | | |

Sample ID:

| Surrogate | Column | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|----------------------|--------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| Tetrachloro-m-xylene | | | | | | |
| Tetrachloro-m-xylene | | | | | | |
| Decachlorobiphenyl | | | | | | |
| Decachlorobiphenyl | | | | | | |

Sample ID:

| Surrogate | Column | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|----------------------|--------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| Tetrachloro-m-xylene | | | | | | |
| Tetrachloro-m-xylene | | | | | | |
| Decachlorobiphenyl | | | | | | |
| Decachlorobiphenyl | | | | | | |

Notes: _____

LDC #: 43079A3a

VALIDATION FINDINGS WORKSHEET

Page: 1 of 1

Matrix Spike/Matrix Spike Duplicates Results Verification

Reviewer: FT
2nd Reviewer: [Signature]

METHOD: GC Pesticides (EPA SW 846 Method 8081)

The percent recoveries (%R) and Relative Percent difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = $100 * (SSC - SC) / SA$

Where: SSC = Spiked sample concentration
SA = Spike added

SC = Concentration

RPD = $|MS - MSD| * 2 / (MS + MSD)$

MS = Matrix spike percent recovery

MSD = Matrix spike duplicate percent recovery

MS/MSD samples: 2 3

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike | | Matrix Spike Duplicate | | MS/MSD | |
|-----------|---------------------|------|------------------------------|-------------------------------------|------|------------------|---------|------------------------|---------|----------|---------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| gamma-BHC | 36.9 | 37.3 | ND | 32.1 | 33.6 | 87 | 87 | 90 | 90 | 5 | 4.6 |
| 4,4'-DDT | ↓ | ↓ | ↓ | 34.9 | 37.1 | 95 | 95 | 99 | 99 | 6 | 6.1 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43679 A3a

VALIDATION FINDINGS WORKSHEET
Laboratory Control Sample/Laboratory Control Sample Duplicate Results Verification

Page: 1 of 1
 Reviewer: [Signature]
 2nd Reviewer: [Signature]

METHOD: GC Pesticides (EPA SW 846 Method 8081A)

The percent recoveries (%R) and Relative Percent difference (RPD) of the laboratory control sample and laboratory control sample duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * (SSC-SC)/SA

Where: SSC = Spiked sample concentration
 SA = Spike added

SC = Concentration

RPD = |LCS - LCSD| * 2 / (LCS + LCSD)

LCS = Laboratory control sample percent recovery

LCSD = Laboratory control sample duplicate percent recovery

LCS/LCSD samples: WG1074141 - 2/3

| Compound | Spike Added (ug/kg) | | Spiked Sample Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | |
|-----------|---------------------|------|-------------------------------------|--------|------------------|---------|------------------|---------|-------------|----------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| gamma-BHC | 31.5 | 32.5 | 26.22 | 31.5 | 83 | 83 | 97 | 97 | 16 | 18 |
| 4,4'-DDT | ↓ | ↓ | 26.619 | 31.458 | 84 | 84 | 97 | 97 | ↓ 14 | ↓ 17 |
| | | | | | | | | | Based on %R | Based on Conc. |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Comments: Refer to Laboratory Control Sample/Laboratory Control Sample Duplicate findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A3a

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

Page: 1 of 1
 Reviewer: [Signature]
 2nd reviewer: [Signature]

METHOD: GC Pesticides (EPA SW 846 Method 8081A)

Y N N/A
Y N N/A

Were all reported results recalculated and verified for all level IV samples?
 Were all recalculated results for detected target compounds agree within 10.0% of the reported results?

$$\text{Concentration} = \frac{(A_s)(I_s)(V_s)(DF)(2.0)}{(A_x)(RRF)(V_o)(V_i)(\%S)}$$

- A_x = Area of the characteristic ion (EICP) for the compound to be measured
- A_s = Area of the characteristic ion (EICP) for the specific internal standard
- I_s = Amount of internal standard added in nanograms (ng)
- V_o = Volume or weight of sample extract in milliliters (ml) or grams (g).
- V_i = Volume of extract injected in microliters (ul)
- V_t = Volume of the concentrated extract in microliters (ul)
- Df = Dilution Factor.
- %S = Percent solids, applicable to soil and solid matrices only.
- 2.0 = Factor of 2 to account for GPC cleanup

Example:

Sample I.D. #1, Delta BHC

$$\text{Conc.} = \frac{(3262290)(10)}{(47358361)(1.271)(15.43)(0.89)}$$

= 0.9866 ug/kg

| # | Sample ID | Compound | Reported Concentration (ug/kg) | Calculated Concentration (ug/kg) | Qualification |
|---|-----------|-----------|--------------------------------|----------------------------------|---------------|
| | # 1 | Delta BHC | 0.986 | 0.986 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

LDC #: 43079A3b

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1745804

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/19/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC Polychlorinated Biphenyls (EPA SW846 Method 8082A)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|------|-----------------------|
| I. | Sample receipt/Technical holding times | A, Δ | |
| II. | Initial calibration/ICV | Δ, Δ | % PSD / CV ≤ 20 |
| III. | Continuing calibration | A | CV ≤ 20 |
| IV. | Laboratory Blanks | A | |
| V. | Field blanks | ND | FB = Field Blank 00) |
| VI. | Surrogate spikes 115 | A/Δ | |
| VII. | Matrix spike/Matrix spike duplicates | A | |
| VIII. | Laboratory control samples | A | Los ID |
| IX. | Field duplicates | N | |
| X. | Compound quantitation/RL/LOQ/LODs | Δ | No Results < RL > MDL |
| XI. | Target compound identification | A | |
| XII. | Overall assessment of data | Δ | |

Note: A = Acceptable
 N = Not provided/applicable
 SW = See worksheet

ND = No compounds detected
 R = Rinsate
 FB = Field blank

D = Duplicate
 TB = Trip blank
 EB = Equipment blank

SB=Source blank
 OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|----------------|----------------|--------|----------|
| 1 | SB002 (7-9) | L1745804-04 | Soil | 12/11/17 |
| 2 | SB002 (7-9)MS | L1745804-04MS | Soil | 12/11/17 |
| 3 | SB002 (7-9)MSD | L1745804-04MSD | Soil | 12/11/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |

Notes:

| | | | | |
|---|-------------------|--|--|--|
| 1 | WG 107455-1 Blank | | | |
| | | | | |
| | | | | |
| | | | | |

Method: GC HPLC

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | / | | | |
| Was cooler temperature criteria met? | / | | | |
| IIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | / | | | |
| Were all percent relative standard deviations (%RSD) < 20%? | / | | | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of ≥ 0.990? | | | / | |
| Were the RT windows properly established? | / | | | |
| IIb. Initial calibration verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | / | | | |
| Were all percent differences (%D) < 20%? | / | | | |
| III. Continuing calibration | | | | |
| Was a continuing calibration analyzed daily? | / | | | |
| Were all percent differences (%D) < 20%? | / | | | |
| Were all the retention times within the acceptance windows? | / | | | |
| IV. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | / | | | |
| Was a laboratory blank analyzed for each matrix and concentration? | / | | | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation findings worksheet. | | / | | |
| V. Field Blanks | | | | |
| Were field blanks identified in this SDG? | / | . | | |
| Were target compounds detected in the field blanks? | | / | | |
| VI. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within the QC limits? | / | | | |
| If the percent recovery (%R) of one or more surrogates was outside QC limits, was a reanalysis performed to confirm %R? | | | / | |
| If any %R was less than 10 percent, was a reanalysis performed to confirm %R? | | | / | |
| VII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? | / | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | / | | | |
| VIII. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | / | | | |

LDC #: 13079A3h

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: [Signature]
 2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| Was an LCS analyzed per extraction batch? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IX: Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field duplicates? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| X: Compound quantitation | | | | |
| Did the laboratory LOQs/RLs meet the QAPP LOQs/RLs? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| XI: Target compound identification | | | | |
| Were the retention times of reported detects within the RT windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| XIII: Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

LDC #: 43079A3b

VALIDATION FINDINGS WORKSHEET Continuing Calibration Results Verification

Page: 1 of 1
Reviewer: FT
2nd Reviewer: C

METHOD: GC HPLC

The percent difference (%D) of the initial calibration average Calibration Factors (CF) and the continuing calibration CF were recalculated for the compounds identified below using the following calculation:

% Difference = $100 * (\text{ave. CF} - \text{CF}) / \text{ave. CF}$ Where: ave. CF = initial calibration average CF
CF = continuing calibration CF
A = Area of compound
C = Concentration of compound

| # | Standard ID | Calibration Date | Compound | Average CF(ICAL)/ CCV Conc. | Reported | Recalculated | Reported | Recalculated |
|---|--------------|------------------|----------------|-----------------------------|---------------|---------------|----------|--------------|
| | | | | | CF/ Conc. CCV | CF/ Conc. CCV | %D | %D |
| 1 | CON 22:36 | 12/19/17 | PCB 1260-1 CP1 | 2500.0 | 2517.689 | 2517.689 | 0.7 | 0.7 |
| | | | PCB 1260-1 CP2 | 2500.0 | 2633.058 | 2633.058 | 5.3 | 5.3 |
| 2 | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 3 | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 4 | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A3b

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

Page: 1 of 1
Reviewer: FT
2nd reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

Where: SF = Surrogate Found
SS = Surrogate Spiked

Sample ID: # 1

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| TCMX | CP1 | 500.0 | 336.651 | 67 | 67 | 0 |
| TCMX | CP2 | ↓ | 355.200 | 71 | 71 | ↓ |
| DCB | CP1 | ↓ | 293.059 | 59 | 59 | ↓ |
| DCB | CP2 | ↓ | 310.221 | 64 | 64 | ↓ |

Sample ID: _____

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound |
|---|----------------------------|---|---------------------|---|-----------------------------------|---|-------------------------|----|-------------------------------|
| A | Chlorobenzene (CBZ) | G | Octacosane | M | Benzo(e)Pyrene | S | 1-Chloro-3-Nitrobenzene | Y | Tetrachloro-m- xylene |
| B | 4-Bromofluorobenzene (BFB) | H | Ortho-Terphenyl | N | Terphenyl-D14 | T | 3,4-Dinitrotoluene | Z | 2-Bromonaphthalene |
| C | a,a,a-Trifluorotoluene | I | Fluorobenzene (FBZ) | O | Decachlorobiphenyl (DCB) | U | Triphenyltin | AA | Chloro-octadecane |
| D | Bromochlorobenzene | J | n-Triacontane | P | 1-methylnaphthalene | V | Tri-n-propyltin | BB | 2,4-Dichlorophenylacetic acid |
| E | 1,4-Dichlorobutane | K | Hexacosane | Q | Dichlorophenyl Acetic Acid (DCAA) | W | Tributyl Phosphate | CC | 2,5-Dibromotoluene |
| F | 1,4-Difluorobenzene (DFB) | L | Bromobenzene | R | 4-Nitrophenol | X | Triphenyl Phosphate | | |

LDC #: 43079 A3b

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) and relative percent differences (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

$\% \text{Recovery} = 100 * (\text{SSC} - \text{SC}) / \text{SA}$

Where

SSC = Spiked sample concentration

MS = Matrix spike

SC = Sample concentration

MSD = Matrix spike duplicate

$\text{RPD} = ((\text{SSCMS} - \text{SSCMSD}) * 2) / (\text{SSCMS} + \text{SSCMSD}) * 100$

SA = Spike added

MS/MSD samples: 2 + 3

| Compound | Spike Added (ug/kg) | | Sample Conc. (ug/kg) | Spike Sample Concentration (ug/kg) | | Matrix spike | | Matrix Spike Duplicate | | MS/MSD | |
|------------------------------|------------------------|-----|-------------------------|---------------------------------------|-----|------------------|---------|------------------------|---------|----------|---------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| Gasoline (8015) | | | | | | | | | | | |
| Diesel (8015) | | | | | | | | | | | |
| Benzene (8021B) | | | | | | | | | | | |
| Methane (RSK-175) | | | | | | | | | | | |
| 2,4-D (8151) | | | | | | | | | | | |
| Dinoseb (8151) | | | | | | | | | | | |
| Naphthalene (8310) | | | | | | | | | | | |
| Anthracene (8310) | | | | | | | | | | | |
| HMX (8330) | | | | | | | | | | | |
| 2,4,6-Trinitrotoluene (8330) | | | | | | | | | | | |
| Phorate (8141A) | | | | | | | | | | | |
| Malathion (8141A) | | | | | | | | | | | |
| Formaldehyde (8315A) | | | | | | | | | | | |
| Aroclor 1260 | 232 | 226 | ND | 124 | 159 | 58 | 58 | 70 | 70 | 17 | 17 |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079A3b

VALIDATION FINDINGS WORKSHEET

Page: 1 of 1

Laboratory Control Sample/Laboratory Control Sample Duplicates Results Verification

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) and relative percent differences (RPD) of the laboratory control sample and laboratory control sample duplicate were recalculated for the compounds identified below using the following calculation:

$\% \text{Recovery} = 100 * (\text{SSC}/\text{SA})$

$\text{RPD} = ((\text{SSCLCS} - \text{SSCLCSD}) * 2) / (\text{SSCLCS} + \text{SSCLCSD}) * 100$

Where SSC = Spiked sample concentration

LCS = Laboratory Control Sample

SA = Spike added

LCSD = Laboratory Control Sample duplicate

LCS/LCSD samples: WG1074155 2/3 LCS 1/1

| Compound | Spike Added (ug/kg) | | Spike Sample Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | | |
|------------------------------|------------------------|------------|---------------------------------------|---------------|------------------|-----------|------------------|-----------|----------|-----------|---------------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | | |
| | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. | |
| Gasoline (8015) | | | | | | | | | | | |
| Diesel (8015) | | | | | | | | | | | |
| Benzene (8021B) | | | | | | | | | | | |
| Methane (RSK-175) | | | | | | | | | | | |
| 2,4-D (8151) | | | | | | | | | | | |
| Dinoseb (8151) | | | | | | | | | | | |
| Naphthalene (8310) | | | | | | | | | | | |
| Anthracene (8310) | | | | | | | | | | | |
| HMX (8330) | | | | | | | | | | | |
| 2,4,6-Trinitrotoluene (8330) | | | | | | | | | | | |
| Phorate (8141A) | | | | | | | | | | | |
| Malathion (8141A) | | | | | | | | | | | |
| Formaldehyde (8315A) | | | | | | | | | | | |
| <u>Aroclor 1260</u> | <u>203</u> | <u>207</u> | <u>123.13</u> | <u>139.23</u> | <u>61</u> | <u>61</u> | <u>67</u> | <u>67</u> | <u>9</u> | <u>12</u> | <u>Based on Con</u> |

Comments: Refer to Laboratory Control Sample/Laboratory Control Sample Duplicate findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079 A3b

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

Page: 1 of 1
 Reviewer: ET
 2nd Reviewer: [Signature]

METHOD: GC HPLC

Y N N/A Were all reported results recalculated and verified for all level IV samples?
Y N N/A Were all recalculated results for detected target compounds within 10% of the reported results?

Concentration = $\frac{(A)(Fv)(Df)}{(RF)(Vs \text{ or } Ws)(\%S/100)}$

Example:

Sample ID: 123 Compound Name Aroclor 1260

Concentration = $\frac{(1900)(5)(1)}{(15.43)(5)}$ =

- A= Area or height of the compound to be measured
- Fv= Final Volume of extract
- Df= Dilution Factor
- RF= Average response factor of the compound
In the initial calibration
- Vs= Initial volume of the sample
- Ws= Initial weight of the sample
- %S= Percent Solid

| # | Sample ID | Compound | Reported Concentrations (<u>ug/kg</u>) | Recalculated Results Concentrations (<u>ug/kg</u>) | Qualifications |
|---|---|---------------------|---|---|----------------|
| | <u>W91074155/2 (123)</u> | <u>Aroclor 1260</u> | <u>123</u> | <u>123.17</u> | |
| | <u>1260-1 = 3020.8×10^6 (250.0)</u> | | <u>1260-1 = 2237.79</u> | | |
| | <u>6749.5×10^6 (0.050)</u> | | <u>2 = 2093.39</u> | | |
| | | | <u>3 = 1694.042</u> | | |
| | <u>= 2237.79</u> | | <u>4 = 1688.002</u> | | |
| | | | <u>5 = 1788.798</u> | | |

Ave = 1900

Comments: _____

Site: Williamsbridge Gardens
Laboratory: Alpha Analytical, Inc.
Report No.: L1745804
Reviewer: An Le and Christina Rink/Laboratory Data Consultants for P.W. Grosser Consulting
Date: September 20, 2018

Samples Reviewed and Evaluation Summary

| FIELD ID | LAB ID | FRACTIONS VALIDATED |
|----------------|----------------|---------------------|
| SB002 (7-9) | L1745804-04 | Metals |
| SB002 (7-9)MS | L1745804-04MS | Metals |
| SB002 (7-9)MSD | L1745804-04MSD | Metals |

Associated QC Samples(s):

Field/Trip Blanks: Field Blank 001
Field Duplicate pair: None Associated

The above-listed soil samples were collected on December 11, 2017 and were analyzed for metals by SW-846 methods 6010C/7471B. The data validation was performed in accordance with the USEPA Region 2 *Standard Operating Procedure for the Evaluation of Metals for the Contract Laboratory Program*, SOP HW-2a/c, Revision 15 (December 2012) and the *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review*, EPA 540-R-2017-001 (January 2017), modified as necessary to accommodate the non-CLP methodologies used.

The inorganic data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- Data Completeness
- Holding Times and Sample Preservation
- Instrument Calibration
- Contract Required Quantitation Limit (CRQL) Standard Recoveries
- Blank Analysis Results
- Inductively Coupled Plasma (ICP) Interference Check Sample (ICS) Results
- Matrix Spike (MS) Results
- Laboratory Duplicate Results
- Field Duplicate Results
- Laboratory Control Sample (LCS) Results
- Serial Dilution Results
- Moisture Content
- Detection Limits Results
- Sample Quantitation Results

Overall Evaluation of Data and Potential Usability Issues

All results are usable as reported or usable with minor qualification due to sample matrix or laboratory quality control outliers.

The validation findings were based on the following information.

Data Completeness

The data package was complete as defined under the requirements for the NYSDEC ASP category B laboratory deliverables.

Holding Times and Sample Preservation

All criteria were met.

Instrument Calibration

All criteria were met.

CRQL Standard Recoveries

Analytes that did not meet criteria are summarized in the following table.

| Date | Calibration ID | Analyte | %R (Limits) | Associated Samples | Validation Action |
|----------|----------------|---------|-------------|--------------------|-------------------|
| 12/20/17 | CRI (10:01) | Sodium | 10 (70-130) | SB002 (7-9) | J detects |

The sodium results may be biased low due to low CRQL percent recovery. The result can be used for project objectives as an estimated value (J) which may have a minor impact on the data usability.

Although the iron CRQL standards were outside validation limits, no action was taken since the affected sample is greater than two times the reporting limit (RL).

Blank Results

Analytes were detected below the reporting limits in the laboratory blank samples. The following table summarizes the contamination and validation actions taken.

| Blank ID | Analyte | Level Detected | Action Level | Associated Samples |
|----------|---------|----------------|--------------|--------------------|
| ICB/CCB | Iron | 0.0195 mg/L | RL | SB002 (7-9) |

Blank Actions for analytes detected below the reporting limit(RL).

If the sample result is < RL, report the result as nondetect (U) at the RL.

If the sample result is > RL or nondetect, no action is required.

Blank Actions for analytes detected above the reporting limit or RL.

If the sample result is < RL and < action level; report the result as nondetect (U) at the RL.

If the sample result is > RL and < action level; report the result as nondetect (U) at the reported value.

If the sample result is > action level or nondetect, no action is required.

No samples were qualified since the associated sample results were nondetect.

Contamination was detected in the field blank sample Field Blank 001 for the metals analyses. The following table summarizes the contamination greater than the reporting limit and validation actions taken.

| Blank ID | Analyte | Level Detected | Action Level | Associated Samples |
|-----------------|---------|----------------|--------------|--------------------|
| Field Blank 001 | Calcium | 0.700 mg/L | RL | SB002 (7-9) |
| | Zinc | 0.002 mg/L | RL | |

Blank Actions for analytes detected above the reporting limit(RL).

If the sample result is < RL and < action level; report the result as nondetect (U) at the RL.

If the sample result is > RL and < action level; report the result as nondetect (U) at the reported value.

If the sample result is > action level or nondetect, no action is required.

No samples were qualified since the associated sample results were greater than the action level.

ICP ICS Results

Analytes were within control limits in the ICSA and IS CAB analyses.

MS/MSD Results

MS/MSD analyses were performed on sample SB002 (7-9) for metals analyses. The following table lists the analytes which exhibited recoveries outside of the control limits in the MS/MSD and the resulting validation actions.

| Analyte | MS %R (Limits) | MSD %R (Limits) | RPD Limits | Associated Samples | Validation Actions |
|-----------|----------------|-----------------|------------|--------------------|--------------------|
| Cadmium | 60 (75-125) | 55 (75-125) | - | SB002 (7-9) | UJ nondetects |
| Calcium | - | 161 (75-125) | - | SB002 (7-9) | J detects |
| Potassium | - | 134 (75-125) | - | SB002 (7-9) | J detects |
| Mercury | 142 (80-120) | 142 (80-120) | - | SB002 (7-9) | None |

- Within control limits

The cadmium result may be biased low due to low MS/MSD percent recovery. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

The calcium and potassium results may be biased high due to high MS/MSD percent recoveries. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

Validation action was not required for mercury due to high MS/MSD percent recovery as positive results only are affected and this analyte was not detected in the associated sample.

Laboratory Duplicate Results

Laboratory duplicates were not associated with this sample set. Validation action was not required on this basis.

Field Duplicate Results

A field duplicate pair was not associated with this sample set. Validation action was not required on this basis.

LCS Results

All criteria were met.

Serial Dilution Results

A serial dilution analysis was performed on sample SB002 (7-9) for metals analyses. Analytes that did not meet the criteria are summarized in the following table.

| Diluted Sample | Analyte | %D (Limits) | Associated Samples | Validation Actions |
|-----------------------|----------------|--------------------|---------------------------|---------------------------|
| SB002 (7-9) | Barium | 11 (≤ 10) | SB002 (7-9) | J detects |
| | Iron | 17 (≤ 10) | | J detects |
| | Magnesium | 14 (≤ 10) | | J detects |
| | Manganese | 14 (≤ 10) | | J detects |

The barium, iron, magnesium, and manganese results were estimated due to serial dilution percent difference exceedances. The bias cannot be determined. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

Moisture Content

All criteria were met.

Detection Limits Results

Results were reported which were below the reporting limit (RL) and above the method detection limit (MDL) in the metals analyses. These results were estimated (J) by the laboratory.

Due to high target analyte levels or sample matrix, select samples were analyzed at dilutions. The following table lists the sample dilutions which were performed and the results reported. RLs were elevated accordingly.

| Sample | Metals analyses Reported |
|---------------|---|
| SB002 (7-9) | 2-fold dilution due to high target analyte levels |

Sample Quantitation Results

Calculations were spot-checked; no discrepancies were noted.

DATA VALIDATION QUALIFIERS

- U - The analyte was analyzed for, but due to blank contamination was flagged as nondetect (U). The result is usable as a nondetect.
- J - Data are flagged (J) when a QC analysis fails outside the primary acceptance limits. The qualified "J" data are not excluded from further review or consideration. However, only one flag (J) is applied to a sample result, even though several associated QC analyses may fail. The 'J' data may be biased high or low or the direction of the bias may be indeterminable.
- UJ - The analyte was not detected above the reported sample quantitation limit. Data are flagged (UJ) when a QC analysis fails outside the primary acceptance limits. The qualified "UJ" data are not excluded from further review or consideration. However, only one flag is applied to a sample result, even though several associated QC analyses may fail. The 'UJ' data may be biased low.
- R - Data rejected (R) on the basis of an unacceptable QC analysis should be excluded from further review or consideration. Data are rejected when associated QC analysis results exceed the expanded control limits of the QC criteria. The rejected data are known to contain significant errors based on documented information. The data user must not use the rejected data to make environmental decisions. The presence or absence of the analyte cannot be verified.

Form 1 METALS

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1745804 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1745804-04 | Date Collected : 12/11/17 09:50 |
| Client ID : SB002 (7-9) | Date Received : 12/12/17 |
| Sample Location : 718 E. 212TH ST., BRONX, NY | Date Analyzed : 12/20/17 18:12 |
| Sample Matrix : SOIL | Dilution Factor : 2 |
| Analytical Method : 1,6010C | Analyst : AB |
| Lab File ID : WG1074772.pdf | Instrument ID : TRACE6 |
| Sample Amount : 1.275g | %Solids : 89 |
| Digestion Method : EPA 3050B | Date Digested : 12/19/17 |

| CAS NO. | Parameter | mg/kg | | | Qualifier | |
|-----------|------------------|---------|-------|-------|-----------|---|
| | | Results | RL | MDL | | |
| 7429-90-5 | Aluminum, Total | 9960 | 8.80 | 2.38 | | |
| 7440-36-0 | Antimony, Total | ND | 4.40 | 0.334 | U | J |
| 7440-38-2 | Arsenic, Total | 0.616 | 0.880 | 0.183 | J | J |
| 7440-39-3 | Barium, Total | 67.2 | 0.880 | 0.153 | | J |
| 7440-41-7 | Beryllium, Total | 0.669 | 0.440 | 0.029 | | |
| 7440-43-9 | Cadmium, Total | ND | 0.880 | 0.086 | U | J |
| 7440-70-2 | Calcium, Total | 1570 | 8.80 | 3.08 | | J |
| 7440-47-3 | Chromium, Total | 25.5 | 0.880 | 0.085 | | |
| 7440-48-4 | Cobalt, Total | 13.3 | 1.76 | 0.146 | | |
| 7440-50-8 | Copper, Total | 23.5 | 0.880 | 0.227 | | |
| 7439-89-6 | Iron, Total | 21000 | 4.40 | 0.795 | | J |
| 7439-92-1 | Lead, Total | 4.85 | 4.40 | 0.236 | | |
| 7439-95-4 | Magnesium, Total | 4030 | 8.80 | 1.36 | | J |
| 7439-96-5 | Manganese, Total | 624 | 0.880 | 0.140 | | J |
| 7440-02-0 | Nickel, Total | 17.2 | 2.20 | 0.213 | | |
| 7440-09-7 | Potassium, Total | 2220 | 220 | 12.7 | | J |
| 7782-49-2 | Selenium, Total | ND | 1.76 | 0.227 | U | J |
| 7440-22-4 | Silver, Total | ND | 0.880 | 0.249 | U | J |
| 7440-23-5 | Sodium, Total | 50.7 | 176 | 2.77 | J | J |
| 7440-28-0 | Thallium, Total | ND | 1.76 | 0.277 | U | J |
| 7440-62-2 | Vanadium, Total | 33.5 | 0.880 | 0.179 | | |
| 7440-66-6 | Zinc, Total | 53.0 | 4.40 | 0.258 | | |

SEP 21 2018

Initials: CR



Form 1 METALS

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1745804 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1745804-04 | Date Collected : 12/11/17 09:50 |
| Client ID : SB002 (7-9) | Date Received : 12/12/17 |
| Sample Location : 718 E. 212TH ST., BRONX, NY | Date Analyzed : 12/20/17 19:40 |
| Sample Matrix : SOIL | Dilution Factor : 1 |
| Analytical Method : 1,7471B | Analyst : EA |
| Lab File ID : HG122017B | Instrument ID : FIMS4 |
| Sample Amount : 0.399g | %Solids : 89 |
| Digestion Method : EPA 7471B | Date Digested : 12/20/17 |

| CAS NO. | Parameter | mg/kg | | | Qualifier |
|-----------|----------------|---------|------|------|---|
| | | Results | RL | MDL | |
| 7439-97-6 | Mercury, Total | ND | 0.07 | 0.02 | U U |

SEP 21 2018

Initials: *ER*



LDC #: 43079A4b

VALIDATION COMPLETENESS WORKSHEET

Date: 9/20/18

SDG #: L1745804

Category B

Page: 1 of 1

Laboratory: Alpha Analytical, Inc.

Reviewer: ATL

2nd Reviewer: [Signature]

METHOD: Metals (EPA SW 846 Method 6010C/7471B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-----|---------------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | Instrument Calibration | SW | |
| III. | ICP Interference Check Sample (ICS) Analysis | A | |
| IV. | Laboratory Blanks | SW | |
| V. | Field Blanks | SW | Field blank 001 (From SDG # L1745804) |
| VI. | Matrix Spike/Matrix Spike Duplicates | SW | (2,3) |
| VII. | Duplicate sample analysis | N | |
| VIII. | Serial Dilution | SW | |
| IX. | Laboratory control samples | A | LCS |
| X. | Field Duplicates | N | |
| XI. | Sample Result Verification | A | MDL < sample < RL : Jdet |
| XII. | Overall Assessment of Data | A | |

Note: A = Acceptable
 N = Not provided/applicable
 SW = See worksheet

ND = No compounds detected
 R = Rinsate
 FB = Field blank

D = Duplicate
 TB = Trip blank
 EB = Equipment blank

SB=Source blank
 OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|---------------------------------------|----------------|--------|----------|
| 1 | SB002 (7-9) (2x due to high analytes) | L1745804-04 | Soil | 12/11/17 |
| 2 | SB002 (7-9)MS | L1745804-04MS | Soil | 12/11/17 |
| 3 | SB002 (7-9)MSD | L1745804-04MSD | Soil | 12/11/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |

Notes: _____

Method:Metals (EPA SW 846 Method 6010/6020/7000)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| All technical holding times were met. | ✓ | | | |
| Cooler temperature criteria was met. | ✓ | | | |
| II. ICP/MS Tune | | | | |
| Were all isotopes in the tuning solution mass resolution within 0.1 amu? | | | ✓ | |
| Were %RSD of isotopes in the tuning solution ≤5%? | | | ✓ | |
| III. Calibration | | | | |
| Were all instruments calibrated daily, each set-up time? | ✓ | | | |
| Were the proper number of standards used? | ✓ | | | |
| Were all initial and continuing calibration verification %Rs within the 90-110% (80-120% for mercury) QC limits? | ✓ | | | |
| Were the low standard checks within 70-130% | | ✓ | | |
| Were all initial calibration correlation coefficients within limits as specified by the method? | ✓ | | | |
| IV. Blanks | | | | |
| Was a method blank associated with every sample in this SDG? | ✓ | | | |
| Was there contamination in the method blanks? If yes, please see the Blanks validation completeness worksheet. | ✓ | | | |
| V. ICP Interference Check Sample | | | | |
| Were ICP interference check samples performed daily? | ✓ | | | |
| Were the AB solution percent recoveries (%R) with the 80-120% QC limits? | ✓ | | | |
| VI. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and duplicate (DUP) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD or MS/DUP. Soil / Water. | ✓ | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the 75-125 QC limits? If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken. | | ✓ | | |
| Were the MS/MSD or duplicate relative percent differences (RPD) < 20% for waters and ≤ 35% for soil samples? A control limit of +/- RL(+/-2X RL for soil) was used for samples that were ≤ 5X the RL, including when only one of the duplicate sample values were < 5X the RL. | ✓ | | | |
| VII. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | ✓ | | | |
| Was an LCS analyzed per extraction batch? | ✓ | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the 80-120% QC limits for water samples and laboratory established QC limits for soils? | ✓ | | | |

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| VIII. Internal Standards (EPA SW 846 Method 6020/EPA 200.8) | | | | |
| Were all the percent recoveries (%R) within the 30-120% (6020)/60-125% (200.8) of the intensity of the internal standard in the associated initial calibration? | | | ✓ | |
| If the %Rs were outside the criteria, was a reanalysis performed? | | | ✓ | |
| IX. ICP Serial Dilution | | | | |
| Was an ICP serial dilution analyzed if analyte concentrations were > 50X the MDL (ICP)/>100X the MDL(ICP/MS)? | ✓ | | | |
| Were all percent differences (%Ds) < 10%? | | ✓ | | |
| Was there evidence of negative interference? If yes, professional judgement will be used to qualify the data. | | ✓ | | |
| X. Sample Result Verification | | | | |
| Were RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | ✓ | | | |
| XI. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | ✓ | | | |
| XII. Field duplicates | | | | |
| Field duplicate pairs were identified in this SDG. | | ✓ | | |
| Target analytes were detected in the field duplicates. | | | ✓ | |
| XIII. Field blanks | | | | |
| Field blanks were identified in this SDG. | ✓ | | | |
| Target analytes were detected in the field blanks. | | ✓ | | |

VALIDATION FINDINGS WORKSHEET
PB/ICB/CCB QUALIFIED SAMPLES

METHOD: Trace metals (EPA SW 864 Method 6010B/6020/7000)

Soil preparation factor applied: NA

Sample Concentration units, unless otherwise noted: mg/kg

Associated Samples: 1

| Analyte | Maximum PB ^a (mg/Kg) | Maximum PB ^a (ug/L) | Maximum ICB/CCB ^a (mg/L) | Action Level | | | | | | | | | |
|---------|---------------------------------|--------------------------------|-------------------------------------|--------------|--|--|--|--|--|--|--|--|--|
| Fe | | | 0.0195 | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Samples with analyte concentrations within five times the associated ICB, CCB or PB concentration are listed above with the identifications from the Validation Completeness Worksheet. These sample results were qualified as not detected, "U".

Note : a - The listed analyte concentration is the highest ICB, CCB, or PB detected in the analysis of each element.

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

METHOD: Trace metals (EPA SW 846 Method 6010/6020/7000)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Was a matrix spike analyzed for each matrix in this SDG? *lab limits*
- Y N N/A Were matrix spike percent recoveries (%R) within the control limits of 75-125? If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken.
- Y N N/A Were all duplicate sample relative percent differences (RPD) \leq 20% for samples?

LEVEL IV ONLY:

- Y N N/A Were recalculated results acceptable? See Level IV Recalculation Worksheet for recalculations.

| # | MS/MSD ID | Matrix | Analyte | MS %Recovery | MSD %Recovery | RPD (Limits) | Associated Samples | Qualifications |
|---|-----------|--------|---------|--------------|---------------|--------------|--------------------|---------------------|
| | 2/3 | S | Cd | 60 (75-125) | 55 (75-125) | | all | J/UJ/A (non-detect) |
| | | S | Ca | | 161 (75-125) | | all | Jdet/A (detect) |
| | | S | K | | 134 (75-125) | | all | Jdet/A (detect) |
| | | S | Hg | 142 (80-120) | 142 (80-120) | | all | Jdet/A (non-detect) |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Comments: 2/3: Al, Fe, Mg, Mn > 4X

LDC #: 43079A4b

VALIDATION FINDINGS WORKSHEET
Initial and Continuing Calibration Calculation Verification

Page: 1 of 1

Reviewer: ATV2nd Reviewer: **METHOD:** Trace metals (EPA SW 846 Method 6010/6020/7000)

An initial and continuing calibration verification percent recovery (%R) was recalculated for each type of analysis using the following formula:

$$\%R = \frac{\text{Found}}{\text{True}} \times 100$$

Where, Found = concentration (in ug/L) of each analyte measured in the analysis of the ICV or CCV solution
 True = concentration (in ug/L) of each analyte in the ICV or CCV source

| Standard ID | Type of Analysis | Element | mg/L Found (ug/L) | mg/L True (ug/L) | Recalculated | Reported | Acceptable (Y/N) |
|-------------|--|---------|----------------------|---------------------|--------------|----------|---------------------|
| | | | | | %R | %R | |
| CRI | ICP (Low Level calibration) (12/20 @ 10:01) | Fe | 0.4133 | 0.200 | 207 | 207 | Y |
| | ICP/MS (Low Level calibration) | | | | | | |
| ICV | ICP (Initial calibration) (12/20 @ 10:56) | Ca | 0.4744 | 0.5000 | 95 | 95 | Y |
| | ICP/MS (Initial calibration) | | | | | | |
| IOV | CVAA (Initial calibration) 12/20 @ 18:25 | Hg | 0.003188 | 0.0030 | 106 | 106 | Y |
| CCV | ICP (Continuing calibration) (12/20 @ 18:36) | K | 5.065 | 5.0000 | 101 | 101 | Y |
| | ICP/MS (Continuing calibration) | | | | | | |
| CCV | CVAA (Continuing calibration) (12/20 @ 19:35) | Hg | 0.001070 | 0.0100 | 107 | 107 | Y |

| ICP-MS TUNE | Calculation | Mass | Actual (Mean Counts / Axis) | Required (Counts / Axis) | Recalculated %RSD | Acceptable (Y/N) |
|----------------|-------------|------|--------------------------------|--------------------------|----------------------|---------------------|
| | Mass Axis | | | ± 0.1 AMU | NA | |
| | %RSD | | | ≤ 5% RSD | | |

Comments:

VALIDATION FINDINGS WORKSHEET
Level IV Recalculation Worksheet

METHOD: Trace Metals (EPA SW 846 Method 6010/6020/7000)

Percent recoveries (%R) for an ICP interference check sample, a laboratory control sample and a matrix spike sample were recalculated using the following formula:

$$\%R = \frac{\text{Found}}{\text{True}} \times 100$$
 Where, Found = Concentration of each analyte measured in the analysis of the sample. For the matrix spike calculation, Found = SSR (spiked sample result) - SR (sample result).
 True = Concentration of each analyte in the source.

A sample and duplicate relative percent difference (RPD) was recalculated using the following formula:

$$RPD = \frac{|S-D|}{(S+D)/2} \times 100$$
 Where, S = Original sample concentration
 D = Duplicate sample concentration

An ICP serial dilution percent difference (%D) was recalculated using the following formula:

$$\%D = \frac{|I-SDR|}{I} \times 100$$
 Where, I = Initial Sample Result (mg/L)
 SDR = Serial Dilution Result (mg/L) (Instrument Reading x 5)

| Sample ID | Type of Analysis | Element | Found / S / I (units) | True / D / SDR (units) | Recalculated | Reported | Acceptable (Y/N) |
|-----------|--|---------|------------------------|------------------------|---------------|---------------|------------------|
| | | | | | %R / RPD / %D | %R / RPD / %D | |
| ICSAB | ICP interference check 12/20 @ 09:57 | Mg | 20.87 mg/L | 22.5 mg/L | 93 | 93 | Y |
| LCS | Laboratory control sample 12/20 @ 18:07 | Cr | 89.29 mg/kg | 101 mg/kg | 88 | 88 | Y |
| 2 | Matrix spike 12/20 @ 18:16 | Cd | (SSR-SR) 2.72 mg/kg | 4.56 mg/kg | 60 | 60 | Y |
| 2/3 | Duplicate 12/20 @ 18:21 | Cd | 2.44 mg/kg | 2.72 mg/kg | 11 | 11 | Y |
| 1 | Post digestion spike 12/20 @ 22:18 | K | 657 mg/kg | 880 mg/kg | 75 | 74 | Y |
| 1 | ICP serial dilution 12/20 @ 18:45 | Ba | 74.9 mg/kg | 67.2 mg/kg | 11 | 11 | Y |

Comments: _____

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

METHOD: Trace Metals (EPA SW 846 Method 6010/6020/7000)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- N N/A Have results been reported and calculated correctly?
- N N/A Are results within the calibrated range of the instruments and within the linear range of the ICP?
- N N/A Are all detection limits below the CRDL?

Detected analyte results for Ba were recalculated and verified using the following equation:

Concentration = $\frac{(RD)(FV)(Dil)}{(In. Vol.)}$

Recalculation: #1

- RD = Raw data concentration
- FV = Final volume (ml)
- In. Vol. = Initial volume (ml) or weight (G)
- Dil = Dilution factor

$$0.7630 \times 2 \times \frac{50}{1.275 \times 0.89} = 67.2395$$

$$\approx 67.2$$

| # | Sample ID | Analyte | Reported Concentration (mg/kg) | Calculated Concentration (mg/kg) | Acceptable (Y/N) |
|---|-----------|--------------------|--------------------------------|----------------------------------|------------------|
| | 1 | Ba (12/20 e 18:12) | 67.2 | 67.2 | Y |
| | 1 | Hg (12/20 e 19:40) | ND | ND | Y |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

ote: _____

Site: Williamsbridge Gardens
Laboratory: Alpha Analytical, Inc.
Report No.: L1745989
Reviewer: Felomina Tanguilig and Christina Rink/Laboratory Data Consultants for P.W. Grosser Consulting
Date: September 20, 2018

Samples Reviewed and Evaluation Summary

| FIELD ID | LAB ID | FRACTIONS VALIDATED |
|-----------|----------------|---------------------|
| VP-001 | L1745989-01 | VOC |
| VP-001DUP | L1745989-01DUP | VOC |

Associated QC Samples(s):

Field/Trip Blanks: None Associated
Field Duplicate pair: None Associated

The above-listed air samples were collected on December 12, 2017 and were analyzed for volatile organic compounds (VOCs) by method TO-15. The data validation was performed in accordance with the USEPA Region 2 *Analysis of Volatile Organic Compounds in Air Contained Canisters*, SOP HW-31, Revision 6 (September 2016) and USEPA *Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*, EPA 540-R-2017-002 (January 2017), modified as necessary to accommodate the non-CLP methodologies used.

The organic data were evaluated based on the following parameters:

- Data Completeness
- Holding Times and Sample Preservation
- Gas Chromatography/Mass Spectrometry (GC/MS) Tunes
- Initial and Continuing Calibrations
- Blanks
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- Laboratory Duplicate Results
- Laboratory Control Sample (LCS) Results
- Internal Standards
- Field Duplicate Results
- Quantitation Limits and Data Assessment
- Sample Quantitation and Compound Identification

Overall Evaluation of Data and Potential Usability Issues

All results are usable as reported or usable with minor qualification due to laboratory quality control outliers.

The validation findings were based on the following information.

Data Completeness

The data package was complete as defined under the requirements for the NYSDEC ASP category B laboratory deliverables.

Holding Times and Sample Preservation

All technical holding time requirements were met.

GC/MS Tunes

All criteria were met.

Initial and Continuing Calibrations

Initial calibration:

All criteria were met.

Continuing calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | CC %D | Associated Samples | | Validation Action |
|-------------|----------------------|------------------------|--------------|---------------------------|----|--------------------------|
| 12/19/17 | CCV | 1,2,4-Trichlorobenzene | 42.2 | VP-001 | XX | UJ nondetects |
| | | Hexachlorobutadiene | 47.7 | | XX | UJ nondetects |

X = Initial calibration (IC) relative standard deviation (%RSD) > 30; estimate (J/UJ) positive and nondetect results.

XX = Continuing calibration (CC) percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.

SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.

+ = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The 1,2,4-trichlorobenzene and hexachlorobutadiene results were estimated due to continuing calibration exceedances. The bias cannot be determined. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

Blanks

Contamination was not detected in the method blanks.

A field blank was not associated with this sample set. Validation action was not required on this basis.

MS/MSD Results

MS/MSD analyses were not associated with this sample set. Validation action was not required on this basis.

Laboratory Duplicate Results

Laboratory duplicates were performed on sample VP-001 for VOC analysis. All criteria were met.

LCS Results

The following table lists the compounds recovered outside of control limits in the VOC analysis and the resulting validation actions.

| LCS ID | Compound | LCS %R (Limits) | Affected Sample | Validation Action |
|---------------|------------------------|----------------------------|----------------------------|------------------------------|
| WG1074501-3 | Benzyl chloride | 134 (70-130) | VP-001 | None |
| | 1,2,4-Trichlorobenzene | 141 (70-130) | | |
| | Hexachlorobutadiene | 143 (70-130) | | |

Validation action was not required for benzyl chloride, 1,2,4-trichlorobenzene, and hexachlorobutadiene due to high LCS percent recoveries as positive results only are affected and these compounds were not detected in the associated sample.

Internal Standards

All criteria were met.

Field Duplicate Results

A field duplicate pair was not associated with this sample set. Validation action was not required on this basis.

Quantitation Limits and Data Assessment

No results were reported below the reporting limit (RL) and above the method detection limit (MDL) in the VOC analysis.

Dilutions were not required for VOC analysis.

Sample Quantitation and Compound Identification

Calculations were spot-checked; no discrepancies were noted.

DATA VALIDATION QUALIFIERS

- U - The analyte was analyzed for, but due to blank contamination was flagged as nondetect (U). The result is usable as a nondetect.
- J - Data are flagged (J) when a QC analysis fails outside the primary acceptance limits. The qualified “J” data are not excluded from further review or consideration. However, only one flag (J) is applied to a sample result, even though several associated QC analyses may fail. The ‘J’ data may be biased high or low or the direction of the bias may be indeterminable.
- UJ - The analyte was not detected above the reported sample quantitation limit. Data are flagged (UJ) when a QC analysis fails outside the primary acceptance limits. The qualified “UJ” data are not excluded from further review or consideration. However, only one flag is applied to a sample result, even though several associated QC analyses may fail. The ‘UJ’ data may be biased low.
- JN - The analysis indicates the presence of a compound that has been “tentatively identified” (N) and the associated numerical value represents its approximate (J) concentration.
- R - Data rejected (R) on the basis of an unacceptable QC analysis should be excluded from further review or consideration. Data are rejected when associated QC analysis results exceed the expanded control limits of the QC criteria. The rejected data are known to contain significant errors based on documented information. The data user must not use the rejected data to make environmental decisions. The presence or absence of the analyte cannot be verified.

Form 1 Volatile Organics

Client : P. W. Grosser
 Project Name :
 Lab ID : L1745989-01
 Client ID : VP001
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL_VAPOR
 Analytical Method : 48,TO-15
 Lab File ID : R251570
 Sample Amount : 250 ml

Lab Number : L1745989
 Project Number : BBU1702
 Date Collected : 12/12/17 10:24
 Date Received : 12/13/17
 Date Analyzed : 12/19/17 21:24
 Dilution Factor : 1
 Analyst : RY
 Instrument ID : AIRPIANO2
 GC Column : RTX-1

| CAS NO. | Parameter | ppbV | | | ug/m3 | | | Qualifier |
|-----------|--------------------------|---------|-------|-----|---------|-------|-----|-----------|
| | | Results | RL | MDL | Results | RL | MDL | |
| 75-71-8 | Dichlorodifluoromethane | 0.324 | 0.200 | -- | 1.60 | 0.989 | -- | |
| 74-87-3 | Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | U |
| 76-14-2 | Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | U |
| 75-01-4 | Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | U |
| 106-99-0 | 1,3-Butadiene | 4.97 | 0.200 | -- | 11.0 | 0.442 | -- | |
| 74-83-9 | Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | U |
| 75-00-3 | Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | U |
| 64-17-5 | Ethanol | 5.65 | 5.00 | -- | 10.6 | 9.42 | -- | |
| 593-60-2 | Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | U |
| 67-64-1 | Acetone | 23.3 | 1.00 | -- | 55.3 | 2.38 | -- | |
| 75-69-4 | Trichlorofluoromethane | 0.289 | 0.200 | -- | 1.62 | 1.12 | -- | |
| 67-63-0 | Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | U |
| 75-65-0 | Tertiary butyl Alcohol | 1.11 | 0.500 | -- | 3.36 | 1.52 | -- | |
| 75-09-2 | Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | U |
| 107-05-1 | 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | U |
| 75-15-0 | Carbon disulfide | 1.41 | 0.200 | -- | 4.39 | 0.623 | -- | |
| 76-13-1 | Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | U |
| 156-60-5 | trans-1,2-Dichloroethene | 0.339 | 0.200 | -- | 1.34 | 0.793 | -- | |
| 75-34-3 | 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | U |
| 78-93-3 | 2-Butanone | 11.0 | 0.500 | -- | 32.4 | 1.47 | -- | |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | U |
| 141-78-6 | Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | U |
| 67-66-3 | Chloroform | 0.459 | 0.200 | -- | 2.24 | 0.977 | -- | |
| 109-99-9 | Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | U |
| 110-54-3 | n-Hexane | 2.19 | 0.200 | -- | 7.72 | 0.705 | -- | |

SEP 21 2018



Initials: CR

Form 1 Volatile Organics

Client : P. W. Grosser
 Project Name :
 Lab ID : L1745989-01
 Client ID : VP001
 Sample Location : 718 E. 212TH ST., BRONX, NY
 Sample Matrix : SOIL_VAPOR
 Analytical Method : 48,TO-15
 Lab File ID : R251570
 Sample Amount : 250 ml

Lab Number : L1745989
 Project Number : BBU1702
 Date Collected : 12/12/17 10:24
 Date Received : 12/13/17
 Date Analyzed : 12/19/17 21:24
 Dilution Factor : 1
 Analyst : RY
 Instrument ID : AIRPIANO2
 GC Column : RTX-1

| CAS NO. | Parameter | ppbV | | | ug/m3 | | | Qualifier |
|-------------|---------------------------|---------|-------|-----|---------|-------|-----|-----------|
| | | Results | RL | MDL | Results | RL | MDL | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | U |
| 71-43-2 | Benzene | 2.43 | 0.200 | -- | 7.76 | 0.639 | -- | |
| 56-23-5 | Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | U |
| 110-82-7 | Cyclohexane | 0.314 | 0.200 | -- | 1.08 | 0.688 | -- | |
| 78-87-5 | 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | U |
| 75-27-4 | Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | U |
| 123-91-1 | 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | U |
| 79-01-6 | Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | U |
| 540-84-1 | 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | U |
| 142-82-5 | Heptane | 0.961 | 0.200 | -- | 3.94 | 0.820 | -- | |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | U |
| 108-88-3 | Toluene | 3.10 | 0.200 | -- | 11.7 | 0.754 | -- | |
| 591-78-6 | 2-Hexanone | 1.60 | 0.200 | -- | 6.56 | 0.820 | -- | |
| 124-48-1 | Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | U |
| 127-18-4 | Tetrachloroethene | 5.80 | 0.200 | -- | 39.3 | 1.36 | -- | |
| 108-90-7 | Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | U |
| 100-41-4 | Ethylbenzene | 0.790 | 0.200 | -- | 3.43 | 0.869 | -- | |
| 179601-23-1 | p/m-Xylene | 2.36 | 0.400 | -- | 10.3 | 1.74 | -- | |
| 75-25-2 | Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | U |
| 100-42-5 | Styrene | 0.384 | 0.200 | -- | 1.63 | 0.852 | -- | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | U |
| 95-47-6 | o-Xylene | 0.872 | 0.200 | -- | 3.79 | 0.869 | -- | |
| 622-96-8 | 4-Ethyltoluene | 0.237 | 0.200 | -- | 1.17 | 0.983 | -- | |
| 108-67-8 | 1,3,5-Trimethylbenzene | 0.337 | 0.200 | -- | 1.66 | 0.983 | -- | |

SEP 21 2010



Initials: ER

Form 1 Volatile Organics

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1745989 |
| Project Name : | Project Number : BBU1702 |
| Lab ID : L1745989-01 | Date Collected : 12/12/17 10:24 |
| Client ID : VP001 | Date Received : 12/13/17 |
| Sample Location : 718 E. 212TH ST., BRONX, NY | Date Analyzed : 12/19/17 21:24 |
| Sample Matrix : SOIL_VAPOR | Dilution Factor : 1 |
| Analytical Method : 48,TO-15 | Analyst : RY |
| Lab File ID : R251570 | Instrument ID : AIRPIANO2 |
| Sample Amount : 250 ml | GC Column : RTX-1 |

| CAS NO. | Parameter | ppbV | | | ug/m3 | | | Qualifier |
|----------|------------------------|---------|-------|-----|---------|-------|-----|-----------|
| | | Results | RL | MDL | Results | RL | MDL | |
| 95-63-6 | 1,2,4-Trimethylbenzene | 0.933 | 0.200 | -- | 4.59 | 0.983 | -- | |
| 100-44-7 | Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | U |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | U UJ |
| 87-68-3 | Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | U UJ |

SEP 21 2010

Initials: *CR*



LDC #: 43079B48

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1745989

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/20/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC/MS Volatiles (EPA Method TO-15)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-----|----------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | GC/MS Instrument performance check | Δ | |
| III. | Initial calibration/ICV | A/A | % RSD / ICV ≤ 30 |
| IV. | Continuing calibration | SW | CCV ≤ 30 |
| V. | Laboratory Blanks/Canister Blanks <i>per batch</i> | Δ/Δ | |
| VI. | Field blanks | N | |
| VII. | Surrogate spikes | N | |
| VIII. | Matrix spike/Matrix spike duplicates <i>DWP</i> | N/A | |
| IX. | Laboratory control samples | SW | RES |
| X. | Field duplicates | N | |
| XI. | Internal standards | A | |
| XII. | Compound quantitation RL/LOQ/LODs | Δ | No Result < RL > MDL |
| XIII. | Target compound identification | Δ | |
| XIV. | System performance | Δ | |
| XV. | Leak Check Compounds | N | |
| XVI. | Overall assessment of data | A | |

Note: A = Acceptable ND = No compounds detected D = Duplicate SB=Source blank
 N = Not provided/applicable R = Rinsate TB = Trip blank OTHER:
 SW = See worksheet FB = Field blank EB = Equipment blank

| | Client ID | Lab ID | Matrix | Date |
|---|-----------|----------------|--------|----------|
| 1 | VP-001 | L1745989-01 | Air | 12/12/17 |
| 2 | VP-001DUP | L1745989-01DUP | Air | 12/12/17 |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |

Notes:

| | | | | |
|-------------|--|--|--|--|
| WG1074501-4 | | | | |
| | | | | |
| | | | | |
| | | | | |

Method: Volatiles (EPA Method TO-15)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | / | | | |
| Was canister pressure criteria met? | / | | | |
| II. GC/MS Instrument performance check | | | | |
| Were the BFB performance results reviewed and found to be within the specified criteria? | / | | | |
| Were all samples analyzed within the 24 hour clock criteria? | / | | | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | / | | | |
| Were all percent relative standard deviations (%RSD) < 30%? | / | | | |
| IIIb. Initial calibration verification | | | | |
| Was an initial calibration verification standard analyzed after every ICAL for each instrument? | / | | | |
| Were all percent differences (%D) < 30% or percent recoveries (%R) 70-130%? | / | | | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration standard analyzed at least once every 24 hours for each instrument? | / | | | |
| Were all percent differences (%D) < 30% or percent recoveries (%R) 70-130%? | | / | | |
| V. Laboratory Blanks/Canister Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | / | | | |
| Was a laboratory blank analyzed at least once every 24 hours for each matrix and concentration? | / | | | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | | / | | |
| Was a canister blank analyzed for every canister? | / | | | |
| Was there contamination in the canister blanks? If yes, please see the Canister Blanks validation completeness worksheet. | | / | | |
| VI. Field Blanks | | | | |
| Were field blanks identified in this SDG? | | / | | |
| Were target compounds detected in the field blanks? | | | / | |
| VII. Surrogate spikes (Optional) | | | | |
| Were all surrogate percent recoveries (%R) within QC limits? | | | / | |
| If the percent recovery (%R) for one or more surrogates was out of QC limits, was a reanalysis performed to confirm samples with %R outside of criteria? | | | / | |
| VIII. Laboratory Duplicate | | | | |
| Was a laboratory duplicate analyzed for this SDG? | / | | | |
| Were the relative percent differences (RPD) within the QC limits? | / | | | |

LDC #:

43079 B48

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2

Reviewer: FT

2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | / | | | |
| Was an LCS analyzed per analytical batch? | / | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | | / | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | / | | |
| Were target compounds detected in the field duplicates? | | | / | |
| XI. Internal standards | | | | |
| Were internal standard area counts within $\pm 40\%$ from the associated calibration standard? | / | | | |
| Were retention times within ± 20.0 seconds from the associated calibration standard? | / | | | |
| XII. Compound quantitation | | | | |
| Were the correct internal standard (IS), quantitation ion and relative response factor (RRF) used to quantitate the compound? | / | | | |
| Were compound quantitation and RLS adjusted to reflect all sample dilutions applicable to level IV validation? | / | | | |
| XIII. Target compound identification | | | | |
| Were relative retention times (RRT's) within ± 0.06 RRT units of the standard? | / | | | |
| Did compound spectra meet specified EPA "Functional Guidelines" criteria? | / | | | |
| Were chromatogram peaks verified and accounted for? | / | | | |
| XIV. System performance | | | | |
| System performance was found to be acceptable. | / | | | |
| XV. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | / | | | |

TARGET COMPOUND WORKSHEET

METHOD: VOA

| | | | | |
|------------------------------|---------------------------------|--|-----------------------------------|----------------------------|
| A. Chloromethane | AA. Tetrachloroethene | AAA. 1,3,5-Trimethylbenzene | AAAA. Ethyl tert-butyl ether | A1. 1,3-Butadiene |
| B. Bromomethane | BB. 1,1,2,2-Tetrachloroethane | BBB. 4-Chlorotoluene | BBBB. tert-Amyl methyl ether | B1. Hexane |
| C. Vinyl chloride | CC. Toluene | CCC. tert-Butylbenzene | CCCC. 1-Chlorohexane | C1. Heptane |
| D. Chloroethane | DD. Chlorobenzene | DDD. 1,2,4-Trimethylbenzene | DDDD. Isopropyl alcohol | D1. Propylene |
| E. Methylene chloride | EE. Ethylbenzene | EEE. sec-Butylbenzene | EEEE. Acetonitrile | E1. Freon 11 |
| F. Acetone | FF. Styrene | FFF. 1,3-Dichlorobenzene | FFFF. Acrolein | F1. Freon 12 |
| G. Carbon disulfide | GG. Xylenes, total | GGG. p-Isopropyltoluene | GGGG. Acrylonitrile | G1. Freon 113 |
| H. 1,1-Dichloroethene | HH. Vinyl acetate | HHH. 1,4-Dichlorobenzene | HHHH. 1,4-Dioxane | H1. Freon 114 |
| I. 1,1-Dichloroethane | II. 2-Chloroethylvinyl ether | III. n-Butylbenzene | IIII. Isobutyl alcohol | I1. 2-Nitropropane |
| J. 1,2-Dichloroethene, total | JJ. Dichlorodifluoromethane | JJJ. 1,2-Dichlorobenzene | JJJJ. Methacrylonitrile | J1. Dimethyl disulfide |
| K. Chloroform | KK. Trichlorofluoromethane | KKK. 1,2,4-Trichlorobenzene | KKKK. Propionitrile | K1. 2,3-Dimethyl pentane |
| L. 1,2-Dichloroethane | LL. Methyl-tert-butyl ether | LLL. Hexachlorobutadiene | LLLL. Ethyl ether | L1. 2,4-Dimethyl pentane |
| M. 2-Butanone | MM. 1,2-Dibromo-3-chloropropane | MMM. Naphthalene | MMMM. Benzyl chloride | M1. 3,3-Dimethyl pentane |
| N. 1,1,1-Trichloroethane | NN. Methyl ethyl ketone | NNN. 1,2,3-Trichlorobenzene | NNNN. Iodomethane | N1. 2-Methylpentane |
| O. Carbon tetrachloride | OO. 2,2-Dichloropropane | OOO. 1,3,5-Trichlorobenzene | OOOO. 1,1-Difluoroethane | O1. 3-Methylpentane |
| P. Bromodichloromethane | PP. Bromochloromethane | PPP. trans-1,2-Dichloroethene | PPPP. Tetrahydrofuran | P1. 3-Ethylpentane |
| Q. 1,2-Dichloropropane | QQ. 1,1-Dichloropropene | QQQ. cis-1,2-Dichloroethene | QQQQ. Methyl acetate | Q1. 2,2-Dimethylpentane |
| R. cis-1,3-Dichloropropene | RR. Dibromomethane | RRR. m,p-Xylenes | RRRR. Ethyl acetate | R1. 2,2,3- Trimethylbutane |
| S. Trichloroethene | SS. 1,3-Dichloropropane | SSS. o-Xylene | SSSS. Cyclohexane | S1. 2,2,4-Trimethylpentane |
| T. Dibromochloromethane | TT. 1,2-Dibromoethane | TTT. 1,1,2-Trichloro-1,2,2-trifluoroethane | TTTT. Methyl cyclohexane | T1. 2-Methylhexane |
| U. 1,1,2-Trichloroethane | UU. 1,1,1,2-Tetrachloroethane | UUU. 1,2-Dichlorotetrafluoroethane | UUUU. Allyl chloride | U1. Nonanal |
| V. Benzene | VV. Isopropylbenzene | VVV. 4-Ethyltoluene | VVVV. Methyl methacrylate | V1. 2-Methylnaphthalene |
| W. trans-1,3-Dichloropropene | WW. Bromobenzene | WWW. Ethanol | WWWWW. Ethyl methacrylate | W1. Methanol |
| X. Bromoform | XX. 1,2,3-Trichloropropane | XXX. Di-isopropyl ether | XXXX. cis-1,4-Dichloro-2-butene | X1. 1,2,3-Trimethylbenzene |
| Y. 4-Methyl-2-pentanone | YY. n-Propylbenzene | YYY. tert-Butanol | YYYY. trans-1,4-Dichloro-2-butene | Y1. |
| Z. 2-Hexanone | ZZ. 2-Chlorotoluene | ZZZ. tert-Butyl alcohol | ZZZZ. Pentachloroethane | Z1. |

LDC #: 43079 B48

VALIDATION FINDINGS WORKSHEET
Continuing Calibration

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA Method TO-15)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A Was a continuing calibration standard analyzed at least once every 24 hours for each instrument?

Y N N/A Were all percent differences (%D) ≤ 30%?

| # | Date | Standard ID | Compound | Finding %D (Limit: ≤30.0%) | Associated Samples | Qualifications | |
|---|----------|-------------|----------|-------------------------------|--------------------|----------------|----|
| | 12/19/17 | ccv | KKK | 42.2 | All | J/W/P | MD |
| | 1209PM | | LLL | 47.7 | ↓ | ↓ | ↓ |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LDC #: 43079 B48

VALIDATION FINDINGS WORKSHEET
Laboratory Control Samples (LCS)

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA Method TO-15)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A
Y N N/A


Was a LCS required?

Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits?

| # | LCS/LCSD ID | Compound | LCS %R (Limits) | LCSD %R (Limits) | RPD (Limits) | Associated Samples | Qualifications |
|---|--------------|----------|-----------------|------------------|--------------|--------------------|-----------------|
| | W 9 1074501- | MMM | 134 (70-130) | () | () | All | Just / P all MP |
| | 3 (LCS) | KKK | 141 (↓) | () | () | ↓ | ↓ |
| | | LLL | 143 (↓) | () | () | ↓ | ↓ |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |
| | | | () | () | () | | |

LDC #: 43079 B48

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: 

METHOD: GCMS TO15

The calibration factors (RRFF), average RRFF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

$RRF = (Ax)(Cis)/(Ais)(Cx)$

average RRF = sum of the RRFs/number of standards

$\%RSD = 100 * (S/X)$

Where:

Ax = Area of compound

Cx = Concentration of compound

S = Standard deviation of the RRFs

X = Mean of the RRFs

Ais = Area of associated internal standard

Cis = Concentration of internal Standard

| # | Standard ID | Calibration Date | Compound | Reported (RRF 10 ppbvstd) | Recalculated (RRF 10 ppbv std) | Reported AverageRRF (Initial) | Recalculated Average RRF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------|---------------------------|--------------------------------|-------------------------------|------------------------------------|---------------|-------------------|
| | ICAL | 10/26/2017 | G | 2.263 | 2.263 | 2.1634 | 2.1634 | 10.93 | 10.93 |
| | | | V | 1.184 | 1.184 | 1.1950 | 1.1950 | 6.45 | 6.45 |
| | | | CC | 4.953 | 4.953 | 4.8703 | 4.8703 | 3.24 | 3.24 |

LDC #: 43079 B48

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

Page: 1 of 1
 Reviewer: [Signature]
 2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA TO-15)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = 100 * (ave. RRF - RRF)/ave. RRF
 $RRF = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound, A_{is} = Area of associated internal standard
 C_x = Concentration of compound, C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Reference internal Standard) | Average RRF (initial) | Reported | Recalculated | Reported | Recalculated |
|---|-------------|------------------|--|-----------------------|----------|--------------|----------|--------------|
| | | | | | RRF (CC) | RRF (CC) | %D | %D |
| 1 | cen 1205 | 12/19/17 | G | 2.1634 | 2.156 | 2.156 | 0.3 | 0.3 |
| | | | V | 1.1950 | 1.145 | 1.145 | 4.2 | 4.2 |
| | | | CC | 4.8703 | 5.269 | 5.269 | 8.2 | 8.2 |
| 2 | | | | | | | | |
| 3 | | | | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

METHOD: GC/MS VOA (EPA Method TO-15)

Y/N N/A
Y/N N/A

Were all reported results recalculated and verified for all level IV samples?

Were all recalculated results for detected target compounds agree within 10.0% of the reported results?

$$\text{Concentration} = \frac{(A_x)(I_s)(DF)}{(A_{is})(RRF)(V_o)(\%S)}$$

- A_x = Area of the characteristic ion (EICP) for the compound to be measured
- A_{is} = Area of the characteristic ion (EICP) for the specific internal standard
- I_s = Amount of internal standard added in nanograms (ng)
- RRF = Relative response factor of the calibration standard.
- V_o = Volume or weight of sample pruged in milliliters (ml) or grams (g).
- Df = Dilution factor.
- %S = Percent solids, applicable to soils and solid matrices only.

Example:

Sample I.D. #1, K:

$$\text{Conc.} = \frac{8677(10)}{(132904)(1.4227)} = 0.4589 \text{ ppbv}$$

| # | Sample ID | Compound | Reported Concentration () | Calculated Concentration () | Qualification |
|---|-----------|---|-------------------------------|---------------------------------|---------------|
| | #1 | K | 0.459 ppb | 0.4589 ppbv | |
| | | ↓ | 2.24 ug/m ³ | 2.2397 ug/m ³ | |
| | | $\text{ug/m}^3 = \frac{(11938)(0.4589)}{24.46}$ | | | |
| | | $= 2.2397$ | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Site: Williamsbridge Gardens
Laboratory: Alpha Analytical, Inc.
Report No.: L1746315
Reviewer: Felomina Tanguilig and Christina Rink/Laboratory Data Consultants for P.W. Grosser Consulting
Date: September 20, 2018

Samples Reviewed and Evaluation Summary

| FIELD ID | LAB ID | FRACTIONS VALIDATED |
|----------------|----------------|---------------------------|
| SB006 (0-2) | L1746315-03 | VOC, SVOC, Pesticide, PCB |
| SB006 (0-2)MS | L1746315-03MS | VOC, SVOC, Pesticide, PCB |
| SB006 (0-2)MSD | L1746315-03MSD | VOC, SVOC, Pesticide, PCB |

Associated QC Samples(s):

Field/Trip Blanks: Trip Blank, Field Blank 002

Field Duplicate pair: None Associated

The above-listed soil samples were collected on December 14, 2017 and were analyzed for volatile organic compounds (VOCs) by SW-846 method 8260C, semivolatile organic compounds (SVOCs) by SW-846 method 8270D, chlorinated pesticides by SW-846 method 8081B, and polychlorinated biphenyls (PCBs) by SW-846 method 8082A. The data validation was performed in accordance with the USEPA Region 2 *Standard Operating Procedure for Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry*, SOP HW-24, Revision 4 (October 2014), the USEPA Region 2 *Standard Operating Procedure for Semivolatile Data Validation*, SOP HW-35A, Revision 1 (September 2016), the USEPA Region 2 *Standard Operating Procedure for Validating Pesticide Compounds, Organochlorine Pesticides by Gas Chromatography SW-846 Method 8081B*, SOP HW-44, Revision 1 (October 2006), the USEPA Region 2 *Standard Operating Procedure for Validating PCB Compounds, PCBs by Gas Chromatography SW-846 Method 8082A*, SOP HW-45, Revision 1 (October 2006), and the USEPA *Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*, EPA 540-R-2017-002 (January 2017), modified as necessary to accommodate the non-CLP methodologies used.

The organic data were evaluated based on the following parameters:

- Data Completeness
- Holding Times and Sample Preservation
- Gas Chromatography/Mass Spectrometry (GC/MS) Tunes
- GC/Electron Capture Detector (GC/ECD) Instrument Performance Checks
- Initial and Continuing Calibrations
- Blanks
- Surrogate Recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- Laboratory Control Sample (LCS) Results
- Internal Standards
- Moisture Content
- Field Duplicate Results
- Quantitation Limits and Data Assessment
- Sample Quantitation and Compound Identification

Overall Evaluation of Data and Potential Usability Issues

All results are usable as reported or usable with minor qualification due to sample matrix or laboratory quality control outliers with the exception listed below.

The SVOC nondetect results for 2,4-dinitrophenol, 4,6-dinitro-o-cresol, and benzoic acid in sample SB006 (0-2) were rejected (R) due to severely low MS/MSD percent recoveries. The results are not usable for project objectives, which may have a major impact on the data usability.

The validation findings were based on the following information.

Data Completeness

The data package was complete as defined under the requirements for the NYSDEC ASP category B laboratory deliverables.

Holding Times and Sample Preservation

All technical holding time requirements were met.

GC/MS Tunes

VOC and SVOC

All criteria were met.

GC/ECD Instrument Performance Checks**Pesticide and PCB**

All criteria were met.

Initial and Continuing Calibrations**VOC**

Initial calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | RRF (Limits) | Associated Samples | | Validation Action |
|----------|---------------|-------------|------------------------|--------------------|---|-------------------|
| 12/24/17 | ICAL-VOA100 | 1,4-Dioxane | 0.002 (≥ 0.005) | SB006 (0-2) | + | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 30; estimate (J/UJ) positive and nondetect results.
 XX = Continuing calibration (CC) percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
 SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
 + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The 1,4-dioxane result was estimated due to response factor exceedance. The bias cannot be determined. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

Continuing calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | CC %D | Associated Samples | | Validation Action |
|----------|---------------|--------------------|-------|--------------------|----|-------------------|
| 12/24/17 | CCV-VOA100 | Chloromethane | 25.9 | SB006 (0-2) | XX | UJ nondetects |
| | | Methylene chloride | 23.4 | | XX | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 20; estimate (J/UJ) positive and nondetect results.
 XX = Continuing calibration (CC) percent difference (%D) > 20; estimate (J/UJ) positive and nondetect results.
 SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
 + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The chloromethane and methylene chloride results were estimated due to continuing calibration exceedances. The bias cannot be determined. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

SVOC

Initial calibration:

All criteria were met.

Continuing calibration:

Compounds that did not meet criteria are summarized in the following table.

| Date | Instrument ID | Compound | CC %D | Associated Samples | | Validation Action |
|----------|---------------|---------------------------|-------|--------------------|----|-------------------|
| 10/23/17 | CCV-SV103 | Benzoic acid | 24.3 | SB006 (0-2) | XX | UJ nondetects |
| | | Hexachlorocyclopentadiene | 21.7 | | XX | UJ nondetects |

- X = Initial calibration (IC) relative standard deviation (%RSD) > 20; estimate (J/UJ) positive and nondetect results.
- XX = Continuing calibration (CC) percent difference (%D) > 20; estimate (J/UJ) positive and nondetect results.
- SS = Second source verification percent difference (%D) > 30; estimate (J/UJ) positive and nondetect results.
- + = Response factor (RRF) < validation criteria; estimate (J/UJ) positive and nondetect results.

The benzoic acid and hexachlorocyclopentadiene results were estimated due to continuing calibration exceedances. The bias cannot be determined. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

Pesticide and PCB

All criteria were met.

Blanks

VOC

Contamination was detected in the associated VOC method blank samples. The presence of blank contamination indicates that false positives may exist for these compounds in the associated samples. Action Levels (ALs) were established at <2x RL (for common contaminants) and <RL (for other contaminants) of the concentrations detected. The following table summarizes the contamination detected.

| Blank ID | Compound | Level Detected | Action Level | Associated Samples |
|-------------------|------------------------|----------------|--------------|--------------------|
| WG1076365-10Blank | Ethylbenzene | 0.19 ug/Kg | RL | SB002 (7-9) |
| | m,p-Xylene | 0.48 ug/Kg | RL | |
| | Xylenes, total | 0.48 ug/Kg | RL | |
| | n-Propylbenzene | 0.30 ug/Kg | RL | |
| | 1,3,5-Trimethylbenzene | 0.36 ug/Kg | RL | |
| | 1,2,3-Trichlorobenzene | 0.80 ug/Kg | RL | |
| | p-Ethyltoluene | 0.84 ug/Kg | RL | |

Sample results were qualified as follows:

- If sample concentration was < the reporting limit (RL) and \leq the Action Level, qualify the result as a nondetect (U) at the RL.
- If sample concentration was > the RL and \leq the Action Level, qualify the result as not detected (U) at the reported concentration.
- If the sample concentration was > the RL and > the Action Level, qualification of the data was not required.

Qualified sample results are listed in the table below.

| Sample ID | Compound | Level Detected | Validation Action |
|-------------|------------------------|----------------|-------------------|
| SB002 (7-9) | 1,3,5-Trimethylbenzene | 0.26 ug/Kg | 6.9U ug/Kg |
| | p-Ethyltoluene | 0.63 ug/Kg | 5.5U ug/Kg |

These results can be used for project objectives as nondetects (U) which may have a minor impact on the data usability.

No positive results were found in the trip blank sample Trip Blank and field blank sample Field Blank 001 for VOC analysis.

SVOC

Contamination was not detected in the method blanks.

Contamination was detected in the field blank sample Field Blank 002 for the SVOC analysis. The presence of blank contamination indicates that false positives may exist for these compounds in the associated samples. Action Levels (ALs) were established at <2x RL (for common contaminants) and <RL (for other contaminants) of the concentrations detected. The following table summarizes the contamination detected.

| Field Blank ID | Compound | Level Detected | Action Level | Associated Samples |
|-----------------|-----------------|----------------|--------------|--------------------|
| Field Blank 002 | Benzyl alcohol | 0.88 ug/L | RL | SB006 (0-2) |
| | 4-Chloroaniline | 0.86 ug/L | RL | |

Sample results were qualified as follows:

- If sample concentration was < the reporting limit (RL) and \leq the Action Level, qualify the result as a nondetect (U) at the RL.
- If sample concentration was > the RL and \leq the Action Level, qualify the result as not detected (U) at the reported concentration.

No samples were qualified since the associated sample results were nondetect.

Pesticide

Contamination was not detected in the method blanks.

No positive results were found in the field blank sample Field Blank 001 for pesticide analysis.

PCB

Contamination was not detected in the method blanks.

Contamination was detected in the field blank sample Field Blank 002 for the PCB analysis. The presence of blank contamination indicates that false positives may exist for these compounds in the associated samples. Action Levels (ALs) were established at the reporting limit (RL) for contaminants. The following table summarizes the contamination detected.

| Field Blank ID | Compound | Level Detected | Action Level | Associated Samples |
|-----------------|--------------|----------------|--------------|--------------------|
| Field Blank 002 | Aroclor-1260 | 0.039 ug/L | RL | SB006 (0-2) |
| | Total PCBs | 0.039 ug/L | RL | |

Sample results were qualified as follows:

- If sample concentration was < the reporting limit (RL) and ≤ the Action Level, qualify the result as a nondetect (U) at the RL.
- If sample concentration was > the RL and ≤ the Action Level, qualify the result as not detected (U) at the reported concentration.

Qualified sample results are listed in the table below.

| Sample ID | Compound | Level Detected | Validation Action |
|-------------|--------------|----------------|-------------------|
| SB006 (0-2) | Aroclor-1260 | 21.3 ug/L | 36.6U ug/L |
| | Total PCBs | 85.4 ug/L | 85.4J ug/L |

These results can be used for project objectives as nondetect (U) or estimated (J) which may have a minor impact on the data usability.

Surrogate Recoveries

All criteria were met.

MS/MSD Results

VOC

MS/MSD analyses were performed on sample SB006 (0-2) for VOC analysis. The following table lists the compounds recovered outside of control limits in the MS/MSD analyses and the resulting actions.

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|-----------------------------|-------------------|--------------------|-----------------|-----------------|-------------------------|
| Methylene chloride | 58 (70-130) | 54 (70-130) | - | SB006 (0-2) | J detects/UJ nondetects |
| Chloroform | 67 (70-130) | 58 (70-130) | - | | J detects/UJ nondetects |
| 1,2-Dichloropropane | 69 (70-130) | 65 (70-130) | - | | J detects/UJ nondetects |
| Dibromochloromethane | 44 (70-130) | 40 (70-130) | - | | J detects/UJ nondetects |
| 1,1,2-Trichloroethane | 49 (70-130) | 47 (70-130) | - | | J detects/UJ nondetects |
| Tetrachloroethene | 40 (70-130) | 35 (70-130) | - | | J detects/UJ nondetects |
| Chlorobenzene | 22 (70-130) | 18 (70-130) | - | | J detects/UJ nondetects |
| 1,2-Dichloroethane | 57 (70-130) | 50 (70-130) | - | | J detects/UJ nondetects |
| Bromodichloromethane | 53 (70-130) | 48 (70-130) | - | | J detects/UJ nondetects |
| trans-1,3-Dichloropropene | 24 (70-130) | 17 (70-130) | - | | J detects/UJ nondetects |
| cis-1,3-Dichloropropene | 32 (70-130) | 23 (70-130) | - | | J detects/UJ nondetects |
| 1,1-Dichloropropene | 66 (70-130) | 54 (70-130) | - | | J detects/UJ nondetects |
| Bromoform | 41 (70-130) | 38 (70-130) | - | | J detects/UJ nondetects |
| 1,1,2,2-Tetrachloroethane | 34 (70-130) | 16 (70-130) | - | | J detects/UJ nondetects |
| Benzene | 59 (70-130) | 52 (70-130) | - | | J detects/UJ nondetects |
| Toluene | 38 (70-130) | 32 (70-130) | - | | J detects/UJ nondetects |
| Ethylbenzene | 25 (70-130) | 22 (70-130) | - | | J detects/UJ nondetects |
| trans-1,2-Dichloroethene | 58 (70-130) | 44 (70-130) | - | | J detects/UJ nondetects |
| Trichloroethene | 55 (70-130) | 53 (70-130) | - | | J detects/UJ nondetects |
| 1,2-Dichlorobenzene | 12 (70-130) | 12 (70-130) | - | | J detects/UJ nondetects |
| 1,3-Dichlorobenzene | 10 (70-130) | 10 (70-130) | - | | J detects/UJ nondetects |
| 1,4-Dichlorobenzene | 9 (70-130) | 9 (70-130) | - | | J detects/UJ nondetects |
| m,p-Xylene | 22 (70-130) | 20 (70-130) | - | | J detects/UJ nondetects |
| o-Xylene | 25 (70-130) | 25 (70-130) | - | | J detects/UJ nondetects |
| cis-1,2-Dichloroethene | 51 (70-130) | 40 (70-130) | - | | J detects/UJ nondetects |
| Dibromomethane | 39 (70-130) | 33 (70-130) | - | | J detects/UJ nondetects |
| Styrene | 15 (70-130) | 12 (70-130) | - | | J detects/UJ nondetects |
| Carbon disulfide | - | 53 (59-130) | - | | J detects/UJ nondetects |
| Vinyl acetate | 17 (70-130) | 16 (70-130) | - | | J detects/UJ nondetects |
| 1,2,3-Trichloropropane | 44 (68-130) | 39 (68-130) | - | | J detects/UJ nondetects |
| 2-Hexanone | 62 (70-130) | 58 (70-130) | - | | J detects/UJ nondetects |
| Bromochloromethane | 53 (70-130) | 47 (70-130) | - | | J detects/UJ nondetects |
| 1,2-Dibromoethane | 30 (70-130) | 24 (70-130) | - | | J detects/UJ nondetects |
| 1,3-Dichloropropane | 40 (69-130) | 35 (69-130) | - | | J detects/UJ nondetects |
| 1,1,1,2-Tetrachloroethane | 48 (70-130) | 48 (70-130) | - | | J detects/UJ nondetects |
| Bromobenzene | 16 (70-130) | 14 (70-130) | - | | J detects/UJ nondetects |
| n-Butylbenzene | 7 (70-130) | 9 (70-130) | - | | J detects/UJ nondetects |
| sec-Butylbenzene | 14 (70-130) | 18 (70-130) | - | | J detects/UJ nondetects |
| tert-Butylbenzene | 20 (70-130) | 26 (70-130) | - | | J detects/UJ nondetects |
| o-Chlorotoluene | 17 (70-130) | 14 (70-130) | - | | J detects/UJ nondetects |
| p-Chlorotoluene | 11 (70-130) | 11 (70-130) | - | | J detects/UJ nondetects |
| 1,2-Dibromo-3-chloropropane | 35 (68-130) | 31 (68-130) | - | | J detects/UJ nondetects |
| Hexachlorobutadiene | 7 (67-130) | 14 (67-130) | - | | J detects/UJ nondetects |
| Isopropylbenzene | 22 (70-130) | 25 (70-130) | - | | J detects/UJ nondetects |
| p-Isopropyltoluene | 10 (70-130) | 14 (70-130) | - | | J detects/UJ nondetects |
| Naphthalene | 10 (70-130) | 8 (70-130) | - | | J detects/UJ nondetects |
| n-Propylbenzene | 14 (70-130) | 15 (70-130) | - | | J detects/UJ nondetects |
| 1,2,3-Trichlorobenzene | 8 (70-130) | 8 (70-130) | - | | J detects/UJ nondetects |
| 1,2,4-Trichlorobenzene | 7 (70-130) | 6 (70-130) | - | | J detects/UJ nondetects |
| 1,3,5-Trimethylbenzene | 16 (70-130) | 20 (70-130) | - | | J detects/UJ nondetects |
| 1,2,4-Trimethylbenzene | 14 (70-130) | 16 (70-130) | - | | J detects/UJ nondetects |
| p-Diethylbenzene | 7 (70-130) | 9 (70-130) | - | | J detects/UJ nondetects |
| p-Ethyltoluene | 13 (70-130) | 14 (70-130) | - | | J detects/UJ nondetects |

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|----------------------------|-------------------|--------------------|------------------|-----------------|-------------------------|
| 1,2,4,5-Tetramethylbenzene | 9 (70-130) | 12 (70-130) | - | SB006 (0-2) | J detects/UJ nondetects |
| trans-1,3-Dichloropropene | - | - | 37 (≤ 30) | SB002 (7-9) | None |
| cis-1,3-Dichloropropene | - | - | 35 (≤ 30) | | |
| 1,1,2,2-Tetrachloroethane | - | - | 72 (≤ 30) | | |
| Chloroethane | - | - | 48 (≤ 30) | | |
| trans-1,2-Dichloroethene | - | - | 31 (≤ 30) | | |
| Hexachlorobutadiene | - | - | 59 (≤ 30) | | |

- Within control limits

The results listed above may be biased low due to low MS/MSD percent recoveries. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

Validation action was not required for trans-1,3-dichloropropene, cis-1,3-dichloropropene, 1,1,2,2-tetrachloroethane, chloroethane, trans-1,2-dichloroethene, and hexachlorobutadiene due to MS/MSD relative percent difference exceedances as positive results only are affected and these compounds were not detected in the associated sample.

SVOC

MS/MSD analyses were performed on sample SB006 (0-2) for SVOC analysis. The following table lists the compounds recovered outside of control limits in the MS/MSD analyses and the resulting actions.

| Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|----------------------------|-------------------|--------------------|-----------------|-----------------|-------------------|
| 1,2,4-Trichlorobenzene | - | 110 (38-107) | - | SB006 (0-2) | None |
| 1,4-Dichlorobenzene | - | 110 (28-104) | - | | |
| Biphenyl | - | 120 (54-104) | - | | |
| 1,2,4,5-Tetrachlorobenzene | - | 120 (40-117) | - | | |
| p-Chloro-m-cresol | - | 130 (26-103) | - | | |
| Phenol | - | 110 (26-90) | - | | |
| 3,3'-Dichlorobenzidine | 39 (40-140) | - | - | SB006 (0-2) | UJ nondetects |
| Hexachlorocyclopentadiene | 39 (40-140) | - | - | | UJ nondetects |
| Pentachlorophenol | - | 16 (17-109) | - | | UJ nondetects |
| Fluoranthene | - | 240 (40-140) | - | SB006 (0-2) | J detects |
| Benzo(a)anthracene | - | 160 (40-140) | - | | J detects |
| Benzo(a)pyrene | - | 150 (40-140) | - | | J detects |
| Benzo(b)fluoranthene | - | 170 (40-140) | - | | J detects |
| Chrysene | - | 160 (40-140) | - | | J detects |
| Phenanthrene | - | 190 (40-140) | - | | J detects |
| Pyrene | - | 220 (35-142) | - | | J detects |
| Carbazole | - | 130 (54-128) | - | | J detects |
| 2,4-Dinitrophenol | 0 (4-130) | 0 (4-130) | - | SB006 (0-2) | R nondetects |
| 4,6-Dinitro-o-cresol | - | 0 (10-130) | - | | R nondetects |
| Benzoic acid | 0 (10-110) | 0 (10-110) | - | | R nondetects |

- Within control limits

Validation action was not required for 1,2,4-trichlorobenzene, 1,4-dichlorobenzene, biphenyl, 1,2,4,5-tetrachlorobenzene, p-chloro-m-cresol, and phenol due to high MS/MSD percent recovery as positive results only are affected and this compound was not detected in the associated sample.

The 3,3'-dichlorobenzidine, hexachlorocyclopentadiene, and pentachlorophenol results may be biased low due to low MS/MSD percent recoveries. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

The fluoranthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, chrysene, phenanthrene, pyrene, and carbazole results may be biased high due to high MS/MSD percent recoveries. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

The SVOC nondetect results for 2,4-dinitrophenol, 4,6-dinitro-o-cresol, and benzoic acid in sample SB006 (0-2) were rejected (R) due to low MS/MSD percent recoveries. The results are not usable for project objectives, which may have a major impact on the data usability.

Pesticide and PCB

All criteria were met.

LCS Results

VOC, Pesticide, and PCB

All criteria were met.

SVOC

The following table lists the compounds recovered outside of control limits in the SVOC analysis and the resulting validation actions.

| LCS ID | Compound | LCS %R (Limits) | LCS/D %R (Limits) | RPD (Limits) | Affected Sample | Validation Action |
|---------------|------------------------|-----------------|-------------------|--------------|-----------------|-------------------|
| WG1075347-2/3 | 3,3'-Dichlorobenzidine | 39 (40-140) | - | - | SB006 (0-2) | UJ nondetects |
| | 4-Chloroaniline | 38 (40-140) | - | - | | UJ nondetects |
| WG1075347-2/3 | 4-Chloroaniline | - | - | 104 (≤50) | SB006 (0-2) | UJ nondetects |

- Within control limits

The 3,3'-dichlorobenzidine and 4-chloroaniline results may be biased low due to low LCS/LCSD percent recoveries. The results can be used for project objectives as nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

The 4-chloroaniline result was estimated due to LCS/LCSD relative percent difference exceedance. The bias cannot be determined. The result can be used for project objectives as a nondetect with an estimated quantitation limit (UJ) which may have a minor impact on the data usability.

Internal Standards

All criteria were met.

Field Duplicate Results

A field duplicate pair was not associated with this sample set. Validation action was not required on this basis.

Quantitation Limits and Data Assessment

Results were reported which were below the reporting limit (RL) and above the method detection limit (MDL) in the VOC, SVOC, pesticide, and PCB analyses. These results were qualified as estimated (J) by the laboratory.

Dilutions were not required for VOC, SVOC, pesticide, and PCB analyses.

Sample Quantitation and Compound Identification

Calculations were spot-checked; no discrepancies were noted.

The following table lists the GC dual column RPDs for pesticide analysis which were outside the control limit of 40% and the resulting actions. The direction of the bias cannot be determined from this nonconformance. All results are usable as estimated values (J).

| Sample | Compound | RPD (%) | Validation Actions |
|-------------|-----------------|---------|--------------------|
| SB006 (0-2) | delta-BHC | 104 | J detects |
| | trans-Chlordane | 130 | J detects |
| | 4,4'-DDE | 50 | J detects |

The following table lists the GC dual column RPDs for PCB analysis which were outside the control limit of 40% and the resulting actions. The direction of the bias cannot be determined from this nonconformance. All results are usable as estimated values (J).

| Sample | Compound | RPD (%) | Validation Actions |
|-------------|--------------|---------|--------------------|
| SB006 (0-2) | Aroclor-1254 | 107 | J detects |

DATA VALIDATION QUALIFIERS

- U - The analyte was analyzed for, but due to blank contamination was flagged as nondetect (U). The result is usable as a nondetect.
- J - Data are flagged (J) when a QC analysis fails outside the primary acceptance limits. The qualified “J” data are not excluded from further review or consideration. However, only one flag (J) is applied to a sample result, even though several associated QC analyses may fail. The ‘J’ data may be biased high or low or the direction of the bias may be indeterminable.
- UJ - The analyte was not detected above the reported sample quantitation limit. Data are flagged (UJ) when a QC analysis fails outside the primary acceptance limits. The qualified “UJ” data are not excluded from further review or consideration. However, only one flag is applied to a sample result, even though several associated QC analyses may fail. The ‘UJ’ data may be biased low.
- JN - The analysis indicates the presence of a compound that has been “tentatively identified” (N) and the associated numerical value represents its approximate (J) concentration.
- R - Data rejected (R) on the basis of an unacceptable QC analysis should be excluded from further review or consideration. Data are rejected when associated QC analysis results exceed the expanded control limits of the QC criteria. The rejected data are known to contain significant errors based on documented information. The data user must not use the rejected data to make environmental decisions. The presence or absence of the analyte cannot be verified.

Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1746315-03
 Client ID : SB006 (0-2)
 Sample Location : 718 E. 212TH STREET, BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V00171224A24
 Sample Amount : 4.2 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1746315
 Project Number : BBU1702
 Date Collected : 12/14/17 09:45
 Date Received : 12/14/17
 Date Analyzed : 12/24/17 19:05
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA100
 GC Column : RTX-VMS
 %Solids : 87
 Injection Volume : N/A

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|----------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 14 | 2.3 | U JS |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.1 | 0.37 | U U |
| 67-66-3 | Chloroform | ND | 2.1 | 0.51 | U JS |
| 56-23-5 | Carbon tetrachloride | ND | 1.4 | 0.47 | U U |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.8 | 0.31 | U JS |
| 124-48-1 | Dibromochloromethane | ND | 1.4 | 0.24 | U JS |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 2.1 | 0.43 | U JS |
| 127-18-4 | Tetrachloroethene | ND | 1.4 | 0.42 | U JS |
| 108-90-7 | Chlorobenzene | ND | 1.4 | 0.48 | U JS |
| 75-69-4 | Trichlorofluoromethane | ND | 6.9 | 0.57 | U U |
| 107-06-2 | 1,2-Dichloroethane | ND | 1.4 | 0.34 | U JS |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 1.4 | 0.48 | U U |
| 75-27-4 | Bromodichloromethane | ND | 1.4 | 0.42 | U JS |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 1.4 | 0.29 | U JS |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 1.4 | 0.32 | U JS |
| 542-75-6 | 1,3-Dichloropropene, Total | ND | 1.4 | 0.29 | U U |
| 563-58-6 | 1,1-Dichloropropene | ND | 6.9 | 0.45 | U JS |
| 75-25-2 | Bromoform | ND | 5.5 | 0.33 | U JS |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 1.4 | 0.41 | U JS |
| 71-43-2 | Benzene | ND | 1.4 | 0.26 | U JS |
| 108-88-3 | Toluene | ND | 2.1 | 0.27 | U JS |
| 100-41-4 | Ethylbenzene | ND | 1.4 | 0.23 | U JS |
| 74-87-3 | Chloromethane | ND | 6.9 | 0.60 | U JS |
| 74-83-9 | Bromomethane | ND | 2.8 | 0.46 | U U |
| 75-01-4 | Vinyl chloride | ND | 2.8 | 0.43 | U |
| 75-00-3 | Chloroethane | ND | 2.8 | 0.43 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 1.4 | 0.51 | U |

SEP 21 2018



Initials: CR

Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1746315-03
 Client ID : SB006 (0-2)
 Sample Location : 718 E. 212TH STREET, BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V00171224A24
 Sample Amount : 4.2 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1746315
 Project Number : BBU1702
 Date Collected : 12/14/17 09:45
 Date Received : 12/14/17
 Date Analyzed : 12/24/17 19:05
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA100
 GC Column : RTX-VMS
 %Solids : 87
 Injection Volume : N/A

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.1 | 0.33 | U UJ |
| 79-01-6 | Trichloroethene | ND | 1.4 | 0.42 | U UJ |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 6.9 | 0.25 | U UJ |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 6.9 | 0.30 | U UJ |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 6.9 | 0.25 | U UJ |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.8 | 0.21 | U U |
| 179601-23-1 | p/m-Xylene | ND | 2.8 | 0.48 | U UJ |
| 95-47-6 | o-Xylene | ND | 2.8 | 0.46 | U UJ |
| 1330-20-7 | Xylenes, Total | ND | 2.8 | 0.46 | U U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 1.4 | 0.47 | U UJ |
| 540-59-0 | 1,2-Dichloroethene, Total | ND | 1.4 | 0.33 | U U |
| 74-95-3 | Dibromomethane | ND | 14 | 0.33 | U UJ |
| 100-42-5 | Styrene | ND | 2.8 | 0.55 | U UJ |
| 75-71-8 | Dichlorodifluoromethane | ND | 14 | 0.69 | U U |
| 67-64-1 | Acetone | 44 | 14 | 3.2 | |
| 75-15-0 | Carbon disulfide | 2.0 | 14 | 1.5 | J UJ |
| 78-93-3 | 2-Butanone | ND | 14 | 0.95 | U U |
| 108-05-4 | Vinyl acetate | ND | 14 | 0.21 | U UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 14 | 0.34 | U U |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 14 | 0.24 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 14 | 0.92 | U UJ |
| 74-97-5 | Bromochloromethane | ND | 6.9 | 0.49 | U UJ |
| 594-20-7 | 2,2-Dichloropropane | ND | 6.9 | 0.62 | U U |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.5 | 0.27 | U UJ |
| 142-28-9 | 1,3-Dichloropropane | ND | 6.9 | 0.25 | U UJ |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 1.4 | 0.44 | U UJ |
| 108-86-1 | Bromobenzene | ND | 6.9 | 0.30 | U UJ |

SEP 21 2019



Form 1 VOA

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1746315-03
 Client ID : SB006 (0-2)
 Sample Location : 718 E. 212TH STREET, BRONX, NY
 Sample Matrix : SOIL
 Analytical Method : 1,8260C
 Lab File ID : V00171224A24
 Sample Amount : 4.2 g
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1746315
 Project Number : BBU1702
 Date Collected : 12/14/17 09:45
 Date Received : 12/14/17
 Date Analyzed : 12/24/17 19:05
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA100
 GC Column : RTX-VMS
 %Solids : 87
 Injection Volume : N/A

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|----------|-----------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 104-51-8 | n-Butylbenzene | ND | 1.4 | 0.31 | U UJ |
| 135-98-8 | sec-Butylbenzene | ND | 1.4 | 0.30 | U UJ |
| 98-06-6 | tert-Butylbenzene | ND | 6.9 | 0.34 | U UJ |
| 95-49-8 | o-Chlorotoluene | ND | 6.9 | 0.30 | U UJ |
| 106-43-4 | p-Chlorotoluene | ND | 6.9 | 0.25 | U UJ |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 6.9 | 0.54 | U UJ |
| 87-68-3 | Hexachlorobutadiene | ND | 6.9 | 0.48 | U UJ |
| 98-82-8 | Isopropylbenzene | ND | 1.4 | 0.27 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 1.4 | 0.28 | U UJ |
| 91-20-3 | Naphthalene | ND | 6.9 | 0.19 | U UJ |
| 107-13-1 | Acrylonitrile | ND | 14 | 0.71 | U U |
| 103-65-1 | n-Propylbenzene | ND | 1.4 | 0.30 | U UJ |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 6.9 | 0.34 | U UJ |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 6.9 | 0.30 | U UJ |
| 108-67-8 | 1,3,5-Trimethylbenzene | 0.26 | 6.9 | 0.22 | J 6.9 UJ |
| 95-63-6 | 1,2,4-Trimethylbenzene | 0.61 | 6.9 | 0.26 | J UJ |
| 123-91-1 | 1,4-Dioxane | ND | 55 | 20. | U UJ |
| 105-05-5 | p-Diethylbenzene | ND | 5.5 | 5.5 | U UJ |
| 622-96-8 | p-Ethyltoluene | 0.63 | 5.5 | 0.32 | J 5.6 UJ |
| 95-93-2 | 1,2,4,5-Tetramethylbenzene | ND | 5.5 | 0.21 | U UJ |
| 60-29-7 | Ethyl ether | ND | 6.9 | 0.36 | U U |
| 110-57-6 | trans-1,4-Dichloro-2-butene | ND | 6.9 | 0.54 | U U |

SEP 21 2010

Initials: ER



Form 1

SemiVolatile Organics

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRON | Date Analyzed : 12/23/17 13:48 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8270D | Dilution Factor : 1 |
| Lab File ID : 46315-03 | Analyst : KR |
| Sample Amount : 30.29 g | Instrument ID : SV103 |
| Extraction Method : EPA 3546 | GC Column : RTX5-MS |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-----------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 83-32-9 | Acenaphthene | 62 | 150 | 20. | J J |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 190 | 22. | U U |
| 118-74-1 | Hexachlorobenzene | ND | 110 | 21. | U |
| 111-44-4 | Bis(2-chloroethyl)ether | ND | 170 | 26. | U |
| 91-58-7 | 2-Chloronaphthalene | ND | 190 | 19. | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 190 | 34. | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 190 | 33. | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 190 | 33. | U |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 190 | 51. | U J |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 190 | 38. | U U |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 190 | 33. | U U |
| 206-44-0 | Fluoranthene | 1600 | 110 | 22. | J |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 190 | 20. | U U |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 190 | 29. | U |
| 108-60-1 | Bis(2-chloroisopropyl)ether | ND | 230 | 32. | U |
| 111-91-1 | Bis(2-chloroethoxy)methane | ND | 210 | 19. | U |
| 87-68-3 | Hexachlorobutadiene | ND | 190 | 28. | U |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 540 | 170 | U U J |
| 67-72-1 | Hexachloroethane | ND | 150 | 31. | U U |
| 78-59-1 | Isophorone | ND | 170 | 25. | U U |
| 91-20-3 | Naphthalene | 83 | 190 | 23. | J J |
| 98-95-3 | Nitrobenzene | ND | 170 | 28. | U U |
| 86-30-6 | NDPA/DPA | ND | 150 | 22. | U |
| 621-64-7 | n-Nitrosodi-n-propylamine | ND | 190 | 29. | U |

REVISIONS: 1. 12/14/17 09:45 2. 12/23/17 13:48 3. 12/21/17 13:48

SEP 21 2018



Initials: ER

Form 1

SemiVolatile Organics

| | |
|---|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRON | Date Analyzed : 12/23/17 13:48 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8270D | Dilution Factor : 1 |
| Lab File ID : 46315-03 | Analyst : KR |
| Sample Amount : 30.29 g | Instrument ID : SV103 |
| Extraction Method : EPA 3546 | GC Column : RTX5-MS |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|----------|----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 117-81-7 | Bis(2-ethylhexyl)phthalate | ND | 190 | 66. | U U |
| 85-68-7 | Butyl benzyl phthalate | ND | 190 | 48. | U |
| 84-74-2 | Di-n-butylphthalate | ND | 190 | 36. | U |
| 117-84-0 | Di-n-octylphthalate | ND | 190 | 65. | U |
| 84-66-2 | Diethyl phthalate | ND | 190 | 18. | U |
| 131-11-3 | Dimethyl phthalate | ND | 190 | 40. | U |
| 56-55-3 | Benzo(a)anthracene | 850 | 110 | 21. | J |
| 50-32-8 | Benzo(a)pyrene | 800 | 150 | 46. | J |
| 205-99-2 | Benzo(b)fluoranthene | 1000 | 110 | 32. | J |
| 207-08-9 | Benzo(k)fluoranthene | 370 | 110 | 30. | J |
| 218-01-9 | Chrysene | 890 | 110 | 20. | J |
| 208-96-8 | Acenaphthylene | 78 | 150 | 29. | J J |
| 120-12-7 | Anthracene | 180 | 110 | 37. | J |
| 191-24-2 | Benzo(ghi)perylene | 500 | 150 | 22. | J |
| 86-73-7 | Fluorene | 71 | 190 | 18. | J J |
| 85-01-8 | Phenanthrene | 850 | 110 | 23. | J |
| 53-70-3 | Dibenzo(a,h)anthracene | 140 | 110 | 22. | J |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 540 | 150 | 27. | J |
| 129-00-0 | Pyrene | 1400 | 110 | 19. | J |
| 92-52-4 | Biphenyl | ND | 440 | 44. | U U |
| 106-47-8 | 4-Chloroaniline | ND | 190 | 35. | U UJ |
| 88-74-4 | 2-Nitroaniline | ND | 190 | 37. | U |
| 99-09-2 | 3-Nitroaniline | ND | 190 | 36. | U |
| 100-01-6 | 4-Nitroaniline | ND | 190 | 79. | U |

SEP 21 2018



Form 1 SemiVolatile Organics

Client : P. W. Grosser
 Project Name : BBU1702
 Lab ID : L1746315-03
 Client ID : SB006 (0-2)
 Sample Location : 718 E. 212TH STREET, BRON
 Sample Matrix : SOIL
 Analytical Method : 1,8270D
 Lab File ID : 46315-03
 Sample Amount : 30.29 g
 Extraction Method : EPA 3546
 Extract Volume : 1000 uL
 GPC Cleanup : N

Lab Number : L1746315
 Project Number : BBU1702
 Date Collected : 12/14/17 09:45
 Date Received : 12/14/17
 Date Analyzed : 12/23/17 13:48
 Date Extracted : 12/21/17
 Dilution Factor : 1
 Analyst : KR
 Instrument ID : SV103
 GC Column : RTX5-MS
 %Solids : 87
 Injection Volume : 1 uL

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-------------------|-------------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 132-64-9 | Dibenzofuran | 36 | 190 | 18. | J JJ |
| 91-57-6 | 2-Methylnaphthalene | 84 | 230 | 23. | J JJ |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | ND | 190 | 20. | U C |
| 98-86-2 | Acetophenone | ND | 190 | 24. | U |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 110 | 36. | U |
| 59-50-7 | p-Chloro-m-cresol | ND | 190 | 28. | U |
| 95-57-8 | 2-Chlorophenol | ND | 190 | 22. | U |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 31. | U |
| 105-67-9 | 2,4-Dimethylphenol | ND | 190 | 63. | U |
| 88-75-5 | 2-Nitrophenol | ND | 410 | 72. | U |
| 100-02-7 | 4-Nitrophenol | ND | 270 | 78. | U |
| 51-28-5 | 2,4-Dinitrophenol | ND | 920 | 89. | U R |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 500 | 92. | U R |
| 87-86-5 | Pentachlorophenol | ND | 150 | 42. | U SJ |
| 108-95-2 | Phenol | ND | 190 | 29. | U C |
| 95-48-7 | 2-Methylphenol | ND | 190 | 30. | U |
| 108-39-4/106-44-5 | 3-Methylphenol/4-Methylphenol | ND | 270 | 30. | U |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 190 | 36. | U |
| 65-85-0 | Benzoic Acid | ND | 620 | 190 | U R |
| 100-51-6 | Benzyl Alcohol | ND | 190 | 58. | U C |
| 86-74-8 | Carbazole | 91 | 190 | 18. | J J |

SEP 21 2000



Initials: ER

Form 1 GC Organics

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/26/17 14:26 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8081B | Dilution Factor : 1 |
| Lab File ID : 10171226a-05 | Analyst : CD |
| Sample Amount : 15.35 g | Instrument ID : PEST10 |
| Extraction Method : EPA 3546 | GC Column : CLPPesticides |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : N | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|--------------------|---------|-------|-------|-----------|
| | | Results | RL | MDL | |
| 319-86-8 | Delta-BHC | 1.56 | 1.81 | 0.354 | J J |
| 58-89-9 | Lindane | ND | 0.753 | 0.337 | U U |
| 319-84-6 | Alpha-BHC | ND | 0.753 | 0.214 | U |
| 319-85-7 | Beta-BHC | ND | 1.81 | 0.685 | U |
| 76-44-8 | Heptachlor | ND | 0.904 | 0.405 | U |
| 309-00-2 | Aldrin | ND | 1.81 | 0.636 | U |
| 1024-57-3 | Heptachlor epoxide | ND | 3.39 | 1.02 | U |
| 72-20-8 | Endrin | ND | 0.753 | 0.309 | U |
| 7421-93-4 | Endrin aldehyde | ND | 2.26 | 0.791 | U |
| 53494-70-5 | Endrin ketone | ND | 1.81 | 0.465 | U |
| 60-57-1 | Dieldrin | ND | 1.13 | 0.565 | U |
| 72-55-9 | 4,4'-DDE | 5.60 | 1.81 | 0.418 | P J |
| 50-29-3 | 4,4'-DDT | ND | 3.39 | 1.45 | U U |
| 959-98-8 | Endosulfan I | ND | 1.81 | 0.427 | U |
| 33213-65-9 | Endosulfan II | ND | 1.81 | 0.604 | U |
| 1031-07-8 | Endosulfan sulfate | ND | 0.753 | 0.358 | U |
| 72-43-5 | Methoxychlor | ND | 3.39 | 1.05 | U |
| 8001-35-2 | Toxaphene | ND | 33.9 | 9.49 | U |
| 5103-71-9 | cis-Chlordane | 1.10 | 2.26 | 0.630 | J J |
| 57-74-9 | Chlordane | ND | 14.7 | 5.99 | U U |

SEP 21 2010

Initials: ER



Form 1 GC Organics

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/26/17 14:26 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8081B | Dilution Factor : 1 |
| Lab File ID : 10171226a-05 | Analyst : CD |
| Sample Amount : 15.35 g | Instrument ID : PEST10 |
| Extraction Method : EPA 3546 | GC Column : CLPPesticidesII |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : N | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|-----------|-----------------|---------|------|-------|--|
| | | Results | RL | MDL | |
| 72-54-8 | 4,4'-DDD | 8.75 | 1.81 | 0.645 | |
| 5103-74-2 | trans-Chlordane | 0.910 | 2.26 | 0.596 | JPI J |

SEP 21 2010

Initials: *CR*



Form 1 GC Organics

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/22/17 14:18 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8082A | Dilution Factor : 1 |
| Lab File ID : 13171222a-17 | Analyst : AWS |
| Sample Amount : 15.8 g | Instrument ID : PEST13 |
| Extraction Method : EPA 3546 | GC Column : CLP-Pesticide |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : Y | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|--------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 12674-11-2 | Aroclor 1016 | ND | 36.6 | 4.15 | U |
| 11104-28-2 | Aroclor 1221 | ND | 36.6 | 5.57 | U |
| 11141-16-5 | Aroclor 1232 | ND | 36.6 | 3.60 | U |
| 12672-29-6 | Aroclor 1248 | ND | 36.6 | 4.10 | U |
| 11097-69-1 | Aroclor 1254 | 26.6 | 36.6 | 2.98 | J |
| 37324-23-5 | Aroclor 1262 | ND | 36.6 | 3.01 | U |

U
 ↓
 J
 U

SEP 21 2010

Initials: CR



Form 1 GC Organics

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/22/17 14:18 |
| Sample Matrix : SOIL | Date Extracted : 12/21/17 |
| Analytical Method : 1,8082A | Dilution Factor : 1 |
| Lab File ID : 13171222a-17 | Analyst : AWS |
| Sample Amount : 15.8 g | Instrument ID : PEST13 |
| Extraction Method : EPA 3546 | GC Column : CLP-Pesticidell |
| Extract Volume : 1000 uL | %Solids : 87 |
| GPC Cleanup : N | Injection Volume : 1 uL |
| Sulfur Cleanup : Y | |

| CAS NO. | Parameter | ug/Kg | | | Qualifier |
|------------|--------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 53469-21-9 | Aroclor 1242 | 28.9 | 36.6 | 4.48 | J J |
| 11096-82-5 | Aroclor 1260 | 21.3 | 36.6 | 3.82 | J 36.6U |
| 11100-14-4 | Aroclor 1268 | 8.61 | 36.6 | 2.59 | J J |
| 1336-36-3 | PCBs, Total | 85.4 | 36.6 | 2.59 | J J |

SEP 21 2010

Initials: ER



LDC #: 43079C1

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1746315

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/20/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC/MS Volatiles (EPA SW846 Method 8260C)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|------|--------------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | GC/MS Instrument performance check | Δ | |
| III. | Initial calibration/ICV | SW/A | % PSD ≤ 20, 12 ICV ≤ 30 |
| IV. | Continuing calibration | SW | CCV ≤ 20 |
| V. | Laboratory Blanks | SW | |
| VI. | Field blanks | ND | FB = Field Blank 002 TB = Trip Blank |
| VII. | Surrogate spikes | Δ | |
| VIII. | Matrix spike/Matrix spike duplicates | SW | |
| IX. | Laboratory control samples | A | LOS/D |
| X. | Field duplicates | N | |
| XI. | Internal standards | Δ | |
| XII. | Compound quantitation RL/LOQ/LODs | Δ | Result = RL > MDL = Idet |
| XIII. | Target compound identification | Δ | |
| XIV. | System performance | Δ | |
| XV. | Overall assessment of data | A | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|---|----------------|----------------|--------|----------|
| 1 | SB006 (0-2) | L1746315-03 | Soil | 12/14/17 |
| 2 | SB006 (0-2)MS | L1746315-03MS | Soil | 12/14/17 |
| 3 | SB006 (0-2)MSD | L1746315-03MSD | Soil | 12/14/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |

Notes:

| | | | | |
|------------------------|--|--|--|--|
| WG1076305 - Blank (10) | | | | |
| | | | | |
| | | | | |
| | | | | |

LDC #: 4307901

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: FT
 2nd Reviewer: [Signature]

Method: Volatiles (EPA SW 846 Method 8260C)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | ✓ | | | |
| Was cooler temperature criteria met? | ✓ | | | |
| II. GC/MS Instrument performance check | | | | |
| Were the BFB performance results reviewed and found to be within the specified criteria? | ✓ | | | |
| Were all samples analyzed within the 12 hour clock criteria? | ✓ | | | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | ✓ | | | |
| Were all percent relative standard deviations (%RSD) ≤ 20% and relative response factors (RRF) within method criteria? | ✗ | ✓ | | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of > 0.990? | ✓ | | | |
| IIIb. Initial Calibration Verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | ✓ | | | |
| Were all percent differences (%D) ≤ 30%? | ✓ | | | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration standard analyzed at least once every 12 hours for each instrument? | ✓ | | | |
| Were all percent differences (%D) ≤ 20% and relative response factors (RRF) within method criteria? | | | ✓ | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | ✓ | | | |
| Was a laboratory blank analyzed at least once every 12 hours for each matrix and concentration? | ✓ | | | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | ✓ | | | |
| VI. Field blanks | | | | |
| Were field blanks were identified in this SDG? | ✓ | | | |
| Were target compounds detected in the field blanks? | | ✓ | | |
| VII. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within QC limits? | ✓ | | | |
| If the percent recovery (%R) for one or more surrogates was out of QC limits, was a reanalysis performed to confirm samples with %R outside of criteria? | | | ✓ | |
| VIII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | ✓ | | | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | ✓ | | | |

LDC #: 43079c1

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: FT
 2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | | / | | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | / | | | |
| Was an LCS analyzed per analytical batch? | / | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | / | | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | / | | |
| Were target compounds detected in the field duplicates? | | | / | |
| XI. Internal standards | | | | |
| Were internal standard area counts within -50% to +100% of the associated calibration standard? | / | | | |
| Were retention times within + 30 seconds of the associated calibration standard? | / | | | |
| XII. Compound quantitation | | | | |
| Were the correct internal standard (IS), quantitation ion and relative response factor (RRF) used to quantitate the compound? | / | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | / | | | |
| XIII. Target compound identification | | | | |
| Were relative retention times (RRT's) within + 0.06 RRT units of the standard? | / | | | |
| Did compound spectra meet specified EPA "Functional Guidelines" criteria? | / | | | |
| Were chromatogram peaks verified and accounted for? | / | | | |
| XIV. System performance | | | | |
| System performance was found to be acceptable. | / | | | |
| XV. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | / | | | |

TARGET COMPOUND WORKSHEET

METHOD: VOA

| | | | | |
|------------------------------|---------------------------------|--|-----------------------------------|----------------------------|
| A. Chloromethane | AA. Tetrachloroethene | AAA. 1,3,5-Trimethylbenzene | AAAA. Ethyl tert-butyl ether | A1. 1,3-Butadiene |
| B. Bromomethane | BB. 1,1,2,2-Tetrachloroethane | BBB. 4-Chlorotoluene | BBBB. tert-Amyl methyl ether | B1. Hexane |
| C. Vinyl chloride | CC. Toluene | CCC. tert-Butylbenzene | CCCC. 1-Chlorohexane | C1. Heptane |
| D. Chloroethane | DD. Chlorobenzene | DDD. 1,2,4-Trimethylbenzene | DDDD. Isopropyl alcohol | D1. Propylene |
| E. Methylene chloride | EE. Ethylbenzene | EEE. sec-Butylbenzene | EEEE. Acetonitrile | E1. Freon 11 |
| F. Acetone | FF. Styrene | FFF. 1,3-Dichlorobenzene | FFFF. Acrolein | F1. Freon 12 |
| G. Carbon disulfide | GG. Xylenes, total | GGG. p-Isopropyltoluene | GGGG. Acrylonitrile | G1. Freon 113 |
| H. 1,1-Dichloroethene | HH. Vinyl acetate | HHH. 1,4-Dichlorobenzene | HHHH. 1,4-Dioxane | H1. Freon 114 |
| I. 1,1-Dichloroethane | II. 2-Chloroethylvinyl ether | III. n-Butylbenzene | IIII. Isobutyl alcohol | I1. 2-Nitropropane |
| J. 1,2-Dichloroethene, total | JJ. Dichlorodifluoromethane | JJJ. 1,2-Dichlorobenzene | JJJJ. Methacrylonitrile | J1. Dimethyl disulfide |
| K. Chloroform | KK. Trichlorofluoromethane | KKK. 1,2,4-Trichlorobenzene | KKKK. Propionitrile | K1. 2,3-Dimethyl pentane |
| L. 1,2-Dichloroethane | LL. Methyl-tert-butyl ether | LLL. Hexachlorobutadiene | LLLL. Ethyl ether | L1. 2,4-Dimethyl pentane |
| M. 2-Butanone | MM. 1,2-Dibromo-3-chloropropane | MMM. Naphthalene | MMMM. Benzyl chloride | M1. 3,3-Dimethyl pentane |
| N. 1,1,1-Trichloroethane | NN. Methyl ethyl ketone | NNN. 1,2,3-Trichlorobenzene | NNNN. Iodomethane | N1. 2-Methylpentane |
| O. Carbon tetrachloride | OO. 2,2-Dichloropropane | OOO. 1,3,5-Trichlorobenzene | OOOO. 1,1-Difluoroethane | O1. 3-Methylpentane |
| P. Bromodichloromethane | PP. Bromochloromethane | PPP. trans-1,2-Dichloroethene | PPPP. Tetrahydrofuran | P1. 3-Ethylpentane |
| Q. 1,2-Dichloropropane | QQ. 1,1-Dichloropropene | QQQ. cis-1,2-Dichloroethene | QQQQ. Methyl acetate | Q1. 2,2-Dimethylpentane |
| R. cis-1,3-Dichloropropene | RR. Dibromomethane | RRR. m,p-Xylenes | RRRR. Ethyl acetate | R1. 2,2,3-Trimethylbutane |
| S. Trichloroethene | SS. 1,3-Dichloropropane | SSS. o-Xylene | SSSS. Cyclohexane | S1. 2,2,4-Trimethylpentane |
| T. Dibromochloromethane | TT. 1,2-Dibromoethane | TTT. 1,1,2-Trichloro-1,2,2-trifluoroethane | TTTT. Methyl cyclohexane | T1. 2-Methylhexane |
| U. 1,1,2-Trichloroethane | UU. 1,1,1,2-Tetrachloroethane | UUU. 1,2-Dichlorotetrafluoroethane | UUUU. Allyl chloride | U1. Nonanal |
| V. Benzene | VV. Isopropylbenzene | VVV. 4-Ethyltoluene | VVVV. Methyl methacrylate | V1. 2-Methylnaphthalene |
| W. trans-1,3-Dichloropropene | WW. Bromobenzene | WWW. Ethanol | WWWW. Ethyl methacrylate | W1. Methanol |
| X. Bromoform | XX. 1,2,3-Trichloropropane | XXX. Di-isopropyl ether | XXXX. cis-1,4-Dichloro-2-butene | X1. 1,2,3-Trimethylbenzene |
| Y. 4-Methyl-2-pentanone | YY. n-Propylbenzene | YYY. tert-Butanol | YYYY. trans-1,4-Dichloro-2-butene | Y1. |
| Z. 2-Hexanone | ZZ. 2-Chlorotoluene | ZZZ. tert-Butyl alcohol | ZZZZ. Pentachloroethane | Z1. |

LDC #: 43079C/

VALIDATION FINDINGS WORKSHEET Initial Calibration

Page: 1 of 1

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Did the laboratory perform a 5 point calibration prior to sample analysis?
- Y N N/A Were percent relative standard deviations (%RSD) and relative response factors (RRF) within method criteria for all CCC's and SPCC's?
- Y N N/A Was a curve fit used for evaluation? If yes, what was the acceptance criteria used for evaluation? _____
- Y N N/A Did the initial calibration meet the acceptance criteria?
- Y N N/A Were all %RSDs and RRFs within the validation criteria of $\leq 20\%$ RSD and ≥ 0.05 RRF?

| # | Date | Standard ID | Compound | Finding %RSD (Limit: 20%) | Finding RRF (Limit: >0.05) | Associated Samples | Qualifications |
|---|----------|--------------|----------|------------------------------|-------------------------------|--------------------|----------------|
| | 10/24/17 | ICAL-VOA 100 | HHH | | 0.002 (20.005) | A11 | J/W/A NO |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LDC #: 43079C1

VALIDATION FINDINGS WORKSHEET Continuing Calibration

Page: 1 of 1

Reviewer: FT

2nd Reviewer: A

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- N N/A Was a continuing calibration standard analyzed at least once every 12 hours for each instrument?
 N N/A Were percent differences (%D) and relative response factors (RRF) within method criteria for all CCC's and SPCC's ?
 N N/A Were all %D and RRFs within the validation criteria of ≤ 20 %D and ≥ 0.05 RRF ?

| # | Date | Standard ID | Compound | Finding %D (Limit: $<20.0\%$) | Finding RRF (Limit: >0.05) | Associated Samples | Qualifications |
|---|----------|---------------|----------|-----------------------------------|----------------------------------|--------------------|----------------|
| | 12/24/17 | cen - voa 10U | A | 25.9 | | All | JWS/A MD |
| | 0906 | | E | 23.4 | | ↓ | ↓ |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LDC #: 43679C

VALIDATION FINDINGS WORKSHEET

Page: 6 of 1

Blanks

Reviewer: FT

2nd Reviewer: Q

METHOD: GC HPLC

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- N N/A Were all samples associated with a given method blank?
- N N/A Was a method blank performed for each matrix and whenever a sample extraction procedure was performed?
- N N/A Was a method blank performed with each extraction batch?
- N N/A Were any contaminants found in the method blanks? If yes, please see findings below.

Level IV/D Only

- N N/A (Gasoline and aromatics only) Was a method blank analyzed with each 24 hour batch?
- N N/A Was a method blank analyzed for each analytical / extraction batch of ≤20 samples?

Blank extraction date: _____ Blank analysis date: 12/24/17 Associated samples: A11

Conc. units: ug/kg

| Compound | Blank ID | Sample Identification | | | | | |
|-----------------------|---------------------------|-----------------------|----------|-------------|-------------|--|--|
| | <u>WG107636S-10 Blank</u> | | <u>1</u> | | | | |
| <u>EE</u> | <u>0.19</u> | | | | | | |
| <u>RRR</u> | <u>0.48</u> | | | | | | |
| <u>GG</u> | <u>0.48</u> | | | | | | |
| <u>YY</u> | <u>0.30</u> | | | | | | |
| <u>AAA</u> | <u>0.36</u> | | | <u>0.26</u> | <u>6.9M</u> | | |
| <u>NNN</u> | <u>0.80</u> | | | | | | |
| <u>p-Ethyltoluene</u> | <u>0.64</u> | | | <u>0.63</u> | <u>5.5M</u> | | |

Blank extraction date: _____ Blank analysis date: _____ Associated samples: _____

Conc. units: _____

| Compound | Blank ID | Sample Identification | | | | | |
|----------|----------|-----------------------|--|--|--|--|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

ALL CIRCLED RESULTS WERE NOT QUALIFIED. ALL RESULTS NOT CIRCLED WERE QUALIFIED BY THE FOLLOWING STATEMENT:
All contaminants within five times the method blank concentration were qualified as not detected, "U".

LDC #: 43079C1

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: Q

METHOD : GC/MS VOA (EPA SW 846 Method 8260C)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water.
- Q N N/A Was a MS/MSD analyzed every 20 samples of each matrix?
- Y N N/A Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits?

| # | MS/MSD ID | Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Associated Samples | Qualifications |
|---|-----------|----------|----------------|-----------------|--------------|--------------------|---------------------------|
| | 2+3 | refer | to following | pages | () | () | 1 |
| | | | () | () | () | () | |
| | | | () | () | () | () | all %R = 1/1/1/A ND + Det |
| | | | () | () | () | () | |
| | | | () | () | () | () | all %RPD = 1/1/1/A all ND |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |
| | | | () | () | () | () | |

Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB006 (0-2)
 Lab Sample ID : L1746315-03
 Matrix Spike : WG1076365-11
 Matrix Spike Dup : WG1076365-12

Lab Number : L1746315
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/24/17 19:05
 MS Analysis Date : 12/24/17 19:31
 MSD Analysis Date : 12/24/17 19:57

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|---------------------------|----------------------|---------------------|---------------------|------|------------------------|---------------------|------|------|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| Methylene chloride | ND | 105 | 61. | 58 Q | 103 | 56. | 54 Q | 9 | 70-130 | 30 |
| 1,1-Dichloroethane | ND | 105 | 92. | 88 | 103 | 86. | 83 | 7 | 70-130 | 30 |
| Chloroform | ND | 105 | 70. | 67 Q | 103 | 60. | 58 Q | 16 | 70-130 | 30 |
| Carbon tetrachloride | ND | 105 | 93. | 88 | 103 | 87. | 84 | 6 | 70-130 | 30 |
| 1,2-Dichloropropane | ND | 105 | 73. | 69 Q | 103 | 68. | 65 Q | 7 | 70-130 | 30 |
| Dibromochloromethane | ND | 105 | 46. | 44 Q | 103 | 41. | 40 Q | 11 | 70-130 | 30 |
| 1,1,2-Trichloroethane | ND | 105 | 51. | 49 Q | 103 | 48. | 47 Q | 6 | 70-130 | 30 |
| Tetrachloroethene | ND | 105 | 42. | 40 Q | 103 | 36. | 35 Q | 14 | 70-130 | 30 |
| Chlorobenzene | ND | 105 | 23. | 22 Q | 103 | 19. | 18 Q | 23 | 70-130 | 30 |
| Trichlorofluoromethane | ND | 105 | 110 | 106 | 103 | 99. | 96 | 12 | 70-139 | 30 |
| 1,2-Dichloroethane | ND | 105 | 60. | 57 Q | 103 | 52. | 50 Q | 14 | 70-130 | 30 |
| 1,1,1-Trichloroethane | ND | 105 | 93. | 89 | 103 | 88. | 86 | 6 | 70-130 | 30 |
| Bromodichloromethane | ND | 105 | 56. | 53 Q | 103 | 49. | 48 Q | 12 | 70-130 | 30 |
| trans-1,3-Dichloropropene | ND | 105 | 26. | 24 Q | 103 | 18. | 17 Q | 37 Q | 70-130 | 30 |
| cis-1,3-Dichloropropene | ND | 105 | 34. | 32 Q | 103 | 24. | 23 Q | 35 Q | 70-130 | 30 |
| 1,1-Dichloropropene | ND | 105 | 70. | 66 Q | 103 | 56. | 54 Q | 22 | 70-130 | 30 |
| Bromoform | ND | 105 | 43. | 41 Q | 103 | 39. | 38 Q | 9 | 70-130 | 30 |
| 1,1,2,2-Tetrachloroethane | ND | 105 | 36. | 34 Q | 103 | 17. | 16 Q | 72 Q | 70-130 | 30 |
| Benzene | ND | 105 | 62. | 59 Q | 103 | 54. | 52 Q | 15 | 70-130 | 30 |
| Toluene | ND | 105 | 40. | 38 Q | 103 | 33. | 32 Q | 18 | 70-130 | 30 |
| Ethylbenzene | ND | 105 | 26. | 25 Q | 103 | 23. | 22 Q | 15 | 70-130 | 30 |
| Chloromethane | ND | 105 | 130 | 124 | 103 | 130 | 128 | 2 | 52-130 | 30 |
| Bromomethane | ND | 105 | 92. | 88 | 103 | 79. | 76 | 16 | 57-147 | 30 |
| Vinyl chloride | ND | 105 | 110 | 104 | 103 | 110 | 106 | 0 | 67-130 | 30 |

2 + 3 use lab limits



Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB006 (0-2)
 Lab Sample ID : L1746315-03
 Matrix Spike : WG1076365-11
 Matrix Spike Dup : WG1076365-12

Lab Number : L1746315
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/24/17 19:05
 MS Analysis Date : 12/24/17 19:31
 MSD Analysis Date : 12/24/17 19:57

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|--------------------------|----------------------|---------------------|---------------------|------|------------------------|---------------------|------|------|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| Chloroethane | ND | 105 | 95. | 91 | 103 | 58. | 56 | 48 Q | 50-151 | 30 |
| 1,1-Dichloroethane | ND | 105 | 92. | 88 | 103 | 82. | 80 | 11 | 65-135 | 30 |
| trans-1,2-Dichloroethene | ND | 105 | 62. | 58 Q | 103 | 45. | 44 Q | 31 Q | 70-130 | 30 |
| Trichloroethene | ND | 105 | 58. | 55 Q | 103 | 54. | 53 Q | 6 | 70-130 | 30 |
| 1,2-Dichlorobenzene | ND | 105 | 12. | 12 Q | 103 | 12. | 12 Q | 3 | 70-130 | 30 |
| 1,3-Dichlorobenzene | ND | 105 | 11. | 10 Q | 103 | 10. | 10 Q | 6 | 70-130 | 30 |
| 1,4-Dichlorobenzene | ND | 105 | 9.8 | 9 Q | 103 | 9.1 | 9 Q | 8 | 70-130 | 30 |
| Methyl tert butyl ether | ND | 105 | 95. | 90 | 103 | 92. | 89 | 3 | 66-130 | 30 |
| p/m-Xylene | ND | 210 | 47. | 22 Q | 206 | 42. | 20 Q | 11 | 70-130 | 30 |
| o-Xylene | ND | 210 | 53. | 25 Q | 206 | 51. | 25 Q | 3 | 70-130 | 30 |
| cis-1,2-Dichloroethene | ND | 105 | 54. | 51 Q | 103 | 42. | 40 Q | 26 | 70-130 | 30 |
| Dibromomethane | ND | 105 | 41. | 39 Q | 103 | 34. | 33 Q | 20 | 70-130 | 30 |
| Styrene | ND | 210 | 32. | 15 Q | 206 | 25. | 12 Q | 26 | 70-130 | 30 |
| Dichlorodifluoromethane | ND | 105 | 120 | 113 | 103 | 120 | 116 | 1 | 30-146 | 30 |
| Acetone | 44 | 105 | 140 | 92 | 103 | 160 | 114 | 14 | 54-140 | 30 |
| Carbon disulfide | 2.0J | 105 | 70. | 67 | 103 | 55. | 53 Q | 25 | 59-130 | 30 |
| 2-Butanone | ND | 105 | 110 | 101 | 103 | 110 | 105 | 2 | 70-130 | 30 |
| Vinyl acetate | ND | 105 | 18. | 17 Q | 103 | 16. | 16 Q | 10 | 70-130 | 30 |
| 4-Methyl-2-pentanone | ND | 105 | 87. | 82 | 103 | 87. | 84 | 0 | 70-130 | 30 |
| 1,2,3-Trichloropropane | ND | 105 | 46. | 44 Q | 103 | 40. | 39 Q | 13 | 68-130 | 30 |
| 2-Hexanone | ND | 105 | 66. | 62 Q | 103 | 60. | 58 Q | 8 | 70-130 | 30 |
| Bromochloromethane | ND | 105 | 56. | 53 Q | 103 | 48. | 47 Q | 15 | 70-130 | 30 |
| 2,2-Dichloropropane | ND | 105 | 100 | 97 | 103 | 98. | 95 | 4 | 70-130 | 30 |
| 1,2-Dibromoethane | ND | 105 | 32. | 30 Q | 103 | 25. | 24 Q | 24 | 70-130 | 30 |



Matrix Spike Form 3

Client : P. W. Grosser
 Project Name : BBU1702
 Client Sample ID : SB006 (0-2)
 Lab Sample ID : L1746315-03
 Matrix Spike : WG1076365-11
 Matrix Spike Dup : WG1076365-12

Lab Number : L1746315
 Project Number : BBU1702
 Matrix : SOIL
 Analysis Date : 12/24/17 19:05
 MS Analysis Date : 12/24/17 19:31
 MSD Analysis Date : 12/24/17 19:57

| Parameter | Sample Conc. (ug/kg) | Matrix Spike Sample | | | Matrix Spike Duplicate | | | RPD | Recovery Limits | RPD Limit |
|-----------------------------|----------------------|---------------------|---------------------|------|------------------------|---------------------|------|------|-----------------|-----------|
| | | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | Spike Added (ug/kg) | Spike Conc. (ug/kg) | %R | | | |
| 1,3-Dichloropropane | SS ND | 105 | 42. | 40 Q | 103 | 36. | 35 Q | 14 | 69-130 | 30 |
| 1,1,1,2-Tetrachloroethane | UU ND | 105 | 50. | 48 Q | 103 | 50. | 48 Q | 1 | 70-130 | 30 |
| Bromobenzene | WW ND | 105 | 17. | 16 Q | 103 | 15. | 14 Q | 14 | 70-130 | 30 |
| n-Butylbenzene | III ND | 105 | 7.1 | 7 Q | 103 | 9.0 | 9 Q | 23 | 70-130 | 30 |
| sec-Butylbenzene | EEF ND | 105 | 15. | 14 Q | 103 | 19. | 18 Q | 25 | 70-130 | 30 |
| tert-Butylbenzene | CCC ND | 105 | 21. | 20 Q | 103 | 27. | 26 Q | 26 | 70-130 | 30 |
| o-Chlorotoluene | ND | 105 | 18. | 17 Q | 103 | 15. | 14 Q | 17 | 70-130 | 30 |
| p-Chlorotoluene | ND | 105 | 12. | 11 Q | 103 | 11. | 11 Q | 6 | 70-130 | 30 |
| 1,2-Dibromo-3-chloropropane | MM ND | 105 | 36. | 35 Q | 103 | 32. | 31 Q | 14 | 68-130 | 30 |
| Hexachlorobutadiene | LLL ND | 105 | 7.8 | 7 Q | 103 | 14. | 14 Q | 59 Q | 67-130 | 30 |
| Isopropylbenzene | VV ND | 105 | 24. | 22 Q | 103 | 26. | 25 Q | 9 | 70-130 | 30 |
| p-Isopropyltoluene | GGG ND | 105 | 11. | 10 Q | 103 | 15. | 14 Q | 30 | 70-130 | 30 |
| Naphthalene | MMM ND | 105 | 11. | 10 Q | 103 | 7.9 | 8 Q | 28 | 70-130 | 30 |
| Acrylonitrile | ND | 105 | 92. | 87 | 103 | 93. | 90 | 1 | 70-130 | 30 |
| n-Propylbenzene | YY ND | 105 | 14. | 14 Q | 103 | 15. | 15 Q | 5 | 70-130 | 30 |
| 1,2,3-Trichlorobenzene | NNN ND | 105 | 8.3 | 8 Q | 103 | 8.3 | 8 Q | 0 | 70-130 | 30 |
| 1,2,4-Trichlorobenzene | KKK ND | 105 | 6.8 | 7 Q | 103 | 6.4 | 6 Q | 6 | 70-130 | 30 |
| 1,3,5-Trimethylbenzene | AAA 0.26J | 105 | 17. | 16 Q | 103 | 21. | 20 Q | 19 | 70-130 | 30 |
| 1,2,4-Trimethylbenzene | DDD 0.61J | 105 | 14. | 14 Q | 103 | 17. | 16 Q | 15 | 70-130 | 30 |
| 1,4-Dioxane | ND | 5250 | 6000 | 113 | 5160 | 6400 | 124 | 7 | 65-136 | 30 |
| p-Diethylbenzene | ND | 105 | 7.5 | 7 Q | 103 | 9.6 | 9 Q | 25 | 70-130 | 30 |
| p-Ethyltoluene | 0.63J | 105 | 13. | 13 Q | 103 | 15. | 14 Q | 9 | 70-130 | 30 |
| 1,2,4,5-Tetramethylbenzene | ND | 105 | 9.6 | 9 Q | 103 | 13. | 12 Q | 29 | 70-130 | 30 |
| Ethyl ether | ND | 105 | 79. | 75 | 103 | 77. | 75 | 3 | 67-130 | 30 |



VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = $100 * (\text{ave. RRF} - \text{RRF}) / \text{ave. RRF}$
 $\text{RRF} = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound, A_{is} = Area of associated internal standard
 C_x = Concentration of compound, C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Reference internal Standard) | Average RRF (initial) | Reported RRF (CC) | Recalculated RRF (CC) | Reported %D | Recalculated %D |
|---|--------------------|------------------|--|-----------------------|-------------------|-----------------------|-------------|-----------------|
| 1 | CCV VOA100 0906 | 12/24/17 | G (1st internal standard) | 0.614 | 0.593 | 0.593 | 3.4 | 3.4 |
| | | | CC (2nd internal standard) | 0.813 | 0.718 | 0.718 | 4.3 | 4.3 |
| | | | BP (3rd internal standard) | 0.568 | 0.530 | 0.530 | 6.7 | 6.7 |
| | | | (4th internal standard) | | | | | |
| 2 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |
| 3 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |
| 4 | | | (1st internal standard) | | | | | |
| | | | (2nd internal standard) | | | | | |
| | | | (3rd internal standard) | | | | | |
| | | | (4th internal standard) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

METHOD: GC/MS VOA (EPA SW 846 Method 8260C)

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: #1

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | 20.0 | 20.473 | 107 102 | 102 | 0 |
| 1,2-Dichloroethane-d4 | | 21.458 | 102 107 | 107 | |
| Toluene-d8 | ↓ | 20.819 | 104 | 104 | ↓ |
| Bromofluorobenzene | ↓ | 20.615 | 103 | 103 | ↓ |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|-----------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Dibromofluoromethane | | | | | |
| 1,2-Dichloroethane-d4 | | | | | |
| Toluene-d8 | | | | | |
| Bromofluorobenzene | | | | | |

LDC #: 43079 C1

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC/MS VOA (EPA Method 8260C)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = $100 * (SSC - SC) / SA$

Where: SSC = Spiked sample concentration
 SA = Spike added

SC = Sample concentration

RPD = $|MSC - MSC1| * 2 / (MSC + MSC1)$

MSC = Matrix spike concentration

MSC1 = Matrix spike duplicate concentration

MS/MSD sample: 2 + 3

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike | | Matrix Spike Duplicate | | MS/MSD | |
|--------------------|------------------------|-----|---------------------------------|--|-------|------------------|---------|------------------------|---------|----------|--------------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalculated |
| 1,1-Dichloroethene | 105 | 103 | ND | 92.25 | 82.42 | 58 | 58 | 80 | 80 | 11 | 11 |
| Trichloroethene | | | | 57.57 | 54.33 | 55 | 55 | 53 | 53 | 6 | 6 |
| Benzene | | | | 61.97 | 53.53 | 62 | 59 | 54 | 52 | 15 | 15 |
| Toluene | | | | 39.72 | 33.07 | 38 | 38 | 32 | 32 | 18 | 18 |
| Chlorobenzene | | | | 23.43 | 18.55 | 22 | 22 | 18 | 18 | 23 | 23 |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079 C1

VALIDATION FINDINGS WORKSHEET
Laboratory Control Sample Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: R

METHOD: GC/MS VOA (EPA Method 8260C)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the laboratory control sample and laboratory control sample duplicate (if applicable) were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * SSC/SA

Where: SSC = Spiked sample concentration
 SA = Spike added

RPD = | LCSC - LCSDC | * 2 / (LCSC + LCSDC)

LCSC = Laboratory control sample concentration LCSDC = Laboratory control sample duplicate concentration

LCS ID: W 61076365-8/9

| Compound | Spike Added (ug/kg) | | Spiked Sample Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | |
|--------------------|---------------------|------|-------------------------------------|--------|------------------|---------|------------------|---------|----------|--------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalculated |
| 1,1-Dichloroethene | 20.0 | 20.0 | 19.703 | 18.606 | 98 | 98 | 93 | 93 | 5 | 6 |
| Trichloroethene | ↓ | ↓ | 19.636 | 18.418 | 98 | 98 | 91 | 91 | 6 | 6 |
| Benzene | ↓ | ↓ | 18.820 | 17.816 | 94 | 94 | 89 | 89 | 5 | 5 |
| Toluene | ↓ | ↓ | 19.151 | 17.858 | 96 | 96 | 89 | 89 | 8 | 7 |
| Chlorobenzene | ↓ | ↓ | 19.721 | 18.628 | 99 | 99 | 93 | 93 | 6 | 6 |

Comments: Refer to Laboratory Control Sample findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079C2a

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1746315

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/20/18

Page: 1 of 1

Reviewer: FJ

2nd Reviewer: [Signature]

METHOD: GC/MS Semivolatiles (EPA SW 846 Method 8270D)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|------|------------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | GC/MS Instrument performance check | Δ | |
| III. | Initial calibration/ICV | A, Δ | % PSD ≤ 20, r ² CV ≤ 30 |
| IV. | Continuing calibration | SW | COV ≤ 20 |
| V. | Laboratory Blanks | Δ | |
| VI. | Field blanks | SW | FB = Field Blank 002 |
| VII. | Surrogate spikes | Δ | |
| VIII. | Matrix spike/Matrix spike duplicates | SW | |
| IX. | Laboratory control samples | SW | res ID |
| X. | Field duplicates | N | |
| XI. | Internal standards | Δ | |
| XII. | Compound quantitation RL/LOQ/LODs | Δ | Result < RL > MDL = Idet |
| XIII. | Target compound identification | A | |
| XIV. | System performance | Δ | |
| XV. | Overall assessment of data | Δ | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|---|----------------|----------------|--------|----------|
| 1 | SB006 (0-2) | L1746315-03 | Soil | 12/14/17 |
| 2 | SB006 (0-2)MS | L1746315-03MS | Soil | 12/14/17 |
| 3 | SB006 (0-2)MSD | L1746315-03MSD | Soil | 12/14/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |

Notes:

| | | | | |
|-------------|--|--|--|--|
| WG1015347-1 | | | | |
| | | | | |
| | | | | |
| | | | | |

Method: Semivolatiles (EPA SW 846 Method 8270D)

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | / | | | |
| Was cooler temperature criteria met? | / | | | |
| II. GC/MS Instrument performance check | | | | |
| Were the DFTPP performance results reviewed and found to be within the specified criteria? | / | | | |
| Were all samples analyzed within the 12 hour clock criteria? | / | | | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | / | | | |
| Were all percent relative standard deviations (%RSD) \leq 20% and relative response factors (RRF) within method criteria? | / | | | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of > 0.990 ? | / | | | |
| IIIb. Initial Calibration Verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | / | | | |
| Were all percent differences (%D) \leq 30% or percent recoveries (%R) 70-130%? | / | | | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration standard analyzed at least once every 12 hours for each instrument? | / | | | |
| Were all percent differences (%D) \leq 20% and relative response factors (RRF) within method criteria? | | / | | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | / | | | |
| Was a laboratory blank analyzed at least once every 12 hours for each matrix and concentration? | / | | | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | | / | | |
| VI. Field blanks | | | | |
| Were field blanks were identified in this SDG? | / | | | |
| Were target compounds detected in the field blanks? | / | | | |
| VII. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within QC limits? | / | | | |
| If 2 or more base neutral or acid surrogates were outside QC limits, was a reanalysis performed to confirm %R? | | | / | |
| If any percent recoveries (%R) was less than 10%, was a reanalysis performed to confirm %R? | | | / | |

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| VIII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | / | | | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | / | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | | / | | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | / | | | |
| Was an LCS analyzed per analytical batch? | / | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | | / | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | / | | |
| Were target compounds detected in the field duplicates? | | | / | |
| XI. Internal standards | | | | |
| Were internal standard area counts within -50% to +100% of the associated calibration standard? | / | | | |
| Were retention times within + 30 seconds of the associated calibration standard? | / | | | |
| XII. Compound quantitation | | | | |
| Were the correct internal standard (IS), quantitation ion and relative response factor (RRF) used to quantitate the compound? | / | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | / | | | |
| XIII. Target compound identification | | | | |
| Were relative retention times (RRT's) within + 0.06 RRT units of the standard? | / | | | |
| Did compound spectra meet specified EPA "Functional Guidelines" criteria? | / | | | |
| Were chromatogram peaks verified and accounted for? | / | | | |
| XIV. System performance | | | | |
| System performance was found to be acceptable. | / | | | |
| XV. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | / | | | |

VALIDATION FINDINGS WORKSHEET

METHOD: GC/MS SVOA

| | | | | |
|---------------------------------|---------------------------------|----------------------------------|---|---------------------------------------|
| A. Phenol | AA. 2-Chloronaphthalene | AAA. Butylbenzylphthalate | AAAA. Dibenzothiophene | A1. N-Nitrosodiethylamine |
| B. Bis (2-chloroethyl) ether | BB. 2-Nitroaniline | BBB. 3,3'-Dichlorobenzidine | BBBB. Benzo(a)fluoranthene | B1. N-Nitrosodi-n-butylamine |
| C. 2-Chlorophenol | CC. Dimethylphthalate | CCC. Benzo(a)anthracene | CCCC. Benzo(b)fluorene | C1. N-Nitrosomethylethylamine |
| D. 1,3-Dichlorobenzene | DD. Acenaphthylene | DDD. Chrysene | DDDD. cis/trans-Decalin | D1. N-Nitrosomorpholine |
| E. 1,4-Dichlorobenzene | EE. 2,6-Dinitrotoluene | EEE. Bis(2-ethylhexyl)phthalate | EEEE. Biphenyl | E1. N-Nitrosopyrrolidine |
| F. 1,2-Dichlorobenzene | FF. 3-Nitroaniline | FFF. Di-n-octylphthalate | FFFF. Retene | F1. Phenacetin |
| G. 2-Methylphenol | GG. Acenaphthene | GGG. Benzo(b)fluoranthene | GGGG. C30-Hopane | G1. 2-Acetylaminofluorene |
| H. 2,2'-Oxybis(1-chloropropane) | HH. 2,4-Dinitrophenol | HHH. Benzo(k)fluoranthene | HHHH. 1-Methylphenanthrene | H1. Pronamide |
| I. 4-Methylphenol | II. 4-Nitrophenol | III. Benzo(a)pyrene | IIII. 1,4-Dioxane | I1. Methyl methanesulfonate |
| J. N-Nitroso-di-n-propylamine | JJ. Dibenzofuran | JJJ. Indeno(1,2,3-cd)pyrene | JJJJ. Acetophenone | J1. Ethyl methanesulfonate |
| K. Hexachloroethane | KK. 2,4-Dinitrotoluene | KKK. Dibenz(a,h)anthracene | KKKK. Atrazine | K1. o,o',o''-Triethylphosphorothioate |
| L. Nitrobenzene | LL. Diethylphthalate | LLL. Benzo(g,h,i)perylene | LLLL. Benzaldehyde | L1. n-Phenylene diamine |
| M. Isophorone | MM. 4-Chlorophenyl-phenyl ether | MMM. Bis(2-Chloroisopropyl)ether | MMMM. Caprolactam | M1. 1,4-Naphthoquinone |
| N. 2-Nitrophenol | NN. Fluorene | NNN. Aniline | NNNN. 2,6-Dichlorophenol | N1. N-Nitro-o-toluidine |
| O. 2,4-Dimethylphenol | OO. 4-Nitroaniline | OOO. N-Nitrosodimethylamine | OOOO. 1,2-Diphenylhydrazine | O1. 1,3,5-Trinitrobenzene |
| P. Bis(2-chloroethoxy)methane | PP. 4,6-Dinitro-2-methylphenol | PPP. Benzoic Acid | PPPP. 3-Methylphenol | P1. Pentachlorobenzene |
| Q. 2,4-Dichlorophenol | QQ. N-Nitrosodiphenylamine | QQQ. Benzyl alcohol | QQQQ. 3&4-Methylphenol | Q1. 4-Aminobiphenyl |
| R. 1,2,4-Trichlorobenzene | RR. 4-Bromophenyl-phenylether | RRR. Pyridine | RRRR. 4-Dimethyldibenzothiophene (4MDT) | R1. 2-Naphthylamine |
| S. Naphthalene | SS. Hexachlorobenzene | SSS. Benzidine | SSSS. 2/3-Dimethyldibenzothiophene (4MDT) | S1. Triphenylene |
| T. 4-Chloroaniline | TT. Pentachlorophenol | TTT. 1-Methylnaphthalene | TTTT. 1-Methyldibenzothiophene (1MDT) | T1. Octachlorostyrene |
| U. Hexachlorobutadiene | UU. Phenanthrene | UUU. Benzo(b)thiophene | UUUU. 2,3,4,6-Tetrachlorophenol | U1. Famphur |
| V. 4-Chloro-3-methylphenol | VV. Anthracene | VVV. Benzonaphthothiophene | VVVV. 1,2,4,5-Tetrachlorobenzene | V1. 1,4-phenylenediamine |
| W. 2-Methylnaphthalene | WW. Carbazole | WWW. Benzo(e)pyrene | WWWW. 2-Picoline | W1. Methapyrilene |
| X. Hexachlorocyclopentadiene | XX. Di-n-butylphthalate | XXX. 2,6-Dimethylnaphthalene | XXXX. 3-Methylcholanthrene | X1. Pentachloroethane |
| Y. 2,4,6-Trichlorophenol | YY. Fluoranthene | YYY. 2,3,5-Trimethylnaphthalene | YYYY. a,a-Dimethylphenethylamine | Y1. 3,3'-Dimethylbenzidine |
| Z. 2,4,5-Trichlorophenol | ZZ. Pyrene | ZZZ. Perylene | ZZZZ. Hexachloropropene | Z1. o-Toluidine |

LDC #: 43079C2a

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: A

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water.

Y N N/A Was a MS/MSD analyzed every 20 samples of each matrix?

Y N N/A Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits?

| # | MS/MSD ID | Compound | MS %R (Limits) | MSD %R (Limits) | RPD (Limits) | Associated Samples | Qualifications |
|----|-----------|----------------------|----------------|-----------------|--------------|--------------------|----------------|
| - | 2, 3 | R | () | 110 (38-107) | () | #1 | Jdet/A N7 |
| - | | F | () | 110 (28-104) | () | | J |
| - | | BBB | 39 (40-140) | () | () | | J/W/A J |
| + | | YY | () | 240 (40-140) | () | | Jdet/A det |
| - | | X | 39 (40-140) | () | () | | J/W/A N7 |
| + | | ccc | () | 160 (40-140) | () | | Jdet/A Det |
| + | | III | () | 150 () | () | | |
| + | | GGG | () | 170 () | () | | |
| + | | DDP | () | 160 () | () | | |
| + | | UU | () | 190 () | () | | J |
| + | | ZZ | () | 220 (35-142) | () | | Det |
| #- | | EEEE | () | 120 (54-104) | () | | N7 |
| - | | VVVV | () | 120 (40-117) | () | | |
| - | | p-Enloro-m-cresol | () | 130 (26-103) | () | | J |
| - | | AH | 0 (4-130) | 0 (4-130) | () | | J/R/A |
| - | | 4,6-Dinitro-o-cresol | () | 0 (10-130) | () | | J/R/A |
| - | | TT | () | 16 (17-109) | () | | J/W/A |
| - | | A | () | 110 (26-90) | () | | Jdet/A |
| - | | PPP | 0 (10-110) | 0 (10-110) | () | | J/R/A J |
| + | | WW | () | 130 (54-128) | () | J | Jdet/A Det |
| | | | () | () | () | | |

LDC #: 43079 C2a

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 6 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GCMS SVOA 8270D

The calibration factors (RRFF), average RRFF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

$RRF = (Ax)(Cis)/(Ais)(Cx)$

average RRF = sum of the RRFs/number of standards

$\%RSD = 100 * (S/X)$

Where:

Ax = Area of compound

Cx = Concentration of compound

S = Standard deviation of the RRFs

X = Mean of the RRFs

Ais = Area of associated internal standard

Cis = Concentration of internal Standard

| # | Standard ID | Calibration Date | Compound | Reported (RRF 20 std) | Recalculated (RRF 20 std) | Reported AverageRRF (Initial) | Recalculated Average RRF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------|-----------------------|---------------------------|-------------------------------|------------------------------------|---------------|-------------------|
| | ICAL | 11/28/2017 | A | 2.081 | 2.081 | 1.981 | 1.981 | 2.32 | 2.32 |
| | SV103 | | JJJJ | 2.106 | 2.106 | 2.116 | 2.116 | 1.64 | 1.64 |
| | | | S | 1.067 | 1.067 | 1.038 | 1.038 | 3.49 | 3.49 |
| | | | VVVV | 0.261 | 0.261 | 0.255 | 0.255 | 2.21 | 2.21 |
| | | | GG | 1.321 | 1.321 | 1.272 | 1.272 | 3.43 | 3.43 |
| | | | UU | 1.289 | 1.289 | 1.245 | 1.245 | 3.29 | 3.29 |
| | | | DDD | 1.273 | 1.273 | 1.259 | 1.259 | 3.58 | 3.58 |
| | | | JJJ | 1.161 | 1.161 | 1.117 | 1.117 | 2.87 | 2.87 |

LDC #: 43079 (2a)

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: C

METHOD: GCMS SVOA 8270D

The calibration factors (RRFF), average RRFF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

$RRF = (Ax)(Cis)/(Ais)(Cx)$

average RRF = sum of the RRFs/number of standards

$\%RSD = 100 * (S/X)$

Where:

Ax = Area of compound

Cx = Concentration of compound

S = Standard deviation of the RRFs

X = Mean of the RRFs

Ais = Area of associated internal standard

Cis = Concentration of internal Standard

| # | Standard ID | Calibration Date | Compound | Reported (RRF 20 std) | Recalculated (RRF 20 std) | Reported AverageRRF (Initial) | Recalculated Average RRF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------|-----------------------|---------------------------|-------------------------------|------------------------------------|---------------|-------------------|
| | ICAL | 11/28/2017 | A | 2.081 | 2.081 | 1.981 | 1.981 | 2.32 | 2.32 |
| | SV103 | | JJJJ | 2.106 | 2.106 | 2.116 | 2.116 | 1.64 | 1.64 |
| | | | S | 1.067 | 1.067 | 1.038 | 1.038 | 3.49 | 3.49 |
| | | | VVVV | 0.261 | 0.261 | 0.255 | 0.255 | 2.21 | 2.21 |
| | | | GG | 1.321 | 1.321 | 1.272 | 1.272 | 3.43 | 3.43 |
| | | | UU | 1.289 | 1.289 | 1.245 | 1.245 | 3.29 | 3.29 |
| | | | DDD | 1.273 | 1.273 | 1.259 | 1.259 | 3.58 | 3.58 |
| | | | JJJ | 1.161 | 1.161 | 1.117 | 1.117 | 2.87 | 2.87 |

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = $100 * (\text{ave. RRF} - \text{RRF}) / \text{ave. RRF}$
 $\text{RRF} = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound,
 C_x = Concentration of compound,

A_{is} = Area of associated internal standard
 C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Internal Standard) | Average RRF (Initial) | Reported | Recalculated | Reported | Recalculated |
|---|---------------------------|------------------|------------------------------|-----------------------|----------|--------------|----------|--------------|
| | | | | | RRF (CC) | RRF (CC) | %D | %D |
| 1 | CEN-8374 SV103 9:00 | 12/21/17 | Δ (1st IS) | 1.981 | 1.621 | 1.621 | 8.0 | 8.0 |
| | | | JJJ (2nd IS) | 2.116 | 2.094 | 2.094 | 1.0 | 1.0 |
| | | | S (3rd IS) | 1.038 | 0.983 | 0.983 | 5.3 | 5.3 |
| | | | VVVV (4th IS) | 0.265 | 0.265 | 0.265 | 3.9 | 3.9 |
| | | | GG (5th IS) | 1.272 | 1.200 | 1.200 | 5.7 | 5.7 |
| | | | UU (6th IS) | 1.245 | 1.172 | 1.172 | 5.9 | 5.9 |
| 2 | | | DDD (1st IS) | 1.259 | 1.198 | 1.198 | 4.8 | 4.8 |
| | | | JJJ (2nd IS) | 1.117 | 1.090 | 1.090 | 2.4 | 2.4 |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |
| 3 | | | (1st IS) | | | | | |
| | | | (2nd IS) | | | | | |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent difference (%D) of the initial calibration average Relative Response Factors (RRFs) and the continuing calibration RRFs were recalculated for the compounds identified below using the following calculation:

% Difference = 100 * (ave. RRF - RRF)/ave. RRF
 $RRF = (A_x)(C_{is}) / (A_{is})(C_x)$

Where: ave. RRF = initial calibration average RRF
 RRF = continuing calibration RRF
 A_x = Area of compound, A_{is} = Area of associated internal standard
 C_x = Concentration of compound, C_{is} = Concentration of internal standard

| # | Standard ID | Calibration Date | Compound (Internal Standard) | Average RRF (Initial) | Reported | Recalculated | Reported | Recalculated |
|---|------------------------------|------------------|------------------------------|-----------------------|----------|--------------|----------|--------------|
| | | | | | RRF (CC) | RRF (CC) | %D | %D |
| 1 | ceV 10.45 11:11 SV 103 | 12/23/17 | Δ (1st IS) | 1.981 | 1.839 | 1.839 | 7.2 | 7.2 |
| | | | JJJ (2nd IS) | 2.116 | 2.121 | 0.2 | 0.2 | |
| | | | S (3rd IS) | 1.038 | 0.978 | 5.8 | 5.8 | |
| | | | YVVV (4th IS) | 0.255 | 0.272 | 6.7 | 6.7 | |
| | | | GG (5th IS) | 1.272 | 1.197 | 5.9 | 5.9 | |
| | | | UU (6th IS) | 1.245 | 1.155 | 7.2 | 7.2 | |
| 2 | | | DDD (1st IS) | 1.259 | 1.169 | 1.169 | 7.1 | 7.1 |
| | | | JJJ (2nd IS) | 1.117 | 1.059 | 1.059 | 5.2 | 5.2 |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |
| 3 | | | (1st IS) | | | | | |
| | | | (2nd IS) | | | | | |
| | | | (3rd IS) | | | | | |
| | | | (4th IS) | | | | | |
| | | | (5th IS) | | | | | |
| | | | (6th IS) | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 4307912a

VALIDATION FINDINGS WORKSHEET

Surrogate Results Verification

 Page: 1 of 1
 Reviewer: FT
 2nd reviewer: [Signature]
METHOD: GC/MS Semivolatiles (EPA SW 846 Method 8270D)

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

 Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: #1

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | 15.0 | 22.849 | 91 | 91 | 0 |
| 2-Fluorobiphenyl | ↓ | 19.210 | 77 | 77 | ↓ |
| Terphenyl-d14 | ↓ | 13.608 | 54 | 54 | |
| Phenol-d5 | 50.0 | 39.216 | 78 | 78 | ↓ |
| 2-Fluorophenol | ↓ | 32.226 | 64 | 64 | |
| 2,4,6-Tribromophenol | ↓ | 29.584 | 59 | 59 | |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | | | | | |
| 2-Fluorobiphenyl | | | | | |
| Terphenyl-d14 | | | | | |
| Phenol-d5 | | | | | |
| 2-Fluorophenol | | | | | |
| 2,4,6-Tribromophenol | | | | | |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

Sample ID: _____

| | Surrogate Spiked | Surrogate Found | Percent Recovery Reported | Percent Recovery Recalculated | Percent Difference |
|------------------------|------------------|-----------------|---------------------------|-------------------------------|--------------------|
| Nitrobenzene-d5 | | | | | |
| 2-Fluorobiphenyl | | | | | |
| Terphenyl-d14 | | | | | |
| Phenol-d5 | | | | | |
| 2-Fluorophenol | | | | | |
| 2,4,6-Tribromophenol | | | | | |
| 2-Chlorophenol-d4 | | | | | |
| 1,2-Dichlorobenzene-d4 | | | | | |

LDC #: 43079ca

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * (SSC - SC)/SA

Where: SSC = Spiked sample concentration
 SA = Spike added

SC = Sample concentration

RPD = |MSC - MSC| * 2/(MSC + MSDC)

MSC = Matrix spike concentration

MSDC = Matrix spike duplicate concentration

MS/MSD samples: 243

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike | | Matrix Spike Duplicate | | MS/MSD | |
|----------------------------|---------------------|------|------------------------------|-------------------------------------|-----------------|------------------|--------|------------------------|--------|----------|--------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc | Reported | Recalc | Reported | Recalc |
| Phenol | 1510 | 1490 | NM | 1291.15 1300 | 1575.00 1600 | 86 | 95.5 | 110 | 105.7 | 21 | 20 |
| N-Nitroso-di-n-propylamine | ↓ | ↓ | ↓ | 1400 | 1700 | 93 | 92.7 | 110 | 114 | 19 | 19 |
| 4-Chloro-3-methylphenol | ↓ | ↓ | ↓ | 1500 1332 | 1900 1820.78 | 100 | 99.3 | 130 | 127.5 | 24 | 24 |
| Acenaphthene | ↓ | ↓ | 62 (2.94) NM | 1300 | 1800 | 86 | 84 | 120 | 118 | 32 | 31 |
| Pentachlorophenol | ↓ | ↓ | NM | 300 | 240 | 20 | 19.9 | 16 | 16 | 22 | 22 |
| Pyrene | ↓ | ↓ | 400 | 3200 | 4700 | 120 | 119 | 220 | 221 | 38 | 38 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079122a

VALIDATION FINDINGS WORKSHEET

Laboratory Control Sample/Laboratory Control Sample Duplicates Results Verification

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

The percent recoveries (%R) and Relative Percent Difference (RPD) of the laboratory control sample and laboratory control sample duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = 100 * (SC/SA)

Where: SSC = Spike concentration
SA = Spike added

RPD = | LCSC - LCSDC | * 2 / (LCSC + LCSDC)

LCSC = Laboratory control sample concentration LCSDC = Laboratory control sample duplicate concentration

LCS/LCSD samples: W 91075347-2/3

| Compound | Spike Added (ug/L) | | Spike Concentration (ug/L) | | LCS | | LCSD | | LCS/LCSD | |
|----------------------------|--------------------|------|----------------------------|----------------|------------------|--------|------------------|--------|----------|--------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc | Reported | Recalc | Reported | Recalculated |
| Phenol | 1300 | 1300 | 946.85 950 | 1040.5 1000 | 72 | 72 | 80 | 80 | 11 | 5 |
| N-Nitroso-di-n-propylamine | ↓ | ↓ | 960 | 1100 | 73 | 73 | 83 | 83 | 13 | 14 |
| 4-Chloro-3-methylphenol | ↓ | ↓ | 1100 | 1200 | 84 | 84 | 96 | 96 | 13 | 9 |
| Acenaphthene | 1300 | 1300 | 990 | 1100 | 75 | 75 | 86 | 86 | 14 | 11 |
| Pentachlorophenol | ↓ | ↓ | 1000 | 1100 | 76 | 76 | 82 | 82 | 8 | 10 |
| Pyrene | ↓ | ↓ | 1000 | 1100 | 78 | 78 | 86 | 86 | 10 | 10 |
| | | | | | | | | | ↓ | |
| | | | | | | | | | Base on | Base on |
| | | | | | | | | | % R | Conc. |

Comments: Refer to Laboratory Control Sample/Laboratory Control Sample Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

METHOD: GC/MS BNA (EPA SW 846 Method 8270D)

Y N N/A
Y N N/A

Were all reported results recalculated and verified for all level IV samples?
 Were all recalculated results for detected target compounds agree within 10.0% of the reported results?

$$\text{Concentration} = \frac{(A_x)(I_s)(V_i)(DF)(2.0)}{(A_{is})(RRF)(V_o)(V_i)(\%S)}$$

- A_x = Area of the characteristic ion (EICP) for the compound to be measured
- A_{is} = Area of the characteristic ion (EICP) for the specific internal standard
- I_s = Amount of internal standard added in nanograms (ng)
- V_o = Volume or weight of sample extract in milliliters (ml) or grams (g).
- V_i = Volume of extract injected in microliters (ul)
- V_t = Volume of the concentrated extract in microliters (ul)
- Df = Dilution Factor.
- %S = Percent solids, applicable to soil and solid matrices only.
- 2.0 = Factor of 2 to account for GPC cleanup

Example:

Sample I.D. #1 , GG

$$\text{Conc.} = \frac{8757 (40.0) (30.2) (1000)}{168252 (1.272) (30.29) (0.865)}$$

=

62.44 ug/kg

| # | Sample ID | Compound | Reported Concentration (ug/kg) | Calculated Concentration (ug/kg) | Qualification |
|---|-----------|----------|--------------------------------|----------------------------------|---------------|
| | #1 | GG | 62 | 62.44 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

LDC #: 43079C3a

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1746315

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/19/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC Chlorinated Pesticides (EPA SW846 Method 8081B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|------|--|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | GC Instrument Performance Check | A | |
| III. | Initial calibration/ICV | A/A | % PSD ≤ 10 , 1 ² ICV ≤ 20 |
| IV. | Continuing calibration | SW | CV ≤ 20 |
| V. | Laboratory Blanks | A | |
| VI. | Field blanks | ND | FB = Field Blank 002 |
| VII. | Surrogate spikes /17 | SW/A | |
| VIII. | Matrix spike/Matrix spike duplicates | A | |
| IX. | Laboratory control samples | A | LCS 10 |
| X. | Field duplicates | N | |
| XI. | Compound quantitation/RL/LOQ/LODs | SW | Results < RL > MDL = Jdt |
| XII. | Target compound identification | A | |
| XIII. | System Performance | A | |
| XIV. | Overall assessment of data | A | |

Note: A = Acceptable
 N = Not provided/applicable
 SW = See worksheet

ND = No compounds detected
 R = Rinsate
 FB = Field blank

D = Duplicate
 TB = Trip blank
 EB = Equipment blank

SB=Source blank
 OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|----------------|----------------|--------|----------|
| 1 | SB006 (0-2) | L1746315-03 | Soil | 12/14/17 |
| 2 | SB006 (0-2)MS | L1746315-03MS | Soil | 12/14/17 |
| 3 | SB006 (0-2)MSD | L1746315-03MSD | Soil | 12/14/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |

Notes:

| | | | | |
|-------------|--|--|--|--|
| WG1015207-1 | | | | |
| | | | | |
| | | | | |
| | | | | |

Method: Pesticides (EPA SW 846 Method 8081)

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|--------------------------|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was cooler temperature criteria met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| II. GC/ECD Instrument performance check | | | | |
| Was the instrument performance found to be acceptable? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were Evaluation mix standards analyzed prior to the initial calibration and at beginning of each 12-hour shift? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were endrin and 4,4'-DDT breakdowns $\leq 15\%$ for individual breakdown in the Evaluation mix standards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent relative standard deviations (%RSD) $\leq 20\%$? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of ≥ 0.990 ? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the RT windows properly established? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIIb. Initial calibration verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) $\leq 20\%$ or percent recoveries (%R) 80-120%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IV. Continuing calibration | | | | |
| Was a continuing calibration analyzed daily? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) $\leq 20\%$ or percent recoveries (%R) 80-120%? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Were all the retention times within the acceptance windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| V. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a laboratory blank analyzed for each matrix and concentration? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation completeness worksheet. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| VI. Field blanks | | | | |
| Were field blanks identified in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field blanks? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| VII. Surrogate spikes/Internal Standards | | | | |
| Were all surrogate percent recovery (%R) within the QC limits? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

| Validation Area | Yes | No | NA | Findings/Comments |
|--|-----|----|----|-------------------|
| If the percent recovery (%R) of one or more surrogates was outside QC limits, was a reanalysis performed to confirm %R? | | ✓ | | |
| If any percent recovery (%R) was less than 10 percent, was a reanalysis performed to confirm %R? | | | ✓ | |
| Were internal standard area counts within $\pm 50\%$ of the average area calculated during calibration? | ✓ | ✓ | | |
| VII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD. Soil / Water. | ✓ | | | |
| Was a MS/MSD analyzed every 20 samples of each matrix? | ✓ | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | ✓ | | | |
| IX. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | ✓ | | | |
| Was an LCS analyzed per extraction batch? | ✓ | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | ✓ | | | |
| X. Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | | ✓ | | |
| Were target compounds detected in the field duplicates? | | | ✓ | |
| XI. Compound quantitation | | | | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions, dry weight factors, and clean-up activities applicable to level IV validation? | ✓ | | | |
| Were relative percent difference (RPD) of the results between two columns $\leq 40\%$? | | ✓ | | |
| XII. Target compound identification | | | | |
| Were the retention times of reported detects within the RT windows? | ✓ | | | |
| XIII. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | ✓ | | | |

VALIDATION FINDINGS WORKSHEET

METHOD: Pesticide/PCBs (EPA SW 846 Method 8081/8082)

| | | | | |
|-----------------------|-----------------------|--------------------|-----------------------|---------------------------|
| A. alpha-BHC | I. Dieldrin | Q. Endrin ketone | Y. Aroclor-1242 | GG. Chlordane |
| B. beta-BHC | J. 4,4'-DDE | R. Endrin aldehyde | Z. Aroclor-1248 | HH. Chlordane (Technical) |
| C. delta-BHC | K. Endrin | S. alpha-Chlordane | AA. Aroclor-1254 | II. Arochlor 1262 |
| D. gamma-BHC | L. Endosulfan II | T. gamma-Chlordane | BB. Aroclor-1260 | JJ. Aroclor 1268 |
| E. Heptachlor | M. 4,4'-DDD | U. Toxaphene | CC. 2,4'-DDD | KK. Oxychlordane |
| F. Aldrin | N. Endosulfan sulfate | V. Aroclor-1016 | DD. 2,4'-DDE | LL. trans-Nonachlor |
| G. Heptachlor epoxide | O. 4,4'-DDT | W. Aroclor-1221 | EE. 2,4'-DDT | MM. cis-Nonachlor |
| H. Endosulfan I | P. Methoxychlor | X. Aroclor-1232 | FF. Hexachlorobenzene | NN. |

Notes: _____

LDC #: 43079 C3a

VALIDATION FINDINGS WORKSHEET
Compound Quantitation and Reported CRQLs

Page: 1 of 1

Reviewer: FT

2nd Reviewer: Q

METHOD: GC HPLC

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Level IV/D Only

Y N N/A Were CRQLs adjusted for sample dilutions, dry weight factors, etc.?

Y N N/A Did the reported results for detected target compounds agree within 10.0% of the recalculated results?

| # | Associated Samples | Compound Name | % RPD Bet 2 col Findings ≤ 40 | Qualifications |
|---|--------------------|-----------------|---------------------------------------|----------------|
| | 1 | C | 104 | ↓ N/A |
| | | Trans-Chlordane | 130 | ↓ |
| | | ↓ | 50 | ↓ |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Comments: See sample calculation verification worksheet for recalculations

LDC #: 43079c3a

VALIDATION FINDINGS WORKSHEET
Initial Calibration Calculation Verification

Page: 1 of 1

Reviewer: FT

2nd Reviewer: Q

METHOD: GC X HPLC _____

The calibration factors (CF), average CF, and relative standard deviation (%RSD) were recalculated for compounds identified below using the following calculations:

CF = A/C

average CF = sum of the CF/number of standards

%RSD = 100 * (S/X)

Where:

A = Area of compound

C = Concentration of compound

S = Standard deviation of calibration factors

X = Mean of calibration factors

| # | Standard ID | Calibration Date | Compound | Reported 4.0 | Recalculated 4.0 | Reported Average CF (Initial) | Recalculated Average CF (Initial) | Reported %RSD | Recalculated %RSD |
|---|-------------|------------------|----------------|-----------------|---------------------|-------------------------------------|---|------------------|----------------------|
| 1 | ICAL | 12/6/2017 | Gamma BHC CLP1 | 1.309 | 1.309 | 1.331 | 1.331 | 10.68 | 1.331 |
| | PEST 10 | | Delta BHC CLP1 | 1.228 | 1.228 | 1.257 | 1.257 | 11.09 | 1.257 |
| | | | Gamma BHC CLP2 | 1.285 | 1.285 | 1.303 | 1.303 | 7.83 | 1.303 |
| | | | Delta BHC CLP2 | 1.203 | 1.203 | 1.271 | 1.271 | 12.55 | 1.271 |

LDC #: 43079 c3a

VALIDATION FINDINGS WORKSHEET
Continuing Calibration Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: C

METHOD: GC / HPLC

The percent difference (%D) of the initial calibration average Calibration Factors (CF) and the continuing calibration CF were recalculated for the compounds identified below using the following calculation:

% Difference = 100 * (ave. CF - CF)/ave.CF Where: ave. CF = initial calibration average CF
 CF = continuing calibration CF
 A = Area of compound
 C = Concentration of compound

| # | Standard ID | Calibration Date | Compound | Average CF(ICAL)/ CCV Conc. | Reported | Recalculated | Reported | Recalculated |
|---|---------------------|------------------|---------------|-----------------------------|---------------|---------------|----------|--------------|
| | | | | | CF/ Conc. CCV | CF/ Conc. CCV | %D | %D |
| 1 | CCV-1038 Pest 10 | 12/26/18 | gamma BHC up1 | 50.0 | 46.332 | 46.332 | 7.3 | 7.3 |
| | | | Delta-BHC ↓ | ↓ | 48.167 | 48.167 | 3.7 | 3.7 |
| | | | ↓ up2 | ↓ | 48.079 | 48.079 | 3.8 | 3.8 |
| | | | ↓ | ↓ | 50.162 | 50.162 | 0.3 | 0.3 |
| 2 | CCV 1216 Pest 11 | 12/22/18 | ↓ | ↓ | 55.225 | 55.225 | 10.5 | 10.5 |
| | | | ↓ | ↓ | 62.760 | 62.760 | 25.5 | 25.5 |
| | | | ↓ | ↓ | 53.921 | 53.921 | 7.8 | 7.8 |
| | | | ↓ | ↓ | 61.413 | 61.413 | 22.8 | 22.8 |
| 3 | | | | | | | | |
| 4 | | | | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

VALIDATION FINDINGS WORKSHEET

Surrogate Recovery

METHOD: GC HPLC

Are surrogates required by the method? Yes or No .

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A Were surrogates spiked into all samples and blanks?

Y N N/A Did all surrogate recoveries (%R) meet the QC limits?

| # | Sample ID | Detector/Column | Surrogate Compound | %R (Limits) | | Qualifications |
|---|-----------|-----------------|--------------------|-------------|------------|-----------------|
| | 1 | CLP1 | ⊖ | 173 | (30-150) | Jan 1A ND + Det |
| | | CLP2 | ↓ | 174 | (↓) | ↓ |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |
| | | | | | () | |

| | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound |
|---|----------------------------|---|---------------------|---|-----------------------------------|---|-------------------------|----|-------------------------------|
| A | Chlorobenzene (CBZ) | G | Octacosane | M | Benzo(e)Pyrene | S | 1-Chloro-3-Nitrobenzene | Y | Tetrachloro-m- xylene |
| B | 4-Bromofluorobenzene (BFB) | H | Ortho-Terphenyl | N | Terphenyl-D14 | T | 3,4-Dinitrotoluene | Z | 2-Bromonaphthalene |
| C | a,a,a-Trifluorotoluene | I | Fluorobenzene (FBZ) | O | Decachlorobiphenyl (DCB) | U | Triphenyltin | AA | Chloro-octadecane |
| D | Bromochlorobenzene | J | n-Triacontane | P | 1-methylnaphthalene | V | Tri-n-propyltin | BB | 2,4-Dichlorophenylacetic acid |
| E | 1,4-Dichlorobutane | K | Hexacosane | Q | Dichlorophenyl Acetic Acid (DCAA) | W | Tributyl Phosphate | CC | 2,5-Dibromotoluene |
| F | 1,4-Difluorobenzene (DFB) | L | Bromobenzene | R | 4-Nitrophenol | X | Triphenyl Phosphate | | |

LDC #: 43079 c3a

VALIDATION FINDINGS WORKSHEET
Surrogate Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd reviewer: C

METHOD: GC HPLC

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

Where: SF = Surrogate Found
 SS = Surrogate Spiked

Sample ID: #1

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| TCMX | CP1 | 50.0 | 61.398 | 123 | 123 | 0 |
| ↓ | CP2 | ↓ | 66.513 | 133 | 133 | ↓ |
| DCB | ↓ | ↓ | 86.534 | 173 | 173 | ↓ |
| ↓ | | | 87.135 | 174 | 174 | ↓ |

Sample ID: _____

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound | | Surrogate Compound |
|---|----------------------------|---|---------------------|---|-----------------------------------|---|-------------------------|----|-------------------------------|
| A | Chlorobenzene (CBZ) | G | Octacosane | M | Benzo(e)Pyrene | S | 1-Chloro-3-Nitrobenzene | Y | Tetrachloro-m- xylene |
| B | 4-Bromofluorobenzene (BFB) | H | Ortho-Terphenyl | N | Terphenyl-D14 | T | 3,4-Dinitrotoluene | Z | 2-Bromonaphthalene |
| C | a,a,a-Trifluorotoluene | I | Fluorobenzene (FBZ) | O | Decachlorobiphenyl (DCB) | U | Triphenyltin | AA | Chloro-octadecane |
| D | Bromochlorobenene | J | n-Triacontane | P | 1-methylnaphthalene | V | Tri-n-propyltin | BB | 2,4-Dichlorophenylacetic acid |
| E | 1,4-Dichlorobutane | K | Hexacosane | Q | Dichlorophenyl Acetic Acid (DCAA) | W | Tributyl Phosphate | CC | 2,5-Dibromotoluene |
| F | 1,4-Difluorobenzene (DFB) | L | Bromobenzene | R | 4-Nitrophenol | X | Triphenyl Phosphate | | |

LDC #: 43079c3a

VALIDATION FINDINGS WORKSHEET

Page: 1 of 1

Matrix Spike/Matrix Spike Duplicates Results Verification

Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC Pesticides (EPA SW 846 Method 8081)

The percent recoveries (%R) and Relative Percent difference (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

% Recovery = $100 * (SSC - SC) / SA$

Where: SSC = Spiked sample concentration
 SA = Spike added

SC = Concentration

RPD = $100 * |MS - MSD| / (MS + MSD)$

MS = Matrix spike percent recovery

MSD = Matrix spike duplicate percent recovery

MS/MSD samples: 2 + 3

| Compound | Spike Added (ug/kg) | | Sample Concentration (ug/kg) | Spiked Sample Concentration (ug/kg) | | Matrix Spike Percent Recovery | | Matrix Spike Duplicate Percent Recovery | | MS/MSD RPD | |
|-----------|---------------------|------|------------------------------|-------------------------------------|------|-------------------------------|---------|---|---------|------------|---------|
| | MS | MSD | | MS | MSD | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| | | | | | | | | | | | |
| gamma-BHC | 37 | 37.6 | ND | 34.8 | 37.4 | 94 | 94 | 100 | 100 | 7 | 7 |
| 4,4'-DDT | ↓ | ↓ | ND | 39.2 | 44.1 | 106 | 106 | 117 | 117 | 12 | 12 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079C3b

VALIDATION COMPLETENESS WORKSHEET

SDG #: L1746315

Category B

Laboratory: Alpha Analytical, Inc.

Date: 9/19/18

Page: 1 of 1

Reviewer: [Signature]

2nd Reviewer: [Signature]

METHOD: GC Polychlorinated Biphenyls (EPA SW846 Method 8082A)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-----------|---------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | Initial calibration/ICV | A/D | % PSD / ICV ≤ 20 |
| III. | Continuing calibration | A | CW ≤ 20 |
| IV. | Laboratory Blanks | A | |
| V. | Field blanks | SW | FB = Field Blank 002 |
| VI. | Surrogate spikes /15 | F1 SW/A/A | |
| VII. | Matrix spike/Matrix spike duplicates | A | |
| VIII. | Laboratory control samples | A | LOS 10 |
| IX. | Field duplicates | N | |
| X. | Compound quantitation/RL/LOQ/LODs | SW | Result < RL > MDL = [Signature] |
| XI. | Target compound identification | A | |
| XII. | Overall assessment of data | A | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|----------------|----------------|--------|----------|
| 1 | SB006 (0-2) | L1746315-03 | Soil | 12/14/17 |
| 2 | SB006 (0-2)MS | L1746315-03MS | Soil | 12/14/17 |
| 3 | SB006 (0-2)MSD | L1746315-03MSD | Soil | 12/14/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |

Notes:

| | | | | |
|--|---------------------|--|--|--|
| | WG 1075307-1B blank | | | |
| | | | | |
| | | | | |
| | | | | |

Method: GC HPLC

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| I. Technical holding times | | | | |
| Were all technical holding times met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was cooler temperature criteria met? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIa. Initial calibration | | | | |
| Did the laboratory perform a 5 point calibration prior to sample analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent relative standard deviations (%RSD) < 20%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a curve fit used for evaluation? If yes, did the initial calibration meet the curve fit acceptance criteria of ≥ 0.990? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Were the RT windows properly established? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IIb. Initial calibration verification | | | | |
| Was an initial calibration verification standard analyzed after each initial calibration for each instrument? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) < 20%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| III. Continuing calibration | | | | |
| Was a continuing calibration analyzed daily? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all percent differences (%D) < 20%? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all the retention times within the acceptance windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IV. Laboratory Blanks | | | | |
| Was a laboratory blank associated with every sample in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was a laboratory blank analyzed for each matrix and concentration? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was there contamination in the laboratory blanks? If yes, please see the Blanks validation findings worksheet. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| V. Field Blanks | | | | |
| Were field blanks identified in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field blanks? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| VI. Surrogate spikes | | | | |
| Were all surrogate percent recovery (%R) within the QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| If the percent recovery (%R) of one or more surrogates was outside QC limits, was a reanalysis performed to confirm %R? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| If any %R was less than 10 percent, was a reanalysis performed to confirm %R? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| VII. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and matrix spike duplicate (MSD) analyzed for each matrix in this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| VIII. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

LDC #: 4307903b

VALIDATION FINDINGS CHECKLIST

Page: 2 of 2
 Reviewer: [Signature]
 2nd Reviewer: [Signature]

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| Was an LCS analyzed per extraction batch? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the QC limits? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| IX: Field duplicates | | | | |
| Were field duplicate pairs identified in this SDG? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Were target compounds detected in the field duplicates? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| X: Compound quantitation | | | | |
| Did the laboratory LOQs/RLs meet the QAPP LOQs/RLs? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were compound quantitation and RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| XI: Target compound identification | | | | |
| Were the retention times of reported detects within the RT windows? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| XIII: Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

VALIDATION FINDINGS WORKSHEET

METHOD: Pesticide/PCBs (EPASW 846 Method 8081/8082)

| | | | | |
|-----------------------|-----------------------|--------------------|-----------------------|---------------------------|
| A. alpha-BHC | I. Dieldrin | Q. Endrin ketone | Y. Aroclor-1242 | GG. Chlordane |
| B. beta-BHC | J. 4,4'-DDE | R. Endrin aldehyde | Z. Aroclor-1248 | HH. Chlordane (Technical) |
| C. delta-BHC | K. Endrin | S. alpha-Chlordane | AA. Aroclor-1254 | II. Aroclor 1262 |
| D. gamma-BHC | L. Endosulfan II | T. gamma-Chlordane | BB. Aroclor-1260 | JJ. Aroclor 1268 |
| E. Heptachlor | M. 4,4'-DDD | U. Toxaphene | CC. 2,4'-DDD | KK. Oxychlordane |
| F. Aldrin | N. Endosulfan sulfate | V. Aroclor-1016 | DD. 2,4'-DDE | LL. trans-Nonachlor |
| G. Heptachlor epoxide | O. 4,4'-DDT | W. Aroclor-1221 | EE. 2,4'-DDT | MM. cis-Nonachlor |
| H. Endosulfan I | P. Methoxychlor | X. Aroclor-1232 | FF. Hexachlorobenzene | NN. |

Notes: _____

LDC #: 43079 c3b

VALIDATION FINDINGS WORKSHEET

Page: 1 of 1

Field Blanks

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC HPLC

FB = FIELD BLANK 002

Y N / N/A Were field blanks identified in this SDG?

Y N / N/A Were target compounds detected in the field blanks?

Blank units: ng/l Associated sample units: ng/kg

Sampling date: 12/14/17

Field blank type: (circle one) Field Blank / Trip Blank / Atmospheric Blank / Ambient Blank

Associated Samples: 1

Rinsate / Equipment Rinsate / Equipment Blank / Source Blank / Other: FB

| Compound | Blank ID | Blank ID | Sample Identification | | | | | | | |
|-----------|----------|----------|-----------------------|--|--|--|--|--|--|--|
| | FB | | 1 | | | | | | | |
| BB | 0.039 | | 21.3 / 36.6 U | | | | | | | |
| PCB Total | 0.039 | | 85.4 U | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CRQL | | | | | | | | | | |

Blank units: _____ Associated sample units: _____

Sampling date: _____

Field blank type: (circle one) Field Blank / Trip Blank / Atmospheric Blank / Ambient Blank

Associated Samples: _____

Rinsate / Equipment Rinsate / Equipment Blank / Source Blank / Other: _____

| Compound | Blank ID | Blank ID | Sample Identification | | | | | | | |
|----------|----------|----------|-----------------------|--|--|--|--|--|--|--|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CRQL | | | | | | | | | | |

CIRCLED RESULTS WERE NOT QUALIFIED. ALL RESULTS NOT CIRCLED WERE QUALIFIED BY THE FOLLOWING STATEMENT:

Samples with compound concentrations within five times the associated field blank concentration are listed above, these sample results were qualified as not detected, "U".

LDC #: 43079 e3b

VALIDATION FINDINGS WORKSHEET Continuing Calibration Results Verification

Page: 1 of 1

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC ✓ HPLC _____

The percent difference (%D) of the initial calibration average Calibration Factors (CF) and the continuing calibration CF were recalculated for the compounds identified below using the following calculation:

$$\% \text{ Difference} = 100 * (\text{ave. CF} - \text{CF}) / \text{ave. CF}$$

Where: ave. CF = initial calibration average CF
CF = continuing calibration CF
A = Area of compound
C = Concentration of compound

| # | Standard ID | Calibration Date | Compound | Average CF(ICAL)/ CCV Conc. | Reported | Recalculated | Reported | Recalculated |
|---|------------------------------|------------------|---------------------|-----------------------------|---------------|---------------|----------|--------------|
| | | | | | CF/ Conc. CCV | CF/ Conc. CCV | %D | %D |
| 1 | CCV-PEST 13 0809AM | 12/22/12 | Aroclor 1260-1 C/P1 | 2500.0 | 2720.643 | 2720.643 | 8.8 | 8.8 |
| | | | C/P2 | ↓ | 2423.412 | 2423.412 | 3.1 | 3.1 |
| 2 | CCV-PEST 2 1070 1059AM | 12/22/17 | ↓ | 2500.0 | 2275.032 | 2275.032 | 9.0 | 9.0 |
| | | | | 2500.0 | 2181.968 | 2181.968 | 12.7 | 12.7 |
| 3 | | | | | | | | |
| 4 | | | | | | | | |

Comments: Refer to Continuing Calibration findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43679c3b

VALIDATION FINDINGS WORKSHEET Surrogate Results Verification

Page: 1 of 1
Reviewer: FT
2nd reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) of surrogates were recalculated for the compounds identified below using the following calculation:

% Recovery: SF/SS * 100

Where: SF = Surrogate Found
SS = Surrogate Spiked

Sample ID: # 1

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| TCMX | CP1 | 500.0 | 418.097 | 84 | 84 | 0 |
| ↓ | CP2 | ↓ | 358.172 | 72 | 72 | ↓ |
| DCB | CP1 | ↓ | 318.979 | 64 | 64 | ↓ |
| ↓ | CP2 | ↓ | 302.396 | 76 | 76 | ↓ |

Sample ID: _____

| Surrogate | Column/Detector | Surrogate Spiked | Surrogate Found | Percent Recovery | Percent Recovery | Percent Difference |
|-----------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| | | | | Reported | Recalculated | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Surrogate Compound | Surrogate Compound | Surrogate Compound | Surrogate Compound | Surrogate Compound |
|------------------------------|-----------------------|-------------------------------------|---------------------------|----------------------------------|
| A Chlorobenzene (CBZ) | G Octacosane | M Benzo(e)Pyrene | S 1-Chloro-3-Nitrobenzene | Y Tetrachloro-m- xylene |
| B 4-Bromofluorobenzene (BFB) | H Ortho-Terphenyl | N Terphenyl-D14 | T 3,4-Dinitrotoluene | Z 2-Bromonaphthalene |
| C a,a,a-Trifluorotoluene | I Fluorobenzene (FBZ) | O Decachlorobiphenyl (DCB) | U Tripentyltin | AA Chloro-octadecane |
| D Bromochlorobenene | J n-Triacontane | P 1-methylnaphthalene | V Tri-n-propyltin | BB 2,4-Dichlorophenylacetic acid |
| E 1,4-Dichlorobutane | K Hexacosane | Q Dichlorophenyl Acetic Acid (DCAA) | W Tributyl Phosphate | CC 2,5-Dibromotoluene |
| F 1,4-Difluorobenzene (DFB) | L Bromobenzene | R 4-Nitrophenol | X Triphenyl Phosphate | |

LDC #: 43079c3b

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates Results Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) and relative percent differences (RPD) of the matrix spike and matrix spike duplicate were recalculated for the compounds identified below using the following calculation:

$\% \text{Recovery} = 100 * (\text{SSC} - \text{SC}) / \text{SA}$

Where

SSC = Spiked sample concentration

MS = Matrix spike

SC = Sample concentration

MSD = Matrix spike duplicate

SA = Spike added

$\text{RPD} = \frac{(|\text{SSCMS} - \text{SSCMSD}| * 2)}{(\text{SSCMS} + \text{SSCMSD})} * 100$

MS/MSD samples: 2 + 3

| Compound | Spike Added (ug/kg) | | Sample Conc. (ug/kg) | Spike Sample Concentration (ug/kg) | | Matrix spike | | Matrix Spike Duplicate | | MS/MSD | |
|------------------------------|------------------------|-----|-------------------------|---------------------------------------|--------------|------------------|---------|------------------------|---------|----------|---------|
| | MS | MSD | | MS | MSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| Gasoline (8015) | | | | | | | | | | | |
| Diesel (8015) | | | | | | | | | | | |
| Benzene (8021B) | | | | | | | | | | | |
| Methane (RSK-175) | | | | | | | | | | | |
| 2,4-D (8151) | | | | | | | | | | | |
| Dinoseb (8151) | | | | | | | | | | | |
| Naphthalene (8310) | | | | | | | | | | | |
| Anthracene (8310) | | | | | | | | | | | |
| HMX (8330) | | | | | | | | | | | |
| 2,4,6-Trinitrotoluene (8330) | | | | | | | | | | | |
| Phorate (8141A) | | | | | | | | | | | |
| Malathion (8141A) | | | | | | | | | | | |
| Formaldehyde (8315A) | | | | | | | | | | | |
| Aroclor 1260 | 231 | 239 | 21.3 | 175 175.497 | 178 177.8 | 76 | 67 | 75 | 65 | 2 | 1.22 |

Comments: Refer to Matrix Spike/Matrix Spike Duplicates findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079C3b

VALIDATION FINDINGS WORKSHEET

Page: 1 of 1

Laboratory Control Sample/Laboratory Control Sample Duplicates Results Verification

Reviewer: FT

2nd Reviewer: [Signature]

METHOD: GC HPLC

The percent recoveries (%R) and relative percent differences (RPD) of the laboratory control sample and laboratory control sample duplicate were recalculated for the compounds identified below using the following calculation:

$\% \text{Recovery} = 100 * (\text{SSC}/\text{SA})$

$\text{RPD} = ((\text{SSCLCS} - \text{SSCLCSD}) * 2) / (\text{SSCLCS} + \text{SSCLCSD}) * 100$

Where SSC = Spiked sample concentration
LCS = Laboratory Control Sample

SA = Spike added
LCSD = Laboratory Control Sample duplicate

LCS/LCSD samples: WG1079307-2/3 yes ID

| Compound | Spike Added (ug/kg) | | Spike Sample Concentration (ug/kg) | | LCS | | LCSD | | LCS/LCSD | |
|------------------------------|------------------------|------|---------------------------------------|--------|------------------|---------|------------------|---------|---------------|-----------------|
| | LCS | LCSD | LCS | LCSD | Percent Recovery | | Percent Recovery | | RPD | |
| | | | | | Reported | Recalc. | Reported | Recalc. | Reported | Recalc. |
| Gasoline (8015) | | | | | | | | | | |
| Diesel (8015) | | | | | | | | | | |
| Benzene (8021B) | | | | | | | | | | |
| Methane (RSK-175) | | | | | | | | | | |
| 2,4-D (8151) | | | | | | | | | | |
| Dinoseb (8151) | | | | | | | | | | |
| Naphthalene (8310) | | | | | | | | | | |
| Anthracene (8310) | | | | | | | | | | |
| HMX (8330) | | | | | | | | | | |
| 2,4,6-Trinitrotoluene (8330) | | | | | | | | | | |
| Phorate (8141A) | | | | | | | | | | |
| Malathion (8141A) | | | | | | | | | | |
| Formaldehyde (8315A) | | | | | | | | | | |
| Aroclor 1260 | 203 | 202 | 201 | 177 | 99 | 99 | 88 | 88 | 12 | 13 |
| | | | 201.27 | 176.72 | | | | | (Based on %R) | (Based on Conc) |

Comments: Refer to Laboratory Control Sample/Laboratory Control Sample Duplicate findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 43079 C3b

VALIDATION FINDINGS WORKSHEET
Sample Calculation Verification

Page: 1 of 1
 Reviewer: FT
 2nd Reviewer: [Signature]

METHOD: GC HPLC

Y N N/A
Y N N/A

Were all reported results recalculated and verified for all level IV samples?
 Were all recalculated results for detected target compounds within 10% of the reported results?

Concentration = $\frac{(A)(Fv)(Df)}{(RF)(Vs \text{ or } Ws)(\%S/100)}$

Example:

Sample ID: #1 Compound Name Aroclor 1260

- A= Area or height of the compound to be measured
- Fv= Final Volume of extract
- Df= Dilution Factor
- RF= Average response factor of the compound
In the initial calibration
- Vs= Initial volume of the sample
- Ws= Initial weight of the sample
- %S= Percent Solid

Concentration = $\frac{291.29 (5) (1)}{(15.8)(5)(0.865)} = 21.3 \text{ ug/kg}$

| # | Sample ID | Compound | Reported Concentrations (ug/kg) | Recalculated Results Concentrations (ug/kg) | Qualifications |
|---|------------|---|---------------------------------|---|----------------|
| | #1 | Aroclor 1260 | 21.3 | 21.3 | |
| | PCBs - 2 = | $\frac{27593519 (250)}{595.9 \times 10^6 (0.0533)}$ | 1260 - 2 = | 217.19 | |
| | | | - 3 = | 359.328 | |
| | | | - 4 = | 297.362 | |
| | | = 217.19 | Ave = | 291.29 | |

Comments: _____

Site: Williamsbridge Gardens
Laboratory: Alpha Analytical, Inc.
Report No.: L1746315
Reviewer: An Le and Christina Rink/Laboratory Data Consultants for P.W. Grosser Consulting
Date: September 20, 2018

Samples Reviewed and Evaluation Summary

| FIELD ID | LAB ID | FRACTIONS VALIDATED |
|----------------|----------------|---------------------|
| SB006 (0-2) | L1746315-03 | Metals |
| SB006 (0-2)MS | L1746315-03MS | Metals |
| SB006 (0-2)MSD | L1746315-03MSD | Metals |

Associated QC Samples(s):

Field/Trip Blanks: Field Blank 002
Field Duplicate pair: None Associated

The above-listed soil samples were collected on December 14, 2017 and were analyzed for metals by SW-846 methods 6010C/7471B. The data validation was performed in accordance with the USEPA Region 2 *Standard Operating Procedure for the Evaluation of Metals for the Contract Laboratory Program*, SOP HW-2a/c, Revision 15 (December 2012) and the *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review*, EPA 540-R-2017-001 (January 2017), modified as necessary to accommodate the non-CLP methodologies used.

The inorganic data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- Data Completeness
- Holding Times and Sample Preservation
- Instrument Calibration
- Contract Required Quantitation Limit (CRQL) Standard Recoveries
- Blank Analysis Results
- Inductively Coupled Plasma (ICP) Interference Check Sample (ICS) Results
- Matrix Spike (MS) Results
- Laboratory Duplicate Results
- Field Duplicate Results
- Laboratory Control Sample (LCS) Results
- Serial Dilution Results
- Moisture Content
- Detection Limits Results
- Sample Quantitation Results

Overall Evaluation of Data and Potential Usability Issues

All results are usable as reported or usable with minor qualification due to sample matrix or laboratory quality control outliers.

The validation findings were based on the following information.

Data Completeness

The data package was complete as defined under the requirements for the NYSDEC ASP category B laboratory deliverables.

Holding Times and Sample Preservation

All criteria were met.

Instrument Calibration

All criteria were met.

CRQL Standard Recoveries

Analytes that did not meet criteria are summarized in the following table.

| Date | Calibration ID | Analyte | %R (Limits) | Associated Samples | Validation Action |
|-------------|-----------------------|----------------|--------------------|---------------------------|--------------------------|
| 12/22/17 | CRI (08:48) | Sodium | 13 (70-130) | SB006 (0-2) | J detects |

The sodium results may be biased low due to low CRQL percent recovery. The result can be used for project objectives as an estimated value (J) which may have a minor impact on the data usability.

Although the aluminum, barium, calcium, copper, iron, magnesium, and zinc CRQL standards were outside validation limits, no action was taken since the affected sample is greater than two times the reporting limit (RL).

Blank Results

Contamination was not detected in the laboratory blank samples.

No positive results were found in the field blank sample Field Blank 002 for metals analyses.

ICP ICS Results

Analytes were within control limits in the ICSA and ISCAB analyses.

MS/MSD Results

MS/MSD analyses were performed on sample SB006 (0-2) for metals analyses. The following table lists the analytes which exhibited recoveries outside of the control limits in the MS/MSD and the resulting validation actions.

| Analyte | MS %R (Limits) | MSD %R (Limits) | RPD Limits | Associated Samples | Validation Actions |
|-----------|-------------------|--------------------|------------------|--------------------|-------------------------|
| Arsenic | - | 74 (75-125) | - | SB006 (0-2) | J detects/UJ nondetects |
| Barium | - | 65 (75-125) | - | | J detects/UJ nondetects |
| Chromium | - | 34 (75-125) | - | | J detects/UJ nondetects |
| Cobalt | - | 73 (75-125) | - | | J detects/UJ nondetects |
| Copper | 49 (75-125) | 221 (75-125) | - | | J detects/UJ nondetects |
| Nickel | - | 72 (75-125) | - | | J detects/UJ nondetects |
| Thallium | 72 (75-125) | - | - | | J detects/UJ nondetects |
| Vanadium | - | 62 (75-125) | - | | J detects/UJ nondetects |
| Calcium | 274 (75-125) | 207 (75-125) | - | SB006 (0-2) | J detects |
| Mercury | 159 (75-125) | - | - | | J detects |
| Magnesium | - | 14 (75-125) | - | SB006 (0-2) | J detects |
| Aluminum | - | - | 36 (≤ 20) | SB006 (0-2) | J detects |
| Chromium | - | - | 23 (≤ 20) | | J detects |
| Copper | - | - | 34 (≤ 20) | | J detects |
| Iron | - | - | 30 (≤ 20) | | J detects |
| Lead | - | - | 75 (≤ 20) | | J detects |
| Magnesium | - | - | 24 (≤ 20) | | J detects |
| Zinc | - | - | 35 (≤ 20) | | J detects |

- Within control limits

The arsenic, barium, chromium, cobalt, nickel, thallium, vanadium, and magnesium results may be biased low due to low MS/MSD percent recoveries. The results can be used for project objectives as estimated values (J) or nondetects with estimated quantitation limits (UJ) which may have a minor impact on the data usability.

The calcium and mercury results may be biased high due to high MS/MSD percent recoveries. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

The copper results were estimated due to high and low MS/MSD percent recoveries. The bias cannot be determined. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

The aluminum, chromium, copper, iron, lead, magnesium, and zinc results were estimated due to MS/MSD relative percent difference exceedances. The bias cannot be determined. The results can be used for project objectives as estimated values (J) which may have a minor impact on the data usability.

Laboratory Duplicate Results

Laboratory duplicates were not associated with this sample set. Validation action was not required on this basis.

Field Duplicate Results

A field duplicate pair was not associated with this sample set. Validation action was not required on this basis.

LCS Results

All criteria were met.

Serial Dilution Results

A serial dilution analysis was performed on sample SB006 (0-2) for metals analyses. All criteria were met.

Moisture Content

All criteria were met.

Detection Limits Results

Results were reported which were below the reporting limit (RL) and above the method detection limit (MDL) in the metals analyses. These results were estimated (J) by the laboratory.

Due to high target analyte levels or sample matrix, select samples were analyzed at dilutions. The following table lists the sample dilutions which were performed and the results reported. RLs were elevated accordingly.

| Sample | Metals analyses Reported |
|-------------|---|
| SB006 (0-2) | 2-fold dilution due to high target analyte levels |

Sample Quantitation Results

Calculations were spot-checked; no discrepancies were noted.

DATA VALIDATION QUALIFIERS

- U - The analyte was analyzed for, but due to blank contamination was flagged as nondetect (U). The result is usable as a nondetect.
- J - Data are flagged (J) when a QC analysis fails outside the primary acceptance limits. The qualified “J” data are not excluded from further review or consideration. However, only one flag (J) is applied to a sample result, even though several associated QC analyses may fail. The ‘J’ data may be biased high or low or the direction of the bias may be indeterminable.
- UJ - The analyte was not detected above the reported sample quantitation limit. Data are flagged (UJ) when a QC analysis fails outside the primary acceptance limits. The qualified “UJ” data are not excluded from further review or consideration. However, only one flag is applied to a sample result, even though several associated QC analyses may fail. The ‘UJ’ data may be biased low.
- R - Data rejected (R) on the basis of an unacceptable QC analysis should be excluded from further review or consideration. Data are rejected when associated QC analysis results exceed the expanded control limits of the QC criteria. The rejected data are known to contain significant errors based on documented information. The data user must not use the rejected data to make environmental decisions. The presence or absence of the analyte cannot be verified.

Form 1 METALS

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/22/17 18:17 |
| Sample Matrix : SOIL | Dilution Factor : 2 |
| Analytical Method : 1,6010C | Analyst : AB |
| Lab File ID : WG1075746.pdf | Instrument ID : TRACE6 |
| Sample Amount : 1.331g | %Solids : 87 |
| Digestion Method : EPA 3050B | Date Digested : 12/21/17 |

| CAS NO. | Parameter | mg/kg | | | Qualifier |
|-----------|------------------|---------|-------|-------|-----------|
| | | Results | RL | MDL | |
| 7429-90-5 | Aluminum, Total | 10800 | 8.68 | 2.34 | |
| 7440-36-0 | Antimony, Total | 2.29 | 4.34 | 0.330 | J |
| 7440-38-2 | Arsenic, Total | 5.22 | 0.868 | 0.181 | |
| 7440-39-3 | Barium, Total | 225 | 0.868 | 0.151 | |
| 7440-41-7 | Beryllium, Total | 0.486 | 0.434 | 0.029 | |
| 7440-43-9 | Cadmium, Total | 0.799 | 0.868 | 0.085 | J |
| 7440-70-2 | Calcium, Total | 2790 | 8.68 | 3.04 | |
| 7440-47-3 | Chromium, Total | 24.9 | 0.868 | 0.083 | |
| 7440-48-4 | Cobalt, Total | 8.17 | 1.74 | 0.144 | |
| 7440-50-8 | Copper, Total | 84.5 | 0.868 | 0.224 | |
| 7439-89-6 | Iron, Total | 20800 | 4.34 | 0.784 | |
| 7439-92-1 | Lead, Total | 420 | 4.34 | 0.233 | |
| 7439-95-4 | Magnesium, Total | 2910 | 8.68 | 1.34 | |
| 7439-96-5 | Manganese, Total | 681 | 0.868 | 0.138 | |
| 7440-02-0 | Nickel, Total | 15.0 | 2.17 | 0.210 | |
| 7440-09-7 | Potassium, Total | 1050 | 217 | 12.5 | |
| 7782-49-2 | Selenium, Total | 1.02 | 1.74 | 0.224 | J |
| 7440-22-4 | Silver, Total | ND | 0.868 | 0.246 | U |
| 7440-23-5 | Sodium, Total | 38.1 | 174 | 2.74 | J |
| 7440-28-0 | Thallium, Total | ND | 1.74 | 0.274 | U |
| 7440-62-2 | Vanadium, Total | 32.5 | 0.868 | 0.176 | |
| 7440-66-6 | Zinc, Total | 378 | 4.34 | 0.254 | |

SEP 21 2018

Initials: CR



Form 1 METALS

| | |
|--|---------------------------------|
| Client : P. W. Grosser | Lab Number : L1746315 |
| Project Name : BBU1702 | Project Number : BBU1702 |
| Lab ID : L1746315-03 | Date Collected : 12/14/17 09:45 |
| Client ID : SB006 (0-2) | Date Received : 12/14/17 |
| Sample Location : 718 E. 212TH STREET, BRONX, NY | Date Analyzed : 12/21/17 18:55 |
| Sample Matrix : SOIL | Dilution Factor : 1 |
| Analytical Method : 1,7471B | Analyst : EA |
| Lab File ID : WG1075587 | Instrument ID : FIMS4 |
| Sample Amount : 0.395g | %Solids : 87 |
| Digestion Method : EPA 7471B | Date Digested : 12/21/17 |

| CAS NO. | Parameter | mg/kg | | | Qualifier |
|-----------|----------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 7439-97-6 | Mercury, Total | 0.45 | 0.07 | 0.02 | J |

SEP 21 2018

Initials: *CR*



LDC #: 43079C4b

VALIDATION COMPLETENESS WORKSHEET

Date: 9/20/18

SDG #: L1746315

Category B

Page: 1 of 1

Laboratory: Alpha Analytical, Inc.

Reviewer: *ATL*

2nd Reviewer: *[Signature]*

METHOD: Metals (EPA SW 846 Method 6010C/7471B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

| | Validation Area | | Comments |
|-------|--|-----|---------------------------------------|
| I. | Sample receipt/Technical holding times | A/A | |
| II. | Instrument Calibration | SW | |
| III. | ICP Interference Check Sample (ICS) Analysis | A | |
| IV. | Laboratory Blanks | A | |
| V. | Field Blanks | ND | FIELD BLANK 002 (From SDG # L1746315) |
| VI. | Matrix Spike/Matrix Spike Duplicates | SW | (2,3) |
| VII. | Duplicate sample analysis | N | |
| VIII. | Serial Dilution | A | |
| IX. | Laboratory control samples | A | LCS |
| X. | Field Duplicates | N | |
| XI. | Sample Result Verification | A | MDL < sample < RL : Jdet |
| XII. | Overall Assessment of Data | A | |

Note: A = Acceptable
N = Not provided/applicable
SW = See worksheet

ND = No compounds detected
R = Rinsate
FB = Field blank

D = Duplicate
TB = Trip blank
EB = Equipment blank

SB=Source blank
OTHER:

| | Client ID | Lab ID | Matrix | Date |
|----|---------------------------------------|----------------|--------|----------|
| 1 | SB006 (0-2) (2x due to high analytes) | L1746315-03 | Soil | 12/14/17 |
| 2 | SB006 (0-2)MS | L1746315-03MS | Soil | 12/14/17 |
| 3 | SB006 (0-2)MSD | L1746315-03MSD | Soil | 12/14/17 |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |

Notes: _____

Method: Metals (EPA SW 846 Method 6010/6020/7000)

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| I. Technical holding times | | | | |
| All technical holding times were met. | ✓ | | | |
| Cooler temperature criteria was met. | ✓ | | | |
| II. ICP/MS Tune | | | | |
| Were all isotopes in the tuning solution mass resolution within 0.1 amu? | | | ✓ | |
| Were %RSD of isotopes in the tuning solution ≤5%? | | | ✓ | |
| III. Calibration | | | | |
| Were all instruments calibrated daily, each set-up time? | ✓ | | | |
| Were the proper number of standards used? | ✓ | | | |
| Were all initial and continuing calibration verification %Rs within the 90-110% (80-120% for mercury) QC limits? | | ✓ | | |
| Were the low standard checks within 70-130% | | ✓ | | |
| Were all initial calibration correlation coefficients within limits as specified by the method? | ✓ | | | |
| IV. Blanks | | | | |
| Was a method blank associated with every sample in this SDG? | ✓ | | | |
| Was there contamination in the method blanks? If yes, please see the Blanks validation completeness worksheet. | | ✓ | | |
| V. ICP Interference Check Sample | | | | |
| Were ICP interference check samples performed daily? | ✓ | | | |
| Were the AB solution percent recoveries (%R) with the 80-120% QC limits? | ✓ | | | |
| VI. Matrix spike/Matrix spike duplicates | | | | |
| Were a matrix spike (MS) and duplicate (DUP) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD or MS/DUP. Soil / Water. | ✓ | | | |
| Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the 75-125 QC limits? If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken. | | ✓ | | |
| Were the MS/MSD or duplicate relative percent differences (RPD) ≤ 20% for waters and ≤ 35% for soil samples? A control limit of +/- RL (+/-2X RL for soil) was used for samples that were ≤ 5X the RL, including when only one of the duplicate sample values were < 5X the RL. | | ✓ | | |
| VII. Laboratory control samples | | | | |
| Was an LCS analyzed for this SDG? | ✓ | | | |
| Was an LCS analyzed per extraction batch? | ✓ | | | |
| Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the 80-120% QC limits for water samples and laboratory established QC limits for soils? | ✓ | | | |

| Validation Area | Yes | No | NA | Findings/Comments |
|---|-----|----|----|-------------------|
| VIII. Internal Standards (EPA SW 846 Method 6020/EPA 200.8) | | | | |
| Were all the percent recoveries (%R) within the 30-120% (6020)/60-125% (200.8) of the intensity of the internal standard in the associated initial calibration? | | | ✓ | |
| If the %Rs were outside the criteria, was a reanalysis performed? | | | ✓ | |
| IX. ICP Serial Dilution | | | | |
| Was an ICP serial dilution analyzed if analyte concentrations were > 50X the MDL (ICP)/>100X the MDL (ICP/MS)? | ✓ | | | |
| Were all percent differences (%Ds) < 10%? | ✓ | | | |
| Was there evidence of negative interference? If yes, professional judgement will be used to qualify the data. | | ✓ | | |
| X. Sample Result Verification | | | | |
| Were RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation? | ✓ | | | |
| XI. Overall assessment of data | | | | |
| Overall assessment of data was found to be acceptable. | ✓ | | | |
| XII. Field duplicates | | | | |
| Field duplicate pairs were identified in this SDG. | | ✓ | | |
| Target analytes were detected in the field duplicates. | | | ✓ | |
| XIII. Field blanks | | | | |
| Field blanks were identified in this SDG. | ✓ | | | |
| Target analytes were detected in the field blanks. | | ✓ | | |

VALIDATION FINDINGS WORKSHEET Calibration

METHOD: Trace Metals (EPA SW 846 Method 6010/7000)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- N N/A Were all instruments calibrated daily, each set-up time, and were the proper number of standards used?
- N N/A Were all initial and continuing calibration verification percent recoveries (%R) within the control limits of 90-110% for all analytes except mercury (80-120%) and cyanide (85-115%)? 70-130%

LEVEL IV ONLY:

- N N/A Was a midrange cyanide standard distilled?
- N N/A Are all correlation coefficients ≥ 0.995 ?
- N N/A Were recalculated results acceptable? See Level IV Initial and Continuing Calibration Recalculation Worksheet for recalculations.

| # | Date | Calibration ID | Analyte | %R | Associated Samples | Qualification of Data |
|---|----------|----------------|---------|--------------|--------------------|--|
| | 12/22/17 | ICV (08:10) | Ca | 144 (90-110) | 1 | no qual, ICV @ 12:20 all analytes passed |
| | 12/22/17 | CRI (08:48) | Al | 137 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Ba | 138 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Ca | 209 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Cu | 132 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Fe | 271 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Mg | 132 (70-130) | 1 | no qual, sample > 2X RL |
| | 12/22/17 | CRI (08:48) | Na | 13 (70-130) | 1 | J/UJ/P (detect) |
| | 12/22/17 | CRI (08:48) | Zn | 172 (70-130) | 1 | no qual, sample > 2X RL |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Comments: _____

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

METHOD: Trace metals (EPA SW 846 Method 6010/6020/7000)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

- Y N N/A Was a matrix spike analyzed for each matrix in this SDG?
- Y N N/A Were matrix spike percent recoveries (%R) within the control limits of 75-125? *lab limits* If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken.
- Y N N/A Were all duplicate sample relative percent differences (RPD) ≤ 20% for samples?

LEVEL IV ONLY:

- Y N N/A Were recalculated results acceptable? See Level IV Recalculation Worksheet for recalculations.

| # | MS/MSD ID | Matrix | Analyte | MS %Recovery | MSD %Recovery | RPD (Limits) | Associated Samples | Qualifications |
|-----|-----------|--------|---------|--------------|---------------|--------------|--------------------|-----------------------|
| 2/3 | | S | As | | 74 (75-125) | | all | J/UJ/A (detect) |
| | | S | Ba | | 65 (75-125) | | all | J/UJ/A (detect) |
| | | S | Ca | 274 (75-125) | 207 (75-125) | | all | Jdet/A (detect) |
| | | S | Cr | | 34 (75-125) | | all | J/UJ/A (detect) |
| | | S | Co | | 73 (75-125) | | all | J/UJ/A (detect) |
| | | S | Cu | 49 (75-125) | 221 (75-125) | | all | J/UJ/A (detect) |
| | | S | Mg | | 14 (75-125) | | all | J/R/A (detect) PS=68% |
| | | S | Ni | | 72 (75-125) | | all | J/UJ/A (detect) |
| | | S | Tl | 72 (75-125) | | | all | J/UJ/A (non-detect) |
| | | S | V | | 62 (75-125) | | all | J/UJ/A (detect) |
| | | S | Al | | | 36 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Cr | | | 23 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Cu | | | 34 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Fe | | | 30 (≤ 20%) | all | J/UJ/A (detect) |

VALIDATION FINDINGS WORKSHEET
Matrix Spike/Matrix Spike Duplicates

METHOD: Trace metals (EPA SW 846 Method 6010/6020/7000)

| # | MS/MSD ID | Matrix | Analyte | MS %Recovery | MSD %Recovery | RPD (Limits) | Associated Samples | Qualifications |
|-----|-----------|--------|---------|--------------|---------------|--------------|--------------------|-----------------|
| 2/3 | | S | Pb | | | 75 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Mg | | | 24 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Zn | | | 35 (≤ 20%) | all | J/UJ/A (detect) |
| | | S | Hg | 159 (80-120) | | | all | Jdet/A (detect) |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Comments: 2/3: Al, Fe, Pb, Mn, Zn > 4X

LDC #: 43079C4b

VALIDATION FINDINGS WORKSHEET

Initial and Continuing Calibration Calculation Verification

Page: 1 of 1
 Reviewer: ATL
 2nd Reviewer: [Signature]

METHOD: Trace metals (EPA SW 846 Method 6010/6020/7000)

An initial and continuing calibration verification percent recovery (%R) was recalculated for each type of analysis using the following formula:

$$\%R = \frac{\text{Found}}{\text{True}} \times 100$$

Where, Found = concentration (in ug/L) of each analyte measured in the analysis of the ICV or CCV solution
 True = concentration (in ug/L) of each analyte in the ICV or CCV source

| Standard ID | Type of Analysis | Element | mg/L Found (ug/L) | mg/L True (ug/L) | Recalculated | Reported | Acceptable (Y/N) |
|-------------|--|---------|----------------------|---------------------|--------------|----------|---------------------|
| | | | | | %R | %R | |
| CRI | ICP (Low Level calibration) 12/22 e 08:48 | Zn | 0.0687 | 0.0400 | 172 | 172 | Y |
| | ICP/MS (Low Level calibration) | | | | | | |
| ICV | ICP (Initial calibration) 12/22 e 12:20 | Cr | 0.4847 | 0.5000 | 97 | 97 | Y |
| | ICP/MS (Initial calibration) | | | | | | |
| ICV | CVAA (Initial calibration) 12/21 e 18:48 | Hg | 0.003264 | 0.0030 | 109 | 109 | Y |
| CCV | ICP (Continuing calibration) 12/22 e 17:54 | Mn | 0.4605 | 0.5000 | 92 | 92 | Y |
| | ICP/MS (Continuing calibration) | | | | | | |
| CCV | CVAA (Continuing calibration) 12/21 e 19:10 | Hg | 0.01054 | 0.0100 | 105 | 105 | Y |

| ICP-MS TUNE | Calculation | Mass | Actual (Mean Counts / Axis) | Required (Counts / Axis) | Recalculated %RSD | Acceptable (Y/N) |
|----------------|-------------|------|--------------------------------|--------------------------|----------------------|---------------------|
| | Mass Axis | | | ± 0.1 AMU | NA | |
| | %RSD | | | ≤ 5% RSD | | |

Comments:

LDC #: 43079 C4b

VALIDATION FINDINGS WORKSHEET
Level IV Recalculation Worksheet

Page: 1 of 1
Reviewer: ATV
2nd Reviewer: [Signature]

METHOD: Trace Metals (EPA SW 846 Method 6010/6020/7000)

Percent recoveries (%R) for an ICP interference check sample, a laboratory control sample and a matrix spike sample were recalculated using the following formula:

$$\%R = \frac{\text{Found}}{\text{True}} \times 100$$
 Where, Found = Concentration of each analyte measured in the analysis of the sample. For the matrix spike calculation, Found = SSR (spiked sample result) - SR (sample result).
 True = Concentration of each analyte in the source.

A sample and duplicate relative percent difference (RPD) was recalculated using the following formula:

$$RPD = \frac{|S-D|}{(S+D)/2} \times 100$$
 Where, S = Original sample concentration
 D = Duplicate sample concentration

An ICP serial dilution percent difference (%D) was recalculated using the following formula:

$$\%D = \frac{|I-SDR|}{I} \times 100$$
 Where, I = Initial Sample Result (mg/L)
 SDR = Serial Dilution Result (mg/L) (Instrument Reading x 5)

| Sample ID | Type of Analysis | Element | Found / S / I (units) | True / D / SDR (units) | Recalculated | Reported | Acceptable (Y/N) |
|-----------|--|---------|------------------------|------------------------|---------------|---------------|------------------|
| | | | | | %R / RPD / %D | %R / RPD / %D | |
| IC5AB | ICP interference check 12/22 c 08:43 | Sb | 1.139 mg/L | 1.00 mg/L | 114 | 114 | Y |
| LCS | Laboratory control sample 12/22 c 18:12 | As | 165.4 mg/kg | 166 mg/kg | 100 | 99 | Y |
| 2 | Matrix spike 12/22 c 18:21 | ✓ | (SSR-SR) 35.1 mg/kg | 44.9 mg/kg | 78 | 79 | Y |
| 2/3 | Duplicate 12/22 c 18:26 | ✓ | 60.8 mg/kg | 68.0 mg/kg | 11 | 11 | Y |
| 1 | Post digestion spike 12/22 c 18:31 | Tl | 6.8 mg/kg | 10.4 mg/kg | 65 | 65 | Y |
| 1 | ICP serial dilution 12/22 c 18:35 | Al | 10372 mg/kg | 10800 mg/kg | 4 | 4 | Y |

Comments: _____



APPENDIX D HEALTH AND SAFETY PLAN

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON

WILLIAMSBRIDGE GARDENS
EAST 211TH – EAST 212TH STREET
BRONX, NEW YORK
NYSDEC BCP ID: C203113

HEALTH & SAFETY PLAN

SUBMITTED TO:



New York State Department of Environmental Conservation
Region 2
47-40 21st Street
Long Island City, New York 11101

PREPARED FOR:

B&B Urban, LLC
419 Park Avenue South, 7th Floor
New York, New York 10016

PREPARED BY:



P.W. Grosser Consulting, Inc.
630 Johnson Avenue, Suite 7
Bohemia, New York 11716
Phone: 631-589-6353
Fax: 631-589-8705

James P. Rhodes, PG, Sr. Principal
Thomas Melia, PG, Sr. Project Manager

jimr@pwgrosser.com
thomasm@pwgrosser.com

PWGC Project Number: BBU1702

JANUARY 2019



**HEALTH & SAFETY PLAN
WILLIAMSBRIDGE GARDENS
NYSDEC BCP ID: C203113**

| TABLE OF CONTENTS | PAGE |
|---|------|
| 1.0 STATEMENT OF COMMITMENT | 1 |
| 2.0 INTRODUCTION AND SITE ENTRY REQUIREMENTS..... | 2 |
| 2.1 Training Requirements..... | 2 |
| 2.2 Medical Monitoring Requirements..... | 2 |
| 2.3 Fit Test Requirements | 2 |
| 2.4 Site Safety Plan Acceptance, Acknowledgement and Amendments | 3 |
| 2.5 Daily Safety Meetings..... | 3 |
| 2.6 Key Personnel – Roles and Responsibilities | 3 |
| 3.0 SITE BACKGROUND AND SCOPE OF WORK..... | 5 |
| 4.0 HAZARD ASSESSMENT..... | 6 |
| 4.1 Activity-Specific Hazards and Standard Operating Procedures | 6 |
| 4.1.1 Drilling and Probing Operations..... | 6 |
| 4.1.2 Work in Extreme Temperatures..... | 6 |
| 4.1.3 Dust Control and Monitoring | 6 |
| 4.2 Chemical Hazards | 6 |
| 4.2.1 Respirable Dust | 6 |
| 4.2.2 Organic Vapors..... | 7 |
| 4.3 General Site Hazards | 7 |
| 5.0 PERSONAL PROTECTIVE EQUIPMENT | 9 |
| 5.1 Level D..... | 9 |
| 5.2 Level C..... | 9 |
| 5.3 Level B..... | 10 |
| 5.4 Activity Specific Levels of Personal Protection | 11 |
| 6.0 DECONTAMINATION PROCEDURES | 12 |
| 7.0 AIR MONITORING AND ACTION LEVELS..... | 14 |
| 8.0 SITE CONTROL | 16 |
| 8.1 Work Zones | 16 |
| 8.2 General Field Safety and Standard Operating Procedures | 16 |
| 9.0 CONFINED SPACE | 18 |
| 10.0 CONTINGENCY PLAN/EMERGENCY RESPONSE PLAN..... | 20 |
| 10.1 Emergency Equipment On-site | 20 |
| 10.2 Emergency Telephone Numbers..... | 20 |
| 10.3 Personnel Responsibilities During an Emergency..... | 21 |
| 10.4 Medical Emergencies | 21 |
| 10.5 Fire or Explosion..... | 21 |
| 10.6 Evacuation Routes..... | 22 |
| 10.7 Spill Control Procedures..... | 22 |
| 10.8 Vapor Release Plan..... | 23 |



FIGURES

FIGURE 1 ROUTE TO HOSPITAL (APPENDIX G)

APPENDICES

| | |
|------------|---------------------------------------|
| APPENDIX A | SITE SAFETY ACKNOWLEDGMENT FORM |
| APPENDIX B | SITE SAFETY PLAN AMENDMENTS |
| APPENDIX C | DRILLING PROTOCOLS |
| APPENDIX D | HEAT/COLD STRESS PROTOCOLS |
| APPENDIX E | CHEMICAL HAZARDS |
| APPENDIX F | CONFINED SPACE ENTRY CHECKLIST/PERMIT |
| APPENDIX G | EMERGENCY INFORMATION |



P.W. GROSSER CONSULTING, INC.
PROJECT No. BBU1801
New York State Department of Environmental Conservation
Brownfield Site No. C203113

HEALTH AND SAFETY PLAN

Williamsbridge Gardens
East 211th – East 212th Street
Bronx, New York

SUBMITTED:

January 2019

PREPARED FOR:

New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233

ON BEHALF OF:

B&B Urban LLC
419 Park Avenue South, 7th Floor
New York, New York 10019

PREPARED BY:

P.W. GROSSER CONSULTING, INC.
630 JOHNSON AVENUE, SUITE 7
BOHEMIA, NEW YORK 11716



1.0 STATEMENT OF COMMITMENT

On-site employees may be exposed to risks from hazardous conditions related to Remedial Investigation (RI) activities to be performed at the Williamsbridge Gardens project site. P.W. Grosser Consulting Inc.'s (PWGC's) policy is to minimize the possibility of work-related injury through awareness and qualified supervision, health and safety training, medical monitoring, use of appropriate personal protective equipment, and the following activity specific safety protocols contained in this Health and Safety Plan (HASP). PWGC has established a guidance program to implement this policy in a manner that protects personnel to the maximum reasonable extent.

This HASP, which applies to PWGC personnel actually or potentially exposed to safety or health hazards, describes emergency response procedures for actual and potential physical and chemical hazards. This HASP is also intended to inform and guide personnel entering site work zones. Persons are to acknowledge that they understand the potential hazards and the contents of this Health and Safety policy by signing off on receipt of their individual copy of the document. Contractors and suppliers are retained as independent contractors and are responsible for ensuring the health and safety of their own employees.

PWGC may require that its personnel take certain precautions in accordance with this HASP, and PWGC requests that others protect their personnel in a manner that they deem necessary or sufficient.



2.0 INTRODUCTION AND SITE ENTRY REQUIREMENTS

This document describes the health and safety guidelines developed by PWGC at the request of the “Volunteer” for the proposed RI to be performed at the Williamsbridge Gardens project site (“the site”) to protect on-site personnel, visitors, and the public from physical harm and exposure to hazardous materials or wastes. In accordance with the Occupational Safety and Health Administration (OSHA) 29 CFR Part 1910.120 Hazardous Waste Operations and Emergency Response (HAZWOPER) Final rule, this HASP, including the attachments, addresses safety and health hazards relating to each phase of site operations and is based on the best information available. The HASP may be revised by PWGC at the request of the Volunteer, and/or regulatory agency upon receipt of new information regarding site conditions. Changes will be documented by written amendments signed by PWGC’s project director, project manager and/or site safety officer.

2.1 Training Requirements

Personnel entering the exclusion zone or decontamination zone must meet the training requirements for hazardous waste site operations and emergency response operations in accordance with OSHA 29 CFR 1910.120(e).

Each subcontractor and supplier working on the job must provide the site safety officer with training documentation for its personnel upon request.

2.2 Medical Monitoring Requirements

PWGC personnel and visitors entering the exclusion zone or decontamination zone must have completed appropriate medical monitoring required under OSHA 29 CFR 1910.120(f). Medical monitoring enables a physician to monitor each employee’s health, physical condition, and his fitness to wear respiratory protective equipment and carry out on-site tasks.

Evidence of compliance with additional medical monitoring requirements for this site must also be included upon request.

2.3 Fit Test Requirements

Personnel and visitors entering a work zone using a negative pressure air purifying respirator (APR) must have successfully passed a qualitative respirator fit test in accordance with OSHA 29 CFR 1910.134 or the American National Standards Institute (ANSI).



site. The site safety officer must meet the emergency response and hazardous materials training requirements of OSHA 29 CFR Part 1910.120; must have completed OSHA supervisor training, 29 CFR 1910.120 (e) 4; and must have appropriate experience to the related site work. The site safety officer is authorized to suspend the site work based on safety concerns, and is responsible for the following:

1. Educating personnel about information in this HASP and other safety requirements to be observed during site operations, including, but not limited to, decontamination procedures, designation of work zones and levels of protection, air monitoring, fit testing, and emergency procedures dealing with fire and first aid.
2. Coordinating site safety decisions with the project manager.
3. Designating exclusion, decontamination and support zones (work zones) on a daily basis.
4. Monitoring the condition and status of known on-site hazards and maintaining and implementing the air quality monitoring program specified in this HASP.
5. Maintaining the work zone entry/exit log and site entry/exit log.
6. Maintaining records of safety problems, corrective measures and documentation of chemical exposures or physical injuries (the site safety officer will document these conditions in a bound notebook and maintain a copy of the notebook on-site).

The person who observes safety concerns and potential hazards that have not been addressed in the daily safety meetings should immediately report their observations/concerns to the site safety officer or appropriate key personnel.



3.0 SITE BACKGROUND AND SCOPE OF WORK

The Site is located in the Williamsbridge section of the Borough of The Bronx and is identified as Block 4657, Lots 42, 67, 69, 71, and 72. Currently, the Site is a vacant lot used for the storage of carnival rides and equipment. One small storage building is present.

Proposed redevelopment of the site consists of construction of two new eight-story residential buildings with partial basements at the site. Building footprints are expected to cover the majority of the site. Preliminary development plans include excavation for the basement areas to approximately 12 feet below ground surface (bgs) for the floor slab, and approximately 16 feet bgs for footings.

PWGC prepared a Phase I Environmental Site Assessment (ESA) in August 2017. The Phase I ESA identified the following Recognized Environmental Conditions (RECs) associated with the subject property:

- The site has been assigned an E-Designation for Hazardous Materials by the New York City Department of Planning.
- Chemical drums and containers were stored throughout the property. Staining and evidence of spillage was noted in the vicinity of these containers.
- Potential vapor encroachment related to offsite sources.

Based on the Phase I ESA, PWGC performed a Phase II ESA at the site in January 2018. The Phase II ESA identified the following:

- Based on a geophysical survey no underground storage tanks (USTs) or other subsurface anomalies were identified at the site.
- VOCs, SVOCs, metals, pesticides and PCBS were detected at concentrations exceeding NYSDEC Unrestricted Use Soil Cleanup Objectives (UUSCOs) in soils at the site.
- Groundwater was not encountered during the Phase II ESA. As such, groundwater quality beneath the site is currently unknown.
- Soil vapor beneath the site was not impacted at levels that would require vapor mitigation, based on comparison to NYSDOH Decision Matrices.



4.0 HAZARD ASSESSMENT

This section identifies the hazards associated with the proposed scope of work, general site operations which may also be conducted at site, and the standard operating procedures (SOPs) that should be implemented to reduce the hazards; identifies general physical hazards that can be expected at most sites; and presents a summary of documented or potential chemical hazards at the site. Every effort must be made to reduce or eliminate these hazards. Those that cannot be eliminated must be guarded against using engineering controls and/or personal protective equipment.

4.1 Activity-Specific Hazards and Standard Operating Procedures

4.1.1 *Drilling and Probing Operations*

Soil borings and/or groundwater monitoring wells using Geoprobe® direct push technology and/or rotary drilling technology will be installed as part of the proposed subsurface investigation. PWGC and/or subcontractors shall follow the standard drilling protocols included as **Appendix C**.

4.1.2 *Work in Extreme Temperatures*

Work under extremely hot or cold weather conditions requires special protocols to minimize the chance that employees will be affected by heat or cold stress. As necessary, PWGC shall follow the heat and cold stress safety protocols included as **Appendix D**.

4.1.3 *Dust Control and Monitoring*

Dust generated during work activities may contain contaminants associated with the site characteristics. Dust generation is not anticipated during the subsurface investigation. In the event that fugitive dust is generated, PWGC shall control the dust by wetting the working surface with water, or other approved method of dust suppression.

4.2 Chemical Hazards

Historic environmental investigations at the subject site have identified elevated VOCs, SVOCs, metals, pesticides and PCBs in soils at the site. The primary routes of exposure to contaminants in soil are inhalation, ingestion and absorption.

Appendix E includes information sheets for the potential chemicals that may be encountered at the site.

4.2.1 *Respirable Dust*

The subsurface investigation activities are not anticipated to generate particulate dust; however dust may be generated from vehicular traffic and/or other construction activities. If visible observation detects elevated



levels of dust, a program of wetting will be employed by the site safety officer. If elevated dust levels persist, the site safety office will employ dust monitoring using a particulate monitor (Miniram or equivalent). If monitoring detects concentrations greater than 150 µg/m³ over daily background, the site safety officer will take corrective actions as defined herein, including the use of water for dust suppression and if this is not effective, requiring workers to wear APRs with efficiency particulate air (HEPA) cartridges.

Absorption pathways for dust and direct contact with soils will be mitigated with the implementation of latex gloves, hand washing and decontamination exercises when necessary.

4.2.2 Organic Vapors

Based upon historical environmental investigations, the potential for isolated areas of VOCs impacts exists. Therefore, drilling/excavation activities may cause the release of organic vapors to the atmosphere. The site safety officer will monitor organic vapors with a Photoionization Detector (PID) during drilling activities to determine whether organic vapor concentrations exceed action levels shown below.

| PID Response | Action |
|--|--|
| Sustained readings of 5 ppm or greater | Shut down drilling equipment and allow area to vent. Resume when readings return to background |
| Sustained readings of 5 ppm or greater that do not subside after venting | Implement Vapor Release Plan (Section 9.8). Re-evaluate respiratory protection as upgrade may be required. |

4.3 General Site Hazards

Applicable OSHA 29 CFR 1910.120(m) standards for illumination shall apply. Work is to be conducted during daylight hours whenever possible.

Electrical power must be provided through a ground fault circuit interrupter. Equipment that will enter an excavation must be suitable and approved (i.e. intrinsically safe) for use in potentially explosive environments. Applicable OSHA 29 CFR 1926 Subpart K standards for use of electricity shall apply.

Work where there is a fall hazard will be performed using appropriate ladders and/or protection (e.g. body harness and lifeline). All work should be conducted at the ground surface or in trench excavations.

In accordance with 29 CFR 1910.151(c), workers involved in operations where there is the risk of eye injury, (chemical splash, etc.), must have ready access to an approved eye wash unit. Protective eye wear shall be



donned in Level D, when directed by the site safety officer.

Operations where there is a potential for fire will be conducted in a manner that minimizes risk. Non-sparking tools and fire extinguishers shall be used or available as directed by the site safety officer when work is in potentially explosive atmospheres. Ignition sources shall be removed from work areas. Explosion-proof instruments and/or bonding and grounding will be used to prevent fire or explosion when the site safety officer directs their use.

Overhead and underground utilities shall be identified and/or inspected and appropriate safety precautions taken before conducting operations where there is potential for contact or interference.



5.0 PERSONAL PROTECTIVE EQUIPMENT

Personal protective equipment (PPE) shall be selected in accordance with the site air monitoring program, OSHA 29 CFR 1910.120(c), (g), and 1910.132. Protective equipment shall be NIOSH-approved and respiratory protection shall conform to OSHA 29 CFR Part 1910.133 and 1910.134 specifications; head protection shall conform to 1910.135; eye and face protection shall conform to 1910.133; and foot protection shall conform to 1910.136. The only true difference among the levels of protection from D thru B is the addition of the type of respiratory protection.

PWGC anticipates that work performed under the scope of the proposed Phase II investigation will be conducted in Level D PPE.

5.1 Level D

Level D PPE shall be donned when the atmosphere contains no known hazards and work functions preclude splashes, immersion, or the potential for inhalation of, or contact with, hazardous concentrations of harmful chemicals. Level D PPE consists of:

- Standard work uniform, coveralls, or Tyvek (as needed).
- Steel toe and steel shank work boots (or equivalent).
- Hard hat.
- Gloves (as needed).
- Safety glasses.
- Hearing protection (as needed)
- Equipment replacements are available as needed.

5.2 Level C

Level C PPE shall be donned when the concentrations of measured total organic vapors in the breathing zone exceed background concentrations (using a portable PID, or equivalent), but are less than 5 ppm. The specifications on the APR filters used must be appropriate for contaminants identified or expected to be encountered. Level C PPE shall be donned when the identified contaminants have adequate warning properties and criteria for using APR have been met. Level C PPE consists of:

- Chemical resistant or coated Tyvek coveralls.
- Steel toe and steel shank work boots (or equivalent).
- Chemical resistant over boots or disposable boot covers.



- Disposable inner gloves (surgical gloves).
- Disposable outer gloves.
- Full-face APR fitted with organic vapor/dust and mist filters or filters appropriate for the identified or expected contaminants.
- Hard hat.
- Splash shield (as needed)
- Ankles/wrists taped with duct tape.

The site safety officer will verify if Level C is appropriate by checking organic vapor concentrations using compound and/or class-specific detector tubes.

5.3 Level B

Level B PPE shall be donned when the contaminants have not been identified and/or the concentrations of unknown measured total organic vapors in the breathing zone exceed 5 ppm (using a portable OVA, or equivalent). Level B PPE shall be donned if the IDLH of a known contaminant is exceeded. If a contaminant is identified or is expected to be encountered for which NIOSH and/or OSHA recommend the use of a positive pressure self-contained breathing apparatus (SCBA) when that contaminant is present, Level B PPE shall be donned even though the total organic vapors in the breathing zone may not exceed 5 ppm. Level B shall be donned for confined space entry, and when the atmosphere is oxygen deficient (oxygen less than 19.5%) or potentially oxygen deficient. If Level B PPE is required for a task, at least three people shall be donned in Level B at any one time during that task. PPE shall only be donned at the direction of the site safety officer. Level B PPE consists of:

- Supplied air SCBA or air line system with five minute egress system.
- Chemical resistant or coated Tyvek coveralls.
- Steel toe and steel shank work boots (or equivalent).
- Chemical resistant over boots or disposable boot covers.
- Disposable inner gloves (surgical gloves).
- Disposable outer gloves.
- Hard hat.
- Ankles/wrists taped with duct tape.



The exact PPE ensemble is decided on a site-by-site basis by the PWGC Health and Safety Officer with the intent to provide the most protective and efficient worker PPE.

5.4 Activity Specific Levels of Personal Protection

The required level of PPE is activity-specific and is based on air monitoring results (Section 7.0) and properties of identified or expected contaminants. It is expected that all site work will be performed in Level D. If air monitoring results indicate the necessity to upgrade the level of protection engineering controls (i.e. Facing equipment away from the wind and placing site personnel upwind of excavations, active venting, etc.) will be implemented before requiring the use of respiratory protection.



6.0 DECONTAMINATION PROCEDURES

Equipment and PPE exiting the exclusion zone must be decontaminated or properly discarded upon exit. Personnel must enter and exit the exclusion zone through the decontamination area. The exclusion and decontamination zones may change depending on the nature of the site work. Plastic bags containing personal protective clothing and equipment will be placed in designated receptacles.

Boots and other potentially contaminated garments that have come in contact with hazardous materials will be cleaned in wash tubs with detergent/water solution and rinsed with water and must remain on site. The wash water, rinse water, and residues will be collected and properly stored until sampling results are received and the final method of disposal can be determined. Disposable PPE, including spent respirator cartridges and canisters, will be properly bagged and disposed. Contaminated boots, clothing, and equipment (e.g. leather boots, equipment carrying straps) that cannot be decontaminated will be disposed of with the disposable garments or left on site in the decontamination area.

The **minimum** measures for Level B doffing and decontamination are:

1. Deposit equipment on plastic drop cloths.
2. Scrub outer boots and gloves with a water and detergent solution and rinse.
3. Remove outer boots and outer gloves. Discard disposable outer garments in receptacle provided.
4. Remove SCBA and face piece and place on rack provided.
5. Remove Tyvek/outer garment and place in receptacle provided.
6. Remove inner gloves and deposit in receptacle provided.
7. Shower/wash face and hands.

The **minimum** measures for Level C doffing and decontamination are:

1. Deposit equipment on plastic drop cloths.
2. Scrub outer boots and gloves (if worn) with a water and detergent solution and rinse.
3. Remove outer boots and outer gloves. Discard disposable outer garments in receptacle provided.
4. Remove Tyvek/outer garment and place in receptacle provided.
5. Remove first pair of inner gloves.
6. Remove respirator (using "clean" inner gloves) and place on rack provided.
7. Remove last pair of inner gloves and deposit in receptacle provided.



8. Shower/wash face and hands.

The second to last item to be removed is the APR, and the last item to be removed is the last of several pairs of surgical gloves. Wearing several pairs of inner gloves permits layers to be removed as needed during various stages of the doffing procedure, and if the APR inadvertently becomes contaminated, inner gloves guard against bare hands contacting the APR.

Equipment that comes into contact with site contaminants is decontaminated according to manufacturer specifications. Decontamination is done in the exclusion or decontamination zones. Rented equipment is photographed after decontamination.



7.0 AIR MONITORING AND ACTION LEVELS

Air monitoring will be performed for protection for on-site workers and the downwind community (i.e., off-site receptors including residences, businesses, and on-site workers not directly involved in the remedial work) from potential airborne contaminant releases resulting from remedial activities at the site. Air monitoring will be used to help to confirm that the remedial work will not spread contamination off-site through the air.

Perimeter air monitoring will be performed in accordance with the Community Air Monitoring Plan (CAMP) for the site included as Appendix E of the RI Work Plan. Air monitoring will be performed for protection for on-site workers as described below.

7.1 Work Zone Monitoring

Respirable dust will be monitored using a MiniRAM Model PDM-3 aerosol monitor (or equivalent) and air will be monitored for VOCs with a MiniRAE 2000 PID (or equivalent) during intrusive activities such as excavation and drilling. Monitoring will be performed continuously during intrusive activities and hourly, at a minimum, otherwise. Upwind readings will be recorded at least twice daily to determine background concentrations at the site.

| Monitoring Instrument | Monitoring Location | Monitoring Frequency | Action Level (above background) | Action |
|-----------------------|---------------------|---|---------------------------------|-------------------------------------|
| PID | Work Area | Continuous during intrusive activities; hourly, at a minimum, otherwise | <5ppm* | Level D PPE, continue work |
| | | | ≥5ppm, ≤50ppm* | Level C PPE, notify PM/HSM |
| | | | >50ppm* | Stop work, notify PM/HSM |
| Particulate monitor | Work Area | Continuous during intrusive activities; hourly, at a minimum, otherwise | ≤150 µg/m ³ | Continue work |
| | | | >150 µg/m ³ | Take corrective actions (see below) |

*Sustained levels in the breathing zone for a minimum of 5 minutes

If particulate monitoring detects concentrations greater than 150 µg/m³ over daily background, the site safety officer will take corrective actions as defined herein, including the use of water for dust suppression and if this



is not effective, requiring workers to wear APRs with efficiency particulate air (HEPA) cartridges.

7.2 Air Monitoring Recordkeeping

The field team lead will document air monitoring data in a log book. Data will include instrument used, calibration date, wind/weather conditions and work activities.

7.3 Calibration Requirements

The PID will be calibrated daily, prior to the start of work. Calibration details (i.e., date, time, span gas, etc...) will be recorded in a log book.



8.0 SITE CONTROL

8.1 Work Zones

The primary purpose of site controls is to establish the perimeter of a hazardous area, to reduce the migration of contaminants into clean areas, and to prevent access or exposure to hazardous materials by unauthorized persons. When operations are to take place involving hazardous materials, the site safety officer will establish an exclusion zone, a decontamination zone, and a support zone. These zones "float" (move around the site) depending on the tasks being performed on any given day. The site safety officer will outline these locations before work begins and when zones change. The site safety officer records this information in the site log book. It is expected that for subsurface investigation activities, identification of an exclusion zone, decontamination zone, and support zone will not be necessary.

Tasks requiring OSHA 40-hour Hazardous Waste Operations and Emergency Response Operations training are carried out in the exclusion zone. The exclusion zone is defined by the site safety officer but will typically be a 50-foot area around work activities. Gross decontamination (as determined by the site Health and Safety Officer) is conducted in the exclusion zone; all other decontamination is performed in the decontamination zone or trailer.

Protective equipment is removed in the decontamination zone. Disposable protective equipment is stored in receptacles staged in the decontamination zone, and non-disposable equipment is decontaminated. All personnel and equipment exit the exclusion zone through the decontamination zone. If a decontamination trailer is provided the first aid equipment, an eye wash unit, and drinking water are kept in the decontamination trailer.

The support zone is used for vehicle parking, daily safety meetings, and supply storage. Eating, drinking, and smoking are permitted only in the support zone. When a decontamination trailer is not provided, the eye wash unit, first aid equipment, and drinking water are kept at a central location designated by the site safety officer.

8.2 General Field Safety and Standard Operating Procedures

PWGC's policy is to control hazards at all site areas by limiting entrance to exclusion zones to essential personnel and by implementing the following rules:

- Non-essential (as judged by the site safety officer) personnel and unauthorized persons will not enter the exclusion or decontamination zone.



- Before entering the exclusion or decontamination zones, all personnel must be familiar with emergency response procedures (Section 9.0), site safety locations, first aid and communication equipment, and the location of the map to the hospital and the list of emergency telephone numbers.
- The buddy system will be used at all times by field personnel in the exclusion zone; no one is to perform work within the exclusion zone alone. When in Level D or C, visual contact or radio contact shall be maintained at all times.
- Contact with contaminated and potentially contaminated surfaces should be avoided. Walk around (not through) puddles and discolored surfaces. Do not kneel on the ground or place equipment on the ground. Protect equipment from contamination.
- Eating, drinking, or smoking is permitted only in designated areas in the support zone.

Each worker must be supplied with and maintain his/her own personal protective equipment.



9.0 CONFINED SPACE

OSHA published a Final Rule on permit-required confined spaces on January 14, 1993, for General Industry at 29 CFR 1910.146 et seq., with an implementation date of April 15, 1993. The rule specifically excludes agriculture, construction, or shipyard employment. Confined space entry and work within confined spaces is not anticipated to be performed under the proposed scope of work. However, if confined space work is conducted it will be performed in accordance with the applicable OSHA regulations. OSHA defines confined space as:

1. is large enough and so configured that an employee can bodily enter and perform assigned work;
2. has limited or restricted areas for entry or exit (for example, tanks, vessels, silos, storage bins, hoppers, vaults, and pits are spaces that may have limited entry); and
3. is not designed for continuous worker occupancy.

OSHA further requires that an "entry supervisor" (the site designated safety officer) decide at the time of entry whether the space is permit-required or non-permit required space. The site safety officer will monitor the space two hours prior to entry and continuously during work to ensure that the atmosphere is not hazardous.

OSHA defines as hazardous atmosphere as:

1. Flammable gas, vapor, or mist in excess of 10 percent of its lower explosive limit (LEL);
2. Airborne combustible dust at a concentration that meets or exceeds its LEL;NOTE: This concentration may be approximated as a condition in which the dust obscures vision at a distance of 5 feet (1.52 m) or less.
3. Atmospheric oxygen concentration below 19.5 percent or above 23.5 percent;
4. Atmospheric concentration of any substance for which a dose or a permissible exposure limit is published in Subpart G, Occupational Health and Environmental Control, or in Subpart Z. Toxic
5. and Hazardous Substances, of this part and which could result in employee exposure in excess of its dose or permissible exposure limit;
6. Any other atmospheric condition that is immediately dangerous to life or health.

A space is non-permit required if none of the above defined hazardous conditions are present. OSHA requires that an attendant (e.g., an individual stationed outside one or more spaces who monitors the entrants and who performs air monitoring of the space(s)) be assigned to each space. The attendant is not allowed to perform any direct rescue related duties, but is there to communicate with the entrant and call for rescue procedures if required.



The following protocol applies when PWGC employees must enter a confined space:

- The site safety officer evaluates the space and site conditions to determine whether the space must be considered "confined".
- If so, the site safety officer monitors the space for hazardous atmospheres prior to entry and fills out a pre-entry checklist (**Appendix F**) to determine whether an entry-permit is required.
- If there is no hazardous atmosphere, the space will be continuously monitored during the entry to assure that the atmosphere remains non-hazardous.
- If the space contains a hazardous atmosphere, an entry permit (**Appendix F**) will be prepared and the space will only be entered in accordance with 29 CFR 1910.146.



10.0 CONTINGENCY PLAN/EMERGENCY RESPONSE PLAN

Site personnel must be prepared in the event of an emergency. Emergencies can take many forms: illnesses, injuries, chemical exposure, fires, explosions, spills, leaks, releases of harmful contaminants, or sudden changes in the weather.

Emergency telephone numbers and a map to the hospital (Figure 1) will be posted in the command post. Site personnel should be familiar with the emergency procedures, and the locations of site safety, first aid, and communication equipment.

10.1 Emergency Equipment On-site

- Private telephones: Site personnel.
- Two-way radios: Site personnel where necessary.
- Emergency Alarms: On-site vehicle horns*.
- First aid kits: On-site, in vehicles or office.
- Fire extinguisher: On-site, in office or on equipment.

* Horns: Air horns will be supplied to personnel at the discretion of the project manager or site safety officer.

10.2 Emergency Telephone Numbers

| | |
|--|----------------|
| General Emergencies - New York City Police/Fire Department/Ambulance | 911 |
| Non-Emergency Hotline - New York City Police/Fire Department/Ambulance | 311 |
| Local Emergency Medical Center (Bronx State Hospital) | 1-718-882-3328 |
| National Response Center | 1-800-424-8802 |
| Poison Control | 1-212-340-4494 |
| NYSDEC Spills Division | 1-800-457-7362 |
| NYSDEC Hazardous Waste Division | 1-718-482-4994 |
| NYC Office of Environmental Remediation | 1-212-788-8841 |
| NYC Department of Health | 1-212-788-4711 |
| PWGC Project Director, James Rhodes | 1-631-589-6353 |
| PWGC Project Manager, Thomas Melia | 1-631-589-6353 |
| PWGC Site Safety Officer, Janelle Cooley (or assignee) | 1-516-967-7752 |

A copy of this page shall be posted in the office and a copy is provided in **Appendix G**.



10.3 Personnel Responsibilities During an Emergency

The project manager is primarily responsible for responding to and correcting any emergency situations. However, in the absence of the project manager, the site safety officer shall act as the project manager's on-site designee and perform the following tasks:

- Take appropriate measures to protect personnel including: withdrawal from the exclusion zone, evacuate and secure the site, or upgrade/downgrade the level of protective clothing and respiratory protection;
- Ensure that appropriate federal, state, and local agencies are informed and emergency response plans are coordinated. In the event of fire or explosion, the local fire department should be summoned immediately. If toxic materials are released to the air, the local authorities should be informed in order to assess the need for evacuation;
- Ensure appropriate decontamination, treatment, or testing for exposed or injured personnel;
- Determine the cause of incidents and make recommendations to prevent recurrence; and,
- Ensure that all required reports have been prepared.

The following PWGC key personnel are planned for this project:

- PWGC Project Director Mr. James Rhodes
- PWGC Project Manager Mr. Thomas Melia
- PWGC Site Safety Officer Ms. Janelle Cooley, or assignee

10.4 Medical Emergencies

A person who becomes ill or injured in the exclusion zone will be decontaminated to the maximum extent possible. If the injury or illness is minor, full decontamination will be completed and first aid administered prior to transport. First aid will be administered while waiting for an ambulance or paramedics. A Field Accident Report (**Appendix G**) must be filled out for any injury.

A person transporting an injured/exposed person to a clinic or hospital for treatment will take the directions to the hospital and information on the chemical(s) to which they may have been exposed (**Appendix G**).

10.5 Fire or Explosion

In the event of a fire or explosion, the local fire department will be summoned immediately. The site safety officer or his designated alternate will advise the fire commander of the location, nature and identification of



the hazardous materials on-site. If it is safe to do so, site personnel may:

- use firefighting equipment available on site; or,
- remove or isolate flammable or other hazardous materials that may contribute to the fire.

10.6 Evacuation Routes

Evacuation routes established by work area locations for each site will be reviewed prior to commencing site operations. As the work areas change, the evacuation routes will be altered accordingly, and the new route will be reviewed.

Under extreme emergency conditions, evacuation is to be immediate without regard for equipment. The evacuation signal will be a continuous blast of a vehicle horn, if possible, and/or by verbal/radio communication.

- When evacuating the site, personnel will follow these instructions:
- Keep upwind of smoke, vapors, or spill location.
- Exit through the decontamination corridor if possible.
- If evacuation through the decontamination corridor is not possible, personnel should remove contaminated clothing once they are in a safe location and leave it near the exclusion zone or in a safe place.
- The site safety officer will conduct a head count to ensure that all personnel have been evacuated safely. The head count will be correlated to the site and/or exclusion zone entry/exit log.
- If emergency site evacuation is necessary, all personnel are to escape the emergency situation and decontaminate to the maximum extent practical.

10.7 Spill Control Procedures

Spills associated with site activities may be attributed to project specific heavy equipment and include gasoline, diesel and hydraulic oil. In the event of a leak or a release, site personnel will inform their supervisor immediately, locate the source of spillage and stop the flow if it can be done safely. A spill containment kit including absorbent pads, booms and/or granulated speedy dry absorbent material will be available to site personnel to facilitate the immediate recovery of the spilled material. Daily inspections of site equipment components including hydraulic lines, fuel tanks, etc. will be performed by their respective operators as a preventative measure for equipment leaks and to ensure equipment soundness. In the event of a spill, site personnel will immediately notify the NYSDEC (1-800-457-7362), and a spill number will be generated.



10.8 Vapor Release Plan

If work zone organic vapor (excluding methane) exceeds 5 ppm, then a downwind reading will be made either 200 feet from the work zone or at the property line, whichever is closer. If readings at this location exceed 5 ppm over background, the work will be stopped.

If 5 ppm of VOCs are recorded over background on a PID at the property line, then an off-site reading will be taken within 20 feet of the nearest residential or commercial property, whichever is closer. If efforts to mitigate the emission source are unsuccessful for 30 minutes, then the designated site safety officer will:

- contact the local police;
- continue to monitor air every 30 minutes, 20 feet from the closest off-site property. If two successive readings are below 5 ppm (non-methane), off-site air monitoring will be halted.
- All property line and off site air monitoring locations and results associated with vapor releases will be recorded in the site safety log book.



APPENDIX A

SITE SAFETY ACKNOWLEDGMENT FORM



SITE SAFETY ACKNOWLEDGMENT FORM

This form serves as documentation that field personnel have read, or have been informed of, and understand the provisions of the HASP/EAP. It is maintained on site by the FTL/SHSO as a project record. Each field team member shall sign this section after site-specific training is completed and before being permitted to work on site.

I have read, or have been informed of, the Health and Safety Plan/Emergency Action Plan and understand the information presented. I will comply with the provisions contained therein.

| Name (Print and Sign) | Date |
|-----------------------|------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



APPENDIX B SITE SAFETY PLAN AMENDMENTS



SITE SAFETY PLAN AMENDMENT FORM

SITE SAFETY PLAN AMENDMENT NUMBER: _____

SITE NAME: _____

REASON FOR AMENDMENT: _____

ALTERNATIVE PROCEDURES: _____

REQUIRED CHANGES IN PPE: _____

SITE SAFETY OFFICER

DATE

PROJECT MANAGER

DATE

PROJECT DIRECTOR

DATE



APPENDIX C DRILLING PROTOCOLS

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



SAFETY PROCEDURES DURING THE OPERATION OF DRILLING/PROBING MACHINES INCLUDE, BUT ARE NOT LIMITED TO THE FOLLOWING:

- All site personnel should know the location of the rig emergency shut-off switch prior to beginning operations.
- The rig should be inspected prior to operation to ensure that it is in proper working condition and that all safety devices are functioning.
- Each rig should have a first-aid kit and fire extinguisher which should be inspected to ensure that they are adequate.
- All operators should wear, at a minimum, hard hats, steel-toe safety shoes or boots, gloves and safety glasses. Additional clothing and protective equipment may be required at sites where hazardous conditions are likely. Clothing must be close fitting, without loose ends, straps, draw strings or belts or other unfastened parts that might catch on moving machinery.
- Work areas should be kept free of materials, debris and obstruction, and substances such as grease or oil that could cause a surface to become slick or otherwise hazardous.
- Prior to drilling, the site must be checked to determine whether it can accommodate the rig and supplies and provide a safe working area.
- The drill rig mast (derrick) must be lowered prior to moving between drilling locations.
- The drill rig masts should not be raised if the rig will not be at least 20 feet away from overhead utilities.
- The location of underground utilities should be determined prior to erecting the rig.
- The drill rigs must be properly erected, leveled and stabilized prior to drilling.
- The operator must shut down the vehicle engine before leaving the vicinity of the machine.
- All personnel not directly involved in operating the rig or in sampling should remain clear of the drilling equipment when it is in operation.
- All unattended boreholes must be adequately covered or otherwise protected to prevent trip and fall hazards. All open boreholes should be covered, protected or backfilled as specified in local or state regulations.
- When climbing to or working on a derrick platform that is higher than 20 feet, a safety climbing device should be used.
- The user of wire line hoists, wire rope and hoisting hardware should be as stipulated by the American Iron and Steel Institute Wire Rope User's Manual.
- The rig should be operated in a manner which is consistent with the manufacturers' ratings of speed, force, torque, pressure, flow, etc. The rig and tools should be used for the purposes for which they were intended.



APPENDIX D HEAT/COLD STRESS PROTOCOLS



HEAT STRESS

Heat Stress (Hyperthermia)

Heat stress is the body's inability to regulate the core temperature. A worker's susceptibility to heat stress can vary according to his/her physical fitness, degree of acclimation to heat, humidity, age and diet.

1. Prior to site activity, the field team leader may make arrangements for heat stress monitoring (i.e., monitoring heart rate, body temperature, and body water loss) during actual site work if conditions warrant. In addition, the FTL is to ensure that each team member has been acclimatized to the prevailing environmental conditions, that personnel are aware of the signs and symptoms of heat sickness, that they have been adequately trained in first aid procedures, and that there are enough personnel on-site to rotate work assignments and schedule work during hours of reduced temperatures. Personnel should not consume alcoholic or caffeinated beverages but rather drink moderate levels of an electrolyte solution and eat well prior to commencing site work.
2. Although there is no specific test given during a baseline physical that would identify a person's intolerance to heat, some indicators are tobacco or medication use, dietary habits, body weight, and chronic conditions such as high blood pressure or diabetes.
3. *Heat cramps*, caused by profuse perspiration with inadequate fluid intake and salt replacement, most often afflict people in good physical condition who work in high temperature and humidity. Heat cramps usually come on suddenly during vigorous activity. Untreated, heat cramps may progress rapidly to heat exhaustion or heat stroke. First aid treatment: remove victim to a cool place and replace lost fluids with water.
4. Thirst is not an adequate indicator of heat exposure. Drinking fluid by itself does not indicate sufficient water replacement during heat exposure. A general rule, the amount of water administered should replace the amount of water lost, and it should be administered at regular intervals throughout the day. For every half pound of water lost, 8 ounces of water should be ingested. Water should be replaced by drinking 2 – 4 ounce servings during every rest period. A recommended alternative to water is an electrolyte drink split 50/50 with water.
5. Heat exhaustion results from salt and water loss along with peripheral pooling of blood. Like heat cramps, heat exhaustion tends to occur in persons in good physical health who are working in high temperatures and humidity. Heat exhaustion may come on suddenly as dizziness and collapse. Untreated, heat exhaustion may progress to heat stroke.



6. Treatment for heat exhaustion: Move the victim to a cool environment (e.g. air-conditioned room/car), lay victim down and fan him/her. If the air-conditioning is not available, remove the victim to a shaded area, remove shirt, and fan. If symptoms do not subside within an hour, notify 911 to transport to hospital.
7. Heat stroke results from the body's inability to dissipate excess heat. A true medical emergency that requires immediate care, it usually occurs when one ignores the signs of heat exhaustion and continues strenuous activities. Working when the relative humidity exceeds 60% is a particular problem. Workers in the early phase of heat stress may not be coherent or they will be confused, delirious or comatose. Changes in behavior, irritability and combativeness are useful early signs of heat stroke.
8. Treatment of heat stroke: Move the victim to a cool, air-conditioned environment. Place victim in a semi-reclined position with head elevated and strip to underclothing. Cool victim as rapidly as possible, applying ice packs to the arms and legs and massaging the neck and torso. Spray victim with tepid water and constantly fan to promote evaporation. Notify 911 to transport to hospital as soon as possible.

SYMPTOMS OF HEAT STRESS

Heat cramps are caused by heavy sweating with inadequate fluid intake. Symptoms include;

- Muscle cramps
- Cramps in the hands, legs, feet and abdomen

Heat exhaustion occurs when body organs attempt to keep the body cool. Symptoms include;

- Pale, cool moist skin
- Core temperature elevated 1-2o
- Thirst
- Anxiety
- Rapid heart rate
- Heavy sweating
- Dizziness
- Nausea



Heat stroke is the most serious form of heat stress. Immediate action must be taken to cool the body before serious injury and death occur. Symptoms are;

- Red, hot, dry skin
- Lack of perspiration
- Seizures
- Dizziness and confusion
- Strong, rapid pulse
- Core temperature of 104o or above
- Coma

HEAT STRESS INDICATORS

| Heat stress indicator: | When to measure: | If Exceeds: | Action: |
|------------------------|---|---|--|
| Heart rate (pulse) | Beginning of rest period | 110 beats per minute | Shorten next work period by 33% |
| Oral temperature | Beginning of rest period | 99°F (after thermometer is under tongue for 3 minutes) 100.6°F (after thermometer is under tongue for 3 minutes) | Shorten next work period by 33% Prohibit work in impermeable clothing |
| Body Weight | 1. Before workday begins 2. After workday ends | | Increase fluid intake |

COLD STRESS

Cold stress (Hypothermia)

In hypothermia the core body temperature drops below 95°F. Hypothermia can be attributed to a decrease in heat production, increased heat loss or both.



Prevention

Institute the following steps to prevent overexposure of workers to cold:

1. Maintain body core temperature at 98.6°F or above by encouraging workers to drink warm liquids during breaks (preferably not coffee) and wear several layers of clothing that can keep the body warm even when the clothing is wet.
2. Avoid frostbite by adequately covering hands, feet and other extremities. Clothing such as insulated gloves or mittens, earmuffs and hat liners should be worn. To prevent contact frostbite (from touching metal and cold surfaces below 20°F), workers should wear gloves. Tool handles should be covered with insulating material.
3. Adjust work schedules to provide adequate rest periods. When feasible, rotate personnel and perform work during the warmer hours of the day.
4. Provide heated shelter. Workers should remove their outer layer(s) of clothing while in the shelter to allow sweat to evaporate.
5. In the event that wind barriers are constructed around an intrusive operation (such as drilling), the enclosure must be properly vented to prevent the buildup of toxic or explosive gases or vapors. Care must be taken to keep a heat source away from flammable substances.
6. Using a wind chill chart such as the one included below, obtain the equivalent chill temperature (ECT) based on actual wind speed and temperature. Refer to the ECT when setting up work warm-up schedules, planning appropriate clothing, etc. Workers should use warming shelters at regular intervals at or below an ECT of 20°F. For exposed skin, continuous exposure should not be permitted at or below an ECT of -25°F.



FROSTBITE

Personnel should be aware of symptoms of frostbite/hypothermia. If the following symptoms are noticed in any worker, he/she should immediately go to a warm shelter.

| Condition | Skin Surface | Tissue Under Skin | Skin Color |
|-----------|--------------|-------------------|---------------------------------------|
| Frostnip | Soft | Soft | Initially red, then white |
| Frostbite | Hard | Soft | White and waxy |
| Freezing | Hard | Hard | Blotchy, white to yellow-grey to grey |

1. Frostnip is the incipient stage of frostbite, brought about by direct contact with a cold object or exposure of a body part to cool/cold air. Wind chill or cold water also can be major factors. This condition is not serious. Tissue damage is minor and the response to care is good. The tip of the nose, tips of ears, upper cheeks and fingers (all areas generally exposed) are most susceptible to frostnip.
2. Treatment of frostnip: Care for frostnip by warming affected areas. Usually the worker can apply warmth from his/her bare hands, blow warm air on the site, or, if the fingers are involved, hold them in the armpits. During recovery, the worker may complain of tingling or burning sensation, which is normal. If the condition does not respond to this simple care, begin treatment for frostbite.
3. Frostbite: The skin and subcutaneous layers become involved. If frostnip goes untreated, it becomes superficial frostbite. This condition is serious. Tissue damage may be serious. The worker must be transported to a medical facility for evaluation. The tip of the nose, tips of ears, upper cheeks and fingers (all areas generally exposed) are most susceptible to frostbite. The affected area will feel frozen, but only on the surface. The tissue below the surface must still be soft and have normal response to touch. DO NOT squeeze or poke the tissue. The condition of the deeper tissues can be determined by gently palpating the affected area. The skin will turn mottled or blotchy. It may also be white and then turn grayish-yellow.
4. Treatment of frostbite: When practical, transport victim as soon as possible. Get the worker inside and keep him/her warm. Do not allow any smoking or alcohol consumption. Thaw frozen parts by immersion, re-warming in a 100°F to 106°F water bath. Water temperature will drop rapidly, requiring additional warm water throughout the process. Cover the thawed part with a dry sterile dressing. Do not puncture or drain any blisters. NOTE: Never listen to myths and folk tales about the care of frostbite. Never rub a

frostbitten or frozen area. Never rub snow on a frostbitten or frozen area. Rubbing the area may cause serious damage to already injured tissues. Do not attempt to thaw a frozen area if there is any chance it will be re-frozen.

5. General cooling/Hypothermia: General cooling of the body is known as systemic hypothermia. This condition is not a common problem unless workers are exposed to cold for prolonged periods of time without any shelter.

| Body Temp (°F) | Body Temp (°C) | Symptoms |
|----------------|----------------|---|
| 99-96 | 37-35.5 | Intense uncontrollable shivering |
| 95-91 | 35.5-32.7 | Violent shivering persists. If victim is conscious, has difficulty speaking. |
| 90-86 | 32.6-30 | Shivering decreases and is replaced by strong muscular rigidity. Muscle coordination is affected. Erratic or jerky movements are produced. Thinking is less clear. General comprehension is dulled. There may be total amnesia. The worker is generally still able to maintain the appearance of psychological contact with his surroundings. |
| 85-81 | 29.9-27.2 | Victim becomes irrational, loses contact with his environment, and drifts into a stupor. Muscular rigidity continues. Pulse and respirations are slow and the worker may develop cardiac arrhythmias. |
| 80-78 | 27.1-25.5 | Victim becomes unconscious. He does not respond to the spoken word. Most reflexes cease to function. Heartbeat becomes erratic |
| Below 78 | Below 25.5 | Cardiac and respiratory centers of the brain fail. Ventricular fibrillation occurs; probably edema and hemorrhage in the lungs; death. |

6. Treatment of hypothermia: Keep worker dry. Remove any wet clothing and replace with dry clothes, or wrap person in dry blankets. Keep person at rest. Do not allow him/her to move around. Transport the victim to a medical facility as soon as possible.



**COOLING POWER OF WIND ON EXPOSED FLESH EXPRESSED
AS AN EQUIVALENT TEMPERATURE (UNDER CALM CONDITIONS)**

| Estimated wind Speed (in mph) | Actual Temperature Reading (°F)P | | | | | | | | | | | |
|---|--|----|----|-----|--|-----|-----|-----|---|------|------|------|
| | 50 | 40 | 30 | 20 | 10 | 0 | 10 | 20 | 30 | 40 | 50 | 60 |
| Equivalent Chill Temperature (°F) | | | | | | | | | | | | |
| Calm | 50 | 40 | 30 | 20 | 10 | 0 | -10 | -20 | -30 | -40 | -50 | -60 |
| 5 | 48 | 37 | 27 | 16 | 6 | -5 | -15 | -26 | -36 | -47 | -57 | -68 |
| 10 | 40 | 28 | 15 | 4 | -9 | -24 | -33 | -46 | -58 | -70 | -83 | -95 |
| 15 | 36 | 22 | 9 | -5 | -18 | -32 | -45 | -58 | -72 | -85 | -99 | -112 |
| 20 | 32 | 18 | 4 | -10 | -25 | -39 | -53 | -67 | -82 | -96 | -110 | -121 |
| 25 | 30 | 16 | 0 | -15 | -29 | -44 | -59 | -74 | -88 | -104 | -118 | -133 |
| 30 | 28 | 13 | -2 | -18 | -33 | -48 | -63 | -79 | -94 | -109 | -125 | -140 |
| 35 | 27 | 11 | -4 | -20 | -35 | -51 | -67 | -82 | -98 | -113 | -129 | -145 |
| 40 | 26 | 10 | -6 | -21 | -37 | -53 | -69 | -85 | -100 | -116 | -132 | -146 |
| (Wind speeds greater than 40 mph have little additional effect.) | LITTLE DANGER in < hr with dry skin. Maximum danger of false sense of security. | | | | INCREASING DANGER Danger from freezing of exposed flesh within one minute | | | | GREAT DANGER Flesh may freeze within 30 seconds. | | | |
| Trench foot and immersion foot may occur at any point on this chart | | | | | | | | | | | | |

Developed by U.S. Army Research Institute of Environmental Medicine, Natick, MA.

(1) Reproduced from American Conference of Governmental Industrial Hygienists, Threshold Limit Values and Biological Exposure Indices for 1985-1986, p.01.



APPENDIX E CHEMICAL HAZARDS



Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Benzene

Synonyms & Trade Names Benzol, Phenyl hydride

| | | |
|--|--|---|
| CAS No. 71-43-2 | RTECS No. CY1400000 (/niosh-rtecs/CY155CCo.html) | DOT ID & Guide 1114 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₆ | Conversion 1 ppm = 3.19 mg/m ³ | IDLH Ca [500 ppm] See: 71432 (/niosh/idlh/71432.html) |

Exposure Limits

NIOSH REL : Ca TWA 0.1 ppm ST 1 ppm See [Appendix A \(nengapdx.html\)](http://nengapdx.html)
OSHA PEL : [1910.1028] TWA 1 ppm ST 5 ppm See [Appendix F \(nengapdx.html\)](http://nengapdx.html)

Measurement Methods

NIOSH 1500 ([/niosh/docs/2003-154/pdfs/1500.pdf](http://niosh/docs/2003-154/pdfs/1500.pdf)), **1501** ([/niosh/docs/2003-154/pdfs/1501.pdf](http://niosh/docs/2003-154/pdfs/1501.pdf)), **3700** ([/niosh/docs/2003-154/pdfs/3700.pdf](http://niosh/docs/2003-154/pdfs/3700.pdf)), **3800** ([/niosh/docs/2003-154/pdfs/3800.pdf](http://niosh/docs/2003-154/pdfs/3800.pdf));
OSHA 12
<http://www.osha.gov/dts/sltc/methods/organic/org012/org012.html>
 (<http://www.cdc.gov/Other/disclaimer.html>), **1005**
<http://www.osha.gov/dts/sltc/methods/validated/1005/1005.html>
 (<http://www.cdc.gov/Other/disclaimer.html>)
 See: **NMAM** ([/niosh/docs/2003-154/](http://niosh/docs/2003-154/)) or **OSHA Methods**
<http://www.osha.gov/dts/sltc/methods/index.html>
<http://www.cdc.gov/Other/disclaimer.html>

Physical Description Colorless to light-yellow liquid with an aromatic odor. [Note: A solid below 42°F.]

| | | | | | |
|--------------------|-------------------|------------------|-------------------|--------------------|--------------------|
| MW: 78.1 | BP: 176°F | FRZ: 42°F | Sol: 0.07% | VP: 75 mmHg | IP: 9.24 eV |
| Sp.Gr: 0.88 | Fl.P: 12°F | UEL: 7.8% | LEL: 1.2% | | |

Class IB Flammable Liquid: Fl.P. below 73°F and BP at or above 100°F.

Incompatibilities & Reactivities Strong oxidizers, many fluorides & perchlorates, nitric acid

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, nose, respiratory system; dizziness; headache, nausea, staggered gait; anorexia, lassitude (weakness, exhaustion); dermatitis; bone marrow depression; [potential occupational carcinogen]

Target Organs Eves. skin. respiratory system. blood. central nervous system. bone marrow

Cancer Site [leukemia]

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet (flammable)

Change: No recommendation

Provide: Eyewash, Quick drench

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

(See [Appendix E \(nengapdx.html\)](#))

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0015](#)

[\(/niosh/ipcsneng/nengo015.html\)](#) See MEDICAL TESTS: [0022 \(/niosh/docs/2005-110/nmed0022.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Ethyl benzene

Synonyms & Trade Names Ethylbenzol, Phenylethane

| | | |
|--|--|--|
| CAS No. 100-41-4 | RTECS No. DAO700000 (/niosh- rtecs/DAAAE6o.html) | DOT ID & Guide 1175 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula CH ₃ CH ₂ C ₆ H ₅ | Conversion 1 ppm = 4.34 mg/m ³ | IDLH 800 ppm [10%LEL] See: 100414 (/niosh/idlh/100414.html) |
| Exposure Limits NIOSH REL : TWA 100 ppm (435 mg/m ³) ST 125 ppm (545 mg/m ³) OSHA PEL † (nengapdxg.html): TWA 100 ppm (435 mg/m ³) | | Measurement Methods NIOSH 1501 (/niosh/docs/2003-154/pdfs/1501.pdf); OSHA 7 http://www.osha.gov/dts/sltc/methods/organic/org001/org001.html (http://www.cdc.gov/Other/disclaimer.html), 1002 http://www.osha.gov/dts/sltc/methods/mdt/mdt1002/1002.html http://www.cdc.gov/Other/disclaimer.html See: NMAM (/niosh/docs/2003-154/) or OSHA Methods http://www.osha.gov/dts/sltc/methods/index.html http://www.cdc.gov/Other/disclaimer.html |

Physical Description Colorless liquid with an aromatic odor.

| | | | | | |
|-----------------------|-----------------------|-----------------------|----------------------|-------------------|--------------------|
| MW: 106.2 | BP: 277°F | FRZ: -139°F | Sol: 0.01% | VP: 7 mmHg | IP: 8.76 eV |
| Sp.Gr: 0.87 | Fl.P.: 55°F | UEL: 6.7% | LEL: 0.8% | | |

Class IB Flammable Liquid: FLP. below 73°F and BP at or above 100°F.

Incompatibilities & Reactivities Strong oxidizers

Exposure Routes inhalation, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, mucous membrane; headache; dermatitis; narcosis, coma

Target Organs Eyes, skin, respiratory system, central nervous system

Personal Protection/Sanitation (See [protection codes \(protect.html\)](http://www.cdc.gov/Other/disclaimer.html))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet (flammable)

Change: No recommendation

First Aid (See [procedures \(firstaid.html\)](http://www.cdc.gov/Other/disclaimer.html))

Eye: Irrigate immediately

Skin: Water flush promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH/OSHA

Up to 800 ppm:

(APF = 10) Any chemical cartridge respirator with organic vapor cartridge(s)*

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

(APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)*

(APF = 10) Any supplied-air respirator*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0268 \(/niosh/ipcsneng/nengo268.html\)](#)

See MEDICAL TESTS: [0098 \(/niosh/docs/2005-110/nmed0098.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\) Education and Information Division](#)

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA

800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

Enter search terms separated by spaces.

Toluene

Synonyms & Trade Names Methyl benzene, Methyl benzol, Phenyl methane, Toluol

| | | |
|--|--|---|
| CAS No. 108-88-3 | RTECS No. XS5250000 (/niosh-rtecs/XS501BDo.html) | DOT ID & Guide 1294 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₅ CH ₃ | Conversion 1 ppm = 3.77 mg/m ³ | IDLH 500 ppm See: 108883 (/niosh/idlh/108883.html) |

Exposure Limits

NIOSH REL : TWA 100 ppm (375 mg/m³)
 ST 150 ppm (560 mg/m³)
OSHA PEL † ([nengapdxg.html](#)): TWA 200 ppm C 300 ppm 500 ppm (10-minute maximum peak)

Measurement Methods

NIOSH 1500 ([/niosh/docs/2003-154/pdfs/1500.pdf](#)), **1501** ([/niosh/docs/2003-154/pdfs/1501.pdf](#)), **3800** ([/niosh/docs/2003-154/pdfs/3800.pdf](#)), **4000** ([/niosh/docs/2003-154/pdfs/4000.pdf](#));
OSHA 111
<http://www.osha.gov/dts/sltc/methods/organic/org111/org111.html>
 (<http://www.cdc.gov/Other/disclaimer.html>)
 See: **NMAM** ([/niosh/docs/2003-154/](#)) or **OSHA Methods**
<http://www.osha.gov/dts/sltc/methods/index.html>
<http://www.cdc.gov/Other/disclaimer.html>

Physical Description Colorless liquid with a sweet, pungent, benzene-like odor.

| | | | | | |
|-----------------------|----------------------|-----------------------|----------------------------|--------------------|--------------------|
| MW: 92.1 | BP: 232°F | FRZ: -139°F | Sol(74°F): 0.07% | VP: 21 mmHg | IP: 8.82 eV |
| Sp.Gr: 0.87 | Fl.P: 40°F | UEL: 7.1% | LEL: 1.1% | | |

Class IB Flammable Liquid: Fl.P. below 73°F and BP at or above 100°F.

Incompatibilities & Reactivities Strong oxidizers

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, nose; lassitude (weakness, exhaustion), confusion, euphoria, dizziness, headache; dilated pupils, lacrimation (discharge of tears); anxiety, muscle fatigue, insomnia; paresthesia; dermatitis; liver, kidney damage

Target Organs Eyes, skin, respiratory system, central nervous system, liver, kidneys

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash promptly

Eyes: Prevent eye contact
Wash skin: When contaminated
Remove: When wet (flammable)
Change: No recommendation

Breathing: Respiratory support
Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

Up to 500 ppm:

- (APF = 10) Any chemical cartridge respirator with organic vapor cartridge(s)*
- (APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)*
- (APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister
- (APF = 10) Any supplied-air respirator*
- (APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

- (APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode
- (APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

- (APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister
- Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0078 \(/niosh/ipcsneng/neng0078.html\)](#) See MEDICAL TESTS: [0232 \(/niosh/docs/2005-110/nmedo232.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

Enter search terms separated by spaces.

p-Xylene

Synonyms & Trade Names 1,4-Dimethylbenzene; para-Xylene; p-Xylol

| | | |
|---|--|--|
| CAS No. 106-42-3 | RTECS No. ZE2625000 (/niosh-rtecs/ZE280DE8.html) | DOT ID & Guide 1307 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₄ (CH ₃) ₂ | Conversion 1 ppm = 4.41 mg/m ³ | IDLH 900 ppm See: 95476 (/niosh/idlh/95476.html) |
| Exposure Limits NIOSH REL : TWA 100 ppm (435 mg/m ³) ST 150 ppm (655 mg/m ³) OSHA PEL † (nengapdxg.html): TWA 100 ppm (435 mg/m ³) | | Measurement Methods NIOSH 1501 (/niosh/docs/2003-154/pdfs/1501.pdf), 3800 (/niosh/docs/2003-154/pdfs/3800.pdf); OSHA 1002 (http://www.osha.gov/dts/sltc/methods/mdt/mdt1002/1002.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Colorless liquid with an aromatic odor. [Note: A solid below 56°F.]

| | | | | | |
|-----------------------|----------------------|---------------------|----------------------|-------------------|--------------------|
| MW: 106.2 | BP: 281°F | FRZ: 56°F | Sol: 0.02% | VP: 9 mmHg | IP: 8.44 eV |
| Sp.Gr: 0.86 | Fl.P: 81°F | UEL: 7.0% | LEL: 1.1% | | |

Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.

Incompatibilities & Reactivities Strong oxidizers, strong acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, nose, throat; dizziness, excitement, drowsiness, incoordination, staggering gait; corneal vacuolization; anorexia, nausea, vomiting, abdominal pain; dermatitis

Target Organs Eyes, skin, respiratory system, central nervous system, gastrointestinal tract, blood, liver, kidneys

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))
Skin: Prevent skin contact
Eyes: Prevent eye contact
Wash skin: When contaminated
Remove: When wet (flammable)

First Aid (See [procedures \(firstaid.html\)](#))
Eye: Irrigate immediately
Skin: Soap wash promptly
Breathing: Respiratory support
Swallow: Medical attention immediately

Change: No recommendation

Respirator Recommendations

NIOSH/OSHA

Up to 900 ppm:

(APF = 10) Any chemical cartridge respirator with organic vapor cartridge(s)*

(APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)*

(APF = 10) Any supplied-air respirator*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0086 \(/niosh/ipcsneng/neng0086.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)








Search the Pocket Guide

Enter search terms separated by spaces.

o-Xylene

Synonyms & Trade Names 1,2-Dimethylbenzene; ortho-Xylene; o-Xylol

| | | |
|--|--|---|
| CAS No. 95-47-6 | RTECS No. ZE2450000 (/niosh-rtecs/ZE256250.html) | DOT ID & Guide 1307 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130)  (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₄ (CH ₃) ₂ | Conversion 1 ppm = 4.34 mg/m ³ | IDLH 900 ppm See: 95476 (/niosh/idlh/95476.html) |
| Exposure Limits NIOSH REL : TWA 100 ppm (435 mg/m ³) ST 150 ppm (655 mg/m ³) OSHA PEL † (nengapdxg.html): TWA 100 ppm (435 mg/m ³) | | Measurement Methods NIOSH 1501  (/niosh/docs/2003-154/pdfs/1501.pdf), 3800  (/niosh/docs/2003-154/pdfs/3800.pdf); OSHA 1002 (http://www.osha.gov/dts/sltc/methods/mdt/mdt1002/1002.html)  (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html)  (http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Colorless liquid with an aromatic odor.

| | | | | | |
|-----------------------|----------------------|----------------------|----------------------|-------------------|--------------------|
| MW: 106.2 | BP: 292°F | FRZ: -13°F | Sol: 0.02% | VP: 7 mmHg | IP: 8.56 eV |
| Sp.Gr: 0.88 | Fl.P: 90°F | UEL: 6.7% | LEL: 0.9% | | |

Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.

Incompatibilities & Reactivities Strong oxidizers, strong acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, nose, throat; dizziness, excitement, drowsiness, incoordination, staggering gait; corneal vacuolization; anorexia, nausea, vomiting, abdominal pain; dermatitis

Target Organs Eyes, skin, respiratory system, central nervous system, gastrointestinal tract, blood, liver, kidneys

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))
Skin: Prevent skin contact
Eyes: Prevent eye contact
Wash skin: When contaminated
Remove: When wet (flammable)

First Aid (See [procedures \(firstaid.html\)](#))
Eye: Irrigate immediately
Skin: Soap wash promptly
Breathing: Respiratory support
Swallow: Medical attention immediately

REMOVE FROM FILE (XXXXXXXXXX)

Change: No recommendation

Respirator Recommendations

NIOSH/OSHA

Up to 900 ppm:

(APF = 10) Any chemical cartridge respirator with organic vapor cartridge(s)*

(APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)*

(APF = 10) Any supplied-air respirator*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0084 \(/niosh/ipcsneng/neng0084.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

Enter search terms separated by spaces.

m-Xylene

Synonyms & Trade Names 1,3-Dimethylbenzene; meta-Xylene; m-Xylol

| | | |
|--|--|---|
| CAS No. 108-38-3 | RTECS No. ZE2275000 (/niosh-rtecs/ZE22B6B8.html) | DOT ID & Guide 1307 130 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₄ (CH ₃) ₂ | Conversion 1 ppm = 4.34 mg/m ³ | IDLH 900 ppm See: 95476 (/niosh/idlh/95476.html) |

| | |
|--|---|
| Exposure Limits NIOSH REL : TWA 100 ppm (435 mg/m ³) ST 150 ppm (655 mg/m ³) OSHA PEL † (nengapdxg.html): TWA 100 ppm (435 mg/m ³) | Measurement Methods NIOSH 1501 (/niosh/docs/2003-154/pdfs/1501.pdf), 3800 (/niosh/docs/2003-154/pdfs/3800.pdf); OSHA 1002 http://www.osha.gov/dts/sltc/methods/mdt/mdt1002/1002.html (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods http://www.osha.gov/dts/sltc/methods/index.html http://www.cdc.gov/Other/disclaimer.html |
|--|---|

Physical Description Colorless liquid with an aromatic odor.

| | | | | | |
|-----------------------|----------------------|----------------------|-----------------------|-------------------|--------------------|
| MW: 106.2 | BP: 282°F | FRZ: -54°F | Sol: Slight | VP: 9 mmHg | IP: 8.56 eV |
| Sp.Gr: 0.86 | Fl.P: 82°F | UEL: 7.0% | LEL: 1.1% | | |

Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.

Incompatibilities & Reactivities Strong oxidizers, strong acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, nose, throat; dizziness, excitement, drowsiness, incoordination, staggering gait; corneal vacuolization; anorexia, nausea, vomiting, abdominal pain; dermatitis

Target Organs Eyes, skin, respiratory system, central nervous system, gastrointestinal tract, blood, liver, kidneys

| | |
|---|---|
| Personal Protection/Sanitation (See protection codes (protect.html)) Skin: Prevent skin contact Eyes: Prevent eye contact Wash skin: When contaminated Remove: When wet (flammable) | First Aid (See procedures (firstaid.html)) Eye: Irrigate immediately Skin: Soap wash promptly Breathing: Respiratory support Swallow: Medical attention immediately |
|---|---|

Change: No recommendation

Respirator Recommendations

NIOSH/OSHA

Up to 900 ppm:

(APF = 10) Any chemical cartridge respirator with organic vapor cartridge(s)*

(APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)*

(APF = 10) Any supplied-air respirator*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0085 \(/niosh/ipcsneng/neng0085.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Tetrachloroethylene

Synonyms & Trade Names Perchloroethylene, Perchloroethylene, Perk, Tetrachloroethylene

| | | |
|--|---|---|
| CAS No. 127-18-4 | RTECS No. KX3850000 (/niosh-rtecs/KX3ABF10.html) | DOT ID & Guide 1897 160 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=160) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula Cl ₂ C=CCl ₂ | Conversion 1 ppm = 6.78 mg/m ³ | IDLH Ca [150 ppm] See: 127184 (/niosh/idlh/127184.html) |
| Exposure Limits NIOSH REL : Ca Minimize workplace exposure concentrations. See Appendix A (nengapdx.html) OSHA PEL † (nengapdxg.html): TWA 100 ppm C 200 ppm (for 5 minutes in any 3-hour period), with a maximum peak of 300 ppm | | Measurement Methods NIOSH 1003 (/niosh/docs/2003-154/pdfs/1003.pdf); OSHA 1001 http://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods http://www.osha.gov/dts/sltc/methods/index.html http://www.cdc.gov/Other/disclaimer.html |

Physical Description Colorless liquid with a mild, chloroform-like odor.

| | | | | | |
|-----------------------|---------------------|---------------------|----------------------|--------------------|--------------------|
| MW: 165.8 | BP: 250°F | FRZ: -2°F | Sol: 0.02% | VP: 14 mmHg | IP: 9.32 eV |
| Sp.Gr: 1.62 | Fl.P: NA | UEL: NA | LEL: NA | | |

Noncombustible Liquid, but decomposes in a fire to hydrogen chloride and phosgene.

Incompatibilities & Reactivities Strong oxidizers; chemically-active metals such as lithium, beryllium & barium; caustic soda; sodium hydroxide; potash

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, nose, throat, respiratory system; nausea; flush face, neck; dizziness, incoordination; headache, drowsiness; skin erythema (skin redness); liver damage; [potential occupational carcinogen]

Target Organs Eyes, skin, respiratory system, liver, kidneys, central nervous system

Cancer Site [in animals: liver tumors]

Personal Protection/Sanitation ([See protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: No recommendation

Provide: Eyewash, Quick drench

First Aid ([See procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0076](#)

[\(/niosh/ipcsneng/neng0076.html\)](#) See MEDICAL TESTS: [0179 \(/niosh/docs/2005-110/nmedo179.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Trichloroethylene

Synonyms & Trade Names Ethylene trichloride, TCE, Trichloroethene, Trilene

| | | |
|--------------------------------------|---|---|
| CAS No. 79-01-6 | RETECS No. KX4550000 (/niosh-rtecs/KX456D7o.html) | DOT ID & Guide 1710 160 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=160) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula ClCH=CCl ₂ | Conversion 1 ppm = 5.37 mg/m ³ | IDLH Ca [1000 ppm] See: 79016 (/niosh/idlh/79016.html) |

| | |
|---|---|
| Exposure Limits NIOSH REL : Ca See Appendix A (nengapdx.html) See Appendix C (nengapdx.html) OSHA PEL † (nengapdx.html): TWA 100 ppm C 200 ppm 300 ppm (5-minute maximum peak in any 2 hours) | Measurement Methods NIOSH 1022 (/niosh/docs/2003-154/pdfs/1022.pdf), 3800 (/niosh/docs/2003-154/pdfs/3800.pdf); OSHA 1001 http://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods http://www.osha.gov/dts/sltc/methods/index.html http://www.cdc.gov/Other/disclaimer.html |
|---|---|

Physical Description Colorless liquid (unless dyed blue) with a chloroform-like odor.

| | | | | | |
|-----------------------|---------------------|----------------------------|-------------------------|--------------------|--------------------|
| MW: 131.4 | BP: 189°F | FRZ: -99°F | Sol: 0.1% | VP: 58 mmHg | IP: 9.45 eV |
| Sp.Gr: 1.46 | Fl.P: ? | UEL(77°F): 10.5% | LEL(77°F): 8% | | |

Combustible Liquid, but burns with difficulty.

Incompatibilities & Reactivities Strong caustics & alkalis; chemically-active metals (such as barium, lithium, sodium, magnesium, titanium & beryllium)

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin; headache, visual disturbance, lassitude (weakness, exhaustion), dizziness, tremor, drowsiness, nausea, vomiting; dermatitis; cardiac arrhythmias, paresthesia; liver injury; [potential occupational carcinogen]

Target Organs Eyes, skin, respiratory system, heart, liver, kidneys, central nervous system

Cancer Site [in animals: liver & kidney cancer]

| | |
|--|---|
| Personal Protection/Sanitation (See protection codes (protect.html)) | First Aid (See procedures (firstaid.html)) Eye: Irrigate immediately |
|--|---|

Basic precautions:

Skin: Prevent skin contact
Eyes: Prevent eye contact
Wash skin: When contaminated
Remove: When wet or contaminated
Change: No recommendation
Provide: Eyewash, Quick drench

Eye or Mucous Membrane:

Skin: Soap wash promptly
Breathing: Respiratory support
Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

Important additional information about respirator selection ([pgintrod.html#mustread](#))

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0081 \(/niosh/ipcsneng/neng0081.html\)](#)

See MEDICAL TESTS: [0236 \(/niosh/docs/2005-110/nmedo236.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)







Search the Pocket Guide

Enter search terms separated by spaces.

Vinylidene chloride

Synonyms & Trade Names 1,1-DCE; 1,1-Dichloroethene; 1,1-Dichloroethylene; VDC; Vinylidene chloride monomer; Vinylidene dichloride

| | | |
|---|---|--|
| CAS No. 75-35-4 | RTECS No. KV9275000 (/niosh-rtecs/KV8D8678.html) | DOT ID & Guide 1303 130P (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130&poly=1)  (http://www.cdc.gov/Other/disclaimer.html) (inhibited) |
| Formula CH ₂ =CCl ₂ | Conversion | IDLH Ca [N.D.] See: IDLH INDEX (/niosh/idlh/intridl4.html) |
| Exposure Limits NIOSH REL : Ca See Appendix A (nengapdx.html) OSHA PEL † (nengapdxg.html) : none | | Measurement Methods NIOSH 1015  (/niosh/docs/2003-154/pdfs/1015.pdf); OSHA 19 (http://www.osha.gov/dts/sltc/methods/organic/orgo19/orgo19.html)  (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html)  (http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Colorless liquid or gas (above 89°F) with a mild, sweet, chloroform-like odor.

| | | | | | |
|-----------------------|----------------------|-----------------------|----------------------|---------------------|---------------------|
| MW: 96.9 | BP: 89°F | FRZ: -189°F | Sol: 0.04% | VP: 500 mmHg | IP: 10.00 eV |
| Sp.Gr: 1.21 | Fl.P: -2°F | UEL: 15.5% | LEL: 6.5% | | |

Class IA Flammable Liquid: Fl.P. below 73°F and BP below 100°F.

Incompatibilities & Reactivities Aluminum, sunlight, air, copper, heat [Note: Polymerization may occur if exposed to oxidizers, chlorosulfonic acid, nitric acid, or oleum. Inhibitors such as the monomethyl ether of hydroquinone are added to prevent polymerization.]

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, throat; dizziness, headache, nausea, dyspnea (breathing difficulty); liver, kidney disturbance; pneumonitis; [potential occupational carcinogen]

Target Organs Eyes, skin, respiratory system, central nervous system, liver, kidneys

Cancer Site [in animals: liver & kidney tumors]

Personal Protection/Sanitation ([See protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet (flammable)

Change: No recommendation

Provide: Eyewash, Quick drench

First Aid ([See procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap flush immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0083 \(/niosh/ipcsneng/nengo083.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

1,2-Dichloroethylene

Synonyms & Trade Names Acetylene dichloride, cis-Acetylene dichloride, trans-Acetylene dichloride, sym-Dichloroethylene

| | | |
|-------------------------|---|--|
| CAS No. 540-59-0 | RTECS No. KV9360000 (/niosh-rtecs/KV8ED280.html) | DOT ID & Guide 1150 130P (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=130&poly=1) (http://www.cdc.gov/Other/disclaimer.html) |
|-------------------------|---|--|

| | | |
|--------------------------|--|---|
| Formula ClCH=CHCl | Conversion 1 ppm = 3.97 mg/m ³ | IDLH 1000 ppm See: 540590 (/niosh/idlh/540590.html) |
|--------------------------|--|---|

| | |
|---|--|
| Exposure Limits NIOSH REL : TWA 200 ppm (790 mg/m ³) OSHA PEL : TWA 200 ppm (790 mg/m ³) | Measurement Methods NIOSH 1003 (/niosh/docs/2003-154/pdfs/1003.pdf); OSHA 7 (http://www.osha.gov/dts/sltc/methods/organic/org001/org001.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |
|---|--|

Physical Description Colorless liquid (usually a mixture of the cis & trans isomers) with a slightly acrid, chloroform-like odor.

| | | | | | |
|--------------------------|----------------------|---------------------------|------------------|-------------------------|--------------------|
| MW: 97.0 | BP: 118-140°F | FRZ: -57 to -115°F | Sol: 0.4% | VP: 180-265 mmHg | IP: 9.65 eV |
| Sp.Gr(77°F): 1.27 | Fl.P: 36-39°F | UEL: 12.8% | LEL: 5.6% | | |

Class IB Flammable Liquid: Fl.P. below 73°F and BP at or above 100°F.

Incompatibilities & Reactivities Strong oxidizers, strong alkalis, potassium hydroxide, copper [Note: Usually contains inhibitors to prevent polymerization.]

Exposure Routes inhalation, ingestion, skin and/or eye contact

Symptoms irritation eyes, respiratory system; central nervous system depression

Target Organs Eyes, respiratory system, central nervous system

| | |
|--|--|
| Personal Protection/Sanitation (See protection codes (protection.html)) Skin: Prevent skin contact Eyes: Prevent eye contact | First Aid (See procedures (firstaid.html)) Eye: Irrigate immediately Skin: Soap wash promptly Breathing: Respiratory support |
|--|--|

Wash skin: When contaminated
Remove: When wet (flammable)
Change: No recommendation

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH/OSHA

Up to 1000 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode[£]

(APF = 25) Any powered, air-purifying respirator with organic vapor cartridge(s)[£]

(APF = 50) Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s)

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0436 \(/niosh/ipcsneng/neng0436.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Vinyl chloride

Synonyms & Trade Names Chloroethene, Chloroethylene, Ethylene monochloride, Monochloroethene, Monochloroethylene, VC, Vinyl chloride monomer (VCM)

CAS No. 75-01-4

RTECS No.
 KU9625000 (</niosh-rtecs/KU92DDA8.html>)

DOT ID & Guide 1086 116P (<http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=116&poly=1>) (<http://www.cdc.gov/Other/disclaimer.html>) (inhibited)

Formula CH₂=CHCl

Conversion 1 ppm = 2.56 mg/m³

IDLH Ca [N.D.]
 See: [IDLH INDEX \(/niosh/idlh/intridl4.html\)](/niosh/idlh/intridl4.html)

Exposure Limits

NIOSH REL : Ca [See Appendix A \(nengapdx.html\)](#)

OSHA PEL : [1910.1017] TWA 1 ppm C 5 ppm [15-minute]

Measurement Methods

NIOSH 1007 (</niosh/docs/2003-154/pdfs/1007.pdf>);

OSHA 4

(<http://www.osha.gov/dts/sltc/methods/organic/org004/org004.html>)

(<http://www.cdc.gov/Other/disclaimer.html>), 75

(<http://www.osha.gov/dts/sltc/methods/organic/org075/org075.html>)

(<http://www.cdc.gov/Other/disclaimer.html>)

See: [NMAM \(/niosh/docs/2003-154/\)](/niosh/docs/2003-154/) or [OSHA Methods](#)

(<http://www.osha.gov/dts/sltc/methods/index.html>)

(<http://www.cdc.gov/Other/disclaimer.html>)

Physical Description Colorless gas or liquid (below 7°F) with a pleasant odor at high concentrations. [Note: Shipped as a liquefied compressed gas.]

MW:
62.5

BP: 7°F

FRZ:
-256°F

Sol(77°F):
0.1%

VP: 3.3 atm

IP: 9.99 eV

Fl.P: NA
(Gas)

UEL:
33.0%

LEL: 3.6%

RGasD: 2.21

Flammable Gas

Incompatibilities & Reactivities Copper, oxidizers, aluminum, peroxides, iron, steel [Note: Polymerizes in air, sunlight, or heat unless stabilized by inhibitors such as phenol. Attacks iron & steel in presence of moisture.]

Exposure Routes inhalation, skin and/or eye contact (liquid)

Symptoms lassitude (weakness, exhaustion); abdominal pain, gastrointestinal bleeding; enlarged liver; pallor or cyanosis of extremities; liquid: frostbite; [potential occupational carcinogen]

Target Organs Liver, central nervous system, blood, respiratory system, lymphatic system

Cancer Site [liver cancer]

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Frostbite

Eyes: Frostbite

Wash skin: No recommendation

Remove: When wet (flammable)

Change: No recommendation

Provide: Frostbite wash

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Frostbite

Skin: Frostbite

Breathing: Respiratory support

Respirator Recommendations

(See [Appendix E \(nengapdx.html\)](#))

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0082 \(/niosh/ipcsneng/neng0082.html\)](#)

See [MEDICAL TESTS: 0241 \(/niosh/docs/2005-110/nmed0241.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\) Education and Information Division](#)

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Methyl chloroform

Synonyms & Trade Names Chlorothene; 1,1,1-Trichloroethane; 1,1,1-Trichloroethane (stabilized)

CAS No. 71-55-6

RTECS No.
[KJ2975000 \(/niosh-rtecs/KJ2D6518.html\)](http://www.niosh-rtecs.com/KJ2D6518.html)

DOT ID & Guide 2831 160
[\(/http://www.wapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=160\)](http://www.wapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=160)
[\(/http://www.cdc.gov/Other/disclaimer.html\)](http://www.cdc.gov/Other/disclaimer.html)

Formula CH₃CCl₃

Conversion 1 ppm = 5.46 mg/m³

IDLH 700 ppm
 See: [71556 \(/niosh/idlh/71556.html\)](http://www.niosh.gov/idlh/71556.html)

Exposure Limits

NIOSH REL : C 350 ppm (1900 mg/m³) [15-minute] [See Appendix C \(nengapdx.html\)](#) (Chloroethanes)
OSHA PEL † [\(nengapdxg.html\)](#): TWA 350 ppm (1900 mg/m³)

Measurement Methods

NIOSH 1003 [\(/niosh/docs/2003-154/pdfs/1003.pdf\)](http://www.niosh.gov/docs/2003-154/pdfs/1003.pdf)
 See: [NMAM \(/niosh/docs/2003-154/\)](#) or [OSHA Methods \(/http://www.osha.gov/dts/sltc/methods/index.html\)](#)
[\(/http://www.cdc.gov/Other/disclaimer.html\)](http://www.cdc.gov/Other/disclaimer.html)

Physical Description Colorless liquid with a mild, chloroform-like odor.

MW:
133.4

BP:
165°F

FRZ:
-23°F

Sol:
0.4%

VP: 100 mmHg

IP: 11.00 eV

Sp.Gr:
1.34

Fl.P: ?

UEL:
12.5%

LEL:
7.5%

Combustible Liquid, but burns with difficulty.

Incompatibilities & Reactivities Strong caustics; strong oxidizers; chemically-active metals such as zinc, aluminum, magnesium powders, sodium & potassium; water [Note: Reacts slowly with water to form hydrochloric acid.]

Exposure Routes inhalation, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin; headache, lassitude (weakness, exhaustion), central nervous system depression, poor equilibrium; dermatitis; cardiac arrhythmias; liver damage

Target Organs Eyes, skin, central nervous system, cardiovascular system, liver

Personal Protection/Sanitation ([See protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: No recommendation

First Aid ([See procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH/OSHA

Up to 700 ppm:

(APF = 10) Any supplied-air respirator*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0079 \(/niosh/ipcsneng/neng0079.html\)](#) See MEDICAL TESTS: [0141 \(/niosh/docs/2005-110/nmed0141.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA
30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Coal tar pitch volatiles

Synonyms & Trade Names Synonyms vary depending upon the specific compound (e.g., pyrene, phenanthrene, acridine, chrysene, anthracene & benzo(a)pyrene). [Note: NIOSH considers coal tar, coal tar pitch, and creosote to be coal tar products.]

| | | |
|---|---|--|
| CAS No. 65996-93-2 | RTECS No. GF8655000 (/niosh-rtecs/GF841098.html) | DOT ID & Guide 2713 153 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153) (http://www.cdc.gov/Other/disclaimer.html) (acridine) |
| | Conversion | IDLH Ca [80 mg/m ³] See: 65996932 (/niosh/idlh/65996932.html) |
| Exposure Limits NIOSH REL : Ca TWA 0.1 mg/m ³ (cyclohexane-extractable fraction) See Appendix A (nengapdx.html) See Appendix C (nengapdx.html) OSHA PEL : TWA 0.2 mg/m ³ (benzene-soluble fraction) [1910.1002] See Appendix C (nengapdx.html) | | Measurement Methods OSHA 58 http://www.osha.gov/dts/sltc/methods/organic/orgo58/orgo58.html http://www.cdc.gov/Other/disclaimer.html See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) http://www.cdc.gov/Other/disclaimer.html |

Physical Description Black or dark-brown amorphous residue.

| | | | | |
|---|--|--|--|--|
| Properties vary depending upon the specific compound. | | | | |
| | | | | |

Combustible Solids

Incompatibilities & Reactivities Strong oxidizers

Exposure Routes inhalation, skin and/or eye contact

Symptoms dermatitis, bronchitis, [potential occupational carcinogen]

Target Organs respiratory system, skin, bladder, kidneys

Cancer Site [lung, kidney & skin cancer]

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: Daily

Remove: No recommendation

Change: Daily

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [1415](#)

[\(/niosh/ipcsneng/neng1415.html\)](#) See MEDICAL TESTS: [0054 \(/niosh/docs/2005-110/nmed0054.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Phenol

Synonyms & Trade Names Carbohic acid, Hydroxybenzene, Monohydroxybenzene, Phenyl alcohol, Phenyl hydroxide

| | | |
|-------------------------|--|---|
| CAS No. 108-95-2 | RTECS No. SJ3325000 (/niosh-rtecs/SJ32BC48.html) | DOT ID & Guide 1671 153 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153) (http://www.cdc.gov/Other/disclaimer.html) (solid) 2312 153 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153) (http://www.cdc.gov/Other/disclaimer.html) (molten) 2821 153 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153) (http://www.cdc.gov/Other/disclaimer.html) (solution) |
|-------------------------|--|---|

| | | |
|---|--|--|
| Formula C ₆ H ₅ OH | Conversion 1 ppm = 3.85 mg/m ³ | IDLH 250 ppm See: 108952 (/niosh/idlh/108952.html) |
|---|--|--|

| | |
|---|---|
| Exposure Limits NIOSH REL : TWA 5 ppm (19 mg/m ³) C 15.6 ppm (60 mg/m ³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m ³) [skin] | Measurement Methods NIOSH 2546 (/niosh/docs/2003-154/pdfs/2546.pdf); OSHA 32 See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |
|---|---|

Physical Description Colorless to light-pink, crystalline solid with a sweet, acrid odor. [Note: Phenol liquefies by mixing with about 8% water.]

| | | | | | |
|-----------------------|-----------------------|----------------------|-------------------------|---------------------|--------------------|
| MW: 94.1 | BP: 359°F | MLT: 109°F | Sol(77°F): 9% | VP: 0.4 mmHg | IP: 8.50 eV |
| Sp.Gr: 1.06 | Fl.P: 175°F | UEL: 8.6% | LEL: 1.8% | | |

Combustible Solid

Incompatibilities & Reactivities Strong oxidizers, calcium hypochlorite, aluminum chloride, acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, nose, throat; anorexia, weight loss; lassitude (weakness, exhaustion), muscle ache, pain; dark urine; cyanosis; liver, kidney damage; skin burns; dermatitis; ochronosis; tremor, convulsions, twitching

Target Organs Eyes, skin, respiratory system, liver, kidneys

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))
Skin: Prevent skin contact
Eyes: Prevent eye contact
Wash skin: When contaminated
Remove: When wet or contaminated
Change: Daily
Provide: Eyewash, Quick drench

First Aid (See [procedures \(firstaid.html\)](#))
Eye: Irrigate immediately
Skin: Soap wash immediately
Breathing: Respiratory support
Swallow: Medical attention immediately

Respirator Recommendations

NIOSH/OSHA

Up to 50 ppm:

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used: N99, R99, P99, N100, R100, P100.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 10) Any supplied-air respirator

Up to 125 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 250 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0070 \(/niosh/ipcsneng/neng0070.html\)](#) See MEDICAL TESTS: [0182 \(/niosh/docs/2005-110/nmedo182.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA
30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Naphthalene

Synonyms & Trade Names Naphthalin, Tar camphor, White tar

| | | |
|------------------------|--|--|
| CAS No. 91-20-3 | RTECS No. QJ0525000 (/niosh-rtecs/QJ802C8.html) | DOT ID & Guide 1334 133 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=133) (http://www.cdc.gov/Other/disclaimer.html) (crude or refined) 2304 133 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=133) (http://www.cdc.gov/Other/disclaimer.html) (molten) |
|------------------------|--|--|

| | | |
|---|--|--|
| Formula C ₁₀ H ₈ | Conversion 1 ppm = 5.24 mg/m ³ | IDLH 250 ppm See: 91203 (/niosh/idlh/91203.html) |
|---|--|--|

| | |
|---|--|
| Exposure Limits NIOSH REL : TWA 10 ppm (50 mg/m ³) ST 15 ppm (75 mg/m ³) OSHA PEL † (nengapdxg.html): TWA 10 ppm (50 mg/m ³) | Measurement Methods NIOSH 1501 (/niosh/docs/2003-154/pdfs/1501.pdf); OSHA 35 (http://www.osha.gov/dts/sltc/methods/organic/org035/org035.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |
|---|--|

Physical Description Colorless to brown solid with an odor of mothballs. [Note: Shipped as a molten solid.]

| | | | | | |
|-----------------------|-----------------------|----------------------|-----------------------|----------------------|--------------------|
| MW: 128.2 | BP: 424°F | MLT: 176°F | Sol: 0.003% | VP: 0.08 mmHg | IP: 8.12 eV |
| Sp.Gr: 1.15 | Fl.P: 174°F | UEL: 5.9% | LEL: 0.9% | | |

Combustible Solid, but will take some effort to ignite.

Incompatibilities & Reactivities Strong oxidizers, chromic anhydride

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes; headache, confusion, excitement, malaise (vague feeling of discomfort); nausea, vomiting, abdominal pain; irritation bladder; profuse sweating; jaundice; hematuria (blood in the urine), renal shutdown; dermatitis, optical neuritis, corneal damage

Target Organs Eyes, skin, blood, liver, kidneys, central nervous system

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Molten flush immediately/solid-liquid soap wash promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH/OSHA

Up to 100 ppm:

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used: N99, R99, P99, N100, R100, P100.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.*

(APF = 10) Any supplied-air respirator*

Up to 250 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode*

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 25) Any powered, air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0667](#)

[\(/niosh/ipcsneng/nengo667.html\)](#) See MEDICAL TESTS: [0152 \(/niosh/docs/2005-110/nmed0152.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

p-Cresol

Synonyms & Trade Names para-Cresol, 4-Cresol, p-Cresylic acid, 1-Hydroxy-4-methylbenzene, 4-Hydroxytoluene, 4-Methyl phenol

CAS No. 106-44-5

RTECS No.
[GO6475000 \(/niosh-rtecs/GO62CCF8.html\)](http://www.niosh-rtecs.com/GO62CCF8.html)

DOT ID & Guide 2076 153
 [\(http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153\)](http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153)
 [\(http://www.cdc.gov/Other/disclaimer.html\)](http://www.cdc.gov/Other/disclaimer.html)

Formula CH₃C₆H₄OH

Conversion 1 ppm =
 4.43 mg/m³

IDLH 250 ppm
 See: [cresol \(/niosh/IDLH/cresol.html\)](http://www.niosh.gov/IDLH/cresol.html)

Exposure Limits

NIOSH REL : TWA 2.3 ppm (10 mg/m³)
OSHA PEL : TWA 5 ppm (22 mg/m³) [skin]

Measurement Methods
NIOSH 2546 [\(/niosh/docs/2003-154/pdfs/2546.pdf\)](http://www.niosh.gov/docs/2003-154/pdfs/2546.pdf) ;
OSHA 32
 See: [NMAM \(/niosh/docs/2003-154/\)](http://www.niosh.gov/docs/2003-154/) or [OSHA Methods \(http://www.osha.gov/dts/sltc/methods/index.html\)](http://www.osha.gov/dts/sltc/methods/index.html)
 [\(http://www.cdc.gov/Other/disclaimer.html\)](http://www.cdc.gov/Other/disclaimer.html)

Physical Description Crystalline solid with a sweet, tarry odor. [Note: A liquid above 95°F.]

MW:
108.2

BP:
396°F

MLT: Sol: 2%
95°F

VP(77°F): 0.11 mmHg

IP: 8.97 eV

Sp.Gr:
1.04

Fl.P:
187°F

UEL: LEL(300°F):
? 1.1%

Combustible Solid Class IIIA Combustible Liquid: Fl.P. at or above 140°F and below 200°F.

Incompatibilities & Reactivities Strong oxidizers, acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, mucous membrane; central nervous system effects: confusion, depression, resp failure; dyspnea (breathing difficulty), irreg rapid resp, weak pulse; eye, skin burns; dermatitis; lung, liver, kidney, pancreas damage

Target Organs Eyes, skin, respiratory system, central nervous system, liver, kidneys, pancreas, cardiovascular system

Personal Protection/Sanitation (See protection codes ([protect.html](#)))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

Provide: Eyewash, Quick drench

First Aid (See procedures ([firstaid.html](#)))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

Up to 23 ppm:

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used: N99, R99, P99, N100, R100, P100.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 10) Any supplied-air respirator

Up to 57.5 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 115 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter*

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 250 ppm:

(APF = 2000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is

operated in a pressure-demand or other positive-pressure mode (APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0031 \(/niosh/ipcsneng/neng0031.html\)](#) See MEDICAL TESTS: [0059 \(/niosh/docs/2005-110/nmed0059.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA
30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

o-Cresol

Synonyms & Trade Names ortho-Cresol, 2-Cresol, o-Cresylic acid, 1-Hydroxy-2-methylbenzene, 2-Hydroxytoluene, 2-Methyl phenol

CAS No. 95-48-7

RTECS No.
 GO6300000 ([/niosh-rtecs/GO602160.html](http://www.niosh-rtecs.com/GO602160.html))

DOT ID & Guide 2076 153
<http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153>
<http://www.cdc.gov/Other/disclaimer.html>

Formula CH₃C₆H₄OH

Conversion 1 ppm =
 4.43 mg/m³

IDLH 250 ppm
 See: [cresol \(/niosh/idlh/cresol.html\)](http://www.niosh.gov/IDLH/cresol.html)

Exposure Limits

NIOSH REL : TWA 2.3 ppm (10 mg/m³)
OSHA PEL : TWA 5 ppm (22 mg/m³) [skin]

Measurement Methods
NIOSH 2546 ([/niosh/docs/2003-154/pdfs/2546.pdf](http://www.niosh.gov/docs/2003-154/pdfs/2546.pdf));
OSHA 32
 See: [NMAM \(/niosh/docs/2003-154/\)](http://www.niosh.gov/docs/2003-154/) or [OSHA Methods \(http://www.osha.gov/dts/sltc/methods/index.html\)](http://www.osha-slc.com/methods/index.html)
<http://www.cdc.gov/Other/disclaimer.html>

Physical Description White crystals with a sweet, tarry odor. [Note: A liquid above 88°F.]

MW:
 108.2

BP:
 376°F

MLT: Sol: 2%
 88°F

VP(77°F): 0.29 mmHg

IP: 8.93 eV

Sp.Gr:
 1.05

Fl.P:
 178°F

UEL: LEL(300°F):
 ? 1.4%

Combustible Solid Class IIIA Combustible Liquid: Fl.P. at or above 140°F and below 200°F.

Incompatibilities & Reactivities Strong oxidizers, acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, mucous membrane; central nervous system effects: confusion, depression, resp failure; dyspnea (breathing difficulty), irreg rapid resp, weak pulse; eye, skin burns; dermatitis; lung, liver, kidney, pancreas damage

Target Organs Eyes, skin, respiratory system, central nervous system, liver, kidneys, pancreas, cardiovascular system

Personal Protection/Sanitation (See protection codes ([protect.html](#)))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

Provide: Eyewash, Quick drench

First Aid (See procedures ([firstaid.html](#)))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

Up to 23 ppm:

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used: N99, R99, P99, N100, R100, P100.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 10) Any supplied-air respirator

Up to 57.5 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 115 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter*

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 250 ppm:

(APF = 2000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is

operated in a pressure-demand or other positive-pressure mode (APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0030 \(/niosh/ipcsneng/neng0030.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA
30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

m-Cresol

Synonyms & Trade Names meta-Cresol, 3-Cresol, m-Cresylic acid, 1-Hydroxy-3-methylbenzene, 3-Hydroxytoluene, 3-Methyl phenol

| | | |
|-------------------------|---|--|
| CAS No. 108-39-4 | RTECS No. GO6125000 (/niosh-rtecs/GO5D75C8.html) | DOT ID & Guide 2076 153 (http://www.wapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=153) (http://www.cdc.gov/Other/disclaimer.html) |
|-------------------------|---|--|

| | | |
|---|--|--|
| Formula CH ₃ C ₆ H ₄ OH | Conversion 1 ppm = 4.43 mg/m ³ | IDLH 250 ppm See: cresol (/niosh/IDLH/cresol.html) |
|---|--|--|

| | |
|--|--|
| Exposure Limits NIOSH REL : TWA 2.3 ppm (10 mg/m ³) OSHA PEL : TWA 5 ppm (22 mg/m ³) [skin] | Measurement Methods NIOSH 2546 (/niosh/docs/2003-154/pdfs/2546.pdf); OSHA 32 See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |
|--|--|

Physical Description Colorless to yellowish liquid with a sweet, tarry odor. [Note: A solid below 54°F.]

| | | | | | |
|-----------------------|------------------------|---------------------|----------------------------|----------------------------|--------------------|
| MW: 108.2 | BP: 397°F | FRZ: 54°F | Sol: 2% | VP(77°F): 0.14 mmHg | IP: 8.98 eV |
| Sp.Gr: 1.03 | Fl.P.: 187°F | UEL: ? | LEL(300°F): 1.1% | | |

Class IIIA Combustible Liquid: Fl.P. at or above 140°F and below 200°F.

Incompatibilities & Reactivities Strong oxidizers, acids

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin, mucous membrane; central nervous system effects: confusion, depression, resp failure; dyspnea (breathing difficulty), irreg rapid resp, weak pulse; eye, skin burns; dermatitis; lung, liver, kidney, pancreas damage

Target Organs Eyes, skin, respiratory system, central nervous system, liver, kidneys, pancreas, cardiovascular system

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

Provide: Eyewash, Quick drench

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

Up to 23 ppm:

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used: N99, R99, P99, N100, R100, P100.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 10) Any supplied-air respirator

Up to 57.5 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 115 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter*

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode*

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 250 ppm:

(APF = 2000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0646 \(/niosh/ipcsneng/nengo646.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\) Education and Information Division](#)

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA
30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

SEARCH

Enter search terms separated by spaces.

Arsenic (inorganic compounds, as As)

Synonyms & Trade Names Arsenic metal: Arsenia

Other synonyms vary depending upon the specific As compound. [Note: OSHA considers "Inorganic Arsenic" to mean copper acetoarsenite and all inorganic compounds containing arsenic except ARSINE.]

| | | |
|----------------------------------|--|---|
| CAS No. 7440-38-2 (metal) | RTECS No. CG0525000 (metal) (/niosh-rtecs/CG802C8.html) | DOT ID & Guide 1558 152 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=152) (http://www.cdc.gov/Other/disclaimer.html) (metal) 1562 152 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=152) (http://www.cdc.gov/Other/disclaimer.html) (dust) |
|----------------------------------|--|---|

| | | |
|------------------------------|-------------------|---|
| Formula As (metal) | Conversion | IDLH Ca [5 mg/m ³ (as As)] See: 7440382 (/niosh/idlh/7440382.html) |
|------------------------------|-------------------|---|

| | |
|---|--|
| Exposure Limits NIOSH REL : Ca C 0.002 mg/m ³ [15-minute] See Appendix A (nengapdx.html) OSHA PEL : [1910.1018] TWA 0.010 mg/m ³ | Measurement Methods NIOSH 7300 (/niosh/docs/2003-154/pdfs/7300.pdf), 7301 (/niosh/docs/2003-154/pdfs/7301.pdf), 7303 (/niosh/docs/2003-154/pdfs/7303.pdf), 7900 (/niosh/docs/2003-154/pdfs/7900.pdf), 9102 (/niosh/docs/2003-154/pdfs/9102.pdf); OSHA ID105 (http://www.osha.gov/dts/sltc/methods/inorganic/id105/id105.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |
|---|--|

Physical Description Metal: Silver-gray or tin-white, brittle, odorless solid.

| | | | | | |
|----------------------------------|------------------------|-------------------------------------|--------------------------|----------------------------|---------------|
| MW: 74.9 | BP: Sublimes | MLT: 1135°F (Sublimes) | Sol: Insoluble | VP: 0 mmHg (approx) | IP: NA |
| Sp.Gr: 5.73 (metal) | Fl.P: NA | UEL: NA | LEL: NA | | |

Metal: Noncombustible Solid in bulk form, but a slight explosion hazard in the form of dust when exposed to flame.

Incompatibilities & Reactivities Strong oxidizers, bromine azide [Note: Hydrogen gas can react with inorganic arsenic to form the highly toxic gas arsine.]

Exposure Routes inhalation, skin absorption, skin and/or eye contact, ingestion

Symptoms Ulceration of nasal septum, dermatitis, gastrointestinal disturbances, peripheral neuropathy, resp irritation, hyperpigmentation of skin, [potential occupational carcinogen]

Target Organs Liver, kidneys, skin, lungs, lymphatic system

Cancer Site [lung & lymphatic cancer]

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))
Skin: Prevent skin contact
Eyes: Prevent eye contact
Wash skin: When contaminated/Daily
Remove: When wet or contaminated
Change: Daily
Provide: Eyewash, Quick drench

First Aid (See [procedures \(firstaid.html\)](#))
Eye: Irrigate immediately
Skin: Soap wash immediately
Breathing: Respiratory support
Swallow: Medical attention immediately

Respirator Recommendations
(See [Appendix E \(nengapdx.html\)](#))

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted acid gas canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0013 \(/niosh/ipcsneng/neng0013.html\)](#)
See [MEDICAL TESTS: 0017 \(/niosh/docs/2005-110/nmed0017.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Lead

Synonyms & Trade Names Lead metal, Plumbum

| | | |
|--------------------------|---|---|
| CAS No. 7439-92-1 | RTECS No. OF7525000 (/niosh-rtecs/OF72D288.html) | DOT ID & Guide |
| Formula Pb | Conversion | IDLH 100 mg/m ³ (as Pb) See: 7439921 (/niosh/idlh/7439921.html) |

Exposure Limits

NIOSH REL *: TWA (8-hour) 0.050 mg/m³ [See Appendix C \(nengapdxc.html\)](#) [*Note: The REL also applies to other lead compounds (as Pb) -- see Appendix C.]
OSHA PEL *: [1910.1025] TWA 0.050 mg/m³ [See Appendix C \(nengapdxc.html\)](#) [*Note: The PEL also applies to other lead compounds (as Pb) -- see Appendix C.]

Measurement Methods

NIOSH 7082  (</niosh/docs/2003-154/pdfs/7082.pdf>), **7105**  (</niosh/docs/2003-154/pdfs/7105.pdf>), **7300**  (</niosh/docs/2003-154/pdfs/7300.pdf>), **7301**  (</niosh/docs/2003-154/pdfs/7301.pdf>), **7303**  (</niosh/docs/2003-154/pdfs/7303.pdf>), **7700**  (</niosh/docs/2003-154/pdfs/7700.pdf>), **7701**  (</niosh/docs/2003-154/pdfs/7701.pdf>), **7702**  (</niosh/docs/2003-154/pdfs/7702.pdf>), **9100**  (</niosh/docs/2003-154/pdfs/9100.pdf>), **9102**  (</niosh/docs/2003-154/pdfs/9102.pdf>), **9105**  (</niosh/docs/2003-154/pdfs/9105.pdf>);
OSHA ID121
<http://www.osha.gov/dts/sltc/methods/inorganic/id121/id121.html>
 <http://www.cdc.gov/Other/disclaimer.html>, **ID125G**
<http://www.osha.gov/dts/sltc/methods/inorganic/id125g/id125g.html>
 <http://www.cdc.gov/Other/disclaimer.html>, **ID206**
<http://www.osha.gov/dts/sltc/methods/inorganic/id206/id206.html>
 <http://www.cdc.gov/Other/disclaimer.html>
 See: [NMAM \(/niosh/docs/2003-154/\)](/niosh/docs/2003-154/) or [OSHA Methods \(http://www.osha.gov/dts/sltc/methods/index.html\)](http://www.osha.gov/dts/sltc/methods/index.html) 
<http://www.cdc.gov/Other/disclaimer.html>

Physical Description A heavy, ductile, soft, gray solid.

| | | | | | |
|------------------------|----------------------|----------------------|--------------------------|----------------------------|---------------|
| MW: 207.2 | BP: 3164°F | MLT: 621°F | Sol: Insoluble | VP: 0 mmHg (approx) | IP: NA |
| Sp.Gr: 11.34 | Fl.P: NA | UEL: NA | LEL: NA | | |

Noncombustible Solid in bulk form.

Incompatibilities & Reactivities Strong oxidizers, hydrogen peroxide, acids

Exposure Routes inhalation, ingestion, skin and/or eye contact

Symptoms lassitude (weakness, exhaustion), insomnia; facial pallor; anorexia, weight loss, malnutrition; constipation, abdominal pain, colic; anemia; gingival lead line; tremor; paralysis wrist, ankles; encephalopathy; kidney disease; irritation eyes; hypertension

Target Organs Eyes, gastrointestinal tract, central nervous system, kidneys, blood, gingival tissue

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: Daily

Remove: When wet or contaminated

Change: Daily

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap flush promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

(See [Appendix E \(nengapdx.html\)](#))

NIOSH/OSHA

Up to 0.5 mg/m³:

(APF = 10) Any air-purifying respirator with an N100, R100, or P100 filter (including N100, R100, and P100 filtering facepieces) except quarter-mask respirators.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 10) Any supplied-air respirator

Up to 1.25 mg/m³:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter.

Up to 2.5 mg/m³:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 50 mg/m³:

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

Up to 100 mg/m³:

(APF = 2000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](/niosh/npg/pgintrod.html) See ICSC CARD: [0052 \(/niosh/ipcsneng/neng0052.html\)](/niosh/ipcsneng/neng0052.html) See MEDICAL TESTS: [0127 \(/niosh/docs/2005-110/nmedo127.html\)](/niosh/docs/2005-110/nmedo127.html)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Mercury compounds [except (organo) alkyls] (as Hg)

Synonyms & Trade Names Mercury metal: Colloidal mercury, Metallic mercury, Quicksilver
 Synonyms of "other" Hg compounds vary depending upon the specific compound.

| | | |
|--|---|--|
| CAS No. 7439-97-6 (metal) | RTECS No. OV4550000 (metal) (/niosh-rtecs/OV456D7o.html) | DOT ID & Guide 2809 172 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=172) (http://www.cdc.gov/Other/disclaimer.html) (metal) |
| Formula Hg (metal) | Conversion | IDLH 10 mg/m ³ (as Hg) See: 7439976 (/niosh/idlh/7439976.html) |
| Exposure Limits NIOSH REL : Hg Vapor: TWA 0.05 mg/m ³ [skin] Other: C 0.1 mg/m ³ [skin] OSHA PEL † (nengapdxg.html): TWA 0.1 mg/m ³ | | Measurement Methods NIOSH 6009 (/niosh/docs/2003-154/pdfs/6009.pdf); OSHA ID140 (http://www.osha.gov/dts/sltc/methods/inorganic/id140/id140.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Metal: Silver-white, heavy, odorless liquid. [Note: "Other" Hg compounds include all inorganic & aryl Hg compounds except (organo) alkyls.]

| | | | | | |
|----------------------------------|---------------------|----------------------|--------------------------|------------------------|--------------|
| MW: 200.6 | BP: 674°F | FRZ: -38°F | Sol: Insoluble | VP: 0.0012 mmHg | IP: ? |
| Sp.Gr: 13.6 (metal) | Fl.P: NA | UEL: NA | LEL: NA | | |

Metal: Noncombustible Liquid

Incompatibilities & Reactivities Acetylene, ammonia, chlorine dioxide, azides, calcium (amalgam formation), sodium carbide, lithium, rubidium, copper

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, skin; cough, chest pain, dyspnea (breathing difficulty), bronchitis, pneumonitis; tremor, insomnia, irritability, indecision, headache, lassitude (weakness, exhaustion); stomatitis, salivation; gastrointestinal disturbance, anorexia, weight loss; proteinuria

Target Organs Eyes, skin, respiratory system, central nervous system, kidneys

Personal Protection/Sanitation (See [protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: No recommendation

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

First Aid (See [procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash promptly

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

Mercury vapor:

NIOSH

Up to 0.5 mg/m³:

(APF = 10) Any chemical cartridge respirator with cartridge(s) providing protection against the compound of concern[†]

(APF = 10) Any supplied-air respirator

Up to 1.25 mg/m³:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with cartridge(s) providing protection against the compound of concern[†](canister)

Up to 2.5 mg/m³:

(APF = 50) Any chemical cartridge respirator with a full facepiece and cartridge(s) providing protection against the compound of concern[†]

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern[†]

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and cartridge(s) providing protection against the compound of concern(canister)

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 10 mg/m³:

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern

Any appropriate escape-type, self-contained breathing apparatus

Other mercury compounds: NIOSH/OSHA

Up to 1 mg/m³:

(APF = 10) Any chemical cartridge respirator with cartridge(s) providing protection against the compound of concern[†]

(APF = 10) Any supplied-air respirator

Up to 2.5 mg/m³:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with cartridge(s) providing protection against the compound of concern†(canister)

Up to 5 mg/m³:

(APF = 50) Any chemical cartridge respirator with a full facepiece and cartridge(s) providing protection against the compound of concern†

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern†

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and cartridge(s) providing protection against the compound of concern(canister)

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 10 mg/m³:

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0056](#)

[\(/niosh/ipcsneng/neng0056.html\)](#) See MEDICAL TESTS: [0136 \(/niosh/docs/2005-110/nmedo136.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)



Search the Pocket Guide

Enter search terms separated by spaces.

Chlorodiphenyl (54% chlorine)

Synonyms & Trade Names Aroclor® 1254, PCB, Polychlorinated biphenyl

| | | |
|---|---|---|
| CAS No. 11097-69-1 | RTECS No. TQ1360000 (/niosh-rtecs/TQ14Co80.html) | DOT ID & Guide 2315 171 (http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=171) (http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₃ Cl ₂ C ₆ H ₂ Cl ₃ (approx) | Conversion | IDLH Ca [5 mg/m ³] See: IDLH INDEX (/idlh/intridl4.html) |
| Exposure Limits NIOSH REL *: Ca TWA 0.001 mg/m ³ See Appendix A (nengapdx.html) [*Note: The REL also applies to other PCBs.] OSHA PEL : TWA 0.5 mg/m ³ [skin] | | Measurement Methods NIOSH 5503 (/niosh/docs/2003-154/pdfs/5503.pdf) ; OSHA PV2088 (http://www.osha.gov/dts/sltc/methods/partial/t-pv2088-01-8812-ch/t-pv2088-01-8812-ch.html) (http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (http://www.osha.gov/dts/sltc/methods/index.html) (http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Colorless to pale-yellow, viscous liquid or solid (below 50°F) with a mild, hydrocarbon odor.

| | | | | | |
|----------------------------|----------------------|------------------|-----------------------|-------------------------|--------------|
| MW: 326 (approx) | BP: 689-734°F | FRZ: 50°F | Sol: Insoluble | VP: 0.00006 mmHg | IP: ? |
| Sp.Gr(77°F): 1.38 | Fl.P: NA | UEL: NA | LEL: NA | | |

Nonflammable Liquid, but exposure in a fire results in the formation of a black soot containing PCBs, polychlorinated dibenzofurans, and chlorinated dibenzo-p-dioxins.

Incompatibilities & Reactivities Strong oxidizers

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes, chloracne; liver damage; reproductive effects; [potential occupational carcinogen]

Target Organs Skin, eyes, liver, reproductive system

Cancer Site [in animals: tumors of the pituitary gland & liver, leukemia]

Personal Protection/Sanitation (See protection codes (protect.html))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

Provide: Eyewash, Quick drench

First Aid (See procedures (firstaid.html))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See ICSC CARD: [0939](#)

[\(/niosh/ipcsneng/nengo939.html\)](#) See MEDICAL TESTS: [0176 \(/niosh/docs/2005-110/nmedo176.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA

800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)







Search the Pocket Guide

Enter search terms separated by spaces.

Chlorodiphenyl (42% chlorine)

Synonyms & Trade Names Aroclor® 1242, PCB, Polychlorinated biphenyl

| | | |
|---|---|---|
| CAS No. 53469-21-9 | RTECS No. TQ1356000 (/niosh-rtecs/TQ14BoEo.html) | DOT ID & Guide 2315 171 (/http://wwwapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx?guide=171)  (/http://www.cdc.gov/Other/disclaimer.html) |
| Formula C ₆ H ₄ ClC ₆ H ₃ Cl ₂ (approx) | Conversion | IDLH Ca [5 mg/m ³] See: 53469219 (/niosh/idlh/53469219.html) |
| Exposure Limits NIOSH REL *: Ca TWA 0.001 mg/m ³ See Appendix A (nengapdx.html) [*Note: The REL also applies to other PCBs.] OSHA PEL : TWA 1 mg/m ³ [skin] | | Measurement Methods NIOSH 5503  (/niosh/docs/2003-154/pdfs/5503.pdf) ; OSHA PV2089 (/http://www.osha.gov/dts/sltc/methods/partial/t-pv2089-01-8812-ch/t-pv2089-01-8812-ch.html)  (/http://www.cdc.gov/Other/disclaimer.html) See: NMAM (/niosh/docs/2003-154/) or OSHA Methods (/http://www.osha.gov/dts/sltc/methods/index.html)  (/http://www.cdc.gov/Other/disclaimer.html) |

Physical Description Colorless to light-colored, viscous liquid with a mild, hydrocarbon odor.

| | | | | | |
|-----------------------------|-----------------------|-------------------|--------------------------|-----------------------|--------------|
| MW: 258 (approx) | BP: 617-691 °F | FRZ: -2 °F | Sol: Insoluble | VP: 0.001 mmHg | IP: ? |
| Sp.Gr(77°F): 1.39 | Fl.P: NA | UEL: NA | LEL: NA | | |

Nonflammable Liquid, but exposure in a fire results in the formation of a black soot containing PCBs, polychlorinated dibenzofurans & chlorinated dibenzo-p-dioxins.

Incompatibilities & Reactivities Strong oxidizers

Exposure Routes inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms irritation eyes; chloracne; liver damage; reproductive effects; [potential occupational carcinogen]

Target Organs Skin, eyes, liver, reproductive system

Cancer Site [in animals: tumors of the pituitary gland & liver, leukemia]

Personal Protection/Sanitation ([See protection codes \(protect.html\)](#))

Skin: Prevent skin contact

Eyes: Prevent eye contact

Wash skin: When contaminated

Remove: When wet or contaminated

Change: Daily

Provide: Eyewash, Quick drench

First Aid ([See procedures \(firstaid.html\)](#))

Eye: Irrigate immediately

Skin: Soap wash immediately

Breathing: Respiratory support

Swallow: Medical attention immediately

Respirator Recommendations

NIOSH

At concentrations above the NIOSH REL, or where there is no REL, at any detectable concentration:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

[Click here \(pgintrod.html#nrp\)](#) for information on selection of N, R, or P filters.

Any appropriate escape-type, self-contained breathing apparatus

[Important additional information about respirator selection \(pgintrod.html#mustread\)](#)

See also: [INTRODUCTION \(/niosh/npg/pgintrod.html\)](#) See MEDICAL TESTS: [0175 \(/niosh/docs/2005-110/nmedo175.html\)](#)

Page last reviewed: April 4, 2011

Page last updated: November 18, 2010

Content source: [National Institute for Occupational Safety and Health \(NIOSH\)](#) Education and Information Division

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333,
USA

800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)





APPENDIX F

CONFINED SPACE ENTRY CHECKLIST/PERMIT



CONFINED SPACE ENTRY PERMIT

| | | |
|---|---|--|
| Confined Space <input type="checkbox"/> | Hazardous Area <input type="checkbox"/> | Non Permit Required <input type="checkbox"/> |
|---|---|--|

Notes:

No work will be performed unless the space meets non permit requirements
 Permit valid 8 hours only. All copies of permit will remain at this job site until job is completed.
 A single entry permit can be filled out prior to start of daily work.
SAFETY STANDBY PERSON IS REQUIRED FOR ALL CONFINED SPACE WORK

Site Location and Description: _____

Purpose of Entry: _____

Supervisor(s) in charge of Crew: _____

| Requirements | Date | Time | Requirements | Date | Time |
|--------------------------------------|------|------|-------------------------------------|------|------|
| Lock Out/De-energize/try-out | | | Full Body Harness w/"D" Ring | | |
| Line(s) Broken-capped-blanked | | | Emergency Escape Retrieval | | |
| Purged-Flush and Vent | | | Lifelines | | |
| Ventilation | | | Fire Extinguishers | | |
| Secure Area (Post and Flag) | | | Lighting (Explosive Proof) | | |
| Breathing Apparatus | | | Protective Clothing | | |
| Resuscitator-Inhalator | | | Respirator(s) (Air Purifying) | | |
| Standby Safety Personnel | | | Burning and Welding Permit | | |

BOLD DENOTES MINIMUM REQUIREMENTS TO BE COMPLETED & REVIEWED PRIOR TO ENTRY

Items that do not apply enter N/A in the blank

| Monitoring Tests | Permissible Entry Levels | Results (record every 30 minutes beginning ½ hour prior to entry) | | | | | | | |
|-------------------------------------|--------------------------|---|--|--|--|--|--|--|--|
| Oxygen | 19.5 to 23.5% | | | | | | | | |
| LEL | Below 10% | | | | | | | | |
| Hydrogen sulfide (H ₂ S) | 10ppm† 15ppm‡ | | | | | | | | |

†Short term exposure limit (STEL)

‡8 hour Time weighted average (TWA)

Monitoring Equipment

 Type Model # Serial #

 Type Model # Serial #

Safety standby person(s): _____



Supervisor authorizing entry: _____



APPENDIX G EMERGENCY INFORMATION

CLIENT DRIVEN SOLUTIONS


PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON



EMERGENCY PHONE NUMBERS

| | |
|--|----------------|
| General Emergencies - New York City Police/Fire Department/Ambulance | 911 |
| Non-Emergency Hotline - New York City Police/Fire Department/Ambulance | 311 |
| Local Emergency Medical Center (Bronx State Hospital) | 1-718-882-3328 |
| National Response Center | 1-800-424-8802 |
| Poison Control | 1-212-340-4494 |
| NYSDEC Spills Division | 1-800-457-7362 |
| NYSDEC Hazardous Waste Division | 1-718-482-4994 |
| NYC Office of Environmental Remediation | 1-212-788-8841 |
| NYC Department of Health | 1-212-788-4711 |
| PWGC Project Director, James Rhodes | 1-631-589-6353 |
| PWGC Project Manager, Thomas Melia | 1-631-589-6353 |
| PWGC Site Safety Officer, Janelle Cooley (or assignee) | 1-516-967-7752 |



Montefiore Medical Center
Moses Division



SUBJECT SITE



Williams Bridge


Document Path: W:\Projects\A-D\BBU1702\mapfiles\FIG01_HospitalRoute.mxd



P.W. GROSSER CONSULTING, INC.
Strategic Environmental and Engineering Solutions
630 Johnson Avenue, Suite 7
Bohemia, NY • 11716-2618
Phone: (631) 589-6353 • Fax: (631) 589-8705
E-mail: INFO@PWGROSSER.COM

HOSPITAL ROUTE

Montefiore Medical Center
Moses Division
111 E. 210th St., Bronx, NY 10467



| | |
|--------------|------------|
| Project: | BBU1702 |
| Date: | 11/22/2017 |
| Designed by: | TM |
| Drawn by: | TS |
| Approved by: | TM |
| Figure No: | 1 |



| | | |
|---|---|--|
| INCIDENT / NEAR MISS REPORT AND INVESTIGATION - PAGE 1 OF 2 | | |
| TYPE OF INCIDENT - CHECK ALL THAT APPLY | | |
| <input type="checkbox"/> INJURY/ILLNESS | <input type="checkbox"/> VEHICLE DAMAGE | <input type="checkbox"/> PROPERTY DAMAGE |
| <input type="checkbox"/> FIRE | <input type="checkbox"/> SPILL/RELEASE | <input type="checkbox"/> PERMIT EXCEEDENCE |
| <input type="checkbox"/> NEAR MISS | <input type="checkbox"/> OTHER | |
| GENERAL INFORMATION | | |
| PROJECT NAME: | DATE OF REPORT: | REPORT NO.: |
| DATE OF INCIDENT: | TIME: | DAY OF WEEK: |
| LOCATION OF INCIDENT: | | |
| WEATHER CONDITIONS: | ADEQUATE LIGHTING AT SCENE? <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A | |
| DESCRIBE WHAT HAPPENED (STEP BY STEP - USE ADDITIONAL PAGES IF NECESSARY) | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| AFFECTED EMPLOYEE INFORMATION | | |
| NAME: | EMPLOYEE: <input type="checkbox"/> YES <input type="checkbox"/> NO | |
| HOME ADDRESS: | | |
| SOCIAL SECURITY NO.: | HOME PHONE NO.: | |
| JOB CLASSIFICATION: | YEARS IN JOB CLASSIFICATION: | |
| HOURS WORKED ON SHIFT PRIOR TO INCIDENT: | AGE: | |
| DID INCIDENT RELATE TO ROUTINE TASK FOR JOB CLASSIFICATION? <input type="checkbox"/> YES <input type="checkbox"/> NO | | |
| INJURY/ILLNESS INFORMATION | | |
| NATURE OF INJURY OR ILLNESS: | | |
| | | |
| OBJECT/EQUIPMENT/SUBSTANCE CAUSING HARM: | | |
| FIRST AID PROVIDED? <input type="checkbox"/> YES <input type="checkbox"/> NO | | |
| IF YES, WHERE WAS IT GIVEN: <input type="checkbox"/> ON-SITE <input type="checkbox"/> OFF-SITE | | |
| IF YES, WHO PROVIDED FIRST AID: | | |
| WILL THE INJURY/ILLNESS RESULT IN: <input type="checkbox"/> RESTRICTED DUTY <input type="checkbox"/> LOST TIME <input type="checkbox"/> UNKNOWN | | |



| | | |
|--|-------------------------------------|-------------------|
| INCIDENT / NEAR MISS REPORT AND INVESTIGATION - PAGE 2 OF 2 | | REPORT NO. |
| MEDICAL TREATMENT INFORMATION | | |
| WAS MEDICAL TREATMENT PROVIDED? <input type="checkbox"/> YES <input type="checkbox"/> NO | | |
| IF YES, WAS MEDICAL TREATMENT PROVIDED: <input type="checkbox"/> ON-SITE <input type="checkbox"/> DR.'S OFFICE <input type="checkbox"/> HOSPITAL | | |
| NAME OF PERSON(S) PROVIDING TREATMENT: | | |
| ADDRESS WHERE TREATMENT WAS PROVIDED: | | |
| TYPE OF TREATMENT: | | |
| VEHICLE AND PROPERTY DAMAGE INFORMATION | | |
| VEHICLE/PROPERTY DAMAGED: | | |
| DESCRIPTION OF DAMAGE: | | |
| SPILL AND AIR EMISSIONS INFORMATION: | | |
| SUBSTANCE SPILLED OR RELEASED: | FROM WHERE: | TO WHERE: |
| ESTIMATED QUANTITY/DURATION: | | |
| CERCLA HAZARDOUS SUBSTANCE? <input type="checkbox"/> YES <input type="checkbox"/> NO | | |
| REPORTABLE TO AGENCY? <input type="checkbox"/> YES <input type="checkbox"/> NO SPECIFY: | | |
| WRITTEN REPORT: <input type="checkbox"/> YES <input type="checkbox"/> NO TIME FRAME: | | |
| RESPONSE ACTION TAKEN: | | |
| PERMIT EXCEEDENCE | | |
| TYPE OF PERMIT: | PERMIT #: | |
| DATE OF EXCEEDENCE: | DATE FIRST KNOWLEDGE OF EXCEEDENCE: | |
| PERMITTED LEVEL OR CRITERIA: | | |
| EXCEEDENCE LEVEL OR CRITERIA: | | |
| REPORTABLE TO AGENCY? <input type="checkbox"/> YES <input type="checkbox"/> NO SPECIFY: | | |
| WRITTEN REPORT: <input type="checkbox"/> YES <input type="checkbox"/> NO TIME FRAME: | | |
| RESPONSE ACTION TAKEN: | | |
| NOTIFICATIONS | | |
| NAMES OF PERSONNEL NOTIFIED: | DATE/TIME: | |
| CLIENT NOTIFIED: | DATE/TIME: | |
| AGENCY NOTIFIED: | DATE/TIME: | |
| CONTACT NAME: | | |
| PERSONS PREPARING REPORT | | |
| EMPLOYEE'S NAME:(PRINT) | SIGN: | |
| SUPERVISOR'S NAME:(PRINT) | SIGN: | |



| INVESTIGATIVE REPORT | | | |
|--|--------------------|------------------|-----------------|
| DATE OF INCIDENT: | | DATE OF REPORT: | REPORT NUMBER: |
| INCIDENT COST: ESTIMATED: \$ _____ | | ACTUAL: \$ _____ | |
| OSHA RECORDABLE(S): <input type="checkbox"/> YES <input type="checkbox"/> NO # RESTRICTED DAYS ____ # DAYS AWAY FROM WORK ____ | | | |
| CAUSE ANALYSIS | | | |
| IMMEDIATE CAUSES - WHAT ACTIONS AND CONDITIONS CONTRIBUTED TO THIS EVENT? | | | |
| | | | |
| | | | |
| BASIC CAUSES - WHAT SPECIFIC PERSONAL OR JOB FACTORS CONTRIBUTED TO THIS EVENT? | | | |
| | | | |
| | | | |
| ACTION PLAN | | | |
| REMEDIAL ACTIONS - WHAT HAS AND OR SHOULD BE DONE TO CONTROL EACH OF THE CAUSES LISTED? | | | |
| ACTION | PERSON RESPONSIBLE | TARGET DATE | COMPLETION DATE |
| | | | |
| | | | |
| | | | |
| | | | |
| PERSONS PERFORMING INVESTIGATION | | | |
| INVESTIGATOR'S NAME: (PRINT) | SIGN: | DATE: | |
| INVESTIGATOR'S NAME: (PRINT) | SIGN: | DATE: | |
| INVESTIGATOR'S NAME: (PRINT) | SIGN: | DATE: | |
| MANAGEMENT REVIEW | | | |
| PROJECT MANAGER: (PRINT) | SIGN: | DATE: | |
| COMMENTS: | | | |
| H&S MANAGER: (PRINT) | SIGN: | DATE: | |
| COMMENTS: | | | |

EXAMPLES OF IMMEDIATE CAUSES

Substandard Actions

Substandard Conditions



1. Operating equipment without authority
2. Failure to warn
3. Failure to secure
4. Operating at improper speed
5. Making safety devices inoperable
6. Removing safety devices
7. Using defective equipment
8. Failure to use PPE properly
9. Improper loading
10. Improper placement
11. Improper lifting
12. Improper position for task
13. Servicing equipment in operation
14. Under influence of alcohol/drugs
15. Horseplay

1. Guards or barriers
2. Protective equipment
3. Tools, equipment, or materials
4. Congestion
5. Warning system
6. Fire and explosion hazards
7. Poor housekeeping
8. Noise exposure
9. Exposure to hazardous materials
10. Extreme temperature exposure
11. Illumination
12. Ventilation
13. Visibility

EXAMPLES OF BASIC CAUSES

Personal Factors

1. Capability
2. Knowledge
3. Skill
4. Stress
5. Motivation
6. Work Standards
7. Wear and tear
8. Abuse or misuse

Job Factors

1. Supervision
2. Engineering
3. Purchasing
4. Maintenance
5. Tools/equipment

MANAGEMENT PROGRAMS FOR CONTROL OF INCIDENTS

1. Leadership and administration
2. Management training
3. Planned inspections
4. Task analysis and procedures
5. Task observation
6. Emergency preparedness
7. Organizational rules
8. Accident/incident analysis
9. Personal protective equipment
10. Health control
11. Program audits
12. Engineering controls
13. Personal communications
14. Group meetings
15. General promotion
16. Hiring and placement
17. Purchasing controls



APPENDIX E

COMMUNITY AIR MONITORING PLAN

CLIENT DRIVEN SOLUTIONS

PHONE: 631.589.6353 630 JOHNSON AVENUE, STE 7
PWGROSSER.COM BOHEMIA, NY 11716

LONG ISLAND • MANHATTAN • ALBANY • SYRACUSE • SEATTLE • SHELTON

WILLIAMSBRIDGE GARDENS
EAST 211TH – EAST 212TH STREET
BRONX, NEW YORK
NYSDEC BCP ID: C203113

COMMUNITY AIR MONITORING PLAN

SUBMITTED TO:



New York State Department of Environmental Conservation
Region 2
47-40 21st Street
Long Island City, New York 11101

PREPARED FOR:

B&B Urban, LLC
419 Park Avenue South, 7th Floor
New York, New York 10016

PREPARED BY:



P.W. Grosser Consulting, Inc.
630 Johnson Avenue, Suite 7
Bohemia, New York 11716
Phone: 631-589-6353
Fax: 631-589-8705

James P. Rhodes, PG, Sr. Principal
Thomas Melia, PG, Sr. Project Manager

jimr@pwgrosser.com
thomasm@pwgrosser.com

PWGC Project Number: BBU1702

JANUARY 2019



HEALTH & SAFETY PLAN
WILLIAMSBRIDGE GARDENS
NYSDEC BCP ID: C203113

TABLE OF CONTENTS PAGE
1.0 INTRODUCTION 1
1.1 Regulatory Requirements 1
2.0 AIR MONITORING 2
2.1 Real-Time Monitoring 2
2.1.1 Air Monitoring Equipment 2
2.1.2 VOC Monitoring, Response Levels, and Actions 2
2.1.3 Particulate Monitoring, Response Levels, and Actions 3
3.0 SPECIAL REQUIREMENTS 4
3.1 Requirements for Work within 20 Feet of Potentially Exposed Individuals or Structures 4
3.2 Requirements for Indoor Work with Co-Located Residences or Facilities 4
4.0 VAPOR SUPPRESSION TECHNIQUES 5
5.0 DUST SUPPRESSION TECHNIQUES 6
6.0 DATA QUALITY ASSURANCE 7
6.1 Calibration 7
6.2 Operations 7
6.3 Data Review 7
7.0 RECORDS AND REPORTING 8



P.W. GROSSER CONSULTING, INC.
PROJECT No. BBU1801
New York State Department of Environmental Conservation
Brownfield Site No. C203113

COMMUNITY AIR MONITORING PLAN

Williamsbridge Gardens
East 211th – East 212th Street
Bronx, New York

SUBMITTED:

January 2019

PREPARED FOR:

New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233

ON BEHALF OF:

B&B Urban LLC
419 Park Avenue South, 7th Floor
New York, New York 10019

PREPARED BY:

P.W. Grosser Consulting, Inc.
630 Johnson Avenue, Suite 7
Bohemia, New York 11716



1.0 INTRODUCTION

This Community Air Monitoring Plan (CAMP) provides measures for protection for on-site workers and the downwind community (i.e., off-site receptors including residences, businesses, and on-site workers not directly involved) from potential airborne contaminant releases resulting from investigation and/or remedial action at the Williamsbridge Gardens site, Bronx, New York.

The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that the investigation and/or remedial work did not spread contamination off-site through the air.

The primary concerns for this site are SVOCs, metals and dust particulates.

1.1 Regulatory Requirements

This CAMP was established in accordance with the following requirements:

- 29 CFR 1910.120(h): This regulation specifies that air shall be monitored to identify and quantify levels of airborne hazardous substances and health hazards, and to determine the appropriate level of protection for workers.
- New York State Department of Health's (NYSDOH) Generic Community Air Monitoring Plan: This guidance specifies that a community air-monitoring program shall be implemented to protect the surrounding community and to confirm that the work does not spread contamination off-site through the air.
- New York State Department of Environmental Conservation (NYSDEC) Technical and Guidance Memorandum (TAGM) #4031 - Fugitive Dust Suppression and Particulate Monitoring Program at Inactive Hazardous Waste Sites: This guidance provides a basis for developing and implementing a fugitive dust suppression and particulate monitoring program as an element of a hazardous waste site's health and safety program.



2.0 AIR MONITORING

The following sections contain information describing the types, frequency and location of real-time monitoring.

2.1 Real-Time Monitoring

This section addresses the real-time monitoring that will be conducted within the work area, and along the site perimeter, during intrusive activities such as excavation, product recovery, manipulation of soil piles, extraction of sheet piling, etc.

Air monitoring data will be documented in a site log book by the designated site safety officer. PWGC's site safety officer or delegate must ensure that air monitoring instruments are calibrated and maintained in accordance with manufacturer's specifications. All instruments will be zeroed daily and checked for accuracy. A daily log will be kept. If additional monitoring is required, the protocols will be developed and appended to this plan.

2.1.1 Air Monitoring Equipment

Air will be monitored for VOCs with a MiniRAE 2000 PID (or equivalent). This instrument is appropriate to measure the types of contaminants known or suspected to be present, and is capable of calculating 15-minute running average concentrations, which will be compared to the levels specified in Section 2.1.2

Fugitive respirable dust will be monitored using a MiniRAM Model PDM-3 aerosol monitor (or equivalent). This instrument is capable of measuring particulate matter less than 10 micrometers in size (PM-10), is capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level, and is equipped with an audible alarm to indicate exceedance of the action level specified in Section 2.1.3.

2.1.2 VOC Monitoring, Response Levels, and Actions

Volatile organic compounds (VOCs) will be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous. Upwind concentrations should be measured at the start of each workday and periodically thereafter to establish background conditions. VOC monitoring Action Levels are as described below:

- If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities must be temporarily halted and monitoring continued.



- If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities can resume with continued monitoring.
- If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the exclusion zone or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet, is below 5 ppm over background for the 15-minute average.
- If the organic vapor level is above 25 ppm at the perimeter of the work area, activities must be shutdown.

All 15-minute readings will be recorded and be available for NYSDEC and/or NYSDOH personnel to review. Instantaneous readings, if any, used for decision purposes will also be recorded.

2.1.3 Particulate Monitoring, Response Levels, and Actions

Particulate concentrations will be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. In addition, fugitive dust migration should be visually assessed during all work activities. Particulate monitoring Action Levels are as described below:

- If the downwind PM-10 particulate level is 100 micrograms per cubic meter (mcg/m³) greater than background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques must be employed. Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed 150 mcg/m³ above the upwind level and provided that no visible dust is migrating from the work area.
- If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 mcg/m³ above the upwind level, work must be stopped and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 mcg/m³ of the upwind level and in preventing visible dust migration.

All 15-minute readings will be recorded and be available for NYSDEC and/or NYSDOH personnel to review. Instantaneous readings, if any, used for decision purposes will also be recorded.



3.0 SPECIAL REQUIREMENTS

3.1 Requirements for Work within 20 Feet of Potentially Exposed Individuals or Structures

When work areas are within 20 feet of potentially exposed populations or occupied structures, the continuous monitoring locations for VOCs and particulates must reflect the nearest potentially exposed individuals and the location of ventilation system intakes for nearby structures. The use of engineering controls such as vapor/dust barriers, temporary negative-pressure enclosures, or special ventilation devices should be considered to prevent exposures related to the work activities and to control dust and odors. Consideration should be given to implementing the planned activities when potentially exposed populations are at a minimum, such as during weekends or evening hours in non-residential settings.

- If total VOC concentrations opposite the walls of occupied structures or next to intake vents exceed 1 ppm, monitoring should occur within the occupied structure(s). Background readings in the occupied spaces must be taken prior to commencement of the planned work. Any unusual background readings should be discussed with NYSDOH prior to commencement of the work.
- If total particulate concentrations opposite the walls of occupied structures or next to intake vents exceed 150 mcg/m³, work activities should be suspended until controls are implemented and are successful in reducing the total particulate concentration to 150 mcg/m³ or less at the monitoring point.
- Depending upon the nature of contamination and remedial activities, other parameters (e.g., explosivity, oxygen, hydrogen sulfide, carbon monoxide) may also need to be monitored. Response levels and actions should be pre-determined, as necessary, for each site.

3.2 Requirements for Indoor Work with Co-Located Residences or Facilities

Unless a self-contained, negative-pressure enclosure with proper emission controls will encompass the work area, all individuals not directly involved with the planned work must be absent from the room in which the work will occur. Monitoring requirements shall be as stated above under “Special Requirements for Work Within 20 Feet of Potentially Exposed Individuals or Structures” except that in this instance “nearby/occupied structures” would be adjacent occupied rooms. Additionally, the location of all exhaust vents in the room and their discharge points, as well as potential vapor pathways (openings, conduits, etc.) relative to adjoining rooms, should be understood and the monitoring locations established accordingly. In these situations, it is strongly recommended that exhaust fans or other engineering controls be used to create negative air pressure within the work area during remedial activities. Additionally, it is strongly recommended that the planned work be implemented during hours (e.g. weekends or evenings) when building occupancy is at a minimum.



4.0 VAPOR SUPPRESSION TECHNIQUES

Vapor suppression techniques must be employed when action levels warrant the use of these techniques.

The techniques to be implemented for control of VOCs from stockpiled soil or from the open excavation will include one or more of the following:

- cover with plastic
- cover with "clean soil"
- application of hydro-mulch material*
- limit working hours to favorable wind and temperature conditions

*This material is a seedless version of the hydro-seed product commonly used by commercial landscaping contractors to provide stabilization and rapid grow-in of grasses or wild flowers along highways, embankments and other large areas. Hydro-mulch can be sprayed over open excavation areas, temporary stockpile areas and loaded trucks, as necessary. This is a highly effective method for controlling odors, because the release of odors is sealed immediately at the source.



5.0 DUST SUPPRESSION TECHNIQUES

Reasonable dust-suppression techniques must be employed during all work that may generate dust, such as excavation, grading, and placement of clean fill. The following techniques were shown to be effective for controlling the generation and migration of dust during remedial activities:

- Wetting equipment and excavation faces;
- Spraying water on buckets during excavation and dumping;
- Hauling materials in properly covered containers; and,
- Restricting vehicle speeds to 10 mph.

Using atomizing sprays will prevent overly wet conditions, conserve water, and offer an effective means of suppressing fugitive dust. It is imperative that utilizing water for suppressing dust will not create surface runoff.



6.0 DATA QUALITY ASSURANCE

6.1 Calibration

Instrument calibration shall be documented in the designated field logbook. All instruments shall be calibrated before each shift. Calibration checks may be used during the day to confirm instrument accuracy. Duplicate readings may be taken to confirm individual instrument response.

6.2 Operations

All instruments shall be operated in accordance with the manufacturer's specifications. Manufacturers' literature, including an operations manual for each piece of monitoring equipment will be maintained on-site by the FTL/HSO for reference.

6.3 Data Review

The Field Team Leader FTL/HSO will interpret all monitoring data based on the action levels specified in Sections 2.1.2 and 2.1.3 and his/her professional judgment. The FTL/HSO shall review the data with the HSM to evaluate the potential for worker exposure, upgrades/downgrades in level of protection, comparison to direct reading instrumentation and changes in the integrated monitoring strategy.

Monitoring and sampling data, along with all sample documentation will be periodically reviewed by the HSM.



7.0 RECORDS AND REPORTING

All readings must be recorded and available for review by personnel from NYSDEC and NYSDOH. Should any of the action levels be exceeded, the NYSDEC Division of Air Resources must be notified in writing within five (5) working days.

The notification shall include a description of the control measures implemented to prevent further exceedances.